



MICROCOPY RESOLUTION TEST CHART NATIONAL BUREAU OF STANDARDS-1963-A



Bibliography on COLD REGIONS SCIENCE AND TECHNOLOGY

4D-4134 620

VOLUME 36, PART 1, 1982

DTIC FILE COPY



This document has been approved for public response and sale; his distribution is unlimited.

83 11 08 033

BIBLIOGRAPHY ON COLD REGIONS SCIENCE AND TECHNOLOGY Volume 36, 1982

INTRODUCTION

The Bibliography on Cold Regions Science and Technology was first published in 1951 and is a continuing publication of the Cold Regions Bibliography Project in the Science and Technology Division of the Library of Congress. It is sponsored by and prepared for the Cold Regions Research and Engineering Laboratory (formerly Snow, Ice and Permafrost Research Establishment) of the U.S. Army Corps of Engineers. Volumes 1-15 were issued as the Bibliography on Snow, Ice and Permafrost, SIPRE Report 12. Beginning with volume 16 the designation was changed to CRREL Report 12. With volume 20 the title was changed to Bibliography on Snow, Ice and Frozen Ground, with Abstracts, and with volume 23 the current title was adopted.

The present volume contains material accessioned between October 1981 and September 1982. It contains the full citation of 4268 items, in many cases with abstracts. Pt. 2 is an index section divided into author and subject indexes. In the author index principal and joint personal and corporate authors are listed along with the title, date, pagination, and language of the document and the accession number. The subject index is composed of three basic elements: 1) terms taken from a controlled vocabulary based on the Thesaurus of Engineering and Scientific Terms (LEX-EIC), 2) free terms added as needed, 3) geographic names, generally entered under countries. The terms are listed in a single alphabetical arrangement, along with title (original, translated, abridged, expanded, or supplied), principal author, date, pagination, and language of pertinent documents, and their accession numbers.

This publication is the result of a coordinated effort. The bibliographic work was done by the Cold Regions Bibliography Project Staff who entered all data on a single computerized data base that accommodates both the Bibliography on Cold Regions Science and Technology and the Antarctic Bibliography, thus eliminating duplication of effort between the two biblwas handled by the Library's Automated Systems Office and the photocomposition by the Cataloging Distribution Service.

This publication is available from the National Technical Information Service, Springfield, Virginia 22151. When ordering, both parts should be included, as they are complementary.

Accession For			
NTIS GRA&I DITC TAB Unernounced Justiciontion	Cold Regio	Geza T. Thuronyi, Head ons Bibliography Project and Technology Division Library of Congress	_
By			
Dist 450			از قد لاریا آنا
A-1	at sá		ij persil

Ground freezing. The 2nd International Symposium on Ground Freezing. Preprints.

International Symposium on Ground Freezing, 2nd, Trondheim, Norway, June 24-26, 1980, Trondheim. University, Norwegian Institute of Technology, 1980. 1101p., Refs. passim. For individual papers see 36-2 through 36-92.

Soil freezing, Frozen ground mechanics, Frozen ground thermodynamics, Permafrost physics, Earthwork, Frost action, Meetings.

State-of-the-art report: ground incomprehens, processes and design.
Jessberger, H.L., International Symposium on Ground Freezing, 2nd, Trondheim, Norway, June 24-26, 1980.
Trondheim, University, Norwegian Insti-Preprints, Trondheim, University, Norwegian Institute of Technology, 1980, p.1-33, Refs. p.30-33.

Soil freezing, Frozen ground mechanics, Frozen

ground strength, Soil structure, Geocryology, Frozen ground physics, Tensile properties, Compressive properties, Soil creep, Design.

Strain rate, temperature, and sample size effects on compression and tensile properties of frozen sand.

Brage, R.A., et al, International Symposium on Ground Freezing, 2nd, Trondheim, Norway, June 24-26, 1980. Preprints, Trondheim, Ur versity, Norwegian Institute of Technology, 1980, p.34-47, 9 refs. Andersland, O.B.

Frozen sand, Strain tests, Temperature effects, Compressive properties, Tensile properties.

36-4

Stress-strain and volumetric behavior of frozen soil. Lade, P.V., et al. International Symposium on Ground Preezing, 2nd, Trondheim, Norway, June 24-26, 1980. Preprints, Trondheim, University, Norwegian Institute of Technology, 1980, p.48-64, 12 refs.

Jessberger, H.L., Diekmann, N. Frozen ground strength, Frozen sand, Stress strain diagrams, Triaxial tests, Pressure, Volume.

36-5

Mechanical properties of frozen coarse-grained soils. Tsytovich, N.A., et al. International Symposium on Ground Freezing, 2nd, Trondheim, Norway, June 24-26, 1980. Preprints, Trondheim, University, Norwegian Institute of Technology, 1980, p.65-74, 13 refs. Kronik, IA.A., Gavrilov, A.N., Vorob'ev, E.A. Frozen ground mechanics, Frozen ground strength,

logy, Compressive properties, Temperature effects. Stresses.

Effect of freezing process on the selected properties of frost-susceptible soils.

Skarżyńska, K.M., International Symposium on

Ground Freezing, 2nd, Trondheim, Norway, June 24-26, 1980. Preprints, Trondheim, University, Norwegian Institute of Technology, 1980, p.75-84, 9 refs. rozen ground strength, Soil freezing, Soil structure, Soil texture, Compressive properties, Frost heave, Soil water, Experimentation, Volume.

36-7

Geotechnical exploration related to artificial ground freezing.
Porturas, F.A., International Symposium on Ground

Freezing, 2nd, Trondheim, Norway, June 24-26, 1980. Preprints. Trondheim, University, Norwegian Institute of Technology, 1980, p.85-94, 10 refs.

Rheology, Soil freezing, Artificial freezing, Soil sta-bilization, Frozen ground strength, Soil water, Loads (forces), Structures, Engineering.

36-8

Kinetic nature of the long term strength of frozen solis.

Fish, A.M., MP 1450, International Symposium on Ground Freezing, 2nd, Trondheim, Norway, June 24-Preprints, Trondheim, University, Norwegian Institute of Technology, 1980, p.95-108, 23 refs. Frozen ground strength, Soil creep, Stresses, Soil texture, Triaxial tests, Rheology, Temperature effects, Analysis (mathematics).

Temperature dependencies of the failure activation energy of frozen soils in the temperature range from -0.55 to -20C were studied. The analysis was based upon experimental data on the long-term failure of six frozen soils. Manchester and Ottawa long-term failure of six frozen soils: Manchester and Ottawa sands, Suffield and Bat-Bayons clays, Hanover sitt and Kelovey sandy loam. The failure activation energy was expressed as a function of the rheological parameters of the long-term strength equation in the form of the sum of two components: an initial value that is independent of failure stress and a stress-dependent increment of the activation energy. The analysis showed that the initial value of the failure activation energy varied between the limits of 10.4 and 19.4 kcal/mole, the variation of stress-

.

dependent increments was between 0.3 and 6.6 kcal mole, and the sum varied from 12.9 to 19.7 kcal mole. The smaller initial and sum values of the activation energy refer to the clay soils and the greater values to the sandy soils.

arbee, D.L.

Strength of frozen silt as a function of ice content and dry unit weight. Sayles, F.H., et al, MP 1451, International Symposium

Ground Freezing, 2nd, Trondheim, Norway, June Preprints, Trondheim, University, 24-26, 1980. Norwegian Institute of Technology, 1980, p.109-119,

Frozen ground strength, Ground water, Water content, Stress strain diagrams, Compressive properties, Ground ice, Loads (forces, Grain size.

Ground ice, Loads (forces, Grain size.

A total of 45 unconfined compression tests were conducted on frozen specimens of remolded, saturated Fairbanks silt at dry unit weights ranging from 993 to 1490 kilograms per cubic meter with total water contents ranging from 0.28 to 0.58. The rate of strain was 0.005/s. Using the criterion that the ice matrix in the soil fractures at the first point of significant yield shown in the stress-strain curve, which occurs at less than 0.01 strain in this study, the "ice matrix strength" is shown to be nearly proportional to the volumetric ice content of the soil for these tests. The strength at 0.2 strain appears to be nearly independent of the dry unit weight and water content of the soil

Strength and deformability of clays while pressing through them the rigid plates and subsequent freez-

Sadovskil, A.V., et al. International Symposium on Ground Freezing, 2nd, Trondheim, Norway, June 24-26, 1980. Preprints, Trondheim, University, Norwegian Institute of Technology, 1980, p.120-131, 1 ref Tikhomirov, S.M.

Clays, Soil freezing, Deformation, Frozen ground mechanics, Frozen ground strength, Plates, Pressure, Soil structure, Water content, Strain tests.

Strength of frozen partially saturated sand-clay mixtures.

Demars, K.R., et al. International Symposium on Ground Freezing, 2nd. Trondheim, Norway, June 24-26, 1980. Preprints, Trondheim, University. Norwegian Institute of Technology, 1980, p.132-143, 11 refs. Vanover F A

Clay soils, Sands, Frozen ground strength, Satura-tion, Compressive properties, Unfrozen water con-tent, Soil freezing, Tests, Density (mass/volume).

36-12

Laboratory determination of strength properties of frozen salt marine clay.

Aas, G., International Symposium on Ground Freez-

ing, 2nd, Trondheim, Norway, June 24-26, 1980. Preprints, Trondheim, University, Norwegian Institute of Technology, 1980, p.144-156, 3 refs.

Clays, Soil freezing, Stress strain diagrams, Tunnels, Frozen ground strength, Shear stress, Soil creep, Deformation, Salinity, Tests, Compressive properties. Time factor.

Adfreeze strength and creep of frozen soils measured by model pile tests.

Parameswaran, V.R., International Symposium on Ground Freezing, 2nd, Trondheim, Norway, June 24-Preprints, Trondheim, University, Norwegian Institute of Technology, 1980, p.157-164, 3 refs. Sands, Soil freezing, Frozen ground strength, Soil creep, Piles, Bearing strength, Static loads, Shear strength, Tests.

36-14

Strength of frozen fine-grained soils at warm temper-

Phukan, A., International Symposium on Ground Freezing, 2nd, Trondheim, Norway, June 24-26, 1980. Preprints, Trondheim, University, Norwegian Institute of Technology, 1980, p.165-179, 17 refs.

Frozen ground strength, Fines, Grain size, Ground ice, Stress strain diagrams, Discontinuous permafrost, Compressive properties, Excavation, Temperature effects.

36-15

Thermal stability in a Jakobshavn, Greenland. in uplifted marine deposits at

Foged, N., et al, International Symposium on Ground Freezing, 2nd, Trondheim, Norway, June 24-26, 1980. Preprints, Trondheim, University, Norwegian Insti-tute of Technology, 1980, p.180-189, 7 refs. Baek-Madsen, C

Marine deposits, Thermal properties, Frozen ground settling, Freezing points, Permafrost depth, Salinity,

Creep of frozen soil, a preliminary physical interpre-

Pusch, R., International Symposium on Ground Freezing, 2nd, Trondheim, Norway, June 24-26, 1980 Preprints, Trondheim, University, Norwegian Institute of Technology, 1980, p. 190-201, 8 refs.

Frozen ground strength, Soil creep, Ice crystals, Ice creep, Strain tests, Stress concentration, Cracking (fracturing), Soil water, Rheology.

Description of creep behavior of frozen soil using constant strain rate compression tests.

Diekmann, N., et al. International Symposium on Ground Freezing, 2nd, Trondheim, Norway, June 24-26, 1980 Preprints, Trondheim, University, Norwegian Institute of Technology, 1980, p 202-211, 4 refs

Frozen ground compression, Soil creep, Rheology, Stress strain diagrams, Static loads, Time factor, Models, Compressive properties, Tests.

Uniaxial creep tests on a morainic material from Switzerland.

Herzog, P., et al, International Symposium on Ground Freezing, 2nd, Trondheim, Norway, June 24-26, 1980 Preprints, Trondheim, University, Norwegian Insti-tute of Technology, 1980, p.212-227, 8 refs. Hofer, A.

Moraines, Soil creep, Frozen ground strength, Static loads, Strains, Rheology.

36-19

Creep behavior of frozen sand under cyclic loading conditions.

Freezing, 2nd. 2 cm. Norway, June 24-26, 1980 Preprints, Trondi L. University, Norwegian Institute of Technology, 1980, p.223-234, 7 refs. Andersland, O.B.

Frozen ground strength, Sands, Rheology, Soil creep, Static loads, Dynamic loads, Loads (forces), Stresses, Foundations, Vibration.

Poisson's ratio of sandy frozen soil, under long term stress, by creep tests.

Akagawa, S., International Symposium on Ground Freezing, 2nd, Trondheim, Norway, June 24-26, 1980 Preprints, Trondheim, University, Norwegian Institute of Technology, 1980, p 235-246, 7 refs. Frozen ground mechanics, Soil creep, Stress strain diagrams, Compressive properties, Rheology, Engi-

neering, Deformation, Saturation, Tests.

Creep of frozen shafts: a semi-analytical model.

Winter, H., International Symposium on Ground Freezing, 2nd, Trondheim, Norway, June 24-26, 1980 Preprints, Trondheim, University, Norwegian Institute of Technology, 1980, p.247-261, 5 refs. Frozen ground mechanics, Shafts (excavations),

Stresses, Rheology, Soil creep, Static loads, Temperature variations. Models.

Deformation properties of frozen soils.

Finborud, I., et al. International Symposium on Ground Freezing, 2nd, Trondheim, Norway, June 24-26, 1980. Preprints, Trondheim, University, Norwegian Institute of Technology, 1980, p.262-271, 5 refs. Berggren, A.L.

Frozen ground mechanics, Deformation, Rheology, Soil creep, Sands, Clay soils, Triaxial tests, Artificial freezing, Permafrost physics.

36-23

Bearing behavior of frozen soil.

Eckardt, H., International Symposium on Ground reezing, 2nd, Trondheim, Norway, June 24-26, 1980 Preprints. Trondheim. University, Norwegian Institute of Technology, 1980, p.272-284, 4 refs.

Frozen ground strength, Bearing strength, Static

loads, Rheology, Stresses, Compressive properties, Tensile properties, Soil creep, Mathematical models.

Mechanism for predicting the effect of cyclic freezethaw on soil behavior.

Alkire, B.D., International Symposium on Ground reezing, 2nd, Trondheim, Norway, June 24-26, 1980 Preprints. Trondheim. University, Norwegian Institute of Technology, 1980, p.285-296, 8 refs.

Frozen ground mechanics, Freeze thaw cycles, Stresses, Loads (forces), Triaxial tests, Stress strain diagrams. Temperature effects.

Strength of a frozen ore in shear.

Udd, J.E., et al, International Symposium on Ground Freezing, 2nd, Trondheim, Norway, June 24-26, 1980. Preprints, Trondheim, University, Norwegian Insti-tute of Technology, 1980, p.297-308, 9 refs. Pakalnis, V., Jr.

Frozen rocks, Frozen ground strength, Grain size, Shear stress, Mines (excavations), Minerals.

Strength reductions due to the thawing of frozen ores. Udd, J.E., et al. International Symposium on Ground Freezing, 2nd, Trondheim, Norway, June 24-26, 1980. Preprints, Trondheim, University, Norwegian Institute of Technology, 1980, p.309-324, 5 refs. Yap. S.M.

Frozen rocks, Frozen ground strength, Ground thawing, Permafrost thermal properties, Mines (excavations), Compressive properties, Shear strength, Temperature effects.

36-27

Overconsolidation effects of ground freezing. Chamberlain, E.J., MP 1452. International Symposium on Ground Freezing, 2nd, Trondheim, Norway, June 24-26, 1980. Preprints, Trondheim, University. Norwegian Institute of Technology, 1980, p.325-337, 10 refs.
Soil freezing, Clay soils, Freeze thaw tests, Frozen

ground settling, Frozen ground strength, Frozen ground mechanics, Soil water migration, Water content, Stresses, Density (mass/volume), Soil structure, Overconsolidation.

Settlement of clay soils after freezing and thawing is the result of the suction forces that draw pore water to the freezing front. These suction forces cause an increase in the effective stress on These suction forces cause an increase in the effective stress on the clay beneath the freezing front, and thus cause an overconsolidation of the clay. As these suction forces often exceed 1 atmosphere, their direct measurement is not easy. The volume changes resulting from the freezing and thawing of clays are related to the plastic limit and have been observed in the laboratory to be as high as 25%. If provisions are not made to account for these volume changes in a ground freezing project, considerable damage to structures can occur from settlement and the resulting stresses.

Research of the behavior of non-cohesive soils when treated by artificial freezing.

De Beer, E., et al, International Symposium on

Ground Freezing, 2nd, Trondheim, Norway, June 24-26, 1980. Preprints, Trondheim, University, Norwegian Institute of Technology, 1980, p.338-353. Buttiens, E., Maertens, J.

Soil freezing, Artificial freezing, Ground thawing, Soil creep, Frozen ground mechanics, Bearing strength, Freeze thaw tests, Grain size, Soil temperature. Frost heave, Settlement (structural).

Ground freezing: thermal properties, modelling of processes and thermal design.

Frivik, P.E., International Symposium on Ground

Freezing, 2nd, Trondheim, Norway, June 24-26, 1980.

Preprints, Trondheim, Norway, June 24-26, 1960. Preprints, Trondheim, University, Norwegian Institute of Technology, 1980, p.354-373, 45 refs.
Soil freezing, Unfrozen water content, Artificial freezing, Thermal conductivity, Frozen ground thermodynamics, Thermodynamics, Mathematical models. Design.

36-30

Cryoscopic method for measuring the unfrozen water content in soils.

Chistotinov, L.V., International Symposium Ground Freezing, 2nd, Trondheim, Norway, June 24-26, 1980. Preprints, Trondheim, University, Norwegian Institute of Technology, 1980, p.374-382, 2 refs. Soil water, Unfrozen water content, Frozen ground physics, Phase transformations, Temperature effects, Freeze thaw tests, Low temperature tests, Geocryology.

Measurement of unfrozen water content by time domain reflectometry.

Smith, M.W., et al, International Symposium on Ground Freezing, 2nd, Trondheim, Norway, June 24-26, 1980. Preprints, Trondheim, University, Norwegian Institute of Technology, 1980, p.383-399, 18 refs. Patterson, D.E.

Unfrozen water content, Soil water, Frozen ground physics, Soil freezing, Dielectric properties, Geo-cryology, Temperature effects, Freeze thaw tests.

36-32

Unfrozen water contents of submarine permafrost determined by nuclear magnetic resonance. Tice, A.R., et al, MP 1412, International Symposium

Ground Freezing, 2nd, Trondheim, Norway, June 24 26, 1980. Preprints, Trondheim, University, Norwegian Institute of Technology, 1980, p.400-412. 24 26, 1980.

Anderson, D.M., Sterrett, K.F.

Subsea permafrost, Unfrozen water content, Melting points, Nuclear magnetic resonance, Temperature effects, Temperature measurement, Drill core analysis. Prior work resulted in the development of techniques to measure the unfrozen water contents in frozen soils by nuclear magnetic resonance (NMR). It has been demonstrated that NMR is a promising new method for the determination of phase composition (the measurement of unfrozen water content as a function of temperature) which circumvents many of the limitations inherent in the adiabatic and isothermal calorimetric techniques. The NMR technique makes it possible, in a non-destructive, non-intrusive way, to explore hysteresis by determining both cooling and warming curves. Corrections are made for dissolved paramagnetic impurities which have the effect of increasing the signal intensity at decreasing temperatures. The results demonstrate that NMR techniques can be effectively utilized both at and below the melting point of ice in frozen soils and that accurate melting points (freezing point depressions) can be determined. position (the measurement of unfrozen water content as a funcdepressions) can be determined

Thermal properties of the typical soils both in thawed and frozen states.

Yu, Y., et al, International Symposium on Ground Freezing, 2nd, Trondheim, Norway, June 24-26, 1980. Preprints, Trondheim, University, Norwegian Institute of Technology, 1980, p.413-426, 3 refs. Tao. Z., Fu, S.

Frozen ground thermodynamics, Permafrost thermal properties, Phase transformations, Heat capacity. round thawing, Specific heat, Thermal conductivity, Thermal diffusion. Latent heat.

Thermal properties of soils and rock materials.

Johansen, Ö., et al, International Symposium on Ground Freezing, 2nd, Trondheim, Norway, June 24-26, 1980. Preprints, Trondheim, University, Norwegian Institute of Technology, 1980, p.427-453, 14 refs.

Frozen ground thermodynamics, Frozen rocks, Thermal conductivity, Heat capacity, Unfrozen water con-tent, Temperature effects, Specific heat.

Numerical determination of thermal characteristics

of freezing-thawing soil.
Pavlov, A.R., et al, International Symposium on
Ground Freezing, 2nd, Trondheim, Norway, June 24-26, 1980. Preprints, Trondheim, University, Norwegian Institute of Technology, 1980, p.454-461, 5 refs. Permiakov, P.P.

Frozen ground thermodynamics, Freeze thaw tests, Thermal conductivity, Analysis (mathematics), Specific heat, Soil aggregates.

Influence of cyclic freezing-thawing on heat and mass transfer characteristics of the clay soil.

Efimov. S.S., et al. International Symposium on

Ground Freezing, 2nd, Trondheim, Norway, June 24-26, 1980. Preprints, Trondheim, University, Norwegian Institute of Technology, 1980, p.462-469, 7 refs. Kozhevnikov, N.N., Kurilko, A.S., Nikitina, L.M., Stepanov, A.V.

Clay soils, Freeze thaw cycles, Heat transfer, Mass transfer, Thermal conductivity, Thermal diffusion.

Thermal modeling of freezing soil systems.

Jumikis, A.R., International Symposium on Ground Freezing, 2nd, Trondheim, Norway, June 24-26, 1980. Preprints, Trondheim, University, Norwegian Institute of Technology, 1980, p.470-483, 23 refs. Soil freezing, Artificial freezing, Thermal properties, Thermal conductivity, Pipes (tubes), Mathematical

odels. Temperature effects.

Influence of temperature field on properties of twolsyered foundation.
Sinitsyn, A.P., International Symposium on Ground

Freezing, 2nd. Trondheim, Norway, June 24-26, 1980. Preprints, Trondheim, University, Norwegian Institute of Technology, 1980, p.484-492, 9 refs.

Frozen ground physics, Temperature effects, Wave propagation, Foundations, Thermal conductivity, Seismic velocity.

Temperature regime and mechanical characteristics

of the body of the crushed rock. Pavilonskil, V.M., et al, International Symposium on ravitonskii, v. m., et al, international symposium on Ground Freezing, 2nd, Trondheim, Norway, June 24-26, 1980. Preprints, Trondheim, University, Norwe-gian Institute of Technology, 1980, p.493-501, 4 refs. Zakharov, M.N., Klimov, V.I. Frozen rocks, Thermal regime, Soil stabilization,

Thermal conductivity, Boundary layer, Tensile properties, Phase transformations, Mathematical models, Stefan problem, Water content, Heat transfer, Grain

36.40

Heat and mass flow associated with a freezing front. Holden, J.T., et al. International Symposium on Ground Freezing, 2nd, Trondheim, Norway, June 24-26, 1980. Preprints, Trondheim, University, Norwegian Institute of Technology, 1980, p.502-514, 21 refs. Jones, R.H., Dudek, S.J-M.

Soil freezing, Heat transfer, Mass transfer, Soil water migration, Frost heave, Porous materials, Mathematical models, Frost penetration, Temperature variations.

36-41

Step function model of ice segregation.

Outcalt, S.I., International Symposium on Ground Freezing, 2nd, Trondheim, Norway, June 24-26, 1980. Preprints, Trondheim, University, Norwegian Institute of Technology, 1980, p.515-524, 4 refs.

Frost penetration, Soil freezing, Frost heave, Ice

lenses, Ice formation, Stefan problem, Ground ice, Mathematical models, Surface temperature, Water

Engineering-physical bases of temperature regime regulation of ground massives in northern construc-

Mel'nikov, P.I., et al, International Symposium on Ground Freezing, 2nd, Trondheim, Norway, June 24-Ground Freezing, 2nd, 1rondheim, Norway, June 24-26, 1980. Preprints, Trondheim, University, Norwegian Institute of Technology, 1980, p.525-534, 6 refs. Makarov, V.I., Plotnikov, A.A.

Permatrost thermal properties, Foundations, Subsurfacements of the Proprint Soil Associates.

face structures, Engineering, Soil freezing, Frozen ground temperature, Permafrost beneath structures, Stresses.

Analysis of the temperature field of the artificial

Analysis of the temperature field of the artificial frozen wall of the deep shaft.

Zhu, L., International Symposium on Ground Freezing, 2nd, Trondheim, Norway, June 24-26, 1980. Preprints, Trondheim, University, Norwegian Institute of Technology, 1980, p. 535-544, 3 refs.

Artificial freezing, Shafts (excavations), Walls, Frozen ground temperature, Frost penetration, Drilling, Mathematical models, Computer applications.

Thermal calculations in the design of frozen soil structures.

rures. Muzás, F., International Symposium on Ground Freezing, 2nd, Trondheim, Norway, June 24-26, 1980. Preprints, Trondheim, University, Norwegian Institute of Technology, 1980, p.545-555, 1 ref. Frozen ground thermodynamics, Soil structure, Soil

freezing, Artificial freezing, Freezing points, Design, Temperature measurement.

Thermal design of artificial soil freezing systems.

Frivik, P.E., et al, International Symposium on Ground Freezing, 2nd, Trondheim, Norway, June 24-26, 1980. Preprints, Trondheim, University, Norwe-gian Institute of Technology, 1980, p.556-567, 19 refs. Thorbergsen, E.

Soil freezing, Artificial freezing, Thermal regime, Refrigeration, Frozen ground thermodynamics, Design, Computer applications, Pipes (tubes), Seepage.

Brine substitute liquids for soil freezing at very low temperatures.

Porcellinis, P. de, et al. International Symposium on Ground Freezing, 2nd, Trondheim, Norway, June 24-26, 1980. Preprints, Trondheim, University, Norwegian Institute of Technology, 1980, p.568-580, 3 refs.

Soil freezing, Frozen ground strength, Frozen liquids, Viscosity, Temperature effects, Heat transfer, Brines, Thermal properties, Hydraulics, Low temperature

Frost action in soils, state of the art.

Loch, J.P.G., International Symposium on Ground Freezing, 2nd, Trondheim, Norway, June 24-26, 1980. Preprints. Trondheim. University. Norwegian Institute of Technology, 1980, p.581-596, Refs. p.593-596. Frost heave, Frost action. Soil freezing, Ice lenses. Mass transfer, Water films, Soil water migration, Heat transfer, Tests, Analysis (mathematics).

Pressure distribution and effective stress in frozen soils.

Groenevelt, P.H., et al, International Symposium on Ground Freezing, 2nd, Trondheim, Norway, June 24-26, 1980. Preprints, Trondheim, University, Norwegian Institute of Technology, 1980, p.597-610, 3 refs.

Frozen ground physics, Soil pressure, Loads (forces), Frost heave, Stresses, Volume, Ice lenses, Analysis (mathematics).

36-49

Irreversible thermodynamic treatment of frost heave. Forland, T., et al, International Symposium on Ground Freezing, 2nd, Trondheim, Norway, June 24-26, 1980. Preprints, Trondheim, University, Norwegian Institute of Technology, 1980, p.611-617, 3 refs.

Frost heave, Mass transfer, Heat transfer, Frozen ground thermodynamics. Ice lenses. Temperature factors, Analysis (mathematics).

36-50

Thermorheological principles of heaving.

Grechishchev, S.E., International Symposium on Ground Freezing, 2nd, Trondheim, Norway, June 24-26, 1980. Preprints, Trondheim, University, Norwegian Institute of Technology, 1980, p.618-625, 17 refs. Frost heave, Rheology, Frozen ground thermodynamics, Ice solid interface, Water films, Soil freezing, Geocryology, Analysis (mathematics).

36-51

Location of segregated ice in frost susceptible soil. Penner, E., et al. International Symposium on Ground Freezing, 2nd, Trondheim, Norway, June 24-26, 1980. Preprints. Trondheim, University, Norwegian Institute of Technology, 1980, p.626-639, 4 refs.

Soil freezing, Ice formation, Ice lenses, Temperature gradients, Soil pressure, Phase transformations, X ray analysis, Particle size distribution.

Freezing point depression in moist soil.

Kinoshita, S., et al. International Symposium on Ground Freezing, 2nd, Trondheim, Norway, June 24-26, 1980. Preprints, Trondheim, University, Norwegian Institute of Technology, 1980, p.640-646, 4 refs. Ishizaki, T.

Freezing points, Frost heave, Soil water, Water content, Soil pressure, Latent heat

Pore water migration studies at a freezing boundary. Chistotinov, L.V., International Symposium on Ground Freezing, 2nd, Trondheim, Norway, June 24-26, 1980. Preprints, Trondheim, University, Norwegian Institute of Technology, 1980, p.647-655, 3 refs. Soil freezing, Freezing points, Soil water migration, Phase transformations, Water content, Temperature effects. Experimentation.

36-54

Numerical solutions for rigid-ice model of secondary frost beave

O'Neill, K., et al, MP 1454, International Symposium on Ground Freezing, 2nd, Trondheim, Norway, June 24-26, 1980. Preprints, Trondheim, University, Norwegian Institute of Technology, 1980, p.656-669, 10 refs.

Miller, R.D

Frost heave, Ground ice, Soil freezing, Ice formation, Ice lenses, Analysis (mathematics), Temperature ef-

36.55

Thermodynamic method in the study of frost heave amount in natural soil.

Gao, M., et al, International Symposium on Ground Freezing, 2nd, Trondheim, Norway, June 24-26, 1980. Preprints, Trondheim, University, Norwegian Institute of Technology, 1980, p.670-679, 4 refs.

Frost heave, Frozen ground thermodynamics, Soil water, Water content, Stefan problem, Soil temperature, Soil pressure.

Salt treatment effects on frost heave performance. Yong, R.N., et al. International Symposium on Ground Freezing, 2nd, Trondheim, Norway, June 24-26, 1980. Preprints, Trondheim, University, Norwegian Institute of Technology, 1980, p.680-691, 6 refs Serag-Eldin, N

Frost heave, Salting, Antifreezes, Soil freezing, Soil Water content, Density (mass/volume), Ground ice.

36-57

Some characteristics of water saturated gravel during freezing and its applications.

Chen, X., et al, International Symposium on Ground Freezing, 2nd, Trondheim, Norway, June 24-26, 1980. Preprints, Trondheim, University, Norwegian Institute of Technology, 1980, p.692-701, 6 refs.

Jiang, P., Wang, Y. Gravel, Freezing, Water content, Water pressure, Soil water migration, Frost heave, Frost penetration.

36-58

Pressure in the zone of ground freezing.

Pietrzyk, K., International Symposium on Ground Freezing, 2nd, Trondheim, Norway, June 24-26, 1980. Preprints, Trondheim, University, Norwegian Institute of Technology, 1980, p.702-712, 7 refs.

Soil freezing, Soil pressure, Grain size, Frost heave,

Perosity, Unfrozen water content.

Upper limit of heaving pressure derived by pore water pressure measurements of partially frozen soil. Takashi, T., et al, International Symposium on Ground

Freezing, 2nd, Trondheim, Norway, June 24-26, 1980 Preprints, Trondheim, University, Norwegian Institute of Technology, 1980, p.713-724, 18 refs.
Ohrai, T., Yamamoto, H., Okamoto, J.

Soil freezing, Frost heave, Soil pressure, Soil water, Water pressure, Frozen ground temperature, Grain size. Ice lenses. Time factor.

36-60

Horizontal frost heave thrust acted on buttress constructions.

Tong, C., et al, International Symposium on Ground Freezing, 2nd, Trondheim, Norway, June 24-26, 1980. Preprints, Trondheim, University, Norwegian Institute of Technology, 1980, p.725-734, 2 refs. Shen, Z.

Frost heave, Soil water, Water content, Structures, Loads (forces), Temperature effects, Frost penetration. Soil freezing.

Frost heaving and hydraulic conductivity.

Johnson, B.D., et al. International Symposium on Ground Freezing, 2nd, Trondheim, Norway, June 24-26, 1980. Preprints, Trondheim, University, Norwegian Institute of Technology, 1980, p.735-747, 16 refs Kettle, R.J.

Frost heave, Soil freezing, Frost resistance, Compressive properties, Frozen ground strength, Soil water. Soil cement, Clays.

Developments and applications of frost susceptibility

Jones, R.H., International Symposium on Ground Freezing, 2nd, Trondheim, Norway, June 24-26, 1980. Preprints. Trondheim, University, Norwegian Institute of Technology, 1980, p.748-759, 20 refs.

Soil freezing, Freezing indexes, Frost heave, Frost resistance, Surface temperature, Tests, Artificial freezing, Air temperature, Forecasting.

Frost heave tests on tills with an apparatus for constant heat flow.

Fredén, S., et al. International Symposium on Ground Preezing, 2nd, Trondheim, Norway, June 24-26, 1980. Preprints, Trondheim, University, Norwegian Institute of Technology, 1980, p.760-771. Stenberg, L.

Frost heave. Frost resistance, Soil pressure, Glacial deposits, Heat flux, Measuring instruments, Loads

Frost susceptibility of soils: influence of the thermal

wariables and the depth to the water table.

Gorlé, D., International Symposium on Ground Freezing, 2nd. Trondheim, Norway, June 24-26, 1980.

Preprints, Trondheim, University, Norwegian Institute of Technology, 1980, p. 772-783, 18 rets. Soil freezing. Frost resistance, Frost heave, Tempera-ture gradients, Water table, Soil water, Tests.

Frost heave studies by natural freezing.

Stenberg, L., International Symposium on Ground Freezing, 2nd. Trondheim, Norway, June 24-26, 1980 Preprints, Trondheim, University, Norwegian Insti-tute of Technology, 1980, p 784-794, 4 refs. Frost heave, Soil freezing, Frost resistance, Frost in-

dexes, Frost penetration, Soil water, Soil temperature, Heat flux.

Attempts of a new formulation on the criterion of ground frost heaving.

Freezing, 2nd, Trondheim, Norway, June 24-26, 1980 Preprints, Trondheim, Norway, June 24-26, 1980 Preprints, Trondheim, University, Norwegian Institute of Technology, 1980, p "98-806, 4 refs. Frost heave, Soil freezing, Soil composition, University

frozen water content, Porosity, Particle size distribu-

Determination of frost susceptibility for grounds using a direct testing method.

ling a direct testing memoral Symposium on Ground Freezing, 2nd, International Symposium on Ground Freezing, 2nd, Trondheim, Norway, June 24-26, 1980 Preprints, Trondheim, Vinversity, Norwegian Institute of Technology, 1980, p.807–814, 3-ref. Soil freezing, Frost resistance, Roadbeds, Temperature of the Technology of the Proprint Programme of the Programme of t

ture effects. Tests.

Influence of mineral composition on frost susceptibility of soils.

Brandl, H., International Symposium on Ground Preezing, 2nd, Trondheim, Norway, June 24-26, 1980. Preprints, Trondheim, University, Norwegian Institute of Technology, 1980, p.815-823, 3 refs. Frost resistance, Soil freezing, Soil composition,

Mineralogy, Freeze thaw tests.

Heaving conditions by freezing of soils.

Sactersdal, R., International Symposium on Ground Freezing, 2nd, Trondheim, Norway, June 24-26, 1980 Preprints, Trondheim, University, Norwegian Institute of Technology, 1980, p.824-836, 41 refs. Soil freezing, Frost heave, Soil pressure, Frost resistance, Ground thawing.

Engineering practice in artificial ground freezing—the state of the art.

Jones, J.S., Jr., International Symposium on Ground Freezing, 2nd. Trondheim, Norway, June 24-26, 1980 Preprints, Trondheim, University, Norwegian Insti-tute of Technology, 1980, p.837-856, Refs. p.852-856 Soil freezing, Artificial freezing, Engineering, Tunneling (excavation), Earthwork, Soil stabilization.

Artificial freezing and cooling of soils at the construc-

Sadovskii, A.V., et al. International Symposium on Ground Freezing, 2nd, Trondheim, Norway June 24-26, 1980. Preprints, Trondheim, University, Norwegian Institute of Technology, 1980, p.857-862, 5 refs Dorman, JA A

Soil freezing, Artificial freezing, Engineering, Earthwork. Soil stabilization.

Engineering quality assurance for construction ground freezing.

Freezing, 2nd, Trondhern, Norway, June 24-26, 1980 Preprints, Trondhern, Norway, June 24-26, 1980 Preprints, Trondhern, University, Norwegian Institute of Technology, 1980, p. 863-879 Soil freezing, Artificial freezing, Construction, Soil

stabilization, Engineering, Ground water, Water tem-

Design of circular cylindrical walls of frozen soil.

Muzás, F., International Symposium on Ground Freezing, 2nd, Trondheim, Norway, June 24-26, 1980 Preprints, Trondheim, University, Norwegian Institute of Technology, 1980, p.880-888, 1 ref

Soil freezing, Artificial freezing, Soil stabilization, Walls, Soil strength, Design, Soil temperature, Elastic properties. Plastic properties, Analysis (math-

Ground freezing for the construction of the three-land Milchbuck road tunnel in Zurich, Switzerland.

Aerni, K., et al, International Symposium on Ground Freezing, 2nd, Trondheim, Norway, June 24-26, 1980. Preprints, Trondheim, University, Norwegian Institute of Technology, 1980, p.889-895. Mettier, K.

Soil freezing, Artificial freezing, Tunneling (excavation), Frozen ground settling, Frost heave, Settlement (structural).

Early experiences with ground freezing in Norway. Brendeng, E., International Symposium on Ground Freezing, 2nd, Trondheim, Norway, June 24-26, 1980. Preprints, Trondheim, University, Norwegian Institute of Technology, 1980, p.896-906, 6 refs. Soil freezing, Artificial freezing, Soil stabilization,

Tunneling (excavation), Frozen ground temperature.

Driving of metro tunnels with the aid of ground freezing at Helsinki. Vuorela, M., et al, International Symposium on

Ground Freezing, 2nd, Trondheim, Norway, June 24-26, 1980. Preprints, Trondheim, University, Norwegian Institute of Technology, 1980, p.907-915 Eronen, T.

Soil freezing, Artificial freezing, Tunneling (excava-tion), Soil stabilization, Ground water, Water pressure, Drilling, Temperature effects.

Duisburg method of metro-construction, a successful

application of the gap-freezing-method.
Weiler, A., et al. International Symposium on Ground Freezing, 2nd, Trondheim, Norway, June 24-26, 1980.
Preprints, Trondheim, University, Norwegian Institute of Technology, 1980, p.916-927, 15 refs.

Soil freezing, Artificial freezing, Ground water, Tun-neling (excavation), Water flow, Water level.

36-78

Ground freezing-application of the mixed method brine-liquid nitrogen.

Gallavresi, F., International Symposium on Ground Freezing, 2nd, Trondheim, Norway, June 24-26, 1980. Preprints, Trondheim, University, Norwegian Institute of Technology, 1980, p.928-939.

Soil freezing, Artificial freezing, Soil stabilization,

Excavation, Pipe laying, Liquid cooling, Soil temperature. Sewage.

Artificial ground freezing in shield work.

Kiriyama, S., et al, International Symposium on Ground Freezing, 2nd, Trondheim, Norway, June 24-26, 1980. Preprints, Trondheim, University, Norwegian Institute of Technology, 1980, p.940-951. Ishikawa, Y., Kushida, Y.

Soil freezing, Artificial freezing, Excavation, Walls, Earthwork, Engineering, Soil temperature.

Sublimation and sublimation control in the CRREL tunnel.

Johansen, N.I., et al. International Symposium on Ground Freezing, 2nd, Trondheim, Norway, June 24-26, 1980. Preprints, Trondheim, University, Norwegian Institute of Technology, 1980, p.952-968, 3 refs. Chalich, P.C., Wellen, E.W. Permafrost preservation, Tunnels, Ice sublimation,

Countermeasures, Humidity, Tests.

Ground freezing techniques used for tunneling in Oslo city centre.

Jösang, T., International Symposium on Ground Freezing, 2nd, Trondheim, Norway, June 24-26, 1980. Preprints, Trondheim, University, Norwegian Insti-tute of Technology, 1980, p.969-979, 2 refs. Soil freezing, Artificial freezing, Tunneling (excava-

tion), Soil strength, Soil stabilization, Ground water, Water content, Temperature effects, Londs (forces).

Sinking deep mine shafts by the freezing method.

Vialov, S.S., et al. International Symposium on Ground Freezing, 2nd, Trondheim, Norway, June 24-26, 1980. Preprints, Trondheim, University, Norwegian Institute of Technology, 1980, p.980-988, 3 refs. Soil freezing, Artificial freezing, Shaft sinking, Mine shafts. Shafts (excavations). Design.

New concept for sinking freeze shafts into great depths.

Hegemann, J., International Symposium on Ground Freezing, 2nd, Trondheim, Norway, June 24-26, 1980. Preprints, Trondheim, University, Norwegian Institute of Technology, 1980, p.989-1000. Soil freezing, Soil stabilization, Shaft sinking, Shafts

(excavations), Drilling.

36-84

Selected problems of the freezing process in rock for mations and the control of this process in the Polish copper fields.

Garus, B., et al, International Symposium on Ground Freezing, 2nd, Trondheim, Norway, June 24-26, 1980. Treprints, Trondheim, University, Norwegian Insti-tute of Technology, 1980, p.1001-1013. Matuszyk, J., Nowakowski, P., Plesniak, I. Soil freezing, Shaft sinking, Frozen rocks, Mine

shafts, Geologic processes, Soil stabilization.

36-85

Compromise cone—a useful form of isotopic yield surface for freeze shaft design.

Rice for freeze shart design.

Klein, J., International Symposium on Ground Freezing, 2nd, Trondheim, Norway, June 24-26, 1980.

Preprints, Trondheim, University, Norwegian Institute of Technology, 1980, p.1014-1024, 5 refs.

Soil freezing, Shaft sinking, Mine shafts, Soil strength, Shafts (excavations), Soil stabilization, Analysis (mathematics).

Model tank test using artificial ground freezing method.

Akiyama, T., et al, International Symposium on Ground Freezing, 2nd, Trondheim, Norway, June 24-26, 1980. Preprints, Trondheim, University, Norwegian Institute of Technology, 1980, p.1025-1036, 2 refs.

Soil freezing, Artificial freezing, Shafts (excavations), Storage tanks, Concrete placing, Design, Tests.

Model tank test to estimate the additional earth pressure due to freezing of the soil.

Takagi, S., et al, International Symposium on Ground Freezing, 2nd, Trondheim, Norway, June 24-26, 1980. Preprints, Trondheim, University, Norwegian Institute of Technology, 1980, p.1037-1048. 2 refs.

Soil freezing, Soil pressure, Frozen ground mechanics, Soil temperature, Loads (forces), Experimenta-

36-88

Frost action of the soil surrounding a LNG inground storage tank.

Goto, S., et al, International Symposium on Ground Freezing, 2nd, Trondheim, Norway, June 24-26, 1980. Preprints, Trondheim, University, Norwegian Institute of Technology, 1980, p.1049-1059, 4 refs. Rvokai, K.

Soil freezing, Frost action, Storage tanks, Underground storage, Frost heave, Shafts (excavations), Soil strength, Temperature effects.

36-89

On the perennially frozen ground under a cold stor-

Kinoshita, S., et al, International Symposium on Ground Freezing, 2nd, Trondheim, Norway, June 24-26, 1980. Preprints, Trondheim, University, Norwegian Institute of Technology, 1980, p.1060-1067, 3 refs

Fukuda, M., Inoue, M., Takeda, K.

Frozen ground physics, Permafrost beneath structures, Density (mass/volume), Soil structure, Ground water, Water content, Particle size distribution, Frost heave, Ice lenses.

Design considerations for large-diameter pipelines in cold regions.

Williams, P.J., International Symposium on Ground Freezing, 2nd, Trondheim, Norway, June 24-26, 1980 Preprints, Trondheim, University, Norwegian Institute of Technology, 1980, p.1068-1075, 14 refs.

Gas pipelines, Frost heave, Frozen ground settling, Heat transfer, Soil water, Water flow.

36-91

Stabilization of a highway embankment in a permafrost area.

Ersoy, T., et al, International Symposium on Ground Freezing, 2nd, Trondheim, Norway, June 24-26, 1980 Preprints, Trondheim, University, Norwegian Institute of Technology, 1980, p.1076-1088, 7 refs Haist, G.

Permafrost beneath roads, Soil stabilization, Slope stability, Embankments, Thermal regime, Road maintenance, Thermal insulation, Peat, Cracking (fracturing).

36-92

Remedial measures for slope instability in thawing permafrost.

Pufahl, D.E., et al. International Symposium on Ground Freezing, 2nd, Trondheim, Norway, June 24-26, 1980. Preprints, Trondheim, University, Norwegian Institute of Technology, 1980, p.1089-1101, 26 refs

Morgenstern, N.R.

Permafrost thermal properties, Slope stability, Landslide control, Mass transfer, Ground thawing, Thermal insulation.

36-93

Accumulation of plastic litter on beaches of Amchitka

Island, Alaska.

Merrell, T.R., Jr., Marine environmental research.
July 1980, 3(3), p.171-184, 25 refs.

Waste disposal, Environmental impact, Water pollu-

tion, Beaches, Oceans, United States-Alaskachitka Island

Beaufort delineation logs hefty oil, gas flows. Oil and gas journal. Aug. 17, 1981, 79(33), p.64-65.
Artificial islands, Exploration, Offshore drilling,

Beaufort Sea.

36-95

Proceedings.

International Conference on Evolution of Planetary Atmospheres and Climatology of the Earth, Nice, 1978, Toulouse, France, Centre National d'Etudes Spatiales, 1979, 574p., In French and English. For selected papers see F-25166, I-25161 through I-25165, and I-25166, or 36-96 through 36-99.

DLC QC980.1565 1978

Climatic changes. Paleoclimatology, Ice sheets, Meetings.

The conference, organized and sponsored by the Centre National d'Etudes Spatiales, met in Nice on Oct. 16-20, 1978 with scientists from all over the world in attendance. It was divided into sessions under four themes: Formation and evolution of planetary atmospheres (7 papers presented); Long-term climatic changes: experimental data (11) and modeling (13); Short-term climatic changes: experimental data (15), modeling (6); and the influence of mankind's activities on climate (5) 36-96

Climatic changes in Antarctica during the last 30,000 vears.

Lorius, C., et al, International Conference on Evolution of Planetary Atmospheres and Climatology of the Earth, Nice, 1978, Toulouse, France, Centre National d'Etudes Spatiales, 1979, p.71-82, In English with French summary. 21 refs.

Merlivat, L., Jouzel, J., Pourchet, M. DLC QC980.1565 1978

Ice cores, Oxygen isotopes, Climatic changes.

Changes in the O-18 profile from a 905 m deep ice core recovered from Dome C show significant climatic events. Some of these events were apparently also recorded in deep sea cores in the 10,000-16,000 years BP range. This allows for the use of some reference dates for the Dome C record and a calculation of the rate of snow accumulation. A simple ice flow model may be used for preliminary dating of the Dome C core using a constant and a variable rate of snow accumulation. The estimated age at the bottom of the core is about 33,000 years By Using a relationship determined in the same area between the Using a relationship determined in the same area between the present mean isotopic composition of the surface snow and the mean annual surface temperature leads to a tentative estimate of about 7°C for the surface temperature change between the coldest part of the ice age and the present climate. This change occurred from about 15,000 to 10,000 years BP (Auth mod.)

Crystal size and gas content of ice: two indicators of the climatic evolution of polar ice sheets. Raynaud, D., et al. International Conference on Evo-

lution of Planetary Atmospheres and Climatology of the Earth, Nice, 1978, Toulouse, France, Centre National d'Etudes Spatiales, 1979, p.83-94. In English with French summary. 20 refs Duval, P., Lebel, B., Lorius, C DLC QC980.1565 1978

Ice sheets, Ice crystal size, Gas inclusions, Climatic

The crystal size of ice cores from Dome C is shown to be a tool The variations in crystal size with climate

cannot be explained directly by temperature effects. The reduction in the rate of crystal growth for the Wisconsin Wirmice may be due to the effect of micro-particles or initial c-axis orientations on the migration rate of grain boundaries. The total gas content of polar ice depends on the altitude and temperature of the ice formation site. Taking into account the present empirical relationships between isotopic content and temperature of the snow at the deposit site, a theoretical model is distincted. ture of the snow at the deposit site, a theoretical model is dis-cussed which enables us to separate along the isotopic records the effects of changes in climate from those linked to elevation changes. Results of the model applied to the Camp Century (Greenland) and Byrd (Antarctica) profiles are discussed for the change between late Wisconsin and Holocene. (Auth.)

36-98

Ocampo, J.

Can we measure the CO2 content of ancient atmospheres by analyzing gas inclusions of polar ice caps. Klinger, J. et al. International Conference on Evolution of Planetary Atmospheres and Climatology of the Earth, Nice, 1978, Toulouse, France, Centre National d'Etudes Spatiales, 1979, p.95-106, In English with French summary. 16 refs.

DLC QC980.1565 1978

Atmospheric composition, Carbon dioxide, Ice sheets, Gas inclusions, Mathematical models.

Cas inclusions, Mathematical moders.

A first attempt is made to explain the high values of CO2 concentrations found by several authors in gas inclusions of polar ice. In the light of the CO2 absorption model proposed here we demonstrate the relative importance of variations in temperature and in partial pressure. If the present model holds it seems possible to find variations in partial pressure of CO2 to a depth of 1,000 m in historic ice sheets. Data from Byrd Station ice sheet was used in the analysis as was data reported from several locations of the antarctic ice sheet. (Auth. mod.)

36-99

Cause of glacial to interglacial climatic change

Broecker, W.S., International Conference on Evolution of Planetary Atmospheres and Climatology of the Earth, Nice, 1978, Toulouse, France, Centre National d'Etudes Spatiales, 1979, p.165-190, 18 refs. DLC OC980.1565 1978

Climatic changes, Ice age theory, Paleoclimatology. Limatic changes, ice age theory, Paleoclimatology. The author cites the evidence of the 1970's which indicates that changes in the earth's orbital geometry cause the succession of Quaternary ice ages. He disputes that orbital geometry is the primary cause for the successive ice ages and discusses the evidence from the point of view that it may be only an indicator of a primary cycle having a different origin. The two views are compared.

36-100

Recent variations in snow accumulation in Antarctica. (Variations récentes de l'accumulation de la neige sur la calotte antarctique].

Lambert, G., et al. International Conference on Evolution of Planetary Atmospheres and Climatology of the Earth, Nice, 1978, Toulouse, France, Centre National d'Etudes Spatiales, 1979, p.387-397, In French with

English summary. 17 refs. Petit, J.R., Pourchet, M., Sanak, J., Lorius, C. DLC QC980.1565 1978

Snow accumulation, Icebergs, Calving, Periodic

variations, Radioactivity.

The snow accumulation at the surface of the Antarctic conti-nent is practically balanced by iceberg calving. Therefore the mass and heat budgets are in equilibrium. However it may be pointed out that, owing to the time-lag of the system, a possible change in the accumulation would not be immediately balanced. ificant excess of accumulation would produce in the A significant excess of accumulation would produce in the subantarctic atmosphere an energy supplement whose effect would be to increase over this accumulation. Such accumulation variations are therefore expected to be observed during tion variations are therefore expected to be conserved during several successive years. An experimental study using strati-graphic analyses and radioactive tracers (Lead 210 and fission products) has been performed in a large part of the Antarctic continent. The results show that 30% variations of the ac-cumulation rate can be observed for decades.

36-101

Structure of West Antarctica from geophysical stud-

Jankowski, E.J., et al. Nature, May 7, 1981, 291(5810), International Conference on Evolution of Planetary Atmospheres and Climatology of the Earth. Nice. 1978. Toulouse, France, Centre National d'Etudes Spatiales. 1979, p.17-21, 37 refs.

Drewry, D.J. DLC QC980.1565 1978

Geophysical surveys, Topographic features, Geologic structures, Ice sheets, Antarctica—West Antarctica. The subglacial topographical and geological configurations of The subglacial topographical and geological configurations of West Antarctica and the boundary zone between East and West Antarctica are poorly known, yet they are crucial to our understanding of the tectonic evolution of the Pacific-proto Atlantic margin of Gondwanaland Preliminary results are presented of simultaneous airborne radio echo and magnetic sounding of one million sq km of West Antarctica including detailed maps of ice sheet and bedrock surfaces. Magnetic, radio echo and other available geophysical data suggest interpretations of sub-glacial sections. (Auth.) (Auth) geology

36-102

Automatic gauging of the snow cover. (Schneedecke automatisch erfasst₃. Schädler, B., et al. Wasser, Energie, Luft, Jan. 1981.

No.1-2, p.15-16, In German with French and English summaries. 3 refs.

Snow water equivalent, Measuring instruments, Gamma irradiation.

Road salt movement into two Toronto streams.

Scott, W.S., American Society of Civil Engineers. Environmental Engineering Division. Journal, June 1980, 106(EE3), p.547-560, 12 refs.

Salting, Roads, Water pollution, Streams, Environ mental impact. Chemical ice prevention.

Relict glacier ice and its role in the structure of Quaternary mantle and the relief of permafrost regions. ¡Reliktovye gletchernye l'dy i ikh rol' v stroenii Chetvertichnogo pokrova i rel'efa oblasti mnogoletnei mer-

Kaplianskaia, F.A., et al, Leningrad. Vscsoiuznyi geologicheskii institut. Trudy, 1978, Vol.297, p.65-76, In Russian. 25 refs. Tarnogradskii, V.D.

Glacier ice, Ground ice, Periglacial processes, Quaternary deposits. Thermokarst, Geomorphology, Permafrost structure, Permafrost distribution, Moraines.

36-105

Stabilization of sandy soils for railroad construction in northwestern Siberia. (Ukreplenie peschanykh gruntov pri stroitel stve zheleznykh dorog na severe Zapadnoi Sibiri).

Zapation Storiy, Gadilev, E.O., et al, Transportnoe stroite/stvo. July 1981, No.7, p.4-5, In Russian. Stafeev, P.F., Pal'kin, IU.S. Railroads, Permafrost beneath structures, Roadbeds,

Embankments, Sands, Soil stabilization, Roads, Vegetation factors.

Improving utilities for modular buildings. [Perspektívy sovershenstvovanija inzhenernogo oborudovanija inventarnykh zdaniij.

Kaspe, I.B., et al. Transportnoe stroitel'stvo, July 1981. No.7, p.17-20, In Russian. 5 refs. Peker, IA.D.

Modular construction, Residential buildings, Heating, Microclimatology, Heat loss, Walls, Floors, Win-

Abrasion resistant concrete for bridge piers. [Iznosostoškiš beton dlia opor mostovi,

Roiak, G.S., et al, Transportnoe stroite/stvo. July 1981, No.7, p.22-24, In Russian. Kharit, M.D.

Concrete structures, Bridges, Piers, Freeze thaw cycles, Concrete aggregates. Ice loads.

36,108

Combined equipment for earthwork in roadbed construction. [Kompleksnaia mekhanizatsiia rabot po planirovke zemlianogo polotnaj.

Nedorezov, I.A., et al. *Transportnoe stroitel'stvo*, July 1981, No.7, p.27-28, In Russian.

Roadbeds, Earthwork, Equipment, Roads, Frozen ground.

36-109

Ice pressure on individual piers. [Davlenie tedianogo pokrova na otdeľ no stojashchie oporyj Khrapatyi, N.G. Transportnoe stroitel'stvo. July 1981, No.7, p.44-45. In Russian.

Hydraulic structures, Bridges, Piers, Ice loads.

36-110

Studying an impact-ripper for trenching. sledovanija transheinogo rykhlitelia udarnogo deist-

Nual Markov, V.V., et al., Transportnoe stroitel'sivo, July 1981, No.7, p.46-47, In Russian. 2 refs. Rybakov, A.P., Shirko, I.V.

Earthwork, Trenching, Equipment, Frozen ground.

36-111

Basic problems of environmental protection in pipeline construction sites. [Osnovnye zadachi prirodookhrannoi deiatel'nosti v truboprovodnom stroi-

Koval'kov. V P., Stroitel'stvo truboprovodov. June

1981. No.6, p. 16-17. In Russian.
Petroleum industry, Pipelines, Environmental impact, Landscape types, Permafrost distribution, Environmental protection.

36-112

Drilling technique of laying underwater pipelines. Problemy sooruzhenna podvodnykh trahoprovodov burovym sposobomj. Stroitel sivo trubeprovodor. June 1981, No.6, p.29-30. In Russian

Pipelines, Underwater facilities, River crossings, Swamps, Earthwork, Drilling.

Ice-bedding is an ineffective method, [Ispot zowan-

ledovogo stingera maioettektivnoj. Tanklevsk., 114., Stionee'stvo truboprovodov, Jane 1981. No 6, p. 30-31. In Russian — For paper beir g. lis-cussed see: 35-316

Icebound rivers, Ice cutting, Pipe laving, River crossings, Ice (construction material). Underwater facilities, Pipelines.

Construction of compressor stations at the Urengov-Chelyabinsk gas pipeline. [Sootuzhenie kompressor-nykh stantsu na gazoprovode Urengoi-Chehabinski]. Shirenko, G.I., et al. Stronel Stvo truboprovodov, Jane 1981, No.6, p.33-34, In Russian

Blashchak, L B

Foundations, Gas pipelines, Permafrost beneath structures. Compressors, Stations, Buildings.

High-voltage cathode protection station designed for the North. (Vysokovoľ tnaja stantsija katodnoj zash-chity v severnom ispoinenii).

Kuz'menok, 1 D., Stroitel'stvo truboprovodov, June 1981, No 6, p.38-39, In Russian

Underground pipelines, Corrosion, Electrical insulation, Petroleum industry.

Report of Operation Deep Freeze 81.

U.S. Naval Support Force, Antarctica, 1981, var. p. Transportation, Logistics.

This report describes the support provided to the National Science Foundation in conjunction with the U.S. Antarctic Research Program. Support was provided by various organiza-tions and commands from the Department of Defense and Department of Transportation under the operational control of partment of transportation under the operational control of Commander Naval Support Force. Antarctica from August 1980 to March 1981 as Operation DEEP FREEZE 81. The report includes a chronological summary of significant cents during the operating period. The various organizations, ants, and commands participating in Operation DEEP FREEZE 81 are listed, and their activities are described in sufficient detail to provide midding for following views. (April 2) to provide guidance for following years. (Auth.)

Slope processes (avalanches and mudflows), (Sklo-

novye protessy (laviny i selo).

Tushinshi, G.K., ed., Moscow, Izd-vo Moskovskogo Universiteta, 1980, 134p., In Russian For individual papers see 36-118 through 36-134 Rets. passim Troshkina, E.S., ed.

Mountains, Slope processes, Snow cover distribution. Snow accumulation, Avalanches, Snow retention.

Basic geomorphologic processes in the especially cold periglacial zone (dry valleys of the Transantarctic Mountains). ¡Osnovnye geomortologicheskie protsessy osobo kholodnoi perighatsial'noi zony (na primere suklikh dolin. Transantarkticheskie gory)j.

Miagkov, S.M., et al. Sklonovye protsessy (laviny) seli) (Slope processes (avalanches and mudflows)) cdited by G.K. Tushinskii and E.S. Troshkina, Moscow, Izd-vo, Moskovskogo, Universiteta, 1980, p.5-11. In Russian 9 rets

Miagkova, A.D.

Valleys, Geomorphology, Periglacial processes, Antarctica-- Transantarctic Mountains.

Geomorphologic processes active in dry valleys and related to Octonio photogic processes active in dry vaniety and related to normal and extreme weather conditions, are regarded typical for the very cold and periglacial zone, having no analogs in high latitudes of the northern hemisphere. High sensitivity to minor increases in air temperature and humidity is a characteristic feature of the princesses. It is reflected in relate land forms, more numerous and diversified than in highlands of temperate

Stream of rock fragments on steep slopes, [Potok

obłomochnoj massy na krutyk b sklonakly. Nikulin, FA – Sklonovyć protsessy (laviny) tSlope processes tavalar they and mudflower edited by G.K. Tushirskir and E.S. Troshkira, Moscow, L.d. on Moskovskogo Upracistica (1980), p. 15 s S. Ib. R. & sian 4 refs

Slope processes, Aerial surveys, Periglacial processes. Rock streams, Stereophotography

36-120

Space-time variations in snow cover distribution in mountains of the humid-subtropical zone of the USSR (Western Transcaucasus) during winters differing in snow accumulation. Prostranstvenno-vremennaia iz-

saow accumulation, prostranstvenno-vremennala iz-menchiosti snezhnogo pokrova v gorakh vlazhno-subtropicheskoi zony SSSR (Zapadnoe Zakavkaz'e) v zimy razlichnoi snezhnostij. Akifeva, K.V., et al., Sklonovye protsessy (laviny i seli) (Slope processes (avalanches and mudflows)) edited by G.K. Tushinskii and E.S. Troshkina, Moscow, Izdvo Moskovskogo Universiteta, 1980, p.33-42, In Rus-

sian. 6 refs.
Kondakova, N.L., Froshkina, E.S.
Alpine landscapes, Snow cover distribution, Snow accumulation, Slope processes, Avalanche formation, Avalanche triggering, Wind factors.

36-121

Influence of slope orientation and soil moisture on snow cover metamorphism in the Udokan Range area. (Vliianie ekspozitsii sklonov i vlazhnosti gruntov na metamorfizm snezhnogo pokrova v raione khrebta

Voitkovskii, V.K., Sklonovye protsessy (laviny i seli) (Slope processes (avalanches and mudflows)) edited by G.K. Tushinskii and E.S. Troshkina, Moscow, Izdvo Moskovskogo Universiteta, 1980, p.42-48, In Rus-4 refs.

Mountains, Snow cover distribution, Metamorphism (snow), Slope orientation, Slope processes, S freezing, Frost penetration, Soil water migration.

Allowing for the influence of slope morphology and morphometry when evaluating avalanche danger.
[Mctodika ucheta vliianiia morfologii i morfometrii sklonov pri otsenke lavinnoj opasnosti territoriji.

Zolotarev, E.A., et al. Sklonovye protsessy (laviny sch) (Slope processes (avalanches and mudflows)) edited by G.K. Tushinskii and E.S. Troshkina, Moscow, Izd-vo Moskovskogo Universiteta, 1980, p.48-57, In

Russian. 12 refs. Laptev, M.N., Rogov, S.F.

Avalanche forecasting, Snow accumulation, Snow depth, Avalanche formation, Avalanche triggering.

36-123

Physical and mechanical properties of snow and avalanches of the Adzhar ASSR. [Fiziko-mekhanicheskie svoistva snega i laviny Adzharskoi ASSR₁.

Dziuba, V.V., Sklonovyc protsessy (laviny i seli)

(Slope processes (avalanches and mudflows)) edited by G.K. Tushinskii and E.S. Troshkina, Moscow, Izdvo Moskovskogo Universiteta, 1980, p.57-63, În Rus-6 refs

Avalanche formation, Snow surveys, Snow depth, Snow density, Snow temperature, Avalanche engi-

Distribution and gaps in discontinuous snow-retaining structures on avalanche-prone slopes. (O prosvetnosti i razmeshchenii preryvistykh snegouderzhivaiushchikh sooruzhenii na lavinoopasnom sklonej.

Aligulskii, A.A., et al. Sklomovye protisessy (laviny i sch) (Slope processes (avalanches and mudflows)) ed-ted by G.K. Tushinskii and E.S. Troshkina, Moscow, Izd-vo Moskovskogo Universiteta, 1980, p.63-69. In Russian, 3 refs. Skopintsey, A.N.

Avalanche engineering. Alpine landscapes. Snow slides. Avalanche formation. Avalanche mechanics. Snow retention, Steel structures, Snow fences.

36-125

Calculating stresses in snow on a cylindrical slope. [Metod rascheta napriazhennogo sostoianiia snega na

tsilindricheskom sklonej. Bozhinskii, A.N., Sklonovýe protsessý (laviny i seli) (Slope processes (avalanches and mudflows)) edited by G.K. Tushinskii and E.S. Troshkina, Moscow, Izdvo Moskovskogo Universiteta, 1980, p.69-73, In Russian 2 refs

Slope processes, Snow accumulation, Snow depth, Snow cover stability. Mathematical models, Avalanche formation, Stresses.

36-126

Observation of snow sliding and avalanche dynamics in the El'brus Mountain area. [Nabliudeniia za spol-zaniem snega i dinamikoi lavin v Priel'brus'e],

Berri, B.L., et al. Sklonovye protsessy (laviny i seli) (Slope processes (avalanches and mudflows)) edited by G.K. Tushinskii and E.S. Troshkina, Moscow, Izdvo Moskovskogo Universiteta, 1980, p.73-82, In Russian. 6 refs.

Gribov, V.A., Zargarian, D.N., Nikulenkov, M.A. Slope processes, Snow accumulation, Snow slides, Avalanche formation, Avalanche mechanics, Stresses, Measuring instruments.

36-127

Photogrammetric techniques of measuring snow sliding velocity on steep slopes. ¡Opredelenie skorosti spolzaniia snega na krutykh sklonakh metodom

nazemnol fotogrammetriij. Zolotarev, E.A., Sklonovye protsessy (laviny i seli) (Slope processes (avalanches and mudflows)) edited by G.K. Tushinskii and E.S. Troshkina, Moscow, Izdvo Moskovskogo Universiteta, 1980, p.82-90, In Russian. 9 refs.

Slope processes, Avalanche formation, Snow slides, Photogrammetry, Measuring instruments.

Role of elfin birch woods in indicating avalanche activities. ¡Rol' berezovogo krivoles'ia v indikatsii lavin-

nol deiatel'nosti;. Luk'ianova, L.M., Sklonovye protsessy (laviny i seli) (Slope processes (avalanches and mudflows)) edited by G.K. Tushinskii and E.S. Troshkina, Moscow, Izdvo Moskovskogo Universiteta, 1980, p.90-95, In Russian. 4 refs.

Mountains, Snow accumulation, Forest land, Snow retention, Snow cover stability, Avalanche formation, Avalanche forecasting.

Electromagnetic oscillations in dynamic processes of snow avalanches and glaciers. [Elektromagnitnye kolebaniia pri dinamicheskikh protsessakh v snezhnykh lavinakh i lednikakhj.

Berri, B.L., et al. Sklonovye protsessy (laviny i seli) (Slope processes (avalanches and mudflows)) edited by G.K. Tushinskii and E.S. Troshkina, Moscow, Izdvo Moskovskogo Universiteta, 1980, p.95-100, In Rus-

Snow physics, Ice physics, Dielectric properties, Permeability, Ice crystal structure, Glacier ice, Fracturing, Avalanche triggering, Impact strength, Oscil-

36-130

Snow cover stability on Khibiny Mountain slopes. Otsenka ustošchivosti snezhnoš tolshchi na sklonakh

Sadova, T.A., Sklonovye protsessy (laviny i seli) by G.K. Tushinskil and E.S. Troshkina, Moscow, Izdvo Moskovskogo Universiteta, 1980, p.100-106, In Russian. 4 refs.

Slope processes, Snow accumulation, Snow cover stability, Avalanche formation, Avalanche triggering, Wind velocity, Wind pressure.

Mudflows in Central Caucasus in 1977 (comparative statistical analysis). (Selevye potoki na Tsentral'nom Kavkaze (1977 g.) (sravnitel'nyi statisticheskii

analiz), Seinova, I.B., Sklonovye protsessy (laviny i seli) (Slope processes (avalanches and mudflows)) edited by G.K. Tushinskii and E.S. Troshkina, Moscow, Izd-vo Moskovskogo Universiteta, 1980, p.106-110, In Russian Slope processes, Slope orientation, Mudflows, Origin, Countermeasures.

36-132

Processes forming water-snow streams in the Khibiny Mountains, (Protsessy formirovaniia vodosnezhnykh

Sapunov, V.N., Sklonovýc protsessy (laviny i seli) (Slope processes (avalanches and mudflows)) edited by G.K. Tushinskii and E.S. Troshkina, Moscow, Izdo Moskovskogo Universiteta, 1980, p.110-117, In

Mountains, Glacial hydrology, Slope processes, Snow melting, Meltwater, Mudflows, Polar regions.

Using combined geographic analysis for quantitative evaluation of mudflow processes. (Opyt ispol zovaniia kompleksnogo geograficheskogo analiza dia koli-

chestvennoi otsenki selevykh protsessovą. Semova, I.B. Sklonovye protsessy (laviny i seli) (Slope processes (avalanches and mudflows)) edited by G.K. Tushinskii and E.S. Troshkina, Moscow, Izd-vo Mos-kovskogo Universiteta, 1980, p. 117-125, In Russian Flow rate, Slope processes, Mudflows, Topographic features, Origin.

Number of days with snow cover (calculations for mountainous areas). [Chislo dnei so snezhnym pokrovom (raschet dlia gornykh raionov);. Okolov, V.F., et al. Sklonovye protsessy (laviny i seli)

(Slope processes (avalanches and mudflows)) edited by G.K. Tushinskii and E.S. Troshkina, Moscow, Izdo Moskovskogo Universiteta, 1980. p.125-132. In

Russian. 5 refs. Miagkov, S.M., Glazovskaia, T.G.

Snow cover stability, Mountains, Snow cover distribution, Mapping, Meteorological data, Meteorological charts.

Concrete work on the construction site of the Kolyma hydroelectric power plant. (Betonnye raboty na stroi-

tel'stve Kolymskoi GES₁, Dmitriev, V.N., et al, *Energeticheskoe stroitel'stvo*, June 1981, No.6, p.34-38. In Russian, lokhel'son, A.IA.

Concrete structures, Hydraulic structures, Permafrost beneath structures, Winter concreting, Concrete aggregates, Electric power, Stations, Buildings.

36-136

Placing concrete into open blocks in freezing weather in the experimental area of the Savano-Shushenskava hydroelectric power plant. [Ukladka betona v otkrytye bloki zimoi na opytnom poligone Saiano-Shushenskoi GES1.

snenskoi GE53. Zubkov, V.I., et al. Energeticheskoe stroitel'stvo, June 1981, No.6, p.38-41. In Russian. 3 refs. Mirzaev, M.D., Zinchenko, N.A. Concrete placing, Winter concreting, Electric power,

Hydraulic structures

Decreasing the volume of temporary insulation in recesses of the Zeya hydroelectric power plant. [Umen'cesses of the Zeya nydroclectric power plant. [L.mcn-shenie ob'emov vremennoi teploizoliatsii polostei plotiny Zeiskoi GES₃.

Epifanov, A.P., et al. Energeticheskoe stroitel's'i o. June 1981. No.6, p.41-43, In Russian.

Sil'nitskii, V.L. Vasilevskii, V.V.

Dams, Thermal insulation, Grouting, Joints (junctions), Cold weather construction, Electric power, Hydraulic structures.

Cement solutions containing sodium aluminate for building impervious screens under complicated hydrogeological conditions. [Tsementnye rastvory s aliuminatom natrija dlja protivofil tratsjonnykh zaves v

slozhnykh gidrogeologicheskikh uslovijakh, Shugalei, R.T., et al, *Energeticheskoe stroitel'stvo*, June 1981, No.6, p.43-45, In Russian, Tetel'min, V.V.

Hydraulic structures, Dams, Foundations, Soil stabilization, Cements, Cement admixtures, Permafrost beneath structures.

Crossings of the 220 kw overhead line Tomsk-Parabel'-Sovetsko-Sosninskoe across the Ob' River (Perekhody VI. 220 kV Tomsk-Parabel'-Sovetsko-Sos-

ninskoe cherez r. Ob'₃. Filatov, A.M., et al. *Energeticheskoe stro,tel'stvo*. June 1981, No.6, p.49-51, In Russian Volkov, A.N.

Power lines, River crossings, Power line supports, Foundations, Anchors, Ice loads, Ice cover thickness.

Yana River crossings of 35 kW overhead lines in the Magadan area, ¡Perekhod VI 35 kV cherez r. IAna Magadanskoi oblastij

Danilov, V.L. Fuergeticheskoe strone/stvo. June 1981, No.6, p.52-53, bi Russian Power lines, Power line icing, River crossings, Power

line supports. Ice loads. Permafrost beneath structures

Strength of track-bolt joints at subzero temperatures. (Prochnost' boltovýkh stykov pri otritsateľ nykh temperaturakh).

Gorpinchenko, V.M., et al, Energeticheskoe stron-n/Stro. June 1981, No.6, p.71-72, In Russian, Kondrakhov, E.L., Pyshkin, N.V., Bukharin, E.M. Steel structures, Joints (junctions), Brittleness, Frost resistance. Design.

Foam plastic insulation for controlling the depth of thawing earth in roadbeds. ¡Regulirovanie glubiny ottaivaniia gruntov zemlianogo polotna s pomoshch'iu penoplastovoi teploizoliatsiij.

penoplastoso teploizonassi).
Tsukanov, N.A., Transportinoe stroite/stvo. June 1981, No.6, p.4-6, In Russian.
Cellular plastics, Thermal insulation, Ground thawing, Thaw depth, Frozen ground temperature, Temperature control.

36-143

Modern design and methods of building bridge piers. ¿Progressivnye konstruktsii i metody sooruzheniia

opor mostovj. Klusov, L.P., et al. *Transportnoe stroitel stvo.* June 1981, No.6, p.8-10, In Russian.

Veitsman, S.G. Bridges, Piers, Supports, Piles, Pile driving, Baykal Amur railroad

Cement storage at construction sites of the Baykal Amur railroad. (Khranenie tsementa na ob"ektakh BA Maj.

IAnbykh, N.N., et al. Transportnoe stroitel'stvo, June 1981. No.6. p.26-27, In Russian. Kurdenkov, B.I., Tsvetkov, V.S. Cements, Storage, Baykal Amur railroad.

Evaporation at a High Arctic site.

Marsh. P., et al, Journal of applied meteorology, June 1981, 20(6), p.713-716, 10 refs. Rouse, W.R., Woo, M.-K.

Soil water, Evaporation, Permafrost.

Humus in soils of western Siberia. [Gumus pochv Zapadnoi Sibirij. Klenov, B.M., Moscow, Nauka, 1981, 144p., In Rus-

sian with English table of contents enclosed. Refs. p.136-143

Cryogenic soils. Soil composition. Soil chemistry. Soil profiles, Landscape types, Tundra, Taiga.

Vegetational cover of western Tien Shan. [Rastitel'nyl

pokrov Zapadnogo Tian-Shaniaj, Paylov, V.N., Moscow, Izd-vo Moskovskogo Univer-Pation, V.S., vioscow, 122-43 Mioskovskogo Chiversiteta, 1980, 246p., In Russian with English table of contents enclosed. Refs. p.231-245.

Forest soils, Alpine landscapes, Deserts, Plant

ogy. Plant physiology, Snow line, Glaciation, Glacial hydrology, Landscape types.

Climate model with cryodynamics and geodynamics. Ghit, M., et al. *Journal of geophysical research*, June 20, 1981, 86(C6), p.5262-5270, 41 refs. Le Truet, H

Heat balance, Climate, Mathematical models, Ice sheets. Ice volume.

sheets. Ice volume.

A highly simplified, zero-dimensional model of the climatic system is presented. The model attempts to incorporate mechanisms important on the time scale of glaciation cycles, namely, 1,000-10,000 years. In particular, the radiation balance of the ocean-atmosphere, the plastic flow of continental ice sheets, and the viscous flow of the upper mantle are taken into account. The stress is on the interaction between the cryosphere (ice sheets) and the asthenosphere (upper mantle), which had not been taken into account in previous energy-balance or ice-sheet models of climate. The model exhibits free, self-sustained oscillations of an amplitude and period comparable to those found models of climate The model exhibits free, self-sustained os-cillations of an amplitude and period comparable to those found in the paleoclimatic record of glaciations. Though only one di-rect reference is made to Antarctica, the nature and scope of the theme of the work render it applicable to both arctic and antarc-tic regions. (Auth mod.)

Landfast ice movement, Mackenzie Delta, 1974/75. Spedding, L.G., Arctic Petroleum Operators Association, Calgary, Alta. Report, Nov. 1975, APOA 83-1, 48n. + tables, IPRT-26ME-75.

Ice mechanics, River ice, Fast ice, Drift, Ice conditions. Measuring instruments, Wind factors, Temperature effects, Ice temperature, Meteorological data, Canada-Northwest Territories-Mackenzie River Delta.

Flexural strength and Young's modulus of land fast ice

riexural strength and Young's modulus of land fast ice by the Mackenzie River Delta. Kry. P.R. Arctic Petroleum Operators Association. Calgars. Arta. Report. Nov. 1975, APOA 84-1, 117p., IPRT-41ME-75, 13 refs.

Fast ice. Flexural strength, Ice strength, Temperature effects, Salinity, Canada-Northwest Territories-Mackenzie River Delta.

Ya-ya granular resources study, 1975, Vol.1 and 2. EBA Engineering Consultants Ltd., Edmonton, Al-Derta. Arctic Geotechnical Group, Arctic Petroleum Operators Association, Calgary, Alta. Report. Sep. 1975. APOA 88-1, 88-2, 88-3, 32p. + figs., 5 refs. Geological surveys, Construction materials, Concrete aggregates, Rotary drilling, Boreholes, Ground ice, Natural resources.

36-152

High aspect ratio crushing 'ests.

Kry. P.R., Arctic Estroleum Operators Association, Calgary, Alta. Report, Mar. 1979, APOA 93-1, 72p., IPRT-7ME-79, 15 refs.

Ice cover strength, Bearing strength, Ice loads, Ice breaking, Ice crystal structure, Stress strain diagrams, Ice cover thickness, Bearing tests.

Data report—Panarctic Oil Ltd., Vols. 1.5.

Innovative Ventures, Ltd., Arctic Petroleum Operators Association, Caigary, Alta. Report, Aug. 1976, APOA 95-1, 95-2, 95-3, 95-4, 95-5, 18p. + numerous

Sea ice, Ice mechanics, Ice conditions, Meteorological data, Oceanography, Wind direction, Wind velocity, Analysis (mathematics), Statistical analysis.

Ice conditions and ice defense at Netserk B-44 and Adgo P-25 during the winter of 1974-75.

Metge, M., Arctic Petroleum Operators Association, Calgary, Alta. Report, July 1976, APOA 104-1, 21p. IPRT-6ME-76.

Ice conditions, Ice pressure, Ice mechanics, Ice breaking, Impact strength, Artificial islands, Countermeasures, Ice sheets, Beaufort Sea.

Formation of rock streams in the Carpathian Mountains. [Kurumoobrazovanie v Karpatakh]. Anan'ev. G.S., Moscow. Universitet.

Seriia 5 Geografiia, July-Aug. 1981, No.4, p.79-82, In Russian.

Alpine landscapes, Slope processes, Rock streams, Geocryology.

Evaluating periodic changes in climatic conditions related to seasonal freeze thaw of rocks in the Aldan-Chul'man area of southern Yakutia. (Otsenka periodicheskikh izmenenii klimaticheskikh uslovii v sviazi s izucheniem dinamiki sezonnogo promerzaniia taivaniia porod (na primere Aldano-Chul'manskogo raiona (Uzhnoi IAkutii)3.

Bigeeva, R.B., Moscow, Universitet Seriia 4 Geologiia, Mar.-Apr. 1981, No.2, p.99-103. In Russian. 7 refs.

Permafrost distribution, Seasonal freeze thaw, Periodic variations, Climatic factors.

Modern hypotheses of humification and radiocarbon analyses of some types of soils, (Sovremennye gipo-

analyses of some types of soils, (softenently appreciately gumifikatisi i radiouglerodnye issledovania nekotorykh tipov pochvy, Cherkinskii, A.E., Akademiia nauk SSSR. Doklady, 1981, 258(4), p.993-996. In Russian. 12 refs.

Cryogenic soils, Podsol, Chernozem, Soil composition Padioactiva. tion, Radioactive age determination, Arctic land-

Gravitational stability and free oscillations of liquid bodies containing phase transition surfaces, tGravitatsionnaia ustoichivost' i sobstvennye kolebaniia zhidkikh tel, soderzhashchikh poverkhnosti fazovykh

perekhodovy. Grinfel'd, M.A., Akademiia nauk SSSR 981, 258(6), p 1342-1347, In Russian 4 refs Liquids. Phase transformations, Interfaces, Mathematical models.

Snow line and recent vertical movements of mountains, ¡Snegovaia granitsa i noveishie vertikal'iive dvizhenna gorj. Maksimov, F.V., Geograficheskoe obshchestvo SSSR

Izvestna, May-June 1981, 113(3), p 235-241, In Rus-38 refs

Snow cover distribution, Snow line, Altitude.

36-160

Ice route Siberia-Europe, [Ledovy) put' Sibir's Evropay. Basevich, V., Morskov flot, 1981, No 5, p.20-22 In Russian

Ice navigation, Icebreakers, Ice breaking, Sea ice. River ice.

36-161

Measuring ship speed in ice. [Izmerenic skorosti

sudna vo l'duj. Leskov, M., et al. Morskoi flot, 1981, No.5, p.33, In Russian Ctusikov, II

Ice navigation, Ships, Velocity.

36-162

36-162 Improving the quality of road construction on oil fields of western Siberia. (Povyshat' kachestvo nefte-promyslovykh dorog v Zapadnoi Sibiri). Bronitskii. E. I. et al., Attomobil'nye dorogi, May 1981, No.5. p. 4-7, In Russian Kazarnovskii, V.D., Tabakov, N.V. Petroleum industry, Roads, Roadbeds, Pavements, Prefebrication, Plates, Permefert, howeth states.

Prefabrication, Plates, Permafrost beneath strucures, Swamps.

36-163

Permafrost research in China. Péwé, T.L., Glaciological data, May, 1981, GD-10,

p.1-3. Permafrost, Frozen ground, Research projects. China.

36-164

Chinese snow and ice bibliography. Bradley, J.E., Glaciological data, May, 1981, GD-10.

p. 5-38.
Glaciology, Bibliographies, Avalanches, Climatology, Ice surveys, Glacial geology, Glaciers, Permafrost,

Snow surveys, China. 36-165

Pictorial records of glaciers.

Locke, C.W., Glaciological data, May, 1981, GD-10, p.39-53, Refs. p.51-53.

Glaciers, Photography, Remote sensing, Glacier oscillation.

36-166

Canadian ice services

Mudry, D., Glaciological data, May, 1981, GD-10. p.57-60

Ice forecasting, Ice conditions, Snow cover, Sea ice, Spacecraft, Canada.

Defense Meteorological Satellite Program data. Glaciological data. May, 1981, GD-10, p.65-68 Ice conditions, Snow cover, Remote sensing, Data transmission, Glaciology.

36.168

Final report on ice stress measurements at Adgo Is-

Inand to Imperial Oil Ltd. and Fenco. Canada. Nelson, R D. et al. Arctic Petroleum Operators Association, Calgary, Alta Report, Oct. 1974, APOA 104-2, 40p., 5 refs. Sackinger, W.M.

Ice strength, Compressive properties, Ice pressure, Tensile properties, Stresses, Ice breaking, Thermal effects, Wind factors.

Ice stress measurements at Adgo and Netserk Islands, 1974-1975.

Nelson, R.D., et al. Arctic Petroleum Operators Association, Calgary, Alta Report, Sep. 1976, APOA 104-3, 49p. + appends., 5 refs. Sackinger, W.M.

Ice pressure, Ice mechanics, Stresses, Artificial islands, Impact strength, Compressive properties.

Finite element analysis of PR&TS in-situ ice pressure

sensors. Trofimenkoff, P.N., Arctic Petroleum Operators Association, Calgary, Alta Report, Sep. 1975, APOA 104-4, 26p., IPRT-30ME-75, 3 refs

Ice pressure, Offshore structures, Compressive properties, Measuring instruments, Ice loads, Computer programs, Ice sheets, Sea ice.

Ice pressure measurements, Netserk F-40. Strilchuk, A.R., Arctic Petroleum Operators Association. Calgary, Alta. Report. 1977, APOA 105-1, 279p. IPRT-14ME-77.

Ice pressure, Ice loads, Artificial islands, Impact strength, Ice mechanics, Offshore structures, Ice cover thickness, Ice thermal properties, Analysis (mathematics).

36-172

Ice pressure sensor calibrations, 1976.

Trofimenon, Calgary, Alta. Report, Sep. 1977, APOA 105-2, 107p., IPRT-11ME-77, 5 refs. Ice pressure, Measuring instruments, Ice creep, Tem-

perature effects.

36-173

Ice conditions around artificial islands, 1975-1976. Ice conditions around artificial islands, 1975-1976. Gladwell, R.W., Arctic Petroleum Operators Association, Calgary, Alta. Report. Dec. 1977, APOA 105-3, 229p. IPRT-21ME-77. Ice conditions, Artificial islands, Ice mechanics, Sea

ice, Photography, Monitors.

36-174

Landfast ice movement, Mackenzie Delta, 1975-76. Spedding, L.G., Arctic Petroleum Operators Associa-tion, Calgary, Alta. Report, June 1977, APOA 105-4, 76p., IPRT-1ME-77, 4 refs.

Ice mechanics, Fast ice, Deltas, Ice temperature, Meteorological data, Monitors, Canada—Northwest Territories-Mackenzie River Delta.

36-175

Continuous crushing of ice.

Kry, P.R., et al. Arctic Petroleum Operators Associa-tion. Calgary, Alta. Report, July 1978, APOA 106-1, 205p., IPRT-28ME-78, 16 refs.

Lucente, R.F., Hedley, R.E. Ice breaking, Penetration, Ice pressure, Stresses, Ice strength, Ice cover thickness, Ice loads, Tests. 36-176

Model experiments to examine the behaviour of an ice field impinging on a man-made island.

Abdelnour, R., et al, Arctic Petroleum Operators Association, Calgary, Alta. Report, Oct. 4, 1976, APOA 109-1, 34p. + appends., 4 refs. Edwards, R.Y., Jr.

Ice floes, Ice pressure, Ice pileup, Slopes, Artificial islands, Forecasting, Ice models, Mathematical models.

36-177

Summary of Great Lakes weather and ice conditions, winter 1978-79.

DeWitt, B.H., et al. U.S. National Oceanic and Atmospheric Administration. NOAA technical memoran-dum. Aug. 1980, NOAA-TM-ERL GLERL-31, 135p., PB81-141053, 14 refs.

Icebound lakes, Ice formation, Ice cover, Ice breakup, Meteorological data, Winter, Ice navigation, Statistical analysis, United States—Great Lakes.

36-178

Research in sea ice mechanics. National Research Council. Panel of Sea Ice Mechanics, Washington, D.C., National Academy Press, 1981, 80p., ADA-099 564, 164 refs. Coon, M.D.

Sea ice, Ice mechanics, Research projects, Ice physics, Offshore structures, Ice pressure, Ice solid interface, Engineering, Design.

36-179

Ice jam problems at Oil City, Pennsylvania. Deck, D., et al. U.S. Army Cold Regions Research and Engineering Laboratory. May 1981, SR 81-09, 19p., ADA-103 736, 9 refs.

Gooch, G. Ice jams, Flood control, Ice conditions.

Oil City, Pennsylvania, is at the confluence of Oil Creek and the Oil City, Pennsylvania, is at the confluence of Oil Creek and the Allegheny River. The business district lies within the flood plain of Oil Creek, and as of the winter of 1980, 25 ice jam flooding events had occurred since the mid-1800's. An investigation was done to determine why Oil City was subject to perennial ice jams and nearly biennial ice jam floods. Ice conditions were analyzed and it was determined how and why the jams occurred. By controlling where the initial ice cover forms, Oil City's ice jam floods can be alleviated. Ice control structures will be used to encourage the early formation of ice cover and hence eliminate frazil ice. This will greatly reduce the amount of ice which currently develops in both Oil Creek and the Allegheny River. and the Allegheny River.

ConnDOT uses brine to "blast" ice away. American

city and county. Aug. 1980, 95(8), p.40.
Ice removal, Road icing, Brines, Salting, Chemical ice prevention, Mechanical ice prevention, Road mainte-

Freezing water bonds aluminum to steel. Design news, July 21, 1980, 36(14), p.20. Freezing, Water, Steels, Aluminum, Adhesion.

Some results of investigations of the "Trorun Polar

Some results of investigations of the "Trorun Polar Expedition, Spitsbergen—1975".
Niewiatowski, W., ed. Torun, Poland. Universitätis Nicolai Copermici Geografia, 1977, No.13, 199p. With Polish summaries. Refs. passim. For selected papers see 36-183 through 36-

Glacial deposits, Geomorphology, Geocryology, Glacial hydrology, Geodetic surveys, Topographic surveys, Glacier surveys, Norway—Spitsbergen.

Geodetic and topographic accomplishments of the "Torun Polar Expedition, Spitsbergen-1975". Zapolski, R., Toruń, Poland. Universiteti. Acta universitatis Nicolai Copernici. Geografia. 1977. No.13, p.21-37, 7 refs., With Polish summary Geodetic surveys, Topographic surveys, Glacier oscil-lation, Glacial lakes, Geomorphology, Norway— Spitsbergen.

Relief and deposits of marginal zone of Irene Glacier. Wronkowski, L., et al, Torun, Poland. Uniwersytet Acta universitatis Nicolai Copernici. Geografia, 1977, No.13, p.39-66, 13 refs., With Polish summary.

Glacial deposits, Topographic features, Moraines, Hummocks, Landforms, Norway-Spitsbergen.

Geomorphological investigations of the marginal zone of Elise Glacier.

Olszewski, A., Toruh, Poland. Uniwersytet. Acta universitätis Nicolai Copernici. Geografia, 1977. No.13, p.67-74, 4 refs., With Polish summary. Geomorphology, Glacial deposits, Moraines, Ice sheets, Ice growth, Norway—Spitsbergen.

Morphology and structure of outwash plains in the forefield of Elise and Irene glaciers on Oscar II Land. West Spitsbergen.

Sendobry, K., Torun, Poland. Uniwersytet. Acta universitatis Nicolai Copernici. Geografis. 1977. No.13, p.75-95, 15 refs., With Polish summary. Outwash, Plains, Glacial deposits, Structural analysis, Moraines, Particle size distribution, Norway

Spitsbergen.

Selected problems in the hydrography of the catchment basin of the Waldemar River (West Spitsber-

gen, Oscar II Land).
Szczepanik, W., Toruń, Poland. Uniwersytet. Acta universitatis Nicolai Copernici. Geografia. 1977.
No.13, p.113-126, 10 refs., With Polish summary.
Glacial hydrology, Glacial rivers, Hydrography, Water temperature, Water level, Air temperature, Norway-Spitsbergen.

36-188

Hydrological investigations of moraine lakes in the forefield of Aavatsmark Glacier.

Pietrucień, C., Toruń, Poland. Uniwersytet. Acta universitatis Nicolai Copernici. Geografia. 1977, No.13, p.127-144, 8 refs., With Polish summary Glacial lakes, Hydrology, Moraines, Water level, Water temperature, Norway-Spitsbergen.

Development of thermal and salinity conditions in Hornback Bay under the effects of ablation on Aavatsmark Glacier.

Pietrucień, C., et al, Toruñ, Poland, Uniwersytet Acta universitatis Nicolai Copernici Geografia. 1977, No.13, p.145-173, 10 refs. With Polish sum-

mary. Majewicz. A

Glacier ablation, Thermal regime, Water temperature, Water chemistry, Salinity, Hydrology, Sea water, Norway-Spitsbergen.

36-190

Systematics of soils of the Hornsund region-West Spitsbergen.
Plichta, W., Toruh. Poland. Uniwersytet

versitatis Nicolai Copernici. Geografia, 1977, No.13, p.175-180, 11 refs., With Polish summary. p.175-180, 11 refs., With Polish summary.
Geocryology, Soil classification, Periglacial processes, Norway-Spitsbergen.

Salt fretting and chemical weathering in the Darwin Mountains and Dry Valleys, Victoria Land, Antarctica. ¿Zur Salzsprengung und chemischen Verwitterung in den Darwin Mountains und den Dry Valleys, Victoria-Land, Antarktis).

Miotke, F.-D., et al. Polartors, hung, 1980, 50(1-2).

45-80. In German with English summary Von Hodenberg, R

Permafrost weathering, Frost shattering, Saline soils, Water flow, Minerals, Temperature measurement.

The paper deals with chemical weathering processes in Victoria Land, where salt occurrences and salt fetting were studied and with similar research in the Darwin Mountains where microclimatic conditions of weathering processes during the antarctic summer were investigated. Temperatures in different rocks, in soils, and in snow were recorded by thermistors, and the mosture content was determined. In summer, temperatures cook to the surface of rocks and soils reach well above freezing point ranging often from IOC to a maximum above 30C. Water inflitteness into the soil only where snow melts, it is here where for a short period of time the water necessary for chemical weathering is available. The salts present in rocks and soils were mineralogically analyzed, and water circulation within the soils and the processes of salt integration as well as salt fretting are discussed in some detail. The so-called "inner rock polygons" described here for the first time are supposed to result from thermal contraction during the winter months when temperatures The paper deals with chemical weathering processes in Victoria scribed nere for the first time are supposed to result from thermal contraction during the winter months when temperatures drop to well below -50C. These cracks are considered to be of major importance for salt freiting and frost shattering. Darwin Mountains daily summer temperature curves from snow, rocks, and soil are presented an discussed. (Auth.)

Proceedings, Vols. 1 and 2.

rroceedings, Vols. 1 and 2. International Conference on Port and Ocean Engineering under Arctic Conditions, 6th, Quebec, Canada, July 27-31, 1981, Quebec, Canada 1 myersite Laval, 1981, 1134p., Rels passim. For selected papers see 36-193 through 36-288 or F-2520f, J-25204, and J-25205.

Offshore structures, Offshore drilling, Ice navigation, Ice strength, Ice loads, Ice pressure, Ports, Oil spills,

Design criteria for nearshore and offshore structures under arctic conditions.

Brun, P., et al. International Conference on Port and Ocean Engineering under Arctic Conditions, 6th, Québec, Canada, July 27-31, 1981 Proceedings, Québec, Canada, Université Laval, 1981, p.1-38, 42

Moe G

Offshore structures, Engineering, Ice conditions, Sea ice distribution, Ice loads, Design criteria, Ice naviga-tion, Pressure ridges, Ports, Wind velocity, Ocean

Production system in arctic waters by using a fully integrated TSG platform.

Di Tella, V., et al. International Conference on Port and Ocean Engineering under Arctic Conditions, 6th, Québec, Canada, July 27-31, 1981. Proceedings, Quebec, Canada, Université Laval, 1981, p. 39-48.

Sebastiani, G Offshore structures, Ice conditions, Ice scoring, Sea ice distribution, Steel structures, Icebergs, Design, Platforms.

Ice platforms with urethane foam cells in the neutral axis zone and their application in arctic offshore drill-

Maclean, C., et al. International Conference on Port and Ocean Engineering under Arctic Conditions, 6th. Québec, Canada, July 27-31, 1981. Proceedings. Québec, Canada, Université Laval, 1981, p.49-59, 2 refs

Semotiuk, W., Strandberg, A., Masterson, D.M. Offshore structures, Offshore drilling, Flugting structures, Cellular plastics, Design criteria, Ice platforms, Buovancy, Ice cover thickness,

Conceptual design for a mobile arctic gravity plat-

Wasilewski, B.R., et al. International Conference on Port and Ocean Engineering under Arctic Conditions 6th, Quebec, Canada, July 27-31, 1981. Proceedings Québec, Canada, Université Laval, 1981. p.60-69 Bruce, J.C.

Offshore structures, Artificial islands, Ice conditions, Ice loads, Stability, Offshore drilling, Design, Plat-

Marine piling and boat harbor structure design for ice conditions.
Wortley, C.A., International Conference on Port and

Ocean Engineering under Arctic Conditions, 6th, Québec, Canada, July 27-31, 1981. Proceedings, Québec, Canada, July 27-31, 1981. Proceedings, Québec, Canada, Université Laval, 1981, p.70-79, 5

Offshore structures. Pile structures. Ice loads. Ice conditions, Ice adhesion, Countermeasures, Po Artificial melting, Ice breaking, Design criteria, Bubbling.

36-198

Offshore structures on weak foundations exposed to large ice forces.

Danys, J.V., International Conference on Port and Ocean Engineering under Arctic Conditions, 6th, Québec, Canada, July 27-31, 1981. Proceedings, Québec, Canada, Université Laval, 1981, p.80-89, 7

Offshore structures, Foundations, Ice loads, Pressure. Piers.

36-199

Ice resistance equation for fixed conical structures. Brooks, L.D., International Conference on Port and Ocean Engineering under Arctic Conditions, 6th, Québec, Canada, July 27-31, 1981. Proceedings, Québec, Canada, Université Laval, 1981, p.90-99, 1

Icebreakers, Ice pressure, Ice loads, Impact strength, Ice friction, Analysis (mathematics), Ice strength, Flexural strength, Ice cover thickness,

On the state of commercial arctic marine transportation.

Lewis, J., International Conference on Port and Ocean Engineering under Arctic Conditions, 6th, Québec. Canada, July 27-31, 1981. Proceedings, Québec. Canada, Université Laval, 1981, p.100-106, 3 refs. Ice navigation. Marine transportation, Ice surveys. 36-201

Extension of the navigation season on the Great Lakes and St. Lawrence Seaway System.

McCallister, P., et al. International Conference on Port and Ocean Engineering under Arctic Conditions, 6th, Québec, Canada, July 27-31, 1981. Proceedings, Québec, Canada, Université Laval, 1981, p.107-116. Argiroff, C

Ice navigation, Lakes, Surveys.

36-202

Marine transportation in arctic waters.

Skarborn, S., International Conference on Port and Ocean Engineering under Arctic Conditions, 6th, Québec, Canada, July 27-31, 1981. Proceedings, Ouébec, Canada, Université Laval, 1981, p.117-135,

Marine transportation. Petroleum transportation. Ice conditions, Ice strength, Cost analysis, Velocity, Seasonal variations.

Transit analysis for delivery of large barges to arctic destinations

Takekuma, K., et al. International Conference on Pe and Ocean Engineering under Arctic Conditions, 6th, Québec, Canada, July 27-31, 1981. Proceedings. Québec, Canada, Université Laval, 1981, p.136-144, 6 refs

Noble, P., Nawwar, A

Marine transportation, Ships, Ice navigation, Ice conditions, Ice strength, Water supply.

36-204

Performance of icebreaker Ymer on the Swedish Arctic Expedition "Ymer 80". Liljeström, G., et al. International Conference on Port

and Ocean Engineering under Arctic Conditions, 6th, Québec, Canada, July 27-31, 1981. Proceedings. Québec, Canada, Université Laval, 1981, p.145-155. Lindberg, K.

Icebreakers, Ice breaking, Ice conditions, Sea ice distribution.

Correlation of under-ice roughness with satellite and airborne thermal infrared data.

LeShack, L.A., International Conference on Port and Ocean Engineering under Arctic Conditions, 6th, Québec, Canada, July 27-31, 1981. Proceedings. Québec, Canada, Université Laval, 1981, p.156-165, 14 refs

Sea ice, Ice bottom surface, Surface roughness, Remote sensing, Infrared reconnaissance, Airborne equipment, Ice cover thickness, Correlation.

36-206

Comparison of sea ice features in the Beaufort and Bering Seas using Slar and Landsat data.

Bowley, C.J., et al. International Conference on Port and Ocean Engineering under Arctic Conditions, 6th, Québec, Canada, July 27-31, 1981 Proceedings. Québec, Canada, Universite Laval, 1981, p 166-1 refs

Barnes, J.C

Sea ice distribution, Ice conditions. Remote sensing, Aerial surveys, LANDSAT.

Ice hazard detection system-preliminary investiga-

Langham, E.J., et al. International Conference on Port and Ocean Engineering under Arctic Conditions, 6th, Québec, Canada, July 27-31, 1981. Proceedings, Québec, Canada, Université Laval, 1981, p 178-188. 12 refs.

Glynn, J.E., Sherstone, D.A.

Ice mechanics, Drift, Velocity, Photographic techniques, River ice, Estuaries, Channels (waterways), Correlation, Analysis (mathematics), Aerial surveys.

36,208

Advances in ice mechanics.

Michel, B., International Conference on Port and Ocean Engineering under Arctic Conditions, 6th, Québec, Canada, July 27-31, 1981. Proceedings. Québec. Canada, Université Laval, 1981, p.189-204,

Ice mechanics, Glacier flow, Ice creep, Shear stress, Ice loads, Rheology, Floating ice.

36-209

Plastic limit analysis of ice splitting failure.

Ralston, T.D., International Conference on Port and Ocean Engineering under Arctic Conditions, 6th.
Québec, Canada, July 27-31, 1981. Proceedings. Québec, Canada, Université Laval, 1981, p.205-215, 5

Ice mechanics, Ice cracks, Ice solid interface, Ice plasticity, Ice strength, Ice crystal structure, Ice floes, Compressive properties, Tensile properties,

Constant stress rate deformation modulus of ice. Sinha, N.K., International Conference on Port and Ocean Engineering under Arctic Conditions, 6th, Québec, Canada, July 27-31, 1981. Proceedings. Québec, Canada, Université Laval, 1981, p.216-224.

Ice creep, Ice crystal structure, Ice deformation. Grain size, Stress strain diagrams, Loads (forces), Microstructure, Ice temperature, Salinity.

Mid-winter mechanical properties of ice in the Southern Beaufort Sea.

Frederking, R.M.W., et al. International Conference on Port and Ocean Engineering under Arctic Conditions, 6th, Quebec, Canada, July 27-31, 1981. Proceedings, Québec, Canada, Université Laval, 1981, p.225-234, 9 refs.

Timco, G.W Ice mechanics, Ice breaking, Loads (forces), Ice strength, Ice crystal structure, Ice temperature. Salinity, Compressive properties, Pressure ridges. Stress strain diagrams.

36-212

Statistical analysis of broken ice dimensions generated during 140' WTGB icebreaking trails.

McKindra, C.D., et al, International Conference on

Port and Ocean Engineering under Arctic Conditions, 6th, Québec, Canada, July 27-31, 1981. Proceedings. Québec, Canada, Université Laval, 1981, p.235-243. 11 refs.

Ice breaking, Frazil ice, Flexural strength, Statistical analysis, Ice cover thickness, Ice navigation, Ice removal. Dimensions.

Conditions in brash ice covered channels with repeated passages.

Sandkvist, J., International Conference on Port and Ocean Engineering under Arctic Conditions, 6th, Québec, Canada, July 27-31, 1981. Proceedings. Québec, Canada, Université Laval, 1981, p. 244-252, 6

Ice conditions. Ice navigation, Frazil ice. Ice growth, Channels (waterways), Ice mechanics, Ice breaking, Ice cover thickness.

36-214

Dynamic ice loads and stress analysis on the propeller of the arctic ship; model test in ice.

Okamoto, H., et al. International Conference on Port and Ocean Engineering under Arctic Conditions, 6th. Quebec, Canada, July 27-31, 1981 Proceedings. Quebec, Canada, Université Lavat, 1981, p. 253-262

Nozawa, K., Kawakami, H., Yamamata, I

Ice navigation, Ice loads, Dynamic loads, Stresses, Propellers, Ships, Impact strength, Models, Tests.

Experimental investigation of two candidate propeller designs for ice capable vessels.

Sasajima, T. et al. International Conference on Port and Ocean Engineering under Arctic Conditions, 6th. Québec, Canada, July 27-31, 1981 Proceedings. Quebec, Canada, Universite Laval, 1981, p.263-275, 9

Bulat, V., Glen, I

Ice navigation, Propellers, Ships, Ice strength, Impact strength, Hydrodynamics, Design,

Engineering for vessel ice accretion with particular reference to the Alaskan fishing fleet.

Carlson, R.F., et al, International Conference on Port and Ocean Engineering under Arctic Conditions, 6th, Quebec, Canada, July 27-31, 1981 Proceedings, Proceedings. Québec, Canada, Université Laval, 1981, p.276-285. 2 refs.

Zarling, J.P., Hok, C.I.

Ship icing, Ice accretion, Countermeasures, Engineering, Ice prevention, Buoyancy. Ice forecasting, De-

Design of wharves for winter navigation in the St. awrence River.

Dery, J.L., International Conference on Port and Ocean Engineering under Arctic Conditions, 6th, Québec, Canada, July 27-31, 1981. Proceedings. Québec, Canada, Université Laval, 1981, p 286-301, 3

Ice navigation, Wharves, Icing, Ice prevention, Iceound rivers, Ice conditions, Impact strength, Design, Climatic factors, Salinity, Floating ice, Drift, Ice

Ice defence for natural barrier islands during freezeup.

Vaudrey, K.D., et al, International Conference on Port and Ocean Engineering under Arctic Conditions, 6th, Québec, Canada, July 27-31, 1981. Proceedings, Québec, Canada, Université Laval, 1981, p 302-312, 4 refs.

Freezing, Artificial islands, Impact strength, Ice mehanics, Ice cover effect, Protection, Ice prevention, Pack ice, Ice pileup, Ice sheets, Barriers,

Field test study of "pack ice barrier". Yamaguchi, T., et al. International Conference on Port and Ocean Engineering under Arctic Conditions, 6th, Québec, Canada, July 27-31, 1981 Proceedings, Québec, Canada, Universite Laval, 1981, p.313-322, 1 ref

oshida, H., Yahima, N., Ando, M

Pack ice, Ice prevention, Ice pileup, Offshore structures, Impact strength, Design, Shores, Barriers.

Dock floats subjected to ice.

Wortley, C.A., International Conference on Port and Ocean Engineering under Arctic Conditions, 6th, Quebec, Canada, July 27-31, 1981. Proceedings, Quebec, Canada, Universite Laval, 1981, p.323-331. Floating structures, Docks, Ice conditions, Ice loads. Damage, Countermeasures, Tests, Ice prevention, Design.

36.221

Experimental investigation of the crushing strength

Taylor, T.P., International Conference on Port and Ocean Engineering under Arctic Conditions, 6th, Québec, Canada, July 27-31, 1981 Proceedings. Québec, Canada, July 27-31, 1981 Proceedings, Québec, Canada, Université Laval, 1981, p. 332-345, 8 refs

Ice strength, Brittleness, Fracturing, Shear strength, Compressive properties, Strain tests, Ice pressure, Experimentation, Ice cover thickness, Ice crystal

Uniaxial compression testing of arctic sea ice. Wang, Y.S. International Conference on Port and Ocean Engineering under Arctic Conditions, 6th. Quebec, Canada, July 27-31, 1981. Proceedings. Québec, Canada, Université Laval, 1981, p.346-355, 4

Sea ice, Compressive properties, Ice strength, Stress strain diagrams, Ice crystal structure.

36-223

Fracture toughness of sea ice—in-situ measurement and its application.

Urabe, N., et al. International Conference on Port and Ocean Engineering under Arctic Conditions, 6th, Québec, Canada, July 27-31, 1981. Proceedings, Québec, Canada, Université Laval, 1981, p.356-365, 12 refs.

Yoshitake, A.

Ice cracks, Sea ice, Fracturing, Ice strength, Ice loads, Stresses, Grain size.

36-224

Fracture toughness of ice; crystallographic anisotropy.

Kollé, J.J., International Conference on Port and Ocean Engineering under Arctic Conditions, 6th, Québec, Canada, July 27-31, 1981. Proceedings, Québec, Canada, Université Laval, 1981, p.366-374, 16 refs.

Ice cracks, Fracturing, Ice crystal structure, Anisotropy, Strain tests, Ice elasticity, Tests.

36-225

Transverse pressure effects on an embedded ice pressure sensor.
Chen, A.C.T., International Conference on Port and

Chen, A.C.T., International Conference on Port and Ocean Engineering under Arctic Conditions, 6th, Québec, Canada, July 27-31, 1981. Proceedings, Québec, Canada, Université Laval, 1981, p.375-384, 9 refs.

Ice pressure, Measuring instruments, Offshore structures, Sea ice, Impact strength, Stresses, Ice loads, Offshore drilling.

36-226

On the acoustic emission and deformation response of finite ice plates.

Xirouchakis, P.C., et al. MP 1455, International Conference on Port and Ocean Engineering under Arctic Conditions, 6th, Québec, Canada, July 27-31, 1981. Proceedings, Québec, Canada, Université Laval, 1981, p 385-394, 15 refs. St. Lawrence, W.

Ice acoustics, Ice cracks. Fracturing, Flexural strength, Ice loads, Ice crystal structure, Microstructure, Ice deformation, Stresses, Strain tests. Analysis (mathematics).

In the present investigation acoustic emission methods are used to study the microfracturing activity in polycrystalline ice subjected to flexural loads. Experimental results obtained in the laboratory indicate that the acoustic emissions recorded from ice are important in describing the deformation and fracture of

36-227

Mechanical properties of low density ice under cyclic axial loading.

Vinson, T.S., et al. International Conference on Port and Ocean Engineering under Arctic Conditions, 6th, Québec, Canada, July 27-31, 1981 Proceedings, Québec, Canada, Universite Laval, 1981, p. 395-404, 7 refs.

Chaichanavong, T

Ice mechanics, Ice density, Ice loads, Ice pressure, Strains, Temperature effects, Damping, Tests.

36-22

Surface wind direction anomalies along the Alaskan Beaufort Sea Coast.

Kozo, T.L., International Conference on Port and Ocean Engineering under Arctic Conditions, 6th, Québec, Canada, July 27-31, 1981. Proceedings, Québec, Canada, Université Laval, 1981, p 405-414, 9 refs.

Wind direction, Seasonal variations, Shores, Ice mechanics, Wind factors.

36-229

Influence of an ice layer on storm surge amplitudes. Murty, T.S. et al, International Conference on Port and Ocean Engineering under Arctic Conditions, 6th. Québec, Canada, July 27-31, 1981. Proceedings, Québec, Canada, Université Laval, 1981, p.415-422, 13 eff.

El-Sabh, M.I., Briand, J.M.

Ice cover effect, Sea level. Atmospheric pressure, Wind pressure, Storms.

36-230

Three-dimensional model of Norton Sound under ice cover.

Liu, S.K., et al. International Conference on Port and Ocean Engineering under Arctic Conditions, 6th, Quebec, Canada, July 27-31, 1981 Proceedings, Quebec, Canada, Universite Laval, 1981, p.433-443 Leendertse, J.J.

Ice cover effect, Hydrodynamics, Subglacial observations, Tides, Drift, Interfaces, Mathematical models.

36-231

Risk assessment of offshore structures experience and principles.

Holand, L. International Conference on Port and Ocean Engineering under Arctic Conditions, 6th, Québec, Canada, July 27-31, 1981. Proceedings, Québec, Canada, Université Laval, 1981, p.444-461, 9

Offshore structures, Floating structures, Artificial islands, Accidents, Ocean waves, Ice loads, Ice pressure, Impact strength, Safety.

36-232

Steel selection system and reliability analysis of structures in cold regions.

Urabe, N., et al, International Conference on Port and Ocean Engineering under Arctic Conditions, 6th, Quebec, Canada, July 27-31, 1981. Proceedings, Quebec, Canada, Université Laval, 1981, p.462-471, 8 refs.

Yoshitake, A.

Icebreakers, Offshore structures, Steels, Brittleness, Cracking (fracturing), Damage, Safety.

36-233

Dynamic ice-structure interaction analysis for narrow vertical structures.
Eranti, E., et al, MP 1456, International Conference

Eranti, E., et al. MP 1456, International Conference on Port and Ocean Engineering under Arctic Conditions, 6th, Québec, Canada, July 27-31, 1981. Proceedings, Québec, Canada, Université Laval, 1981, p.472-479, 7 refs.

Haynes, F.D., Määttänen, M., Soong, T.T.

Ice solid interface, Ice mechanics, Ice loads, Ice pressure, Ice structure, Dynamic loads, Penetration tests, Experimentation, Fatigue (materials).

This paper describes a method of computing the ice force and response of the structure on the basis of information given for ice velocity and properties of ice and the structure. The method is a step-by-step procedure using mode shape analysis involving two basic phases. During the first phase the structure penetrates into the ice sheet until a random loading rate dependent ice strength is reached. The ice sheet then fails within an area with finite length. Both the penetration and the failed zone are assumed to depend linearly on force. The ice forces and structural responses have been computed for a test structure at the U.S. Army Cold Regions Research and Engineering Laboratory in Hanover, New Hampshire, and the results are found to be consistent with those actually measured in laboratory experiments.

36-234

Response of offshore towers to nonstationary ice forces.

Reddy, D.V., et al. International Conference on Port and Ocean Engineering under Arctic Conditions, 6th. Québec, Canada, July 27-31, 1981. Proceedings, Québec, Canada, Universite Laval, 1981, p.480-490, 19 refs.

Cheema, P.S., Arockiasamy, M.

Ice loads, Offshore structures, Towers, Dynamic loads, Analysis (mathematics).

36-235

Experiences with vibration isolated lighthouses.

Määttänen, M., International Conference on Port and Ocean Engineering under Arctic Conditions, 6th, Québec, Canada, July 27-31, 1981. Proceedings, Québec, Canada, Université Laval, 1981, p 491-501, 4 refs.

Superstructures, Offshore structures, Ice cover effect, Vibration, Ice loads, Ice pressure, Ice solid interface. Impact strength, Steels, Design criteria, Lighthouses.

36-236

Dynamic response of a jacket platform subjected to ice floe loads.

Jizu, X., et al. International Conference on Port and Ocean Engineering under Arctic Conditions, 6th Québec, Canada, July 27-31, 1981. Proceedings, Québec, Canada, Université Laval, 1981, p.502-516. 17 refs.

Leira, B J

Ice loads, Ice floes, Artificial islands, Vibration, Ice solid interface. Dynamic properties, Bottom sediment, Damping, Models, Platforms.

36-237

Ice force acting on a cylindrical pile.

Nakajiwa, H., et al, International Conference on Port and Ocean Engineering under Arctic Conditions, 6th, Quebec, Canada, July 27-31, 1981. Proceedings, Quebec, Canada, Université Laval, 1981, p.517-525, 4 refs.

Koma, N., Inoue, M.

Ice pressure, Flexural strength, Ice loads, Piles, Ice solid interface, Grain size, Ice strength, Ice cover thickness, Tests.

36-238

Friction measurements of sea ice on some plastics and coatings.

Tabata, T., et al. International Conference on Port and Ocean, Engineering under Arctic Conditions, 6th, Quebec, Canada, July 27-31, 1981 — Proceedings, Quebec, Canada, Université Laval, 1981, p.526-535, 1 ref.

Tushima, K.

Ice friction, Plastics, Coatings, Offshore structures, Icebreakers, Stresses, Surface roughness, Shear stress, Sea ice.

36-239

Experimental study on flexural strength and elastic modulus of sea ice.

Modulus of sea technique and Conference on Port and Ocean Engineering under Arctic Conditions, 6th, Quebec, Canada, July 27-31, 1981 – Proceedings, Quebec, Canada, Universite Laval, 1981, p.536-547, 5

Ozaki, A., Kubo, Y.

Sea ice, Flexural strength, Ice elasticity, Bearing strength, Stresses, Strains.

36-240

Creep of S2 ice beams and plates.

Nadreau, J.P., et al. International Conference on Port and Ocean Engineering under Arctic Conditions, 6th, Québec, Canada, July 27-31, 1981. Proceedings, Québec, Canada, Universite Laval, 1981, p 548-561, With French summary. 18 refs. Michel, B.

Ice creep, Ice loads, Ice crystal st cture, Ice deformation, Loads (forces). Strain tests, Time factor, Auglysis (mathematics).

36-241

Behaviour of a reinforced ice-cover with regard to creep.

Cederwall, K., Internation.' Conference on Port and Ocean Engineering under Arctic Conditions, 6th, Québec, Canada, July 27-31, 1981. Proceedings, Québec, Canada, Universite Laval, 1981, p.562-570, 3 refs.

Ice cover strength, Ice creep, Bearing strength, Ice elasticity, Tensile properties, Ice mechanics, Analysis (mathematics), Reinforcement.

36-242

Reaction of a floating ice sheet to simple loads and certain classes of vehicles and machines.

Johnson, P.K., International Conference on Port and Ocean Engineering under Arctic Conditions, 6th, Québec, Canada, July 27:31, 1981 Proceedings, Québec, Canada, Université Laval, 1981, p.571-580, 21 refs.

Floating ice, Ice load Bearing strength, Tensile properties, Stresses, Loads (forces), Vehicles, Ice cover thickness.

36-243

Sea ice model developed for use in a real time forecast system.

Teavitt, E., et al. International Conference on Port and Ocean Engineering under Arctic Conditions, 6th, Quebec, Canada, Jusy 27-31, 1981. Proceedings, Quebec, Canada Universite Laval, 1981, p.581-588.

Sykes J. Wong J. L.

Sea ice, Pack ice, Ice mechanics, Stresses, Strains, Ice forecasting, Ice models, Ice cover thickness, Ice cover strength, Velocity, Mathematical models, Offshore drilling.

36-244

Sea ice model deseli ped for use in a real time forecast system, Part 2: Extraction of imaging radar data. Lowry R. F. et a. institutational Conference on Port and Ocean First recting and of Arctic Conditions 8th Quebe. Caractic July 27.8. 198. Proceedings Quebe., Caractic July 27.8. 198. pp. 8598 598 6

Surror J.T. Wessels G.J. Jefferes W.C.

Sea ice, Ice models, Radar echoes, Ice mechanics, ice conditions, Surface roughness, Remote sensing.

Large winter ice movements in the nearshore Alaskan Beaufort Sea.

Agerton, D.J., International Conference on Port and Ocean Engineering under Arctic Conditions, 6th, Québec, Canada, July 27-31, 1981. Proceedings, Québec, Canada, Université Laval, 1981, p.599-608.

Ice mechanics, Drift, Sea ice, Storms, Ice deformation, Loads (forces), Remote sensing, Winter.

36-246

Canadian Beaufort Sea ice characterization.

Pritchard, R.S., et al. International Conference on Port and Ocean Engineering under Arctic Conditions, 6th, Québec, Canada, July 27-31, 1981 Proceedings, Québec, Canada, Université Laval, 1981, p.609-618, 9

Coon M.D.

Sea ice distribution, Ice conditions, Ice cover thick-, Ice cover strength, Ice mechanics, Drift, Ice plasticity, Mathematical models.

Sea ice strains during 1979.

Colony, R., et al. International Conference on Port and Ocean Engineering under Arctic Conditions, 6th. Québec, Canada, July 27-31, 1981. Proceedings. Québec, Canada, Université Laval, 1981, p.619-628, 6

Thorndike, A.S.

ea ice, Ice mechanics, Ice deformation, Strains, Drift.

36-248

On measuring large scale ice forces; Hans Island 1980.

Metge, M., et al. International Conference on Port and Ocean Engineering under Arctic Conditions, 6th, Québec, Canada, July 27-31, 1981. Proceedings, Québec, Canada, Université Laval, 1981, p.629-642, 15 refs

Danielewicz, B., Hoare, R. Ice pressure, Ice loads, Offshore structures, Sea ice, Ice strength, Impact strength.

Probability distributions for structure loading by multiyear ice floes.

Wheeler, J.D., International Conference on Port and Ocean Engineering under Arctic Conditions, 6th, Québec, Canada, July 27-31, 1981. Proceedings, Québec, Canada, Université Laval, 1981, p.643-652, 6

Ice floes, Ice pressure, Sex ice, Ice loads, Impact strength, Offshore structures, Distribution, Ice cover thickness.

36-250

Impact of large ice floes and icebergs on marine struc-

Cammaert, A.B., et al. International Conference on Port and Ocean Engineering under Arctic Conditions, 6th, Québec, Canada, July 27-31, 1981. Proceedings, Québec, Canada, Université Laval, 1981, p.653-662, 5 refs.

Tsinker, G.P.

Ice floes. Ice loads, Impact strength, Icebergs, Structures, Sluices (hydraulic engineering).

Failure modes and forces of pressure ridges acting on cylindrical towers.

Rojansky, M., et al. International Conference on Port and Ocean Engineering under Arctic Conditions, 6th. Québec. Canada, July 27-31, 1981. Proceedings. Québec, Canada, Université Laval, 1981, p.663-673,

Gerwick. B.C

Pressure ridges, Sea ice. Ice pressure, Ice strength. Offshore structures, Impact strength, Ice cracks, Strains, Ice mechanics, Flexural strength.

Methods of determining pipeline trench depths in the Canadian Beaufort Sea.

Pilkington, G.R., et al. International Conference on Port and Ocean Engineering under Arctic Conditions. 6th, Québec, Canada, July 27-31, 1981. Proceedings. Ouébec, Canada, Université Laval, 1981, p.674-687. With French summary. 19 refs. Marcellus, R.W.

Ice scoring, Bottom sediment, Underground pipelines, Trenching, Ocean bottom, Hydraulic structures. Forecasting.

Model tests of sea bottom scouring,

Abdelnour, R., et al. International Conference on Port and Ocean Engineering under Arctic Conditions, 6th Quebec, Canada, July 27-31, 1981 Proceedings. Proceedings Quebec, Canada, Universite Laval, 1981, p.688-705, 6

Lapp, D., Haider, S., Shinde, S.B., Wright, B. Ice scoring, Ocean bottom, Bottom sediment, Grain size, Models, Profiles.

Sea bed features in the Blazenga area, Weddell Sea. Antarctica.

Lien, R., International Conference on Port and Occas-Engineering under Arctic Conditions, 6th, Quebe, Canada, July 27-31, 1981 Proceedings, Quebe, Canada, July 27-31, 1981 Proceedings, Quebe. Canada, Université Laval, 1981, p. 706-716, 2 rets. Ocean bottom, Bottom sediment, Ice scoring, Side looking radar, Echo sounding, Antarctica-Weddell

Data on sea bed features in the Blazenga area, Weddell Sea, Antarctica were gathered during two expeditions in the summer seasons 1976-77 and 1978-79, and consist of records with echo sounder and side-scan sonar. From these data we have consouncer and side-scan solution. From these data we have con-structed a tentative bathymetric map of the area, and the sea floor has been classified into four groups of sea bed features. The different features are described and shown on record sec-Further, some record sections with six cial phenomena such as tracks of wobbling icebergs, arresting icebergs, multi-keeled icebergs, etc. are shown. Finally, the different patterns and phenomena are discussed with reference to their process of formation. (Auth. mod.)

Static penetration resistance of soils.
Chari. T.R., et al, International Conference on Port

and Ocean Engineering under Arctic Conditions, 6th. Québec, Canada, July 27-31, 1981 Proceedings, Québec, Canada, Université Laval, 1981, p.717-725. 20 refs

Abdel-Gawad, S.M.

Ocean bottom, Bottom sediment, Penetration tests. Clays, Penetrometers, Impact strength, Soil strength, Static loads.

Dynamic and static creep testing of ice and frozen

Youssef, H., et al. International Conference on Port and Ocean Engineering under Arctic Conditions, 6th, Québec, Canada, July 27-31, 1981. Proceedings, Québec, Canada, Université Laval, 1981, p.726-734.

Kuhlemeyer, R

Frozen ground mechanics, Soil creep, Ice creep, Static loads, Dynamic loads.

Review of technology for Alaskan offshore petroleum recovery.

Sackinger, W.M., International Conference on Port and Ocean Engineering under Arctic Conditions, 6th. Québec, Canada, July 27-31, 1981. Proceedings. Québec, Canada, July 27-31, 1981. Proceedings. Québec, Canada, Université Laval, 1981, p.735-754.

Offshore structures, Petroleum industry, Sea ice, Ice conditions, Ice breaking, Ice solid interface.

Beaufort Sea first year ice features survey-1979.

Sisodiva, R.G., et al. International Conference on Port and Ocean Engineering under Arctic Conditions 6th. Québec, Canada, July 27-31, 1981. Proceedings, Québec, Canada, Université Laval, 1981, p.755-764. 11 refs

Vaudrey, K.D.

Ice surveys, Sea ice, Ice conditions, Aerial surveys, Photographic reconnaissance.

Multi-year pressure ridge study Queen Elizabeth Is-

Dickins, D.F., et al. International Conference on Port and Ocean Engineering under Arctic Conditions, 6th, Ouebec, Canada, July 27-31, 1981 Proceedings, Quebec, Canada, July 27-31, 1981. Proceedings, Québec, Canada, Université Laval, 1981, p.765-775, 9

Wetzel, V.F

Pressure ridges, Floating ice, Underwater ice, Echo sounding, Profiles.

Ice studies aid in the successful completion of the

orton Sound C.O.S.I. Well.

Wollson, L., Chail Extrational Conference on Peopand Ocean Englishers and Chair Conditions 6th Quebes, Carrolla, Iav. 2753, 1981. Proceedings, Owner, Chair Chair, and Chair C Quebec Carada las 27-8, 1981 Proce Quebec Carada las 37-8, 1981 Proce Quebec Carada las site Laval 1981 p

Fores WA

Offshore driffing, Ice breaking, Freezeup, Ice forecasting. Meteorological data.

Statistical techniques for the analysis of sea ice pressure ridge distribution.

Areader J.R. et al. International Conference on Port and Occar. Engineering under Arctic Conditions, 6th, Que Sec. Canada, July 27:51–1981. Proceedings. Quebec, Canada, Universite Laval, 1981, p.789.

Thre M.L

Sea ice distribution, Pressure ridges, Statistical analysis, Stereophotography, Profiles.

Summer conditions in the Prudhoe Bay area, 1953-

Cox, G.F.N., et al. MP 1457, International Conference on Port and Ocean Engineering under Arctic Conditions, 6th, Quebec, Canada, July 27-31, 1981 Proceedings, Quebec, Canada, Université Laval, 1981, p.799-808, 9 refs

Dihn W.S. Sea ice distribution, Ice conditions, Radiometry, Seasonal variations. Petroleum industry. Ice breakup. Freezeup.

Long-term, site-specific statistics on the summer ice conditions Long-term, site-specific statistics on the summer ice conditions in the Harrison Bay-Camden Bay area are presented in probabilistic terms. The statistics are based on twenty-three years of ice observations acquired by commercial ships and icebreakers, ice reconnissance flights, and various sateflites. Data is given on breakup and freezeup dates, the first occurrence of open water, and the number of continuous and total open water days. The impact of the summer ice conditions on petroleum activities in the study area are also briefly discussed.

Surface agitation in ice prone waters.

Andersen, P.F., International Conference on Port and Ocean Engineering under Arctic Conditions, 6th, Québec, Canadu, July 27-31, 1981 Proceedings, Québec, Canada, Universite Laval, 1981, p.820-829, 2

Ocean waves, Wave propagation, Ice formation, Frazil ice. Slush, Ice removal, Equipment, Ports.

Winds and waves Lancaster Sound.

LaChapelle, A. International Conference on Port and Ocean Engineering under Arctic Conditions, 6th, Québec, Canada, July 27-31 1981. Proceedings, Québec, Canada, Université Laval, 1981, p.830-842, 4

Wind factors. Ocean waves, Offshore structures, Wind velocity, Meteorological data.

36-265

Fracture of a solid ice cover by wind-induced or shipgenerated waves.

Carter, D., et al. International Conference on Port and Ocean Engineering under Arctic Conditions, 6th, Québec, Canada, July 27-31, 1981 Proceedings, Québec, Canada, Université Laval, 1981, p.843-856. With French summary 9 refs. Ouellet, Y. Pay, P.

Ice cracks, Wind factors, Ocean waves, Ice breaking, Fracturing, Wave propagation, Ice cover, Analysis (mathematics). Ice cover thickness.

New model basin for the testing of ice-structure in-

Pratte, B.D., et al, International Conference on Port and Ocean Engineering under Arctic Conditions, 6th, Québec Canada July 27-31, 1981 Proceedings, Québec Canada July 27-31, 1981 Proceedings, Quebec Canada Université Laval, 1981, p.857-866, 3 Lunco G W

Ice solid interface, Dynamic loads, Laboratory tech-

Preliminary results of ice modeling in the East Greenland area.

Tucker, W.B., et al, MP 1458, International Conference on Port and Ocean Engineering under Arctic Conditions, 6th, Quebec, Canada, July 27-31, 1981 Proceedings, Quebec, Canada, Université Laval, 1981, p.867-878, 13 refs.

Ice models, Ice plasticity, Stresses, Drift, Thermodynamics, Sea ice, Buoyancy, Viscosity.

namics, Sea ice, Buoyancy, Viscosity,
A sea ice model which employs a viscous-plastic constitutive
law has been applied to the East Greenland area. The model
is run on a 40-km spatial scale at 1/4 day time steps for a 60-day
period, using forcing data beginning 1 October 1979. Preliminary results verify that the model predicts reasonable thicknesses and velocities well within the ice margin. Separate
simulations show that thermodynamics only and free drift with
thermodynamics produce inadequate results. In particular, the
free drift simulation produces urrealistic ice traiscories with free drift simulation produces unrealistic ice trajectories with excessive drift toward the coast and unreasonable nearshore thicknesses. The net results of these simulations tend to verify that internal ice stress, thermodynamics, and ice import must be considered to properly model this region.

36-268

Pack ice drift and weather impact.

.. et al, International Conference on Port and Ocean Engineering under Arctic Conditions, 6th, Québec, Canada, July 27-31, 1981. Proceedings, Québec, Canada, Université Laval, 1981, p.879-891, 4 refs

Valcur, H.H.

Pack ice, Drift, Wind factors, Impact strength, Meteorological charts, Remote sensing, Aerial surveys.

36-269

Development of an ice transport model for Great Lakes application.

Rumer, R.R., et al. International Conference on Port and Ocean Engineering under Arctic Conditions, 6th, Québec, Canada, July 27-31, 1981. Proceedings, Québec, Canada, Université Laval, 1981, p.892-901. 19 refs.

Wake, A., Chich, S.-H., Crissman, R.D.

Ice mechanics, Drift, Ice conditions, Ice strength, Ice forecasting, Viscosity, Mathematical models, Computer applications.

Biologically important areas in the Arctic Ocean. Palosuo, E., International Conference on Port and Ocean Engineering under Arctic Conditions, 6th, Québec, Canada, July 27-31, 1981. Proceedings, Proceedings Québec, Canada. Université Laval, 1981, p.902-911. 20 refs.

Marine biology, Nutrient cycle, Biomass, Algae, Ice melting, Ice conditions, Environmental protection.

Pooling of oil under sea ice

Kovacs, A., et al, MP 1459, International Conference on Port and Ocean Engineering under Arctic Conditions, 6th, Québec, Canada, July 27-31, 1981. Proceedings, Québec, Canada, Université Laval, 1981, p.912-922, 15 refs.

Morey, R.M., Cundy, D.F., Dicoff, G.

Oil spills, Sea ice, Ice bottom surface, Ice cover thickness, Profiles, Radar echoes, Echo sounding, Water pollution, Environmental impact.

pollution, Environmental impact.

Ice thickness profiles were constructed for six fast ice locations in the vicinity of Prudhoe Bay, Alaska, using a radar echo sounding system. The sounding data revealed in detail the undulating relief of the bottom of the sea ice in which oil could pool up if released under the ice. In general, ice bottom morphology was found to reflect variation of the surface snow cover thickness and ice deformation. However, at several sites the ice bottom relief could not be correlated with these factors. Slush ice accumulations of up to 0.5 m were apparently the cause of this bottom roughness. Estimates of the volume of oil that could pool up in the ice bottom relief range from 20,000 to 60,000 cu m/sq km. For undeformed fast ice with no bottom slush ice growth, the potential pooling capacity varied from about 10,000 to 35,000 cu m/sq km. The effect of slush ice relief and structure on potential under-ice oil pooling is for the most part unknown.

Movement of oil and gas spills under sea ice.

Malcolm, J.D., et al, International Conference on Port and Ocean Engineering under Arctic Conditions, 6th, Québec, Canada, July 27-31, 1981. Proceedings, Québec, Canada, Université Laval, 1981, p.923-936, 9 refs

Oil spills, Natural gas, Gas inclusions, Ice bottom surface, Surface roughness, Water pollution, Wells, Blasting, Pack ice, Environmental impact.

Need for real world assessment of the environmental effects of oil spills in ice-infested marine enviro ments.

Robilliard, G.A., et al, International Conference on Port and Ocean Engineering under Arctic Conditions, 6th, Quebec, Canada, July 27-31, 1981 Proceedings. Quebec, Canada, Université Laval, 1981, p.937-944.

Busdosh, M

Oil spills, Hydrocarbons, Sea ice, Environmental impact, Marine biology, Water pollution, Bottom sediment. Human factors.

With the increase in the ou exploration activities in arctic re-gions, accompanied by the concerns of regulators and citizens over oil spills, increased effort must be placed on documenting over oil spills, increased effort must be placed on documenting the "real world" impact of oil spills in arctic waters. These data will provide a basis for predicting with confidence the realistic environmental effects of oil spills in ice-infested marine environments. The antarctic benthic community is generally pristine relative to hydrocarbon pollution due to man's activities. However, at Winter Quarters Bay, McMurdo Sound, there was a considerable amount of trash on the bottom, primarily from the McMurdo Station garbage dump on the sea ice above, and the fauna was extremely depauperate compared to physically similar areas nearby. The sediments from the clam bed in Winter Quarters Bay contained approximately 0. the above, and the tauna was externelly depauperate compared to physically similar areas nearby. The sediments from the clam bed in Winter Quarters Bay contained approximately 0.23% petroleum hydrocarbon by dry weight of sediment. A small amount of the hydrocarbons apparently was biogenic in origin, and most of it appeared to be is bricating oil, and possibly heavy residual or Bunker C fuel. No diesel fuel was present. (Auth. mod.)

36-274

Ice action on shorelines, ¡L'action des glaces sur les littoraux3.

Dionne, J.C., International Conference on Port and

Ocean Engineering under Arctic Conditions, 6th, Québec, Canada, July 27-31, 1981. Proceedings, Québec, Canada, Université Laval, 1981, p.955-973. 71 refs In French with English summary.

Sea ice, Drift, Ocean bottom, Bottom sediment, Ice erosion, Shoreline modification, Ice navigation.

Analysis of ice-override potential along the Beaufort Seacoast of Alaska.

Harper, J.R., et al. International Conference on Port and Ocean Engineering under Arctic Conditions, 6th, Québec, Canada, July 27-31, 1981. Proceedings. Québec, Canada, July 27-31, 1981. Proceedings. Québec, Canada, Université Laval, 1981, p.974-984, 8

Owens, E.H.

Sea ice distribution, Ice override, Ice mechanics, Shoreline modification, Forecasting.

Sea ice piling at Fairway Rock, Bering Strait, Alaska: observations and theoretical analysis.

Kovacs, A., et al, MP 1460. International Conference on Port and Ocean Engineering under Arctic Conditions, 6th, Québec, Canada, July 27-31, 1981. Proceedings, Québec, Canada, Université Laval, 1981. p.985-1000, 15 refs Sodhi, D.S.

Sea ice, Ice pileup, Ice conditions, Ice formation, Pressure ridges, Remote sensing, LANDSAT, Grounded ice, Flexural strength, Floating ice, Analysis (mathematics), Offshore structures.

ysis (mathematics), Offshore structures.

Information on sea ice conditions in the Bering Strait and the icefoot formation around Fairway Rock, located in the strait, is presented. Cross-sectional profiles of Fairway Rock and the relief of the icefoot are given along with theoretical analyses of the possible forces active during icefoot formation. It is shown that the ice cover most likely fails in flexure as opposed to crushing or buckling, as the former requires less force. Field observations reveal that the Fairway Rock icefoot is massive, with ridges up to 15 m high, a seaward face only 20 deg from vertical, and interior ridge slopes averaging 33 deg. The icefoot is believed to be grounded, and its width ranges from less than 10 to over 100 meters.

Numerical model of iceberg drift.

Smith, S.D., et al. International Conference on Port and Ocean Engineering under Arctic Conditions, 6th, Québec, Canada, July 27-31, 1981. Proceedings, Québec, Canada, Université Laval, 1981, p.1001-1011, 1 ref. Banke, E.G.

Icebergs, Drift, Ice mechanics, Mathematical models, Wind factors, Ocean currents

Iceberg scour studies in medium dense sands.

Chari, 1 R., et al. International Conference on Port and Ocean Engineering under Arctic Conditions, 6th, Quebec, Canada, July 27-34, 1981 Proceedings. Quebec, Canada, Université Laval, 1981, p.1012-Green H P

Icebergs, Drift, Ice scoring, Erosion, Ocean bottom. Sands, Underground pipelines

Sensitivity analysis of a simple model of seasonal sea ice growth.

Miller, J.D., International Conference on Port and Ocean Engineering under Arctic Conditions, 6th, Québec, Canada, July 27-31, 1981 Proceedings, Québec, Canada, Université Laval, 1981, p.1020-1030, 18 refs

Sea ice, Ice growth, Seasonal variations, Climatic factors, Air temperature, Wind velocity, Solar radiation, Snow density, Snow depth, Analysis (mathematics).

Studies of sea ice ridging with a ship-borne laser profilometer.

Lepparanta, M., et al, International Conference on Port and Ocean Engineering under Arctic Conditions, 6th, Québec, Canada, July 27-31, 1981 Proceedings. Proceedings. Quebec, Canada, Université Laval, 1981, p.1031-1037, 9 refs.

Sea ice distribution, Pressure ridges, Lasers, Profiles, Measuring instruments, Oceanographic ships.

36-281

Chukchi Sea ice motion.

Reimer, R.W., et al. International Conference on Port and Ocean Engineering under Arctic Conditions, 6th, Québec, Canada, July 27-31, 1981 Proceedings. Québec. Canada, Universite Laval, 1981, p.1038-1046, 8 refs

Schedvin, J.C., Pritchard, R.S.

Sea ice, Ice mechanics, Drift, Ocean currents, Ice strength, Oil spills, Water pollution, Distribution.

Numerical simulation of ice accretion using the element method.

McComber, P. International Conference on Port and Ocean Engineering under Arctic Conditions, 6th, Québec, Canada, July 27-31, 1981. Proceedings, Québec, Canada, Université Laval, 1981, p.1047-1056, 9 refs.

Ice accretion, Ice growth, Supercooled clouds, Cloud droplets, Ice cover thickness, Aircraft icing, Mathematical models.

Effects of an electric field on the microstructure and mechanical properties of glaze and rime.

Laforte, J.L., et al. International Conference on Port and Ocean Engineering under Arctic Conditions, 6th. Québec, Canada, July 27-31, 1981 Proceedings, Québec, Canada, Universite Laval, 1981, p.1057-1066, 10 refs

Luan, P.C., Druez, J.

Glaze, Ice accretion, Ice mechanics, Microstructure, Electric fields, Compressive properties, Ice adhesion. Ice density, Bubbles, Supercooled clouds, Cloud droplets, Power line icing.

Atmospheric superstructure ice accumulation measurements. AcLeod, W.R., International Conference on Port and

Ocean Engineering under Arctic Conditions, 6th, Québec, Canada, July 27-31, 1981. Proceedings, . Canada Université Laval, 1981, p 1067 1093, 18 refs

Glaze, Icing, Ice accretion, Offshore structures. Superstructures, Supercooled clouds, Climatic factors, Precipitation (meteorology), Sea spray.

36-285

Laboratory study of heat transfer to an ice cover from a warm water discharge.

Hill, I.K., et al. International Conference on Port and Ocean Engineering under Arctic Conditions, 6th, Québec, Canada, July 27-31, 1981 Proceedings, Québec, Canada, Université Laval, 1981, p.1094 1103, 5 refs

Cammaert, A.B., Miller, D.R.

Ice cover thickness, Heat transfer, Water temperature, Ice formation, Countermeasures, Thermal effects, Water flow, Velocity, Tests.

Combination of a sinking warm water discharge and air bubble curtains for ice reducing purposes.

Haggkvist, K., International Conference on Port and Ocean Engineering under Arctic Conditions, 6th. Quebec, Canada, July 27-31, 1981. Proceedings. Québec, Canada, Université Laval, 1981, p.1104-1113 8 refs

Bubbling, Water temperature, Ice formation, Ice prevention, Ice cover thickness, Experimentation.

Explosive demolition of floating ice sheets.

Fonstad, G.D., et al, International Conference on Port and Ocean Engineering under Arctic Conditions, 6th. Québec, Canada, July 27-31, 1981. Proceedings. Quebec, Canada, Université Laval, 1981, p.1114-

Gerard, R., Stimpson, B.

Ice breaking, Explosion effects, Ice jams, Ports, Ice navigation, Ice cover thickness.

Demolition of floating ice sheets is a common technique used Demoition of floating lee states is a common technique used to clear shipping lanes, construct temporary port facilities in arctic and antarctic environments and to mitigate ice jam effects on inland waterways both before and after ice jam formation. Mellor carried out a review and analysis, on the data existing to 1972, of the effects of point charges on floating ice sheets. On the basis of this analysis, Mellor made preliminary recom On the basis of this analysis, Metior made premining accom-mendations of the optimum charge size and placement depth as a function of ice thickness. In this paper a series of tests con-ducted to confirm Mellor's analysis and to determine the op-timum soacing of charges in a row are described. The appropriate dimensionless terms are derived, and equations giving the optimum ice sheet demolition parameters are given.

36-288

Cutting ice with "high" pressure water jets.

Coveney, D.B. International Conference on Port and Ocean Engineering under Arctic Conditions, 6th. Quebec, Canada, July 27-31, 1981 Proceedings, Quebec, Canada, Université Laval, 1981, p.1124-

Ice cutting, Hydraulic jets, Ice breaking, Penetra-

36-289

Theoretical and experimental research of naled omena. (Teoreticheskie i eksperimental nye isdedovanna najednykh ravienny.

Kothakov, V.M., ed. Ghatsiologicheskie issledovania. 1981 No 26, 108p. In Russian For individual papers 36-290 through 36-302 Refs. passim.

Aicksees VR ed. Lebedeva. I M. ed Nalodo, Glaze, Icing, Artificial ice, Ice accretion, Ice structure. Ice volume. Ice (construction material), Glacial hydrology, Permafrost hydrology.

34-290

Theory of icings in the system of geosciences. (Ucho-

nie o nalediakh v sisteme nauk o zemlej. Tolstikhin, N.I., Gliatsiologicheskie, issledovaniia. 1981, No 26, p.5-7, In Russian with English summary. 10 refs

Naleds, Glaze, Icing, Geocryology.

Problems of methodology in the study of naleds. (Vo prosy metodologii izucheniia naledeij. Sokolov, B.L., Gliatsiologicheskie issledovaniia, 1981.

No 26, p.8-15. In Russian with English summary. 14 refs

Naleds, Ice formation, Permafrost hydrology, Ice deterioration. Ice volume. Climatic factors.

Conditions of ice formation at the solid body-water interface, (Uslovija vozniknovenija I'da na granitse tverdogo tela i vodyj.

Golubev, V.N., Gliatsiologicheskie issledovaniia. 1981, No.26, p.16-21, In Russian with English sum-14 refs

Ice formation, Ice nuclei, Ice accretion, Ice water interface, Ice solid interface, Icing, Wood, Metals, Plastics.

Heat transfer during water freezing on ice bases. (Tcploobmen pri namorazhivanii vody na ledianom osnovanin.

Alekseev, V.R., et al. Gliatsiologicheskie issledovaniia. 1981, No 26, p 22-35, In Russian with English sum-30 refs. Smorvein, G I

Naleds, Icing, Ice accretion, Artificial ice.

36-294

Study of water freezing on ice surfaces, (Issledovanic zamerzaniia vody na poverkhnosti ľdaj. Kazakov, A.P. Gliatsiologicheskie insledovaniia.

1981, No.26, p.36-42. In Russian with English sum-9 refs

Naleds, Ice accretion, Permafrost hydrology, Alimentation. Freezing rate.

Theory of water droplet freezing, (Voprosy teorii kapel'nogo namorazhivaniia vodyj. Smorygin, G.L. Gliatsiologicheskie issledovaniia.

1981, No 26, p.43-50, In Russian with English summary 3 refs

Artificial ice. Ice accretion, Drops (liquids), Dispersions.

Experimental studies of spray icing under laboratory conditions. [Eksperimental'nye issledovaniia bryzgovogo obledenenia v laboratornykh uslovijakh, Baranov, V.V., Ghatsiologicheskie issledovanija, 1981. No 26. p.51-54. In Russian with English summary. 4 refs

Icing, Artificial ice, Drops (liquids), Ice accretion, Artificial freezing, Cold chambers, Laboratory techniques. Test equipment.

36-297

Calculating pressure produced by ice growth in frost mounds. (K raschetu davleniia voznikaiushchego pr l'doobrazovanii v nalednykh bugrakhj.

Pekhovich, A.I., et al, *Gliatsiologicheskie is-*sledovamia, 1981, No.26, p.55-59, In Russian with English summary. 8 refs. Razgovorova, E.L.

Frost mounds, Ice growth, Ice pressure, Frost heave.

Regularities governing structure of ice formed on solid bodies. (Zakonomernosti formirovaniia struktury nalednykh obrazovanii na tverdykh telakh).

Golubey, V.N., Gliatsiologicheskie issledovaniia, 1981, No.26, p.60-66, In Russian with English sum-2 refs

Ice solid interface, Ice formation, Ice structure, Ice crystal nuclei, Surface roughness.

Formation of artificial ice with cellular structure. ¿Formirovanie iskusstvennogo nalednogo ľďa rykhloi

struktury), Smorygin, G.1., Gliatsiologicheskie issledovaniia. Smorygin, G.1., Gliatsiologicheskie issteuovaina. 1981, No.26, p.67-78, In Russian with English summary 25 refs.

Ice (construction material), Artificial ice, Ice structure, Ice density, Porosity, Thermal insulation, Drops (liquids), Dispersions, Artificial freezing.

Mechanism of naled formation on rivers. [O mekhanizme obrazovaniia naledei na rekakhj, Chizhov. A.N., Gliatsiologicheskie issledovaniia.

Chizhov, A.N., Gliatsiologicheskie issledovaniia, 1981, No.26, p.79-86, In Russian with English summary. 6 refs

Icebound rivers, Naleds, Ice accretion, Alimentation. Water pressure.

Permafrost screen effect on heat release and distribution of ground water pressure. [Vliianic merzlotnogo poiasa na teplootdachu i raspredelenie podpora fil trat-sionnogo potokaj. *Gliatsiologicheskie issledovaniia*. 1981, No.26, p.87-93, In Russian with English sum-9 refs

Permafrost hydrology, Naleds, Alimentation, Suprapermafrost ground water, Permafrost beneath structures, Permafrost control.

36-302

Peculiarities of heat balance of naleds in the Pamirs and the possibility of their use to increase summer discharge of rivers. [Osobennosti teplovogo balansa naledet Pamira i vozmozhnosti ikh ispol'zovanita dlia uvelicheniia letnego stoka rekj.

Gliatsiologicheskie issledovanna. Lebedeva, I.M. 1981, No.26, p 94-102, In Russian with English sum-

Mountains, Naleds, Glacial hydrology, Glacial rivers, Runoff, Ice melting.

How dry should compressed air be to prevent line freeze. Power, Aug. 1980, 124(8), p. 134-135 Ice prevention, Compressors, Pipeline freezing, Countermeasures, Pneumatic lines.

Correlation function studies for snow and ice. Vallesc, F., et al. Ionima, of applied physics, Aug. 198, 52(8), p.4927-4925, 18 refs. Kong, J.A.

Snow physics, Ice physics, Microwaves, Remote sensing. Ice electrical properties, Snow electrical properties, Electric fields, Correlation, Grain size, Analysis (mathematics).

Evolution of a high pressure brine spray system. Kasinskas, M.M., Public works, Aug. 1980, 5(8), p.54.

Snow removal, Ice removal, Brines, Chemical ice prevention, Ice removal, Road icing, Winter maintenance.

City examines effects of road salting on its water sup-

Moyland, R.L., Jr., Public works, Aug. 1980, 3(8)

Road icing, Salting, Water pollution, Water supply, Streets, Chemical ice prevention.

County faces winter without fear. Nelson, T.E., Public weeks, Aug. 1980, 3(8), p.65 Snow removal, Ice control, Equipment, Salting, Sanding, Winter maintenance.

Snow removal equipment modifications designed to reduce overtime, Public works, Aug. 1980, 3(8), p 72-

Snow removal, Ice removal, Equipment, Modifica-

36-309

Sensible salting program depends on knowing your equipment.

Bell, B., Public works, Aug. 1980, 3(8), p.84-86 Salting, Chemical ice prevention, Snow removal, Ice control, Equipment.

Community expects aggressive approach to snow and ice control, gets it.

Wray, W., Jr., Public works, Aug. 1980, 3(8), p.86-87 Snow removal, Ice removal, Ice control, Streets. Storage, Equipment.

36-311

Distribution of isotopes in some natural waters in the region north of Mt. Jolmo Lungma. Tao, J., Scientia Sinica, Nov. 1973, 16(4), p.560-564.

Isotopes, Water chemistry, Glacier ice, Snow composition, Mountains, Altitude, China-Jolmo Lungma Mountain.

Basic features of the glaciers of the Mt. Johno Lungma region, southern part of the Tibet Autonomous Region, China.

Hsieh, T., et al. Scientia Simon Lin -Feb. 1975, 18(1) p.106-130, 26 rets.

Mountain glaciers, Glacier mass balance, Glacial hydrology, Glacier flow, Glacier oscillation, Glacier surfaces, Ice temperature, Solar radiation, Erosion, China—Jolmo Lungma Mountain.

Closed-form analytical solution for freezing adjacent to a plane wall cooled by forced convection.

Hsu, C.F., et al. Journal of heat transfer, Aug. 1981 103(3), p.596-598, 2 tels Sparrow, E.M.

Freezing, Walls, Convection, Turbulent flow, Liquids, Analysis (mathematics).

36-314

Test method of freezing bricks: its influence on their durability.

Ritchie, T., Canadian Ceramic Society Journa, 1975, Vol.44 p.21-22, With Lieuch summary 6008 Bricks, Freezing, Strength, Damage, Tests.

Durability studies on bricks used in the Atlantic Prov-

Dayton, 14. Canadian Coramic Society. Journal 1975, Vol. 44, p. 23-29. With French Sammary 16 (cts. Bricks, Freeze thaw tests, Compressive properties, Strength

Vacuum saturation method for predictin i freeze-thaw durability of stabilized materials.

Dempsey, B.1, et al. Highway research record, 1973, No.442, p.44-57, 12 rets. Thompson, M.R.

Soil stabilization. Freeze than tests, Soil strength, Cement admixtures, Saturation, Soil water, Temperature effects.

36-317

Climatic warming effect on antarctic ice sheet is uncertain.

Bentiey, C.R. Chemical and engineering news, Jan 26, 1981, 59(4) p.35 Ice sheets, Ice shelves, Ice melting, Antarctica—

West Antarctica.

Possible effects on the West Antarctic ice sheet resulting from risks of effects on the west sharacter, the sheet featuring from a global warming trend produced by continued large-scale release of man-generated CO2 into the atmosphere are discussed. Some of the aspects considered are the effect of the geologic structure of Antarctica on the warming trend; the fate of the large nee shelves and glaciers; and possible increase in temperature of the water abutting the ice.

36-318

Hyperbolic reflections on Beaufort Sea seismic records.

Neave, K.G., et al., U.S. Army Cold Regions Research and Engineering Laboratory, Mar. 1981, CR 81-02, top. ADA-099 172, 8 refs. Sellmann, P.V., Delaney, A.

Bottom sediment, Seismic reflection. Ocean bottom, Ice conditions, Sea ice, Beaufort Sea.

Many hyperbolic reflections have been observed on marine seis mic records obtained during oil exploration in the Beaufort Sea, and on LSGS seismic sub-bottom profiles from the Prudhoe Bay vicinity. A hyperbolic projection system was designed to rapidly measure seismic velocities from the curves on the rerapidly measure seismic velocities from the curves on the re-cords. The velocities observed were approximately the velocity of sound in water. The hyperbolic signals also showed dispersion properties similar to acoustic normal modes in shal-low water. These observations indicate that the signals respon-sible for the hyperbolic reflections propagate as normal modes within the layer, with very limited penetration of the seabed. Determinations of the dominant frequency of these signals indi-cate that the penetration into the seabed has a characteristic attenuation depth (skin depth) of about 1.5 m for the sub-bot-tom profiles and 12 m for the marine records. It therefore a pears that some hyperbolic reflections may be generated by non-promes and 12 m for the marine records. It therefore appears that some hyperbolic reflections may be generated by variations in materials that occur near the seabed. There is some evidence of linearity of the anomalies, possibly related to sediment-filled or open (se gouges, or other changes in material properties at shallow depths.

36-319

Hydraulic model study of a water intake under frazil ice conditions

fantillo, T.L. U.S. Army Cold Regions Research and Figure Cring Laborators, Mar. 1981, CR 81-03, 11p., ADA-099 171, 8 refs.

Water intakes, Ice conditions, Frazil ice, Hydraulic structures, Ice prevention, Protection, Models, Buoy-

ancy.

A 124 scale hydraulic model study of a water intake under frazil tee conditions is presented. The intake, located 9 m below the surface of the St. Lawrence River in Massena, New York, has a throughflow of 0.14 cu m/s. The model study, conducted in the refrigerated flume facility of the U.S. Army Cold Regions Research and Engineering Laboratory, investigated methods of minimizing the frazil ice blockage on the intake. Two protective structures were modeled and the relative benefits of each are presented. The additional cross-sectional area provided by the protective structures lowered the vertical velocity component of the intake water to 0.0027 m/s. At this velocity the buoyant force acting on the frazil ice particle is larger than the downward drag force, causing the particle particle to nse. The results demonstrate that under certain low flow conditions a protective structure can minimize frazil ice flow conditions a protective structure can minimize frazil ice blockage problems.

36-320

Movement study of the trans-Alaska pipeline at selected sites

Leda, H.T., et al. U.S. Army Cold Regions Research and Engineering Laboratory, Apr. 1981, CR 81-04, 32p. ADA-101 605, 3 refs.

Chiticid, D.E., Haynes, F.D. Pipelines, Mechanical properties, Stability, Pipeline

supports, Anchors, United States—Alaska.

Eight sites along the trans-Alaska pipeline from the Denail Fault to Fairbanks were selected for pipeline and pipeline support movement studies. Four measurement surveys were conducted, starting before oil pumping operations began up to September 2, 1978, to determine the lateral and longitudinal pipe movement due to the thermal expansion of elevated section movement due to the thermal expansion of elevated sections of the pipeline, the tilt of the vertical support members (VSM's), and the changes in relative elevation of the support crossbeams. A maximum lateral and longitudinal motion of the pipe of 13 3 4 in and 23 16 in respectively were measured up to September 1978. Tilt data for 180 VSM's showed little change over a one-year period, with only 5 VSM's tilling more than 0.5 deg Relative elevation measurements dowed insignificant changes for two sites compared over a one-year period. Comparisons

of our data with as-built elevations at 8 sites shows a few large differences that cannot be readily explained. In general the pipeline and its supports, at least at the sites studied, show

36-321

Vibrations caused by ship traffic on an ice-covered

waterway. Haynes, F.D., et al. U.S. Army Cold Regions Research and Engineering Laboratory, Apr. 1981, CR 81-05 27p., ADA-101 541, 11 refs

Maattanen, M.

Ships, Vibration, Ice breaking, Ice cover. Frozen ground, Seismology.

ground. Seismology.

Vibrations have been felt on shore along the St. Marys River in Michigan during the passage of ships through ice. Vibration measurements were made on a ship, on the ice, on the shore, and on buildings along the shore. Vibration levels in 1979 were about an order of magnitude lower than levels that would cause damage to building walls. Two factors, however, could have reduced the vibration levels in 1979, a lack of ice jams and a record high snow cover which prevented the soil from freezing Vibration levels with an ice cover are about four times those without an ice cover. Icebreaking and opening the channel can reduce vibration levels by about 50° for a ship following closely behind another ship. The dominant frequencies measured on shore were associated with propeller excitation. The dominant frequencies and magnitudes measured on the bow of a ship are an order of magnitude higher than those on the shore and are related to icebreaking by the bow. Vibration magnitudes are dependent upon the velocity of the ship, the energy expended by the ship, the cross-sectional area of the ship, weather, conditions of the ice and soil, and site-specific conditions. Further studies are needed to determine the effects of these factors and studies are needed to determine the effects of these factors and to determine the mode of energy transmissio

Periglacial phenomena and the mean annual temperature during the last glacial time in the Netherlands. Maarleveld. G.C. Biuletyn peryglacialny. 1976. No.26, p.57-78. Refs. p.75-78. Periglacial processes, Paleoclimatology, Permafrost

distribution, Pingos, Cryoturbation, Patterned ground, Frost weathering.

Distribution and drift of ice in the Greenland Sea in March-July of 1976 from satellite information. [Raspredelenie i dinamika ľdov v Grenlandskom more v marte-iiule 1976 g. po dannym sputnikovoi informat-

Bushuey, A.V., et al. Poleks-Sever-76, Chast' I (Polex-North-76, Part I) edited by A.F. Treshnikov, Leningrad, Gidrometeoizdat, 1979, p.115-128. In Russian.

Bychenkov, IU.D., Provorkin, A.V DLC G630.R8P64

Ice surveys, Sea ice, Drift, Ice edge, Spaceborne photography.

Composition of the silt fraction in weakly and nonpodsolized sandy soils of southern taiga subzones. ¡Sostav ilistoi fraktsii v neopodzolennykh i slaboopod-zolennykh poschanykh pochvakh IUzhnotaezhnoi

podzonyj, Lialin, S.P., et al, Moscow, Universitet, Vestnik, Seriia 17 Pochvovedenie, Apr.-June 1981, No.2, p.28-37, In Russian with English summary. Sokolova, T.A. 28 refs

Taiga. Podsol, Soil composition, Soil profiles, Clay

Hydrotogic and ecologic peculiarities of soils developed on varved clays. (Gidrologo-ekologicheskie osobennosti pochv na lentochnykh glinakh₃. 1Akimenko, V.I., Moscow Universitet.

Seriia 17 Pochvovedenie, Apr.-June 1981, No.2, p.38-46. In Russian with English summary. 10 refs Periglacial processes, Glacial lakes, Sedimentation,

Clays, Cryogenic soils, Podsol, Paludification.

Engineering-geological peculiarities of clays in the upper cross-section of the West Siberian platform. (Inzhenerno-geologicheskie osobennosti glimistykh porod verkhnego strukturnogo etazha Zapadno-Sibirskot plity).

Gerasimova, A.S., et al, *Inzhenernaia geologiia*, July-Aug. 1981. No 4, p.38-45, In Russian. 4 refs Kolomenskii, E.N., Markevich, T.N.

Cryogenic soils, Frozen fines, Clays, Ground ice, Engineering geology.

Effect of artificial thermal fields on geological environment under urban conditions. (K. voprosu o vinanci iskusstvennykh teplovykh polet na geologicheskum

Skilberten yen tepersyat pour na geomgicia sand stedu v ustovnakh gotodaj. Zhigalin, X.D., et al. Inchenernara geologia, July-Aug 1981, No.4, p.63-69, In Russian —16 rets

Koff, G.L., [Anchenko, IU-F

Urban planning, Buildings, Underground facilities, Underground storage, Liquefied gases, Artificial freezing. Soil temperature. Freeze thaw cycles

Reinforced concrete structures made of low-rubble concrete. (The exobetoning indelina in malash chebenochnogo betonaj

Katkov, D.A., et al. Stronel'stvo traboprovodov, July 1981, No.7, p., v14, In Russian Garbuzov, N.G., Isiberko, N.N., Osipova, H. S.

Reinforced concretes, Concrete aggregates, Concrete strength, Frost resistance.

36-329

Comets in the solar system. (Komety's solnechnor

Vsekhsviatskii, S.K., Moscow, Zhanie, 1974, 64p. (per-tinent, p. 36-39), In Russian — 9 rets tinent p.36-39), In Russian

Extraterrestrial icc. Icc sublimation

Dust content in mines of the Far North and Northeastern USSR. [Zapylennost] vozdukha v as

loviiakh shakht Severa i Severo-Vostokaj. Kudriashov, V.V., et al. Problemy rudnichnoj aerologii i primenenie elektricheskoi energii v vosplamen iaiush-chikhsia sredakh (Problems of mining aerology and the use of electric energy in combustible media) edited by N.V. Mel'nikov, Moscow, Izd-vo Akademii nauk N.V. Mel'nikov, Moscow, tzd-co-SSSR, 1974, p.136-145. In Russian

Voronina, 1/D DLC TN301.P822

Mining, Ventilation, Dust control, Permafrost.

Thermal conductivity of peat in the permafrost zone. [Teploprovodnost' torfa v zone vechnor merzloty]. Zhuravlev, V.A., Russia. Ministerstvo vysshogo i srednego spetsial nogo obrazovanija. Izvestna vys-Ministerstvo vysshego i shikh uchebnykh zavedenii Stronel'stvo i arkhitek-tura, 1981, No.6, p.13-15, in Russian 4 refs. Peat, Thermal regime, Thermal conductivity, Freeze

thaw cycles, Permafrost depth.

Effect of some admixtures on the strength and structure of heavy concretes. ¿Vlijanie nekotorykh dobavok na prochnostnye i strukturnye svoistva tiazhelogo

Samarin, H. A., Russia Ministerstvo vysshego i srednego spetsial nogo obrazovania - Izvestna vysshikh uchebnykh zavedenii Stroitel'stvo i arkhitektura, 1981, No.6, p.70-73, In Russian 5 refs Concretes, Prefabrication, Concrete admixtures, Concrete strength, Freeze thaw tests,

Variations in oscillation frequencies of earth dams during the formation of frozen zones. [Izmenenic chastot sobstvennykh kolebanii plotin iz gruntovykh materialos pri obrazovanii v nikh promorozhennykh 70nj. Idel son, V.B., et al. Russia. Ministerstvo vysshego i

srednego spetsial nogo obrazovanija – Izvestija vys-shikh uchebnykh zavedenij. Stroitel stvo i arkhitektura, 1981, No 7, p.83-86, In Russian 4 refs Uliashinskii, V.A.

Earth dams, Rock fills, Soil freezing, Frost heave, Freeze thaw cycles.

Physical-technical basis for using hydraulic dust control in mines at subzero temperatures. [Fiziko-tekhnicheskie osnovy gidroobespylivamia snakht v us-loviiakh otritsateľnykh temperaturi,

Kudrashov, A.V., Problemy sovremennor rudnichnor aerologii (Problems of modern mining aerology) edited by N.V. McEnikov, Moscow, Nauka, 1974, p. 186-204, In Russian. 25 eds.

DLC 1N301 Px24 Mines (excavations). Dust control. Frozen rocks. Wettability, Solutions, Permafrost,

Relationship between mean annual values of albedo and short wave radiation balance and those of early spring. [Sviaz' srednegodovykh znachenii al'bedo i korotkovolnovogo radiatsionnogo balansa s temi zhe pokazateliami rannei vesnyj.

Tooming, Kh.G., Meteorologiia i gidrologiia, May 1981, No.5, p.48-52, In Russian with English summary. 6 refs.

Snow optics, Albedo, Snow air interface, Radiation balance, Radiation absorption, Seasonal variations.

36-336

Classical correlation method used in forecasting bora in Novaya Zemlya. [Prognoz novozemel'skoi bory s ispol'zovaniem metoda kanonicheskoi korreliatsii]. Polkhov, A.P., Meteorologiia i gidrologiia, May 1981, No.5, p.59-64, In Russian with English summary. 8

Atmospheric disturbances, Wind velocity, Weather forecasting, Polar regions.

Diagnostic model of ice and water circulation in the Arctic Basin. [Diagnosticheskaia model' tsirkuliatsii vod i l'dov v Arkticheskom basseine].

Ponomarev, V.I., et al. Meteorologiia i gidrologiia. Mar. 1981, No.3, p.68-75, In Russian. 14 refs. Gazova, L.A.

Ocean currents, Water transport, Sea ice, Drift, Mathematical models, Arctic Ocean.

Determining the filtration coefficients of cohesive frozen soils from their kinetic specific surfaces. [Opredelenie koeffitsientov fil'tratsii sviaznykh gruntov v merzlom sostojanii cherez ikh kineticheskuju udel'nuiu poverkhnost'j.

Shtykov, V.I., Meteorologiia i gidrologiia, Mar. 1981, No.3, p.109-112, In Russian. 5 refs.

Frozen ground, Cohesion, Permeability.

36-339

Evaluating the applicability of various methods of determining evaporation from water surfaces of hummocky bogs. [Otsenka primenimosti razlichnykh metodov opredeleniia ispareniia s vodnoi poverkhnosti

v zone bugristykh bolotj. Moskvin, IU.P., *Meteorologiia i gidrologiia.* Mur.1981, No.3, p.112-115, In Russian. 3 refs. Swamps, Hummocks, Air water interactions, Evapo-

36-340

Forecasting mean monthly air temperature fields over the northern hemisphere using a computerized group analog scheme. (O prognoze srednemesiachnykh polei temperatury vozdukha nad Severnym polushariem s ispolizovaniem aytomatizirovannoi skhemy grup-

pro ykh analogovy. Kleshchenko, L.K., et al, Meteorologiia i gidrologiia, Feb. 1981, No.2, p.28-39, In Russian with English summary. 18 refs. summary. 18 Ran'kov, E.IA.

Weather forecasting, Air temperature, Long range forecasting, Synoptic meteorology, Meteorological

Variability of ice conditions on ship navigation routes. (Izmenchivost' ledovykh uslovit na puti plavanija sudova.

Buzuer, A.IA., et al, Meteorologiia i gidrologiia. Feb. 1981, No.2, p.69-76, In Russian with English sum-11 refs. mary. Fediakov, V.E

Ice navigation, Sea ice, Drift, Ice surveys, Ice report-

Visibility of light signals in ice fog. (O vidimosti svetovykh signalov v uslovijakh kristallicheskogo tumana). Pavlova, L.N., *Meteorologija i gidrologija*. Feb. 1981. No 2. p 108-109, In Russian 7 refs No 2, p 108-109, In Russian Ice foe. Visibility, Light transmission

36-343

Calculating heat flux into soil from temperature data. (Metod rascheta potoka tepla v pochvu po tempera-

Cordin, V.A., Meteorologiia i gidrologiia, Jan. 1981, No 1, p 54-60, In Russian with English summary 7

Soil air interface, Surface temperature, Heat transfer,

Model facilities for measuring air humidity at subzero temperatures. ¡Obraztsovye sredstva izmereniia vlazhnosti vozdukha pri otritsatel'nykh tem-

peraturakh₃. Usol'tsev, V.A., *Meteorologiia i gidrologiia*, Jan. 1981. No.1, p.108-113, In Russian. 14 refs.

Ice air interface, Air temperature, Humidity, Water vapor, Measuring instruments.

36-345

Forecasting monthly flood runoff distribution in the central and lower courses of the Ob' and Irtysh rivers. rPrognoz raspredeleniia stoka polovod'ia po mesiatsam v srednem i nizhnem techenii rek Obi i Irtyshaj. Sapozhnikov, V.I., Meteorologiia i gidrologiia, Dec 1980, No.12, p.82-92, In Russian with English sum-4 refs River ice, Ice jams, Floods, Water level, Forecasting.

Environmental protection in the area of the Main Administration of the Tiumen' Oil and Gas Production (Glavtyumenneftegaz). (Okhrana okruzhaiush-chei sredy na predpriiatiiakh Glavtiumenneftegazaj. Belan, A.A., et al. Neftianoe khoziaistvo, Apr. 1981. No.4, p.59-61, In Russian. Storozhev, V.S.

Subpolar regions, Petroleum industry, Environmental protection, Tundra, Taiga.

International exhibition "Construction under extreme conditions". [S mezhdunarodnor vystavki "Stroitel'stvo v ekstremal'nykh usloviiakh"], Itskovich, A., Metrostroi, 1981, No.2, p.29, In Rus-

Cold weather construction, Permafrost beneath structures, Earthquakes, Pipelines, Tunnels, Hydraulic structures, Construction equipment, Construction

Thermal stability properties of a model of glacier

Fowler, A.C., et al. Geophysical journal, Nov. 1980. 63(2), p.347-359, 19 refs.

Larson, D.A.

Glacier flow, Mathematical models, Thermal proper-

Thermal instability of natural convection flow over a horizontal ice cylinder encompassing a maximum density point.
Saitoh, T., et al, Journal of heat transfer. May 1980,

102(2), p.261-267, 19 refs. Hirose, K.

Ice thermal properties, Heat transfer, Convection, Ice melting, Ice density.

Interferometric observation of natural convection

during freezing from a vertical flat plate.

Van Buren, P.D., et al. Journal of heat transfer, May 1980, 102(2), 8 refs.

Viskanta, R. Freezing, Plates, Convection, Heat transfer, Liquid solid interfaces, Solid phases, Experimentation.

Losses from the Fort Wainwright heat distribution system.

Phetteplace, G., et al. U.S. Army Cold Regions Research and Engineering Laboratory, June 1981, SR 81-14, 29p. ADA-103 741, 6 refs. Willey, W., Novick, M.A.

Heat loss, Electric power, Pipelines, Steam, Thermal insulation, Computer applications, Analysis (mathematics).

This report estimates the heat losses from the heat distribution system at Fort Wainwright, Alaska. Specific data on the Fort Wainwright heat and power plant are given and a method is then developed to calculate the heat losses from buried utilidor. then developed to calculate the heat losses from buried utilidor systems, such as the one at Fort Wainwright. This method is programmed for computer execution and estimates are made for the Fort Wainwright system, where heat losses are found to be 204,500 MBtu/yr. Possible improvements to the system to reduce heat losses are examined. Of the possible combinations of additional pipe insulation investigated, the addition of 1 in of insulation to the steam pipe only is the most economically favorable. The results also indicate that insulating only the generally larger pipes found in larger utilidors would be the most economically favorable approach. Possible reductions in heat losses due to reduced steam temperature are also given, as well as recommendations for refinement of the predictions. vell as recommendations for refinement of the predictions

Influence of snow cover to the ground temperature in the permafrost region in the northern part of the Great Xinan Mountain.

Dai, I, et al, Journal of glaciology and cryopedology, Feb. 1981, 3(1), p.10-18. In Chinese with English summary

Permafrost thermal properties, Frozen ground temperature, Snow cover effect, Soil temperature, Seasonal variations, Statistical analysis.

On the problem of Quaternary glaciation and periglacial phenomena in mountains near Lanzhou.

Ren, B., Journal of glaciology and cryopedology, Feb 1981, 3(1), p. 19-25. In Chinese with English summary Periglacial processes, Glaciation, Snow erosion, Geocryology, Frost weathering.

36-354

Periglacial landforms of the Changbai Shan.

Qiu, S., et al. Journal of glaciology and cryopedologs, Feb. 1981, 3(1), p 26-31, In Chinese with English summary. 2 refs Li, F., Sui, X

Landforms, Periglacial processes, Frost weathering, Nivation, Forest lines.

Discussion on the time of formation of permafrost on Qingzang Plateau.

Zhang, Y., et al. Journal of glaciology and cryopedology, Feb. 1981, 3(1), p.32-37, In Chinese with English summary. 11 refs

Permafrost origin, Permafrost dating, Mountains.

36-356

Study of the deviation coefficient of annual runoff of the rivers in northwest China.

Lai, Z., Journal of glaciology and cryopedology, Feb 1981, 3(1), p.38-44. In Chinese with English summary 1 ref.

Runoff, Meltwater, Rivers, Glacier ablation, Snow melting, Glacier melting, Air temperature.

On the relation of the atmospheric water vapour and precipitation to the distribution of modern mountain glaciers in China.

Xiao, S., Journal of glaciology and cryopedology, Feb 1981, 3(1), p.45-52. In Chinese with English summary

Mountain glaciers, Glacier alimentation, Precipita-tion (meteorology), Water vapor, Sounding.

Correlation between the glacial mass balance, snow-line location and weather-climate conditions in the Tian Shan and Qilian Shan.

Kang, X., et al. Journal of glaciology and cryopedology, Feb 1981, 3(1), p.53-58. In Chinese with English summary 2 rets

Glacier mass balance, Snow line, Climatic factors, Mountain glaciers.

Hydrogeological investigation methods and way of finding water in the permafrost region of Qilian Shan. Cao, J., Journal of glaciology and cryopedology, Feb. 1981, 3(1), p 59-64, In Chinese with English sun Ground water. Permafrost hydrology, Periglacial processes, Landforms, Ablation, Meltwater, Seasonal variations, Tests.

Present aspect on study of Antarctic ice cap.

Zhang, Q., Journal of glaciology and cryopedology, Feb. 1981, 3(1), p.65-77. In Chinese with English sum-18 refs

sheets, Ice surveys, Climatology, Water supply, Sea ice, Ice shelves, Ice dating, Ice temperature.

Sea feet, feet surferes, fee untiling, feet emperature. The Antarctic fee cap is composed of continental fee sheet, see shelves and sea see. This paper mainly deals with their forms, thickness, temperature, density, flow, transformation, accumulation and melt, as well as the history of the continental see.

On the terminology of moraine terms and their concept and translation.

Research Group of Glaciological Sediment, Journal of glaciology and cryopedology, Eeb. 1981, 3(1), p.78-82. In Chinese with English summary

Moraines, Glacial deposits, Classifications.

11日 連

36-362

Discussion on the study of the question of Quaternary glacier in Lu Shan by the method of accumulation area ratio.

Yao, T., Journal of glaciology and cryopedology, Feb. 1981, 3(1), p.82-86, In Chinese with English summary. 2 refs

Glacier surveys, Glaciation, History,

36-363

Further application of the theory of stochastic perturbation of deterministic systems to simple climate models.

Benzi, R., et al, Royal Meteorological Society. London. Quarterly journal, July 1981, 107(453), p.549don. Quart 559, 21 refs.

Pandolfo, J.P., Sutera, A

Climatic changes, Mathematical models. Ice cover. Climatic changes, Mathematical models, Ice cover. A previous paper considered the effect of stochastic perturbation on the long-term behaviour of a highly idealized energy-balanced model of zero spatial dimension. It was shown that, in the presence of stochastic perturbations, transitions between different stable equilibria, or 'climates', of the model become possible. The expected time for a stochastically perturbed model solution to leave the attractor basin of a stable equilibrium is called the 'exit time'. The 'exit time' must considered as an important new parameter characterizing model behaviour. In order to illustrate the methodology described previously we apply these general considerations to a spatially one-dimensional Budyko-Sellers model. In fact, using two different heat capacity formulations, we test the senspatially one-dimensional Budyko-Sellers model. In fact, us-ing two different heat capacity formulations, we test the sen-stivity of such a model to stochastic perturbations. An inter-esting physical result, common to both versions of the model, is that if the noise level is confined below a certain value, then the solution corresponding to an "ice-covered earth" will never (Auth.)

Correlation between seismic microactivity, temperature and subsidence of water level at rese Mcrkler, G., et al, Journal of geophysics, 1981, 49(3), p. 198-206, 23 refs.

Rock, G., Fuchs, K.

Reservoirs, Water level, Seismology, Ice formation, Microanalysis.

36-365

Comparison of silver atom solvation in glassy and polycrystalline ices.

Ichikawa, T., et al, Journal of chemical physics, Sep. 1, 1981, 75(5), p.2472-2473, 6 refs.

Li, A.S.W., Kevan, L. Ice structure, Metals, Adsorption, Ice crystal structure, Models, Silver.

36-366

Thermodynamic properties of water under pressure up to 5 kbar and between 28 and 120C. Estimations in the supercooled region down to -40C.

Minassian, L.T., et al. Journal of chemical physics. Sep. 15, 1981, 75(6), p.3064-3072, 19 refs. Pruzan, P

Supercooling, Thermodynamics, Water pressure, Water temperature, Compressive properties, Analysis (mathematics).

Iceberg towing procedures in the Atlantic. Ocean industry. Aug. 1981, 16(8), p.66-67. Iceberg towing, Ice mechanics, Ice water interface.

Slope protection for artificial island.

Czerniak, M.T., et al, Ocean industry, Aug. 1981, 16(8), p.68-72, 7 refs.

Collins, J.L. Shak, A.T. Artificial islands, Slope protection, Ice loads, Ice pileup, Wind direction, Ice conditions, Offshore structures, Wind factors, Design.

Cracks in concrete: Parts 1 and 2.

Kelly, J.W., Concrete construction, Sep. 1981, 26(9). 725-734

Concrete strength, Cracking (fracturing), Concrete hardening, Countermeasures, Tensile properties, Drying, Creep.

Final compaction of frost protection layers due to construction of hituminous top layers. [Nachverdichtung von Frostschutzschichten infolge Überbauung mit bituminos gebundenen Schichten, Schulte, W., Strasse und Autobahn, June 1981, 32(6), p.231-238, In German 9 refs.

p 231-238, In German 9 refs.

Bitumens, Pavements, Frost protection, Roads.

Continental ice complexes: distinction between centres of outflow and centres of loading of the crust-example of the eastern Laurentide Ice-Sheet.

Hillaire-Marcel, C., Zeitschrift für Geomorphologie, June 1981, 25(2), p.225-228, 10 refs.

Land ice, Glacier flow, Glacier oscillation, Glaciation, Ice loads, Models, Tectonics,

36-372

Possible uses of freeze-purification in the reclamation

of saline soils.

De Jong, E., Canadian journal of soil science. May 1981, 61(2), p.317-324. With French summary.

freezing, Salinity, Ground thawing, Meltwater, Water chemistry, Purification.

36-373

Coupled transport of water and heat in freezing soils: a field study.

Sheppard, M.I., et al, Canadian journal of soil science, May 1981, 61(2), p.417-430, With French summary. 23 refs.

Kay, B.D., Loch, J.P.G.

Soil freezing, Soil water migration, Heat transfer, Water transport, Ground water, Soil temperature, Seasonal variations.

Soil erosion losses from winter runoff in southern On-

Van Vliet, L.J.P., et al. Canadian journal of soil science. May 1981, 61(2), p.451-454. With French summary. 12 refs.

Soil erosion, Runoff, Snowmelt, Frozen ground, Models.

36-375

Impact forces of snow blocks sliding down from roof against walls. Pt. 1.

Nakamura, H., et al, Japan. National Research Center for Disaster Prevention. Report, Mar. 1981, No.25, p.169-189, In Japanese with English summary. 6 refs.

Abe, O., Nakamura, T.

Snow slides, Snow mechanics, Snow loads, Roofs, Impact strength, Walls, Velocity, Avalanche mechanics,

Dating material from the Ice Age. [Datering van materiaal uit Ystyd], Scientiae, Jan.-Mar. 1981, 22(1), p.25 and 39-40, Afrikaans and English. Age determination, Peat, Pleistocene.

36-377

Method for measuring brash ice thickness with impulse radar. Martinson, C.R., et al. U.S. Army Cold Regions Re-

search and Engineering Laboratory, June 1981, SR 81-11, 10p., ADA-103 738, 3 refs. Dean, A.M., Jr.

Ice floes, Ice cover thickness, Lake ice, Radar echoes. During March 1980 a subsurface impulse radar system was successfully used on board a U.S. Coast Guard cutter to measure brash ice thickness in the Great Lakes. Manual ice thickness measurements were made in the test area to calibrate the ness measurements were made in the less area to capprate the radar data and to determine radar range settings. Radar-col-lected data were recorded on magnetic tape and later played back to a graphic recorder for interpretation. Most of the usa-ble data were collected when the ship's speed was 3.4 knots

36-378

Canada pushing for 1985 production. Offshore. May 1980, 40(5), p.149-159

Artificial islands, Offshore landforms, Offshore drilling, Wells, Exploration, Cost analysis, Canada.

Technology ready for Alaskan work. Offshore. Max 1980, 40(5), p. 160-161.

Offshore drilling, Artificial islands, Ice conditions.

Soviets plan Arctic work by 1982. Offshore. May 1980, 40(5), p.162-168.

Offshore drilling, Natural resources, Petroleum in-dustry, Research projects, USSR.

36-381

Other platforms show possibilities. Otfshore, May 1980, 40(5), p 173-177

Offshore structures, Offshore drilling, Floating structures. Ice conditions, Concrete structures, Steel structures. Platforms

Gravel island offers foundation. Offshore, May 1980

40(5), p 189-197 Artificial islands, Foundations, Gravet, Ice loads, Countermeasures, Sea ice, Ice mechanics, Trenching, Construction materials.

36-383

Ice island looks promising, Offshore, May 1980, 40(5) p.198-203

Ice islands. Artificial islands, Refrigeration, Thermal insulation, Countermeasures, Pipelines, Grounded ice, Ice melting.

36-384

Seabed silos protect Arctic wells. Offshore, May 1980

40(5), p 204-205 Wells, Protection, Ice scoring, Caissons, Grounded ice, Ice mechanics.

36.385

Project to move gas by tankers. Offshore, May 1980. 40(5), p 209-211 Natural gas, Marine transportation, Tanker ships,

Ice navigation, Ice breaking, Icebreakers.

Vessels to operate in ice areas. Offshore, May 1980. 40(5), p.213

Ice navigation, Ice conditions, Ships.

36-387

Pipeline to cross icy waters. Offshore, May 1980. 40(5), p.215-216

Gas pipelines. Ocean bottom. Pipe laying, Sea ice, Tunnels, Ice scoring.

36-388

Research will uncover pipe problems. Offshore, May 1980, 40(5), p 217-218

Pipe laying, Ice scoring, Damage, Cold weather construction, Sea ice distribution. Ocean bottom, Ice conditions, Ice solid interface, Ice cover thickness. Subsea permafrost.

36-389

Investigation of the acoustic emission and deformation response of finite ice plates. Xirouchakis, P.C., et al. U.S. Army Cold Regions Re-

search and Engineering Laboratory, Apr. 1981, CR. 81-06, 19p. ADA-103-731 Chaplin, M., St. Lawrence, W.F.

Ice acoustics. Fracturing, Ice loads, Plates, Ice deformation. Ice cracks, Analysis (mathematics).

A procedure is described for monitoring the microfracturing activity in ice plates subjected to constant loads. Sample time records of freshwater ice plate deflections as well as corresponding total acoustic emission activities are presented. The linear elastic, as well as viscoelastic, response for a simply supported rectangular ice plate is given. Suggested future work using to above procedure is discussed. The linear

Hydraulic characteristics of the Deer Creek Lake

land treatment site during wastewater application. Abele, G., et al. U.S. Army Cold Regions Research and Engineering Laboratory, Apr. 1981, CR 81-07.

McKim, H.L. Caswell, D.M. Brockett, B.E. Soil water, Waste disposal, Water treatment, Hydraulics, Drainage, Irrigation, Seepage, Land reclamation.

mation.

During the summer of 1979, wastewater was applied 10 times to the Deer Creek Lake, Ohio land treatment site. Wastewater distribution on the ground during pray application is not uniform; some locations receive less than 70% and others more than 130% of the mean amount applied. The saturated infiltration rate ranges from moderately slow (0.6 cm/hr after 1 hr) to slow (0.3 cm/hr after 1/2 hours). The under-drain flow rate increases approximately as the cube of time until 1 hour after the end of application and then decreases a hor reconsequent. timesess application and then decreases as the reciprocal of time squared. The rate and amount of drainage increases with an increase in the initial soil water content and can be predicted from soil tension measurements. It was possible to calculate the mass water budget at the end of a typical application to within 88% of the actual water applied.

Seasonal growth and uptake of nutrients by orchardgrass irrigated with wastewater.

Palazzo, A.J., et al, U.S., Army Cold Regions Research and Engineering Laboratory, May 1981, CR 81-08, 19p., ADA-101-613, 33 rets

Graham, J.M. Grasses, Nutrient cycle, Growth, Waste disposal, Water treatment, Irrigation, Land reclamation, Seasonal variations

variations.

A 2-year field study determined the seasonal growth and nutrient accumulation of a forage grass receiving 7.5 cm wk of primary treated domestic wastewater. The average N and P concentrations in the wastewater were 31.5 and 6.1 mg 1 respectively. An established sward of Pennlate orchardgrass (Dactylis glomerata. 1.1) was managed on an annual three cuting system. Grass samples were periodically taken to determine plant dry matter accumulation and uptake of N, P and K.

Changes in nutrient uptake within a harvest period were related to both changes in dry matter accountilation and plant nutrient concentration. For maximum yields and nutrient removal, it nended that orchardgrass be initially harvested at the is recommended that orchardgrass be initially harvested at the early heading stage of growth in the spring. Subsequent harvests should be performed at 5- to 6-week intervals. Average daily dry matter, N and P accumulation was greatest during the first harvest period (May in Hanover, N.H.). This would be the most appropriate time to increase the application rate, thus treating excess wastewater stored during the winter. Estimates of monthly plant removal for N and P are presented as a guide in designing land treatment systems according to the process. in designing land treatment systems according to the procedures given in the EPA/Corps Land Treatment Design Manual

On the buckling force of floating ice plates. Kerr. A.D., U.S. Army Cold Regions Research and Engineering Laboratory, June 1981, CR 81-09, 7p., ADA-103 733, 12 refs.

Ice loads, Plates, Floating ice, Ice cover strength, Dynamic loads, Mathematical models, Buckling.

Dynamic toways, Mathematical moders, Buckaing The calculation of the largest horizontal force a relatively thin floating ice plate may exert on a structure requires the knowledge of the buckling load for this floating plate. In the published literature on the stability of continuously supported beams and plates, it is usually assumed that this buckling force corresponds to the lowest bifurcation force p(cr). However, recent studies indicate that, generally, this is not the case, and this necessarisation for the case, and the case of the cas recent studies indicate that, generally, this is not the case, and this report clarifies the situation for floating ice plates. This problem is first studied on a simple model that exhibits the buckling mechanism of a floating ice plate but is amenable to an exact nonlinear analysis. This study shows that, depending on the ratio of the "ligidities of the "liquid" and "plate", the post-buckling branch may rise or drop away from the bifurcation

Review of thermal properties of snow, ice and sea ice. Yen, Y.-C., L.S. Army Cold Regions Research and Engineering Laboratory, June 1981, CR 81-10, 27p., ADA-103 734, Refs. p.25-27.

Ice thermal properties, Sea ice, Snow density, Snow thermal properties. Ice density, Thermal properties, Compressive properties, Termal expansion.

This treatise thoroughly reviews the subjects of density, thermal expansion and compressibility of ice; snow density change attributed to destructive, constructive and melt metamorphism; and the physics of regelation and the effects on penetration rate of both the thermal properties of the wire and stress level. Heat capacity, latent heat of fusion and thermal conductivity of ice and show over a wide range of temperatures were analyzed. with regression techniques. In the case of snow, the effect of density was also evaluated. The contribution of vapor diffusion to heat transfer through snow under both natural and forced convective conditions was assessed. Expressions representing specific and latent heat of sea ice in terms of sea ice salinity and temperature were given. Theoretical models were given that can predict the thermal conductivities of fresh bubbly ice and sea ice in terms of salinity, temperature and fractiona

36-394

Prediction of explosively driven relative displacements in rocks.

Blouin, S., U.S. Army Cold Regions Research and Engincering Laboratory, June 1981, CR 81-11, 23p., ADA-101 314, 15 refs.

Rock mechanics, Explosion effects, Nuclear explosions, Soil mechanics, Forecasting.

Relative displacement data from high explosive, shallow-buried bursts in rock are combined with relative displacement data from the contained nuclear explosion MIGHTY EPIC. Analysis of these data yields a preliminary, semi-empirical technique for predicting the location, direction and magnitude of relative of predicting the location, direction and magnitude of relative displacements in rock from contained explosions. This technique is used to make relative displacement predictions for the DIABLO HAWK nuclear blast.

36-395

VHF electrical properties of frozen ground near Point Barrow, Alaska.

Arcone, S.A., et al, U.S. Army Cold Regions Research and Engineering Laboratory. June 1981. CR 81-13. 18p., ADA-103 735, 32 refs.

Delaney, A.J Permafrost physics, Dielectric properties, Radio waves, Frozen ground physics, Soil composition, Wa-

ter content, Organic soils. Electrical properties of frozen ground were measured using ra-dio frequency interferometry (RFI) in the very high frequency (VHF) radiowave band. Ice-rich organic silts and sands and gravels of variable ice content were investigated during early April of both 1979 and 1980. Frequencies between 10 and 150 MHz were used with best results obtained between 40 and 100 MHz were used with best results obtained between 40 and 100 MHz. Surface impedance and magnetic induction techniques were also used to obtain an independent measure of low frequency resistivity and to obtain a separate control on vertical inhomogeneity. Soil samples were tested for organic and water content. The dielectric constants determined for the ice-rich organic sits ranged from 4.0 to 5.5 while those for the sands and gravels were about 5.1. Dielectric loss was due to d.c. conduction and was very low for the sitts but significant for the sands and gravels. The higher values for the sands and gravels were most likely due to the higher concentrations of salt that are reported to exist in the old beach ridges in this region. All the RFI measurements are believed to be indicative of only the first

few meters of the ground although the radiowaves could penetrate to tens of meters.

36-396

Propagation of CO2 laser radiation through ice clouds: microphysical effects.

Sassen, K., et al. Journal of applied meteorology, July 1981, 20(7), p.828-834, 3 refs. Griffin, M.

Cloud physics, Microanalysis, Lasers, Artificial ice.

Antarctic operations manual.

New Zealand. Department of Scientific and Industrial Research. Antarctic Division, Christchurch,

Manuals, Logistics, Antarctica.

Manuals, Logistics, Antarctica.

The manual gives details of the roles and responsibilities of New Zealanders participating in the New Zealand Antarctic Research Programme and working in Antarctica. The scope is broad, giving information, advice, and direction on a variety of topics, including, as a sample among many others, administration of the New Zealand research program, N.Z. antarctic bases and chains-of-command, fire and electrical equipment safety, waste disposal, code of safe practice, historic monuments, wildwaste disposal, code of sate practice, historic monuments, wild-life conservation, personnel matters of salary, furloughs, trans-portation to and from Antarctica, customs, visas, and cld weather gear. A summary of basic provisions of the Antarctic Treaty is included along with a declaration to the Department of Agriculture on the use of and disposition of scientific sam-

New Zealand. Department of Scientific and Industrial Research. Antarctic Division Chair Control of Scientific and Industrial Research. Antaretic Division, Christchurch, 1981, 55p., 25 refs.

Health, Cold weather survival, Manuals, Antarctica. Although much emphasis is on the initial treatment of injuries resulting from accidents in the field, guidance is also included on important but routine medical and health safeguards such as dental health and the contents and use of field medical kits. A list is given of survival huts, their specific locations and the type and amounts of food and gear available for survival purposes. Search and rescue facilities and capabilities for Scott Bear and Vede Striling as a size. Base and Vanda Station are given.

36.300

Antarctic field manual.

New Zealand. Department of Scientific and Industrial Research. Antarctic Division, Christchurch, 1981, 75p.

Manuals, Radio communication, Logistics, Safety, Antarctica.

The manual gives details of logistics and planning for field activities in Antarctica. fravel and survival gear, communications, emergency rations, rescue kits, traversing or avoiding dangerous areas and many other points of conducting or participating in operations in the severe antarctic environment are discussed. The emphasis always is on safety during all operations.

Adfreeze strength of model piles in ice. Parameswaran, V.R., Canadian geotechnical journal,

Feb. 1981, 18(1), p.8-16, With French summary.

Ice solid interface, Piles, Adhesion, Shear strength, Loads (forces), Ice creep.

Growth of first-year sea ice. Eclipse Sound, Baffin Island, Canada.

Sinha, N.K., et al. Canadian geotechnical journal. Feb. 1981, 18(1), p.17-23, With French summary. 13 refs.

Sea ice. Ice growth, Ice forecasting, Snow cover offect, Meteorological factors, Analysis (mathematics).

36-402

Physical theory of snow gliding.

McClung, D.M., Canadian geotechnical journal, Feb. 1981, 18(1), p.86-94, With French summary. 15 refs. Snow slides, Snow mechanics, Water films, Surface roughness, Interfaces, Soils, Snow creep, Analysis (mathematics).

36-403

On the computation of parameters that model snow avalanche motion.

Bakkehoi, S., et al. Canadian gentechnical journal, Feb. 1981, 18(1), p.121-130, With French summary 23 refs

Cheng, T., Domaas, U., Lied, K., Perla, R., Schieldrop,

Avalanche mechanics, Velocity, Friction, Avalanche tracks. Mathematical models

36-404

Measurement of unfrozen water content by time domain reflectometry: results from laboratory tests.

Patterson, D.E., et al. Canadian geotechnical journal Feb. 1981, 18(1), p.131-144, With French summary 28 refs.

Smith, M W

Unfrozen water content, Frozen ground, Soil water, Dielectric properties, Temperature effects, Experimentation.

36-405

Simple shear creep tests on frozen soils.

Weaver, J.S. et al. Canadian geotechnical journal, May 1981, 18(2), p.217-229, With French summary

Morgenstern, N.R.

Frozen ground mechanics, Soil creep, Shear strain, Shear stress, Ice solid interface, Piles, Adhesion, Permafrost physics, Ice creep, Ice density, Rheology, Plates.

36-406

Third Canadian Geotechnical Colloquium: ice forces on wide structures.

Kry, P.R., Canadian geotechnical journal, 1980. Vol.17, p.97-113, With French summary. 38 refs Ice pressure, Ice loads, Offshore structures, Artificial islands. Ice mechanics, Stresses, Ice pileup, Meetings, Analysis (mathematics). 36-407

Fabric installation to minimize reflection cracking on taxiways at Thule airbase, Greenland.

Eaton, R.A., et al. U.S. Army cold Regions Research and Engineering Laboratory. May 1981, SR 81-10, 26p., ADA-103 737, 2 refs. Godfrey, R.

Runways, Cracking (fracturing), Countermeasures. Bitumens, Concrete durability, Concrete strength,

In August 1978 two types of fabrics were placed on sections of taxiways 1 and 3 of Thule AB. Greenland, to study the ability of fabrics with an AC 2.5 overlay to minimize reflection cracking in severe climates. Both fabrics should retain durability and mechanical strength under Thule's arctic conditions.

36-408

Glaciological work in Svalbard in 1977.

Liestöl, O., Oslo. Norsk polarinstitutt. Arbok, 1977 (Pub. 1978), p.271-277. Glaciology, Glacier surveys, Glacier mass balance,

Glacier oscillation, Norway-Svalbard.

Sea ice conditions and drift of Nimbus-6 buoys in

Vinje, T.E., *Oslo. Norsk polarinstitutt.* 1977 (Pub. 1978), p.283-292, 6 refs.

Sea ice distribution, Ice conditions, Drift stations, Mapping.

36-410

Glaciological work in 1978.

Liestől, Ö., Oslo. Norsk polarinstitutt. Arbok, 1978 (Pub. 1979), p.43-51.

Glaciology, Glacier mass balance, Glacial hydrology, Glacier oscillation, Research projects, Glacier ablation, Meteorological data, Statistical analysis, Norwav.

36-411

Sea ice conditions and drift of NIMBUS-6 buoys in 1978.

Vinje, T.E., Oslo. Norsk polarinstitutt. 1978 (Pub. 1979), p.57-66, 6 rets Sea ice distribution. Ice conditions. Drift stations.

Seasonal variations, Remote sensing, Infrared photography.

36-412

Lichens from Jan Mayen collected by the Danish Jan

Mayen Expedition 1972. Hansen, E.S., et al. *Oslo - Norsk polarinstitutt - Arbok*, 1978 (Pub. 1979), p.81-88, 11 refs. Vestergaard, K

Lichens, Classifications, Greenland.

36-413

Glaciological work in 1979.

Liestól, O., Oslo – Norsk polarinstitutt – Arbok, 1979 (Pub. 1980), p.43-51

Glaciology, Glacier mass balance, Glacier surveys, Glacier oscillation. Glacier ablation, Snow accumulation, Remote sensing, Norway.

On the extreme sea ice conditions observed in the

Greenland and Barents Seas in 1979. Vinje, T.E., Oslo Norsk polarinstitutt 1979 (Pub. 1980), p.59-65, 9 (ets.

Sea ice distribution, Ice conditions, Meteorological factors, Ocean currents, Barents Sea, Greenland Sea,

Lensoid, moss-covered "needle ice" body. St. Jonsfjorden, Spitsbergen.

Hambrey, M.J., et al, Oslo. Norsk polarinstitutt. Arbok, 1979 (Pub. 1980), p.71-76, 4 refs.

Ground ice, Ice needles, Ice lenses, Ice surface, Mosses, Ice crystal structure, Norway-Spitsbergen. 36-416

Glacial erosion, sedimentation and microfauna in the inner part of Kongsfjorden, Spitsbergen.

Elverhöi, A., et al. Oslo. Norsk j Skrifter. 1980, No.172, p.33-61, 40 refs. Norsk polarinstitutt

Liestol, O., Nagy, J.
Glacial erosion, Sedimentation, Glacial deposits, Glation, Marine deposits, Quaternary deposits, Norway -Snitsbergen

36-417

Surficial materials and landforms of Kluane National Park, Yukon Territory.

Rampton, V.N., Canada. Geological Survey. Paper, 1981, No.79-24, 37p. + 2 maps. With French sum-43 refs.

Geological surveys, Geomorphology, Landforms, Paleoclimatology, Glaciation, Glacial erosion, Moraines, Putwash, Canada—Yukon Territory.

36-418

Sedimentology of the Eocene Taglu delta. Beaufort-Mackenzie basin: example of a river-dominant delta. Dixon, J., Canada. Geological survey. Paper, 1981, 11p., With French summary. Deltas, Rivers, Sedimentation, Stratigraphy, Drill core analysis, Canada—Northwest Territories—Taglu Delta

36-419

Creep behavior of frozen sand, final report; Part 1. Martin, T., et al, U.S. Army Research Office, Contract No. DAAG29-77-C-0016, Cambridge, Massachusetts Institute of Technology, June 1981, 237p., Refs. p.232-

Ting, J.M., Ladd, C.C.

Frozen ground mechanics, Sands, Rheology, Shear strength, Shear strain, Ice creep, Creep, Temperature effects. Unfrozen water content. Tests.

36-420

Numerical simulation of ice floes in waves. Squire, V.A., Scott Polar Research Institute. 7 cal report, 1981, No.81-1, 57p., Refs. p.55-57. Techni-Ice floes, Ice mechanics, Ocean waves, Ice pressure,

Mathematical models.

Climate impact of increasing atmospheric carbon dioxide.

Hansen, J., et al, Science, Aug. 28, 1981, 213(4511), p.956-966. Numerous refs.

Atmospheric composition, Carbon dioxide, Climatic changes. Temperature variations, Ice sheets, Ice

changes, Temperature variations, Ice sheets, Ice melting, Models, Antarctica—West Antarctica.

The global temperature rose by 0.2C between the middle 1960's and 1980, yielding a warming of 0.4C in the past century. This temperature increase is consistent with the calculated greenhouse effect due to measured increases of atmospheric carbon Variations of volcanic aerosols and possibly sola luminosity appear to be primary causes of observed fluctuation about the mean trend of increasing temperature. It is shown that the anthropogenic carbon dioxide warming should emerge from the noise level of natural climate variability by the end of the century, and there is a high probability of warming in the 1980's. Potential effects on climate in the 2 ist century include the creation of drought-prone regions in North America and central Asia as part of a shifting of climatic zones, erosion of the West Antarctic ice sheet with a consequent workdwider ise in sea level, and opening of the fabled Northwest Passage.

36-422

Snowpack structure at Mt Hutt, Canterbury, in 1979. Weir, P.L., et al. New Zealand journal of science, 1981, 24(1), p.95-102, 19 refs.

Owens IF Snow cover structure, Snow strength, New Zealand-

Hutt, Mount.

Influence of an ice layer on the propagation of long waves.

Murty, T.S., et al, Marine geodesy, 1979, 2(2), p.99-125, 22 refs

Polavarapu, R J

Ice cover effect, Earthquakes, Wave propagation, Sea

Present knowledge on the influence of an ice layer on oceanic wave motion is reviewed. Whereas it is clear that short period wind waves are definitely damped by an ice layer, the extent of the influence of an ice cover on long waves is not clear. The

observational as well as the theoretical evidence on the influence of ice cover, on the amplitudes of storm surges, and on the propagation of tides and tsunamis is not clear enough to draw any definite conclusions. (Auth.)

All-Union conference on changes induced by human activities and vegetation protection in swamps and adjacent areas, Sep.5-7, 1979, Proceedings, [Materi-

Vsesoiuznoe soveshchanie po antropogennym iz-meneniiam, okhrane rastitel nosti bolot i prilegaiushchikh territorii, Minsk, Sep.5-7, 1979, Minsk, Nauka i tekhnika, 1981, 256p., In Russian. For selected papers see 36-425 through 36-432. Refs. passim. Parfenov, V.I., ed.

Swamps, Peat, Cryogenic soils, Human factors, Land reclamation, Vegetation, Landscape types, Ecosystems, Aerial surveys, Spaceborne photography, Mapping, USSR-Karelia.

Changes in Karelian swamp vegetation induced by the reclamation of paluded forest lands. [Izmenenie rastitel'nosti bolot Karelii pod vliianiem lesoosushitel not melioratsiij.

Medvedeva, V.M., Antropogennye izmenenia, okh-rana rastitel'nosti bolot i prilegajushchikh territorii (Changes induced by human activities and vegetation protection in swamps and adjacent areas) edited by V.I. Parfenov, Minsk, Nauka i tekhnika, 1981, p.66-69, In Russian. 4 refs.

Swamps, Forest soils, Drainage, Cryogenic soils, Environmental protection.

36-426

Possible changes in natural swamp conditions of western Siberia due to human activities. [Vozmozhnye izmeneniia prirodnykh uslovii bolot Zapadnoi Sibiri pod vliianiem khozialstvennoi deiatel'nostij,

Novikov, S.M., et al, Antropogennye izmenenia, okhrana rastitel'nosti bolot i prilegaiushchikh territorii (Changes induced by human activities and vegetation retrianges induced by numan activities and vegetation protection in swamps and adjacent areas) edited by V. f. Parfenov, Minsk, Nauka i tekhnika, 1981, p.73-78. In Russian. 3 refs.

Romanova, E.A., Usova, L.I.

Swamps, Plant ecology, Land reclamation, Landscape types, Human factors. Petroleum industry, Environmental protection.

Changes in vegetational covers of felled areas in northern taiga during drainage and land cultivation [Izmenenie napochvennogo pokrova severotaezhnykh yrubok pri osushenii i lesokul'turnom osvoenii,

Varfolomeev, L.A., Antropogennye izmenenia, okhrana rastitel'nosti bolot i prilegaiushchikh territorii (Changes induced by human activities and vegetation protection in swamps and adjacent areas) edited by V.I. Parfenov, Minsk, Nauka i tekhnika, 1981, p.99-

Taiga, Paludification, Forest soils, Drainage, Revegetation, Cryogenic soils, Plant ecology, Ecosystems.

36-428

Satellite monitoring of swamp ecosystems and their changes induced by human activities. [Aerokosmicheskii monitoring bolotnykh ekosistem i ikh antropogennykh modifikatsilj, Vinogradov, B.V., et al, Antropogennye izmenenia,

okhrana rastitel nosti bolot i prilegaiushchikh territorii (Changes induced by human activities and vegetation protection in swamps and adjacent areas) edited by V.I. Parfenov, Minsk, Nauka i tekhnika, 1981, p.119-124. In Russian. 14 refs. Konstantinov, V.K.

Aerial surveys, Spaceborne photography, Swamps, Human factors, Landscape types, Vegetation, Ecosystems, Mapping, Environmental protection.

Problems of swamp protection in Karelia. [Aktualinye voprosy okhrany bolot v Kareliij. IUdina, V.F., et al. Antropogennye izmenenia, okh-

rana rastitel nosti bolot i prilegaiushchikh territorn (Changes induced by human activities and vegetation protection in swamps and adjacent areas) edited by V.I. Parfenov, Minsk, Nauka i tekhnika, 1981, p.173-

176, In Russian. 15 refs. Tokarev, P.N., Maksimova, T.A. Swamps, Peat, Cryogenic soils, Plant ecology, Ecosystems, Landscape types, Environmental protection. 36-430

Joint analysis of swamps and adjacent areas exemplified by the forest-swamp combinations of Karelia. (Sopriazhenny) analiz bolot i prilegaiushchikh k nim territorii na primere nekotorykh leso-bolotnykh so-

chetann Karelinj.

Il rkovskaja, 1 k., Antropogennye izmenema, okh-rana rashtel sosti bolot i prilegajushchikh territorii (Changes induced by human activities and vegetation protection in swamps and adjacent areas) edited by V.I. Parfenov, Minsk, Nauka i tekhnika, 1981, p.176-181. In Russian 4 rets

Forest land, Swamps, Peat, Cryogenic soils, Taiga, Vegetation, Landscape types, Plant ecology, Ecosystems, Maps.

36.431

Swamp ecosystems as preservation objects, (Bolotove ekosistemy kak ob ekt okhranyj.

Pakal'nis, R.IU., Antropogennye izmenenia, okhrana rastitel'nosti bolot i prilegaiushchikh territorii (Changes induced by human activities and vegetation protection in swamps and adjacent areas) edited by V.I. Parfenov, Minsk, Nauka i tekhnika, 1981, p 196-198, In Russian. 4 refs.

Swamps, Landscape types, Environmental protec-

Structure, dynamics and protection of the Aapa swamps in northern Karelia. ¡Aapa bolota Severnoi Karelii, ikh struktura, dinamika i okhranaj,

Kuznetsov, O.L., Antropogennye izmenenia, okhrana Kuznetsov, O.L., Antropogennye izmenenia, okniana rastitel nosti bolot i prilegaiushchikh territorii (Changes induced by human activities and vegetation protection in swamps and adjacent areas) edited by V.I. Parfenov, Minsk, Nauka i tekhnika, 1981, p.224-11 refs. 228, In Russian.

Swamps, Cryogenic soils, Soil water, Water chemistry, Peat, Plant ecology, Ecosystems.

36-433

Nitrate ion in antarctic firn as a marker for solar activity.
Zeller, E.J., et al, Geophysical research letters, Aug.

1981, 8(8), p.895-898, 15 refs Parker, B.C

Ice composition. Firn. Ionization, Solar radiation, Antarctica-Amundsen-Scott Station, Antarctica-Vostok Station.

Vostok Station.

This paper presents the first comparison of nitrate ion concentrations in firn cores collected from South Pole (1978-79) and Vostok (1797-80) stations, covering a continuous sequence of approximately 1200 years. Firn cores were obtained using dry open hole drilling in consecutive summers. The first core was drilled to a depth of 108 m at South Pole Station. The second core was drilled at Vostok Station located near the south geomagnetic pole. (Auth mod.)

36-434

Baltic Sea ice code of 1980. [Der Ostsee-Eiskode von

Koslowski, G., Der Seewart, Aug. 1981, 42(4), p.176-184, In German. Sea ice distribution, Ice navigation, Ice conditions,

Standards. Baltic Sea. 36-435

Flow characteristics below floating covers with application to ice jams.

Hydraulic Researc! Report. Jan. 1981, No.233, 167p., Refs. p.132-134. Tathedow. 1.732-134. Gogus, M., et al. lowa University. Iowa Institute of Fatinclaux, J.C.

Ice floes, Ice mechanics, Drift, Velocity, Ice jams, Ice friction, Surface roughness, Flow rate, Experimenta-

Frequency and climatology of major avalanches at Rogers Pass, 1909 to 1977.

Fitzharris, B.B., National Research Council, Canada Division of Building Research. DBR paper, Jan 1981, No 956, 42p + appends. With French sum-mary. Refs. p 39-42

Avalanche forecasting, Avalanche deposits, Avalanche formation, Climatology, Statistical analysis.

Internal resistance of take ice.

Rumer, R. R., et al., U.S. Water Resources and Environ-mental Engineering Research report, Sep. 1980, No.80-2, 93p., Refs. p. 91-93 Wake, A., Chieh, S.-H., Fukumori, E., Tang, G.

Lake ice, Ice mechanics, Ice strength, Ice deforma-tion, Ice conditions, Thermodynamics, Mathematical

models, Remote sensing, Airborne radar.

Kaustinen, O.M., Oil and gas journal, Sep. 21, 1981, 79(38), p.145-152. Pipelining gas from the Canadian High Arctic.

Gas pipelines, Pipe laying, Ocean bottom, Ice conditions, Natural gas, Canada.

"Subsurface" oil movement off the Newfoundland south coast during 1979.

Reimer, E.M., ed. Memorial University of Newfoundland. Centre for Cold Ocean Resources Engineering C-CORE publication, Apr. 1981, No.81-4, 98p.

Oil spills, Flow rate, Dynamic properties, Ocean currents, Wind direction, Water pollution, Meteorological data, Underwater tracking.

36-440

Iceberg motion: an analysis of two data sets collected at drill sites in the Labrador Sea.

Ball, P., et al, Memorial University of Newfoundland Centre for Cold Ocean Resources Engineering. C-CORE publication. Apr. 1981, No.81-2, 121p., 17 refs. Gaskill, H.S., Lopez, R.J.

Icebergs, Ice mechanics, Drift, Ice conditions, Oceanographic surveys, Models.

Regeneration after clearcutting in subalpine stands near Windigo Pass, Oregon.

Minore, D., et al. Journal of forestry, Sep. 1981, 79(9), p.619-621, 3 refs.

Dubrasich, M.E.

Alpine landscapes, Forestry, Revegetation, Plant ecology, Mountains.

36-442

Introduction to ice problems in civil engineering.

Eranti, E., et al. Center for Cold Regions Engineering. Science, and Technology, No.81-1, Buffalo, State University of New York, June 1981, Var.p., Refs. p.(7)1-(7)11

Léc. G.C

Ice conditions. Ice cover strength, Ice elasticity, Ice loads, Offshore structures, Impact strength, Engineering, Ice pressure, Ice control.

Explosive cratering in frozen media.

Simpson, J.K., Kingston, Ontario, Royal Military Colof Canada, Dept. of Civil Engineering, May 1981, 227p., M.E. thesis. Refs. p.191-198. Frozen ground mechanics, Blasting, Dynamic loads,

Explosion effects, Permafrost physics, Density (mass/volume).

36-444

Alaska coastal bibliography and index statewide. Arctic Environmental Information and Data Center, Anchorage, July 1981, c250p.

Bibliographies, Sea ice, Ice, Snow, Permafrost, Eco systems, Climar States—Alaska. Climate. Shores. Environments. United

36-445

Oravity wind on a snow patch.

Ohata, T., et al. Meteorological Society of Japan.

Journal, June 28, 1979, 57(3), Collected papers

sciences of atmosphere and hydrosphere, 1979,

Vol.17, Paper No.14, p.254-263, With Japanese summary. 16 Higuchi, K. 16 refs.

Snow surface, Wind velocity, Snow cover, Wind factors.

これに これの 国の いいかい ないには 国の

Observations of snow crystals and delta O-18 of surface snow at Mizuho Plateau, East Antarctica.

Satow, K., et al, Collected papers on sciences of atmosphere and hydrosphere, Vol.17, Paper No.15, Collection of contributions presented at CPM Sessions, Joint IAGA IAMAP Assembly, Seattle, Washington, Aug. 22-Sep. 3, 1977, Boulder, Colorado, IAMAP, NCAR, 1979, p.55-59, 4 refs

Higuchi, K., Kato, K.

Snow crystals, Snow surface. Ice crystal replicas, Oxygen isotopes, Water vapor, Antarctica-Mizuho

The Japanese Antarctic Research Expedition carried out overs-now traverses from September 1974 to February 1975 in the region of Mizuho Plateau. It was found that crystals observed during this period can be classified as snow crystals and ice crystals, so called diamond dust. The frequency distribution of the size of snow crystals was observed at 1440 GMT, 3 Novemthe size of snow crystals was observed at 1440 GMT. 3 November 19°4 at 12°0, since the condition of recording of the replica was best at this time. As seen in the comparison of the total mass of ice crystals with that of snow crystals as above, it can be said that the main part of snow fallen from Nov. 3 to 5, 19°4 is not diamond dust, but snow crystals. Therefore, it can be concluded that the surface snow with high delta O-18 values consisted of snow crystals. (Auth.)

Convective model for the Weddell polynya.

Martinson, D.G., et al. Journal of occanography. Apr 1981, 11(4), p.466-488, 29 refs. Killworth, P.D., Gordon, A.L.

Polynyas, Ice water interface, Water temperature, Heat flux, Antarctica—Weddell Sea.

Heat flux. Antarctica—Weddell Sea.

Mechanisms are considered which may induce the large area of open water, or polynya, which frequently occurs within the Weddell Sea winter sea-ice. It is proposed that when surface cooling and ice formation decrease the temperature and increase the salinity of the surface water in a preconditional area, static instability with vertical mixing can occur. The upwelled warm, salty deep water can then supply enough heat to melt the ice, or prohibit its formation, even in the middle of winter. A simple two-layed model is decided to test the theory and its decided to test the theory and its decided to test the theory and its decided. simple two-level model is derived to test this theory agrees well with observations. The process is irregular due to different times of ice onset from one year to the next, and to a lesser extent from variations in surface heating and cooling Further, unless the freshwater input excetly balances the increased salinity from the overturn each year, the system will either gain or lose salt yearly and eventually stabilize permanently (i.e., attain a steady-state condition). The model is insensitive to short term stochastic variations in surface heat flux or freshwater input rates, but is somewhat sensitive to longer scale variations in the net freshwater input and also to the de of the pycnocline (i.e., preconditioning). It is suggested that upwelling may raise the pycnocline until convection can occur and the polynya form. (Auth. mod.)

Evaluation of ultraviolet spectrophotometric determination of nitrate-nitrogen in glacial snow, firn and ice. Parker, B.C., et al. *Analyst.* Aug. 1981, 106(1265), p.898-901, 10 refs. Thompson, W.J., Zeller, E.J.

Glacier ice, Firn, Snow composition, Ultraviolet radiation, Measurement.

radiation, Measurement.

The precision, accuracy and possible interferences by salts in the ultraviolet spectrophotometric determination of nitratenitrogen in snow pit and firm or ice samples were tested by the use of internal standards and by comparison with the method involving reduction by cadmium followed by diazotisation Success in the determination of nitrate-nitrogen in snow, firn and ice by the method described here has been limited to the Antarctic polar plateau and to snow pit and firm core samples taken below the levels of contaminated surface snow. Contaminated surface snow from the South Pole produces high particulate or organic matter readings at 275 mm, interfering with the accuracy of the determination, and it is found that ultraviolet spectrophotometry is no suitable for ice cores reconultraviolet spectrophotometry is not suitable for ice cores recovered using organic drilling fluids unless cores are uncracked and carefully trimmed to remove all external contamination (Auth. mod.)

Basic results of the 20th-22nd Soviet Antarctic Expedition (1974-78). [Osnovnye rezul'taty rabot Dvadtsatoi-Dvadtsat' vtoroi sovetskikh antarkticheskikh ekspeditsii (1974-1978 gg.)₁. Dubrovin, L.L., et al. *Sovetskaia anta:kticheskaia ek-*

speditsija. Informatsionny'i biuleten', 1981, No. 102. .5-13, In Russian

Preobrazhenskaia, M.A.

Research projects, Antarctica.

Principal scientific results of Soviet Antarctic Expeditions 20-22 are reported. Charts provide information on participating vessels and stations, their commanding officers, personnel. and types of research by station.

Scientific work during the 23rd Soviet Antarctic Expedition. ¡Nauchnye issledovaniia v Dvadtsat' tret'er

sovetskoi antarkticheskoi ekspeditsiij. Sedov, O.K., Sovetskaja antarkticheskaja ekspeditsija Informatsionnyi biuleten', 1981, No.102, p.14-20, In

Research projects. Antarctica.

Research undertaken by the 23rd SEA is described Oceano-graphic work was carried out primarily in the Scotia and Davis Seas by 6 ships. Brief summaries of work done in each disci-pline are given for both summer and winter contingents of the

Seismic studies by composite wave seismography in East Antarctica. ¡Seismicheskie issledovaniia meto-dom obmennykh voln zemletriasenii (MOVZ) v Vostochnoi Antarktidej.

Bulin, N.K., Sovetskaja antarkticheskaja ekspeditsija Informatsionnyi biuleten', 1981, No.102, p.21-28. In 12 refs

Seismic refraction. Antarctica-Novolazarevskaya Station, Antarctica-Mirnyy Station.

Station, Antarctica—Mirny Station.

Data on composite refracted seismic waves (PS-type) are studied to shed light on crustal structure under Novolazarevskaya, Mirnyy and Oasis Stations. Results are presented in tables and graphs. The first trial of composite wave seismography proved the method sufficiently effective and feasible for use at fixed and portable stations. Best results are obtained at highly sensitive stations with oscillograph rates of 120-240 mm. min and duration of observations of 1-2 months.

Observations of ice dynamics from an icebound ship ¿Naturnye nabliodenna za dinamikoji vozdeistvila l da na sudno vo vremia szhatnaj.

Nazintsev, It. L., et al. Soverskara antarkricheskara ek speditsila – Informatsioninyi bialeten', 1981, No. 102 speditsiia Informa p.65-67. In Russian

Baranov, V V Sea ice, Wind factors, Ships, Pack ice, Ice mechanics, Ice plasticity, Ice pressure.

Ice plasticity. Ice pressure. Dobervations of ice pressure breakup and hummocking were made in the Weddell Sea by the Kapitan Gotskiy is ebound in drifting pack ice. The chromology of the icefield effect on the ship is outlined. The principal reason for the pressure was a 25 m 3 wind. The fact that compression of the initialise cover occurred primarily by ice suction rather than by hummocking indicates that the ice had marked plastic features. Interaction of the ship with ice on windward and lee sides differed, on the leeward side no suction was noted and the ice field was interacted with a row of creasess extending from the side of the sected with a row of crevasses extending from the side of the

Core drilling on the Ross Ice Shelf, [Kernovoe bure-

nie na shel'fovom lednike Rossaj. Zotikov, I.A., et al. Sovetskaja antarkticheskaja ekspeditsiia – Informatsionnyi biuleten', 1981, No 102, p.68-74. In Russian 1 ret

Zagorodnov, V.S., Raikovskii, H. V., Morev, V.A. Ice shelves, Ice cores, Stresses, Antarctica-Ross Ice

Core drilling through the Ross Ice Shelf was carried out in 1978 to determine whether the lower surface of the central part of the glacier is melting or freezing. Work was done at the American field station J.9 through 400 m of ice to water more than 200 med station 179 in the forward more than 200 m deep. Calculations are discussed by which the relative stresses of an ice profile averaged along the size of the core and the force P (in this case only the weight of the drill) are computed. Results indicate that the lower surface is composed of ice that shows destructive relative stresses of 0.3 kg sq cm.

Study of the Choanoflagellates (Acanthoecidae) from the Weddell Sea, including a description of Diaphanoeca multiannulata n. sp.

Buck, K. Jou - il of protozoology, Feb. 1981, 28(1), MP 1453, p.4"-54, 20 rets

Sea ice. Microbiology, Marine biology, Antarctica-Weddell Sea.

Eight species of loricate choanoflagellates (Acanthoecidae) Eight species of foreast choanousgellates (Acantinoconac) have been observed, by light and electron microscopy, in samples obtained from the Weddell Sea during the austral summer of 1977. The distribution of most species within the Weddell Sea was widespread. Habitats included the water column, the edge of (or ponds on) ice floes, and the interior of ice floes The distributional, environmental, habitat, and or morphologic cal range of all previously described species is expanded Methods of variation of transverse costal diameters between genera may be potentially useful to the understanding of taxonomy and phylogeny of this family (Auth mod)

Petroleum exploration of the North Slope in Alaska.

Bird, K.J., U.S. Geological Survey — Open-file report, Feb. 1981, No.81-227, 43p., Rets. p.37-43

Exploration, Petroleum industry, Natural resources, Geological surveys, Legislation, United States— Alaska-North Slope.

Climatology of the ice extent in the Bering Sea. Webster, B.D., U.S. National Oceanic and Atmospheric Administration, NOAA technical memorandam. July 1981, NWS AR-33, 58p. 31 rets. Climatology, Ice cover effect, Sea ice distribution.

Seasonal variations, Maps, Ice navigation, Bering Sea.

Mount Logan (Yukon Territory); field report, 1978, Holdsworth, G., et al. Ottawa. Dept. of the Environ-ment, Glaciology Division, Sep. 1979, 67p., Rets. p.5..

Dansgaard, W., Johnson, S., Prantl, F., Johnston, L. Glacier surveys, Glacier flow, Glacier thickness, Drill core analysis, Glaciology, Paleoclimatology, Climate, Ice drills. Radar echoes.

Riverbank erosion and recession in the Ottawa area. Williams, D.R., et al. Canadian geotechnical journal Nov. 1979, 16(4), p.641-650. With French summary

Romerth P.M., Mitchell, R.J.

Landslides, Soil erosion, Banks (waterways), Rivers, Canada Ottawa River.

Stabilization of planar landslides in permafrost.

Pufahl, D.E., et al. Canadian geotechnical journal. Nov. 1979, 16(4), p.734-747, With French summary.

Morgenstern, N.R.

ermafrost preservation. Soil stabilization, Landslides. Shear stress. Active laver-

36-460

Icings and seepage in frozen glaciofluvial deposits. District of Keewatin, N.W.T.

Veillette, J.J., et al. Canadian geotechnical journal. Nov. 1979, 16(4) p.789-798, With French summary. 10 refs

Thomas, R.D.

Permafrost, Ice formation, Seepage, Icing, Glacial deposits, Taliks, Meltwater, Stereophotography.

36.461

Catastrophic glacial outburst flood (jökulhlaup) mechanism for debris flow generation at the Spiral Tunnels, Kicking Horse River basin, British Co-

Jackson. ackson, L.E., Jr., Canadian geotechnical journal, Nov. 1979, 16(4), p.806-813, With French summary. 9 refs

Glacial hydrology, Glacial deposits, Floods, Forecast-

36-462

Considerations on the use of cast-in-place piles in permafrost.

Weaver, J.S., et al, Canadian geotechnical journal, May 1980, 17(2), p.320-325, With French summary.

Morgenstern, N.R. Permafrost physics, Pile driving, Cements, Adhesion,

Freeze thaw cycles, Concrete placing.

36-463

Behaviour of friction piles in ice and ice-rich soils. Morgenstern, N.R., et al, Canadian geotechnical journal, Aug. 1980, 17(3), p.405-415, With French summary. 44 refs. Roggensack, W.D., Weaver, J.S.

Ice creep. Ice friction, Piles, Ice solid interface, Rheology, Frozen ground mechanics, Shear stress, Shear strain, Flow rate, Velocity, Ground ice.

36-464

Overview in the use of freeze conditioning agents. Holtz, M.A., et al. Mini Symposium series, No.80-Coal-01. Coal utilization (Frozen coal), Society of Mining Engineers of AIME, [1980], p.3-13, 3 refs. Cox. H.B.

Coal, Freezing, Frozen cargo, Ice formation, Ice prevention, Unloading, Artificial thawing, Countermeasures, Chemical ice prevention, Cold weather performance.

36-465

Plant evaluation of coal freeze conditioning agents. Evans, T.F., Mini Symposium series, No.80-Coal-01. Coal utilization (Frozen coal), Society of Mining Engineers of AIME, [1980], p.15-24.

Coal, Freezing, Frozen cargo, Ice formation, Ice prevention, Unloading, Artificial thawing, Countermeasures, Cold weather performance.

36-466

Physical chemistry of frozen coal.

Coal-01. Coal utilization (Frozen coal). Society of Mining Engineers of AIME, \$\text{t1980}_3\$, p.25-36, 39 refs.

Coal, Ice strength, Frozen cargo, Ice formation, Ice prevention, Unloading, Artificial thawing, Freezing, Admixtures, Countermeasures, Physical properties, Cold weather performance.

36-467

Frozen coal—problems and solutions.

Mitzel, J.D., Mini Symposium series, No.80-Coal-01.

Coal utilization (Frozen coal), Society of Mining Engi-

neers of AIME. [1980], p.37-41. Coal, Freezing, Frozen cargo, Ice formation, Ice prevention, Unloading, Artificial thawing, Vibration, Countermeasures, Cold weather performance.

36-468

Operational experience with a freeze conditioning agent at Arch Mineral.

Klein, R.S., et al, Mini Symposium series, No.80-Coal-01. Coal utilization (Frozen coal), Society of Mining Engineers of AIME, [1980], p.43-52. Kestner M.O.

Coal, Freezing, Frozen cargo, Ice formation, Ice pre-vention, Unloading, Artificial thawing, Countermeasures, Cold weather performance.

36-469

Present state-of-the-art of transmission line icing. Pohlman, J.C., et al. IEEE Power Engineering Society. T&D Conference and Exposition, 81, TD 717-8, Minneapolis, Minnesota, Sep. 1981, 8p., 34 refs.

Landers P

Power line icing, Ice loads, Snow accumulation, Ice prevention, Wind factors, Mathematical models.

36.470

Thawing grounds as foundations of structures. [Ottaivaiushchie grunty kak osnovaniia sooruzheniij. Mel'nikov, P.L. ed. Moscow, Nauka, 1981, 96p., In For individual papers see 36-471 through Russian 36-479. Refs. passim.

Vialov, S.S., ed.

Engineering geology, Permafrost beneath structures. Active layer, Ground thawing, Classifications, Compression tests. Settlement (structural). Mathematical

36-471

Problems of thawing ground mechanics and ways of solving them. [Problemy mekhaniki ottaivaiushchikh gruntov i puti ikh resheniia].

Ponomarev, V.D., Ottaivaiushchie grunty kak osnovaniia sooruzhenii (Thawing grounds as foundations of structures) edited by P.I. Mel'nikov and S.S. Vialov, Moscow, Nauka, 1981, p.5-13, In Russian.

Foundations, Ground thawing, Buildings, Settlement

(structural), Design, Tests.

Interaction of thawing ground bases with foundations regarded as component elements of buildings, (Vzaimodeistvie ottaivaiushchikh osnovanii s fundamentami rassmatrivaemymi kak sostavnye elementy konstruktsii zdanii₁, Dokuchaev, V.V., et al, Ottaivaiushchie grunty kak

osnovaniia sooruzhenii (Thawing grounds as founda-tions of structures) edited by P.I. Mel'nikov and S.S. Vialov, Moscow, Nauka, 1981, p.14-20, In Russian Netmark, L.I., Zolotar', A.I. Frozen ground mechanics, Ground thawing, Founda-

tions, Buildings, Mathematical models.

36-473

Pile foundations in thawing ground (structures of the Urengoy Gas Field taken as an example). (Svainye fundamenty v ottaivaiushchikh gruntakh (na primere ob ektov Urengolskogo gazovogo mestorozhdeniia)₁. Kolesov. A.A., Ottaivaiushchie grunty kak osnovaniia sooruzhenii (Thawing grounds as foundations of structures) edited by P.I. Mel'nikov and S.S. Vialov, Mos-

cow, Nauka. 1981, p.20-27, In Russian. Foundations, Piles, Pile driving, Taliks, Ground thawing, Artificial thawing.

36-474

Studying the interaction of buildings with thawing bases, allowing for the time factor. tVzaimodeistvic zdaniia i ottaivaiushenego osnovaniia s uchetom faktora vremenij.

Vialov, S.S., et al. Ottaivajushchie grunty kak osnovaniia sooruzhenii (Thawing grounds as foundations of structures) edited by P.I. Mel'nikov and S.S. Vialov, Moscow, Nauka, 1981, p.28-47, In Russian. Pozovskaja, V.G.

Buildings, Foundations, Permafrost beneath structures, Ground thawing, Thaw depth, Mathematical models, Soil creep, Deformation, Computer applications.

Using hot dies in experimental field studies of thawing ground settlement. (Eksperimental'nye is-sledovaniia osadok ottaivaiushehikh gruntov s pomoshch'iu polevykh goriachikh shtampovy. Vialov, S.S., et al, Ottaivajushchie grunty kak os-

novaniia sooruzhenii (Thawing grounds as foundations of structures) edited by P.I. Mel'nikov and S.S. Vialov, Moscow, Nauka, 1981, p.47-55, In Russian. 8 refs. Pakhomova, G.M.

Ground thawing, Settlement (structural), Penetration tests. Test equipment.

Reliability of the results of laboratory tests of grounds for compression during thawing. [O dostoverností rezul'tatov laboratornykh kompressionnykh ispytanii gruntov na szhimacmosť pri ottaivanii). Sorokin, V.A., Ottaivaiushchie grunty kak osnovaniia

sorouzheni (Thawing grounds as foundations of struc-tures) edited by P.I. Mcl'nikov and S.S. Vialov, Mos-cow, Nauka, 1981, p.56-60, In Russian. 2 refs.

Ground thawing, Compressive properties, Test equipment. Laboratory techniques.

36-477

Experimental studies of thawing ground settlement. rEksperimental'nye issledovanna osadki ottawajushchikh gruntovy. Fedoseev, Il. G. Ottaivaiushchie grunty kak os-

novaniia sooruzhenii (Thawing grounds as foundations of structures) edited by P.I. Mcl'mkov and S.S. Vialov. Moscow, Nauka, 1981, p.60-68, In Russian. 9 refs. Frozen ground strength, Porosity, Ground ice, Ice melting, Ground thawing, Settlement (structural).

iew government standards for using dies in field testing of frozen ground during thawing, (Novy) GOST na polevye shtampovye ispytanija merzlykh gruntov pri ikh ottaivaniij. Vodolazkin, V.M., et al. Ottaivaiushchie grunty kak

osnovaniia sooruzhenii (Thawing grounds as founda-tions of structures) edited by P.I. Mel'nikov and S.S. Vialov, Moscow, Nauka, 1981, p.68-72, In Russian, Chubarova, N.P.

Permafrost beneath structures, Active layer, Standards, Loads (forces). Penetration tests, Ground thawing, Mechanical properties.

Classifying the complexity of permafrost-engineer-ing-geological conditions on the basis of settlement of thawing coarse clastic ground in the Central Magadan Region. (Klassifikatsita slozhnosti merzlotno-inzhenerno-geologicheskikh uslovit na osnove otsenki osadok pri ottajvanji merzlykh krupnooblomochnykh (na primere tsentral'nykh raionov Magadan-

skoi oblasti)j. Davidenko, V.P., Ottaivaiushchie grunty kak osnovaniia sooruzhenii (Thawing grounds as foundations of structures) edited by P.I. Mel'nikov and S.S. Vialov, Moscow, Nauka, 1981, p.72-92, In Russian. 14 refs. Engineering geology, Permafrost thermal properties, Active layer, Permafrost hydrology, Ground thawing, Classifications.

36-480

Naleds of Siberia and the Far East. (Naledi Sibiri i

Dal'nego Vostokaj, Alekseev, V.R., ed. Novosibirsk, Nauka, 1981, 242p., In Russian. For individual papers see 36-481 through 36-511. Refs. passim.

Glacial hydrology, Permafrost hydrology, Taliks, Naleds, Aerial surveys, Spaceborne photography, Engineering geology, Geocryology, Theories, Research projects, Bibliographies.

36-481

Basic results and problems of studying naleds and naled processes. [Osnovnye itogi i problemy izu-chenija naledej i nalednykh protsessov].

Alekseev, V.R., Naledi Sibiri i Dal'nego Vostoka (Naleds of Siberia and the Far East) edited by V.R. Alekseev, Novosibirsk, Nauka, 1981, p.4-22, In Rus-Refs. p.18-22.

Permafrost hydrology, Naleds, Ice growth, Alimenta-tion, Landscape types, Research projects, Theories, Bibliographies.

Classification of epiglacial naleds. [O klassifikatsu epilednikovykh naleden,

Sheinkman, V.S., Naledi Sibiri i Dal'nego Vostoka (Naleds of Siberia and the Far East) edited by V R Alekseev, Novosibirsk, Nauka, 1981, p.23-30, In Russian. 15 refs

Periglacial processes, Naleds, Classifications, Permafrost hydrology. Alimentation, Topographic factors.

Naled classification for engineering-geological research, (Klassifikatsira naledet dha inzhenerno-geologicheskikh tselen. Bol'shakov, S.M., Naledi Sibiri i Dal'nego Vostoka

(Naleds of Siberia and the Far East) edited by V.R. Alekseev, Novosibirsk, Nauka, 1981, p.30-37, In Rus-

Naleds, Classifications, Engineering geology.

Methods of studying naleds. [Metokika izucheniia naleden.

Koreisha, M.M., Najedi Sibiri i Dal'nego Vostoka (Naleds of Siberm and the Far East) edited by V.R. Alekseev, Novosibirsk, Nauka, 1981, p.38-53. In Rus-18 refs

Geocryology, Naleds, Permafrost hydrology, Geocryology. Aerial surveys, Alimentation.

Studying naleds of the Baykal Amur railroad zone from aerial photographs. (Izucheme naledei zony BAM po aerofotosnimkam).

Usachev, V.F., et al. Naledi Sibiri i Dal'nego Vostoka (Naleds of Siberia and the Far East) edited by V R Alekseev, Novosibirsk, Nauka, 1981, p.53-64, In Russian. 4 refs

Koroley, V.M.

Geocryology, Permafrost hydrology, Naleds, Aerial surveys, Airborne equipment, Photointerpretation, Baykal Amur railroad.

Methods of studying and mapping naleds in Southern Yakutia from satellite photographs. [Kosmicheskie metody izuchenija i kartirovanija naledej (na primere IUzhnoi IAkutiin.

Topchiev, A.G., et al, Naledi Sibiri i Dal'nego Vostoka (Naleds of Siberia and the Far East) edited by V.R. Alekseev, Novosibirsk, Nauka, 1981, p 64-71, In Rus-3 refs

Gavrilov, A.V.

Naleds, Spaceborne photography, Photointerpreta-tion, Aerial surveys, Mapping.

36.487

High altitude naleds of the Kodar Range and problems of mapping naled valleys. [Vysokogornye naledi khrebta Kodar i voprosy kartografirovaniia i alednykh doling.

Gienko, A.IA., Naledi Sibiri i Dal'nego Vostoka (Naleds of Siberia and the Far East) edited by Alekseev, Novosibirsk, Nauka, 1981, p.71-75, In Russian. 5 refs.

Mountain glaciers, Naleds, Glacial hydrology, Nival relief. Firn. Aerial surveys. Mapping.

36.499

Naleds and hydrogeological structures of the lithosphere's permafrost zone. (Naledi i gidrogeologicheskie struktury merzloi zony litosferyj. Tolstikhin, O.N., et al, Naledi Sibiri i Dal'nego Vos-

toka (Naleds of Siberia and the Far East) edited by V.R. Alekseev, Novosibirsk, Nauka, 1981, p.76-85, In 16 refs Khimichev, L.G.

Hydrogeology, Permafrost distribution, Permafrost hydrology, Naleds, Alimentation, Suprapermafrost ground water, Subpermafrost ground water.

aleds in the southeastern part of the Sikhote-Alin' Highlands. ¡Naledi na iugo-vostoke gornoi strany Sikhote-Alin's.

Tsvid, A.A., et al. Naledi Sibiri i Dal'nego Vostoka (Naleds of Siberia and the Far East) edited by V.R Alekseev, Novosibirsk, Nauka, 1981, p.86-91 Khomichuk, A.N.

Permafrost hydrology, Naleds, Ice cover thickness, Frozen rock temperature, Frost penetration, Engineering geology, Roads.

36-490

Naleds in the central part of the Baykal Amur railroad zone and countermeasures. (Naledi tsentral'noi chasti zony BAM i voprosy bor by s nimi). Afanasenko, V.E., et al. Naledi Sibiri i Dal'nego Vos-

toka (Naleds of Siberia and the Far East) edited by V.R. Alekseev, Novosibirsk, Nauka, 1981, p.91-100, In Russian, 4 refs.

Diunin, V.I., Sokolov, A.A.

Hydraulic structures, Embankments, Dams, Permafrost beneath structures, Permafrost hydrology. Nafeds, Baykal Amur railroad.

Naled formation on rivers. [Rasprostranenie nalednykh jaylenji na rekakhi.

Chizhov, A.N., et al, Naledi Sibiri i Dal'nego Vostoka (Naleds of Siberia and the Far East) edited by V.R. Alekseev, Novosibirsk, Nauka, 1981, p.100-110, In Russian 6 refs. Borodulin, V.V

Permafrost beneath rivers. Naleds, Icebound rivers.

Evaluating the potentiality of naled formation in the Kodar-Udokan area. (Otsenka potentsial'noi naled-nosti Kodaro-Udokanskogo raiona).

Petukhova, N.A. Naledi Sibiri i Dal'nego Vostoka (Naleds of Siberia and the Far East) edited by VR Aleksees, Novosibirsk, Nauka, 1981, p.111-117, In Russian 10 refs

Ice (construction material). Artificial ice. Naleds, Ice accretion. Ice roads. Snow roads.

Heat balance conditions for ablation of the Murarinskaya naled in Transbaikal. [Teplobajansonye usio-tajanga Muturimskoj najedi v Zabajkal ej

Deikin, B.N., Najedi Sibiri i Dal nego Vostoka i Najeds of Siberia and the Far Fasti edited by V.R., Niekseev Novosibiisk, Nauka, 1981. p.117-124. In Russian

Permafrost beneath structures. Permafrost hydrology, Naleds, Ice surface, Heat balance, Ablation, Baykal Amur railroad.

Structure and water regime of naled surfaces during ablation. (Stroenie i vodny) rezhim poverkhnosti i ale dei v period ikh tajanjiaj.

Markov, M.L., et al. Naledi Sibiri i Dal'inego Vostof a (Nale)s of Siberia and the Far East) edited by V.R. Alekseev, Novosibirsk, Nauka, 1981, p.125-135-1 Russian 2 refs Russian 2 a Sokolov, B L

Glacial hydrology, Naleds, Ice surface, Ablation, Thawing rate. Water supply

Some peculiarities of water release by naleds. (Nokiotorye osobennosti vodootdachi naledeij. Sokolov, B.L., et al. Naledi Sibiri i Dal'nego Vostoka

(Naleds of Siberia and the Far East) edited by V.R. Alekseev, Novosibirsk, Nauka, 1981, p.133-140. In

Markov, M.I.

Naleds, Water reserves, Ice surface, Heat balance, Ablation, Thawing rate, Ice structure.

Calculating water balance in the area of formation of the lower Ingamakit naled (Northern Transbaikal). chet vodnogo balansa na uchastke formirovanna Nizhneingamakitskoi naledi (Severnoe Zabaikal'e)_{li.} Furman, M.Sh., Naledi Sibiri i Dal'nego Vostoka (Naleds of Siberia and the Far East) edited by V.R. Alekseev, Novosibirsk, Nauka, 1981, p.141-145, In Russian – 3 refs

Permafrost beneath rivers, Permafrost hydrology. Naleds, Ice accretion, Ablation, Drainage, Water balance, USSR-Chara River.

Naled regime in the upper course of the Uda River (Eastern Sayan) and its role in the formation of water resources. Rezhim naleder v verkhov iakh r. Udy (Vostochnyi Saian) i ikh rol' v formirovanii vodnykh resursov₁.

Kravchenko, V.V., Naledi Sibiri i Dal'nego Vostoka (Naleds of Siberia and the Far East) edited by V.R. Alekseev, Novosibirsk, Nauka, 1981, p.145-156, In Russian, 17 refs Alpine glaciation, Mountain glaciers, Naleds, Water

reserves.

36-498

Naled influence on natural processes and economic activities of Altai Highlands. (Vlimme naleder na prirodnye protsessy i khoziaistvennuiu deiatelinosti gornom Altaej. Krivonosov, B.M., et al. Naledi Sibiri i Dal'nego Vos-

toka (Naleds of Siberia and the Far East) edited by WR Alekseev, Novosibirsk, Nauka, 1981, p.156-159. In Russian – 5 rets Tsekhanovskaja, N.A.

Alpine glaciation, Ablation, Naleds, Ice growth, Alimentation. Glacial hydrology. Hydraulic structures. Ice pressure.

Topographic effect of naleds in Tien Shan and Pamirs [Rel'etoobraziiiushchaia rol' naledei Tian'-Shama i

Gorbanov, A.P., et al. Naledi Sibiri i Dal'nego Vostoka (Nateds of Siberia and the Far East) edited by VR Alekseev, Novosibirsk, Nauka, 1981, p (60) (66) for Russian Trefs Ermolin, E.D.

Alpine landscapes, Glacial hydrology, Naleds, Frost weathering, Geomorphology.

36-500

Marine naleds, (Morskie naledi). Chagulov, A.K., Naledi Sibiri j. Dalbiceo Vosti Thagalov, A.K., Naledi Siniri i izar recommend.

Naleds of Siberia and the har Fasti edited by A.R.

Siniri A. Siniri (Siniri 1984) in 166-70-40 Alekseev Novosibirsk, Nauka, 1984, p. 666. Russiar – viets

Naleds, Sea ice. Fast ice. Ice cracks, Flooding, Icc

36.501

Naled formation in the Diidinka area. No cal-

Sared formation of the Didditka area. Needle warear e. D. 1980.
Kondist of A.G. Needle St. Did 1980. (Naceds of St. C. and the F. L. 1880.) (1990) to A.R. Alex Scot. Needle of Needle St. Needle of Needle St. 1980.

Georyology, Naleds, Permatrost hydrology, Taliks, Permatrost structure. Suprapermatrost ground water 36-502

96-902 Naleds in Western Siberia (Novi Zepillo e Social Marticle) (B.D. Novi Social Diagnos Accord Nacissas Social Control For Fisher education V.R. Alebseet (Novi Social Martine B.D. Oacds of Spe Kassar

Icebound rivers, Ice cover thickness, Fracturing, Naleds. Permatrost hydrology, Suprapermatrost ground water. Taliks, Subpermatrost ground water.

Studying physical and chemical processes of naled formation. Problem assessment hikh profsessor i reactional

Ivation AA New LSB har De begin Viction of Navedof Siberia and the Far Fasti chited by VR. Acosco Novosibits), Name and the place 185 in Russian

Naleds, Ice formation, Alimentation, Ice composition, Ice structure, Ice physics,

36-504

Microelements in naled salts in eastern Savan. Mixtoerementy v raissimylib solar h Vostoepprogo Salaria, Ivanov, XV, et al. Naiedi Sibir, i Dal nego Vistoria (Naleds of Siberia and the Far East) edited by V.R. Aickseev. Novosibusii, Naid ii 1981, p [85,191, b Russian 6 rets

Naleds, Ice composition, Water chemistry, Microele-

36-505

Principles and methods of naled prevention, (Print-

sipy i metody profivorialedny) h meropitatsij. Bol'shakov, S.M., Naledi Sibiri i Dal'nego Vostoka (Naleds of Siberia and the Far East) edited by VR Alekseev, Novosibirsk, Nauka, 1981, p.192-198, Ir

Russian. 16 rets Naleds, Countermeasures, Ground water, Flow control, Baykal Amur railroad.

36-506

Effectiveness of using different types of naled countermeasures on railroads. [Stera i effektivnost" primene nija razlichnykh tipov protivonalednykh meropijati na zheleznykh dorogakhj.

Rumiantsey, F.A., Naledi Sibiti (Dal'nego Vosto) a Naleds of Siberia and the Far East) edited by V.R. Alekseev, Novosibirsk, Naura, 1981, p.198-205, J. Russian - III rets

Permafrost beneath structures, Naleds, Hydraulic structures, Culverts, Baykal Amur railroad.

Engineering-geological forecasts of naled processes and the evaluation of road safety under icy conditions. (Inzhenermageologichesk) prognoż nalednykli protsessov i otsenka nadezhnosti dorog v uslovajakn taledeobrazovanna; Zolotar', I. V., et al. Naledi Sonir i Dal'inego Vostor i

(Naleds of Siberia and the Far Lastr edited by VR Alekseev, Novosibirst, Nanha, 1981, p.206-216, fr Russian 8 ii Nevskii, 8 D

Geocryology, Naleds, Engineering geology, Taliks, Permafrost hydrology, Roads, Design

Computer estimation of road pavement thickness in naled formation areas. Raschel totshehmy dotochis odezhdy ma mehisthash i medeobrazovania si po-

marea of martin areas, was not restricting governors oderhay an individual net redecibriarovariation po-moshich in EVM;
Nevskii, SD, Nicci Shire, Daffrego Vostoria (Naleds of Shire) area of the Fin Easte edited by VR, Velscot Nicoshires Nature 1981, p.216-222, b.

Roads, Pavements, Roadheds, Naleds, Design

36.509

Performance and design of naled retaining structures.

O substitute proceed to the adapting a shadow profits of all proceedings of the process of the p

Hydraulic structures Culverts, Bridges, Nateds, Countermeasures, Radroads, Embankments, Walls

36.510

Naleds and countermeasures at the Ust'-Kut-Chara section of the Baykal Amur railroad. (Naledi) protivonalednye meroprijatua na uchastke Ust-Kut-Chara Baikalo-Amurskoi zheleznodorozhnoi magis-

Kuzimi ykn, A.I., et al, Naledi Sibiri i Dalinego Vostoka (Naleds of Siberia and the Far East) edited by V.R. Mekseev, Novosibirsk, Nauka, 1981, p.226-229. In Russian Merkujov, D.M.

Naleds, Countermeasures, Baykal Amur railroad.

Naleds in agricultural areas and land reclamation systems of eastern Siberia. (Naledi na sel'skokhoziaistvennykh ugodiakh i meliorativnykh sistemakh Vostochnoi Sibirij. I Avorskii, O.V., Naledi Sibiri i Dal'nego Vostoka

(Naleds of Siberia and the Far East) edited by V.R. Mcksort Novosibirsk Nauka 1981 p 229-234. Land reclamation, Flooding, Naleds, Agriculture, Water supply, Artificial freezing.

36-512

Statistical analysis of wind regime of the Barents Sea obtained by different methods. (Statisticheskii analiz vetrovogo rezhima Barentseva moria poluchennogo razlichnymi metodamij. Zysova, G.G., Zapadno-sibirskii regional'nyi nauch-

no-issledovateľskii institut. Trudy, 1981, Vol.50, p.3-10, In Russian 11 refs.

p.3-10. In Russian 11 refs.

Wind direction, Wind velocity, Weather stations,

Indirect methods of calculating velocities of low probability winds above seas. (O kosvennykh metodakh rascheta skoroster vetra malor verojatnosti nad

moreinj. Zysova, G.G., Zapadno-sibirskii regional'nyi nauch-Trach 1981. Vol.50. no-issledovateľskie institut. Trudy, 1981, Vol.50.

p.11-15. In Russian. 5 refs. Wind direction, Wind velocity, Meteorological data,

36-514

Calculating velocities of unusual winds above the open part of the sea. (O raschete skorostei vetra redkoi realizatsii nad otkrytoi chast'iu moria).

Koshinskii, S.D., Zapadno-sibirskii regional'nyi nauchno-issledovatel'skii institut. Trudy. 1981. Vol 50, p.31-37, In Russian. 10 refs. Sea ice, Drift, Ocean currents, Ice navigation, Wind

36-515

Indirect calculation of the continuous duration of strong winds of different confidence limits above the Kara Sea, (Kosvenny) raschet nepreryvnoj prodolzhitelinosti silinykh vetrov razlichnoj obespechennosti

nad akvatorici Karskogo moriaj. Ristova, US. Zapadno-sibirskii regional'nyi nauchnoissledio nel skii institut. Trudy, 1981, Vol.50, p.38-46. In Russian. 9 refs 46 In Russian

Ice navigation, Sea ice, Drift, Wind velocity, Wind direction.

36-516

Minimum air temperatures above the Soviet Arctic seas. (Minimal'nye temperatury vordukha nad sorianni Sovetskoi Arktikij. Petrov, I.S., Zapadno-sibiiskii regional'nyi nauchno-

ssiedov, del'skir institut. Tradv. 1981. Vol.50, p.86-92. In Russian 4 rets

Sea ice. Air temperature, Air water interactions, Ice navigation, Drift, Ocean currents.

Recommendations concerning the calculation of continuous periods with air temperature below given limits using punched tape data. (Rekomendatsii po ras-beta nepreryymor prodolzhitel nosti periodov s temper diaror vozdukha nizhe zadannykh predelov sredst-

malor" mekhanizatsin. 15. haslana, 10. Zapadno-sibirskii regional'nyi ah hosoisskidoratel'skii institut. Trudy, 198 Trudy. 1981. Vol.50 p.9 c.99, In Russian

Meteorological data, Data processing, Air temperature. Temperature measurement.

36-518

Meteorological conditions for icing of above-water objects in the shelf zone of Arctic seas. [Nekotoryc rezhimnye kharakteristiki uslovij obledenenna nadvodnykh ob"ektov v shel'fovot zone arkticheskikh

Kolosova, N.V., et al. Zapadno-sibirskii regional'ny: nauchno-issledovateľsků institut Trudy, [98]. Vol.50, p 100-109, In Russian. 6 refs

Ice navigation, Hydraulic structures, Glaze, Ship icing, Meteorological factors.

Structural peculiarities of the atmospheric boundary layer above northern seas. (Osobennosti stroeniia prisevernykh moriakhj. vodnogo sloia atmosfery v Garbuzov, A.V., Zapadno-sibirskii regional'nyi nauchno-issledovateľskii institut. Tr p.110-117, In Russian. 11 refs. Trudy, 1981, Vol.50.

Boundary layer, Air water interactions, Air tempera-ture, Heat transfer, Mass transfer, Arctic Ocean.

Recurrence and intensity of precipitation in seas of the Soviet Arctic. (Povtoriacmost' i intensivnost' osadkov v moriakh Sovetskol Arktikit.

Briazgin, N.N., Zapadno-sibirskii regional'nyi nauch-no-issledovatel'skii institut. Trudy, 1981, Vol.50, 9 refs. p.118-124. In Russian.

Weather stations, Precipitation (meteorology), Ice navigation. Weather forecasting, Meteorological charts, Arctic Ocean.

Effect of artificial variation of soil moisture content on the growth of ground mosses and lichens. (Vilianie iskusstvennogo izmenenija vlazhnosti pochvy na rost lesnykh nazemnykh mkhov i lishainikovy,

Malysheva, T.V., Ekologiia, July-Aug. 1981, No.4, p.12-18. In Russian. 32 refs.

Forest soils, Soil water migration, Mosses, Lichens, Plant physiology.

36-522

Changes in relict black-alder forests of the Kazakhstan coniform mountains induced by human activities. (Reliktovye chernool'khovniki Kazakhskogo melkosopochnika i ikh izmenenie pod vlijanjem dejatel'-

nosti chelovekaj. Gorchakovskii, P.L., et al, *Ekologiia*, July-Aug. 1981. No.4, p.19-31, In Russian. 14 refs.

, N.T Mountains, Forest soils, Soil freezing, Seasonal freeze thaw, Landscape types, Taiga, Environmental protection.

36-523

Fructification of Far Eastern plants in West Siberian forest steppes. [Plodonoshenic dal'nevostochnykh vidov rastenii v uslovijakh lesostepnoj zony Zanadnoj Gorokhova, G.L., Ekologiia, July-Aug. 1981, No.4.

In Russian. 15 refs. Introduced plants, Cryogenic soils, Plant ecology, Forest soils, Steppes, Plant physiology.

Multi-stage technique of pipe transportation to the West Siberian construction sites, [Mnogoetapnaia vyvozka trub pri stroitel'stye v Zapadnoi Sibirii.

Shakirov, R.M., et al, Stroite/stro truboprovodov, Aug. 1981, No.8, p.4-6, In Russian.

Andrianov, A.K., Karpov, V.G.
Petroleum industry, Pipes (tubes), Transportation.

Technical melioration of ground in pipeline construction. (Tekhnicheskaia melioratsiia gruntov v truboprovodnom stroitel'stve₁.

Babin, L.A., et al. Stroitel'stvo truboprovodov, Aug

1981, No.8, p.16-18, In Russian.

Swamps, Peat, Clays, Compaction, Frost resistance, Pipelines, Foundations, Soil stabilization, Permafrost beneath structures.

36-526

Vertical drains, Primenenie vertikalinykh drena Svetinskii, E.V., et al. Wekhanizatsiia stronel'siva. Aug. 1981, No.8, p.24-26, In Russian 4 rets

Stroganov. A.S., Fedorov. B.S. Swamps, Drains, Soil stabilization, Compaction, Foundations, Peat, Construction equipment, Clays.

36-527

Subsurface method of compacting clay soils in backfills under restricted conditions. (Glubinnym metodom tob uplotneen glimstykh gruntov obratnykh zasy-pok v stesnemykh uslovnakh stronel'stvan.

Gerasimenko, N.P., et al. Mekhanizarshia stronel'srea. Aug. 1981 - No.8, p.26-28, In Russian - 10 refs.

Reitison, 11 B. Tauch, Kh B. Earthwork, Clay soils, Earth fills, Compaction, Construction equipment.

16.528

Proceedings.

Canadian Symposium on Remote Sensing, 6th, Halifax, Nova Scotia, May 21-23, 1980, Ottawa, Canadian Aeronauties and Space Institute, [1980], 699p. With French summaries - Rets passim - For selected pa-pers see 36-528 through 36-545

Sea ice distribution, Remote sensing, Ice conditions. Aerial surveys, Snow cover distribution, Ice mechanics. Photointerpretation.

36-529

Operational use of satellite imagery in the Canadian

ice program. Mullane, T.F., Canadian Symposium on Remote Sens-Mulatie, F. Catadata Symposium on Remote Actioning, 6th, Halitax, Nova Scotia, May 21-23, 1980. Proceedings. Edited by T.T. Alfoldi, Ottawa, Canadian Aeronautics and Space Institute, (1980), p. 17-32, With French Summary. 7 refs.

Ice forecasting, Sea ice distribution, Ice conditions, Research projects, Remote sensing, Aerial surveys, Ice mechanics, Photointerpretation.

Landsat-what is operational in water resources.

Middleton, E.M., et al. Canadian Symposium on Remote Sensing, 6th. Halifax, Nova Scotia, May 21-23, 1980. Proceedings. Edited by T.T. Alfoldi, Ottawa, Canadian Aeronauties and Space Institute, 1980₁, p.43-52, With French summary. 35 refs Munday, J.C., Jr.

Remote sensing, LANDSAT, Hydrology, Snow cover distribution, Watersheds, River ice, Ice mechanics,

Use of satellite imagery as an aid to the Canadian Coast Guard ice operations.

Dawe B., et al. Canadian Symposium on Remote Proceedings. Edited by T.T. Alfoldi. Ottawa, Canadian Aeronautics and Space Institute. (1980). p 17-32. With French summary 6 ref Collins, A., Humphries, L., Warren, G.

Ice mechanics, Sea ice distribution, Drift, Ice conditions, Remote sensing, Research projects, Aerial surveys, Photointerpretation.

Utilization and benefits of SIAR in operational ice data acquisition.

Hengeveld, H.G. Canadian Symposium on Remote Sensing, 6th, Halitax, Nova Scotta, May 21-23, 1980. Proceedings Edited by T.T. Alfoldt, Ottawa, Canadian Aeronauties and Space Institute, (1980). 81-88, With French summary 8 refs

Side looking radar. Sea ice distribution, Ice conditions, Remote sensing, Aerial surveys, Photointerpre-

36.533

Experimental use of real-time SAR imagery in support of oil exploration in the Beaufort Sca.

Mercer, J.B., et al. Canadian Symposium on Remote Sensing, 6th, Halifax, Nova Scotia, May 21-23, 1980 Proceedings Edited by LT Alfoldi, Ottawa, Canadian Actionautics and Space Institute, [1980], p.143-152, With French summary 9 refs owry, R.T. Leung, S.K.

Offshore drilling, Sea ice distribution, Ice conditions, Remote sensing, Agrial surveys, Pack ice, Photointerpretation, Fast ice, Computer applications.

Airborne impulse radar sounding of sea ice.

Airborne impulse radar sounding of sea ree.
Rossiter, J. R., et al. Canadian Symposium on Remote
Sensing, 6th, Halitax, Nova Scotia, May 21-23, 1980.
Proceedings Edited by T.T. Alfoldi, Ottawa,
Canadian Actionautics and Space Institute, [1980],
p. 187-194, With French summary. 14 rets
Butt, K. V. Gamberg, J. B., Ridings, T. F.
Low Stactics, Son to distribution, Low conditions, Low

Ice physics. Sea ice distribution, Ice conditions, Ice cover thickness, Remote sensing, Aerial surveys, Ice salinity. Photointerpretation, Ice crystal structure. Ice electrical properties.

36.535

Lake Melville Labrador offshore synthetic aperture

Lake Melville Labrador offshore synthetic aperture radar study—winter 1979. Worstold, R.D., et al. Canadian Symposium on Remote Sensing, 6th, Halifax, Nova Scotia, May 21-23, 1980 Proceedings, Edited by T.T. Alfoldi, Ottawa, Canadian Aeronautics and Space Institute, (1980), p.195-202, With French summary. 11 refs.

Parashar, S.K., Strong, D.C. Ice mechanics, Sea ice distribution, Ice navigation, Ice conditions, Remote sensing, Aerial surveys, Drift, Photointerpretation, Mapping.

36-536

Single and multiple parameter microwave signatures

of sea ice. Hawkins, R.K., et al, Canadian Symposium on Remote Sersing, 6th, Halifax, Nova Scotta, May 21-23, 1980.
Proceedings Edited by T.T. Alfoldi, Ottawa.
Canadian Aeronautics and Space Institute, [1980],
247-229. With French summary. 19 refs.

Microwaves, Sea ice distribution, Radiometry, Ice conditions. Ice islands. Remote sensing. Aerial sur-

36-537

Radar detection of sea ice ridges and icebergs in frozen oceans at incidence angles from 8 deg to 55

Pearson, D. et al. Canadian Symposium on Remote Pearson, D. et al. Canadran Symposium on Remote Sensing, 6th. Halifax, Nova Scotia, May 21-23, 1980. Proceedings Edited by T.T. Alfoldi, Ottawa, Canadran Aeronautics and Space Institute, [1980].

p 231-241. With French summary 5 refs.

Pressure ridges, Sea ice distribution, Icebergs, Ice conditions. Airborne radar, Remote sensing, Aerial surveys, Photointerpretation.

36.538

Digital image analysis of SAR imagery for the detec-

tion of icebergs. Kirby, M.E., Canadian Symposium on Remote Sensring, 6th, Hahifax, Nova Scotia, May 21-23, 1980.

Proceedings. Edited by T.T. Alfoldi, Ottawa, Canadian Aeronautics and Space Institute, [1980], p 249-262, With French summary. 7 refs.

Icebergs, Sea ice distribution, Ice detection, Ice conditions, Pack ice, Remote sensing, Aerial surveys, Ice navigation. Photointerpretation, Offshore drilling.

36-539

Application of synthetic aperture radar data to snow

Condison, B.E., et al. Canadian Symposium on Remote Sensing, 6th, Halifax, Nova Scotta, May 21-23, 1980 Proceedings Edited by T.T. Alfoldi, Ottawa, Canadian Aeronautics and Space Institute, (1980), p.263-271, With French summary. 10 refs. Witerman, S.E.

Snow cover distribution, Soil water, Airborne radar, Snow water equivalent, Monitors, Meteorological data, Snow depth, Snow density, Photointerpretation.

36-540

Optimizing imaging radar parameters for ice reconnaissance. Lowry, R.T., et al. Canadian Symposium on Remote

Sensing, 6th, Halitax, Nova Scotia, May 21-23, 1980. Proceedings Edited by T.T. Alfoldi, Ottawa, Caradian Aeronautics and Space Institute, [1980], p 273-283. With French summary 6 refs Hengeveld, H G

Airborne radar, Sea ice distribution. Ice conditions, Remote sensing, Aerial surveys, Photointerpretation, Statistical analysis, Computer applications.

Application of thermography for locating potential frost puckets in forest cutovers.

Lawrence, G.R., et al. Canadian Symposium on Remote Sensing, 6th, Halifax, Nova Scotia, May 21-23, 1980 Proceedings Edited by T.T. Alfoldi, Ottawa, Canadian Aeronautics and Space Institute, (1980), p.369-376, With French summary. 14 refs.

Frost, Forest land, Heat loss, Remote sensing, Microclimatology. Soil temperature. Photointerpretation, Air temperature, Geomorphology.

Computer analysis of TIROS-N NOAA-6 satellite data for operational snow cover mapping.

Waterman, S.E., et al. Canadian Symposium on Remote Sensing, 6th, Halifax, Nova Scotia, May 21-23, 1980 Proceedings Edited by T.T. Alfoldi, Otrawa. Canadian Aeronautics and Space Institute. (1980), p.435-442, With French summary 11 rets Hogg, W.D. Hannsen, A.J. Polavarapu, V.L. Watersheds, Snow cover distribution, Mapping,

Remote sensing, Computer applications, Snowmelt, Flood forecasting, Statistical analysis.

36-543

Investigation of multispectral remote sensing of snow

cover using a solar radiation model.
Waterman, S.E., Canadian Symposium on Remote Sensing, 6th, Halifax, Nova Scotia, May 21-23, 1980. Proceedings. Edited by T.T. Alfoldi, Ottawa. Canadian Aeronautics and Space Institute, (1980), p.525-540, With French summary 28 refs

Solar radiation, Snow cover distribution, Spectroscopy, Mathematical models, Remote sensing, Infrared reconnaissance. Altitude.

36.544

Airborne remote sensing program for the Arctic Pilot

Dixit, B., et al. Canadian Symposium on Remote Sens-Dixit, B., et al. Canadian symposium on Remote Sensing, 6th. Halifax, Nova Scotia. May 21-23, 1980 Proceedings. Edited by T.T. Alfoldi, Ottawa, Canadian Aeronautics and Space Institute, [1980], p.571-573, With French summary. 5 refs. Cheung, H.

Ice navigation Sea ice distribution Ice conditions Pressure ridges, Remote sensing, Aerial surveys, Research projects, Gas pipelines, Models.

36-545

Implications of melt ponds to the remote sensing of sea ice.

Kirby, M.E., et al, Canadian Symposium on Remote Sensing, 6th, Halifax, Nova Scotia, May 21-23, 1980. Proceedings. Edited by T.T. Alfoldi, Ottawa. Canadian Aeronautics and Space Institute. [1980], p.577-579. With French summary.

Ramseier, R.O., Pearson, D.E., Dixon, R.G. Ice mechanics, Sea ice distribution, Ice melting, Ice conditions, Ponds, Remote sensing, Microwaves, Aerial surveys, Photointerpretation.

Organizing the construction of the Savano-Shushenskaya hydroelectric power plant. [Organizatsiia stroitel'nogo proizvodstva pri sooruzhenii Saiano-Shushenskoi GES₁. Sadovskii, S.I., *Energeticheskoe stroitel'stvo*, Aug 1981, No.8, p.2-8, In Russian.

Electric power, Dams, Concrete structures, Concrete placing, Cranes (hoists), Construction equipment.

36-547

Construction of river crossings of 35-330 kw overhead lines in the North, [Sooruzhenic perekhodov VI, 35-330 kB cherez reki v rajonakh Severaj

Vinogradov, D.E., Energeticheskoe stroitel'stvo, Aug 1981 No.8 n 39-45. In Russian

Power line supports, Anchors, Electrical grounding, River crossings, Permafrost beneath rivers.

Effective measures for protecting foundation ground from frost heave. [Effektivnye mery zashchity gruntos osnovanita of deistvija sil moroznogo puchenitaj. Orlov, E.I., Energeticheskoe stroitel stvo, Aug. 1981, o.8. p 53-55, In Russian. Foundations, Frost heave, Design.

Preliminary compaction of water-saturated bases with combined sand drains, [Predpostroechnoe uplotnenie vodonasyshchennykh osnovanii s vertikal]-

nymi drenamij. Svetinskii, E.V., et al. *Nettepromyslovoe stroitel'stvo.* 1981, No.8, p.10-11, In Russian Bredney, A V

Swamps, Foundations, Drainage, Drains, Sands,

Studying temperature regime of a pipeline, ilssledovanie temperaturnogo rezhima netteprovodaj. Bronnikova, N.A., et al. Nettepromyslovoe stror tel/stvo. 1981. No 8, p.12-14, In Russian Bronfenbrener, R N

Petroleum industry, Transportation, Hot oil lines. Thermal regime, Environmental protection

Calculation scheme for determining deformations caused by tangential frost heave forces. [Raschethair skhema opredelenna deformatsii kasate'nykn silmoroznogo pucheraaj.

Orzhekhovskii, H. R., et al. Nettepromyslovoe stroi-tel stvo. 1981. No 8, p.14-15, In Russian

Roads, Foundations, Pipelines, Frost neave, Design.

Economic problems of improving transportation in the Tyumen' petroleum province. (Ekonomicheskie voprosy uluchshenna transportnogo obsłużbiyanua Tiumenskogo neftegazodobyvanishehego regiona). Vasiliuk, V.A., *Neftepromyslovoc stronel/styo.* 1981, No.8, p.16-18. In Russian — 2 rets.

Petroleum industry, Transportation, Cargo, Swamps, Roads, Railroads, Permafrost beneath structures, Aircraft, Water transport

Highways of the North, (Avtomobil'nyc dorogi Sev-

eraj. Zolotar', I.A., ed. Moscow, Transport, 1981, 247p., In 104 refs

Russian. 104 rets Roads, Roadbeds, Pavements, Permafrost beneath structures, Swamps, Ice roads, Snow roads, Winter maintenance, Design.

36-554

Effect of human activities on mountain forest soils. tAntropogennye vozdeistviia na gorno-lesnye

Stefin, V.V., Novosibirsk, Nauka, 1981, 169p., In Rus-

Mountains, Forest soils, Podsol, Cryogenic soils, Human factors, Forest fires, Environmental protection, Permafrost hydrology. Thermokarst, USSR-Baykal

36-555

Marine offshore construction abroad, (Morskog stroi-

teľstvo za rubezhom₃. Tatarenko, M.M., et al. Zarubezhnyi opyt osvoenija Mirovogo okeana (Economic development of the World Ocean outside of the USSR) edited by V.F. Kosov and O.V. Petrov, Vladivostok, 1979, p.70-81, In Russian. 16 refs

Khodakova, S.B., An. A.A Petroleum industry, Transportation, Ice navigation. Drilling, Offshore structures, Ice loads, Foundations, Piles, Design.

Composition and structure of moss cover on hald peaks and in taiga of Udokan Mountains. (Sostav i słożbenie mokhovogo pokrova golitsovo-gorno-taczbnogo Udokanaj. Medvedev, IUO, Voprosy biogeografii Sibiri (Prob-

lems of the biogeography of Siberia) edited by A.V. Belov and V.F. Liamkin, Irkutsk, 1979, p.70-82, In 11 refs.

Alpine landscapes, Taiga, Mosses, Cryogenic soils, Swamps, Mapping.

Botanical-cartographic investigations in the eastern part of Yana-Oymiakon Highlands, (Botaniko-kartograficheskie issledovanna v vostochior chast IAno-

In Russian 15 rets

Mountains, River basins, Permafrost distribution, Cryogenic soils, Alpine tundra, Plant ecology, Ecosystems, Forest fires, Aerial surveys, Photographic reconnaissance, Geobotanical interpretation

Studying the state of taiga geosystems, dzucheme

sustinant taczbinykh geosistem; Krauklis, A.A., ed. likutsk. 1980–109p., In Russian For selected papers see 36-559 through 36-561 – Rets passim

Permafrost distribution, Permafrost depth, Cryogenic soils, Taiga, Mapping, Economic development, Environmental protection, River basins,

Changes in the economic development of the Chuna River area. (Izmenenie khoziaistvennogo oblika Pri-

Medvedkova, E.A., Izuchenie sostolanii taezhnykh geosistem (Studying the state of taiga geosystems) edited by A.A. Krauklis, Irkutsk, 1980, p.5-25, In Russian. 21 refs.

River basins, Forestry, Taiga, Permafrost distribution, Economic development, Transportation, Environmental protection.

36-560

Studying human factors in changes of the geosystems of the Chuna River landscapes. (Issledovaniia antropogennykh izmenenii geosistem prichunskikh landshaftov₁,

Suvorov, E.G., Izuchenie sostojanji taezhnykh geosistem (Studying the state of taiga geosystems) edited by A.A. Krauklis, Irkutsk, 1980, p.26-36, In Russian. 6

River basins, Taiga, Landscape types, Forest fires, Cryogenic soils, Mapping, Soil erosion, Snow cover effect, Environmental protection.

Succesional-age changes in taiga biogeocenoses. ¿Suktsessionno-vozrastnye smeny taezhnykh biogeot-

Krauklis, A.A., et al. Izuchenie sostojanji taezhnykh geosistem (Studying the state of taiga geosystems) edited by A.A. Krauklis, Irkutsk, 1980, p.37-71, In Russian. Refs. p.70-71.

Bessolitsyna, E.P. Taiga, Landscape types, Cryogenic soils, Plant ecology, Biomass, Forestry, Revegetation.

Proceedings.

Colloquium on Planetary Water, 3rd, Niagara Falls, New York, Oct. 27-29, 1980, Buffalo, N.Y., State University of New York, (1980), 189p., Refs. passim. For

selected papers see 36-563 through 36-575.

Permafrost hydrology, Planetary environments,
Ground ice, Ground water, Extraterrestrial ice, Geocryology, Mars (planet).

36-563

Hydrogeochemical processes in the active layer of ome antarctic soils.

Nagara Falls, New York, Oct. 27-29, 1980. Proceedings, Buffalo, N.Y., State University of New York, (1980), p.7-12, 11 refs.

Permafrost hydrology. Unfrozen water content, Active layer, Hydrogeochemistry, Meltwater, Antarc--Wright Valley.

tica—Wright Valley.

During a single austral summer, groundwater samples were taken periodically near a small pond (informally named VXE-6 Pond) situated in the axis of the south fork of Wright Valley. The pond was supplied entirely by shallow groundwater, which was consistantly less saline than the pond and was relatively rich in mole percent of Na. The pond was precipitating gypsum, but was two to three orders of magnitude below saturation in other common sulfate and chloride precipitates. Other groundwaters sampled were adjacent to and topographically below YXE-6 Pond, but were situated in a basin hydraulically separate from the pond. These groundwaters, which were probably "pooled" in depressions in the surface of frozen ground, were chemically similar to the pond; the pond was slightly nefer in Mg. Soil samples were taken from saturated and unsaturated zones associated with all of the groundwaters discussed above. In the laboratory, salts were extracted from the soils with deionized water, as a group, the extracts were slightly richer in Ca and poorer in Mg than were the pooled groundwaters.

36-564

Subglacial fluvial processes, Malaspina Glacier, Alaska.

Boothroyd, J.C., et al., Colloquium on Planetary Water, 3rd, Niagara Falls, New York, Oct. 27-29, 1980. Proceedings, Buffa'o, N.Y., State University of New York, (1980), p.13-17, 13 refs Gustavson, T.C., Timison, B.S.

Glacial hydrology, Subglacial drainage, Glacial deposits, Meltwater.

36-565

Planetary and extraplanetary event records in polar ice caps. Zeller, E.J., et al. MP 1461. Colloquium on Planetary

Water, 3rd, Niagara Falls, New York, Oct. 27-29, 1980. Proceedings, Buffalo, N.Y., State University of New York, [1980], p.18-27, 6 refs. Parker, B.C., Gow, A.J.

Ice sheets, Land ice, Glacier mass balance, Planetary environments. Atmospheric composition, Volcanic

A curve of nitrate-N concentration, plotted from 1653 in-dividual analyses from a 108 meter firm core drilled at South

Pole Station in 1978-79, is presented. The most prominent role station in 176-194, By presented the most prominent feature of the background curve is the sharp drop in intract between 1650 and 1720, a period of unusually low solar activity. It is suggested that a comparison of this data with those of polar caps of other planets would make it possible to identify solar system-wide effects.

Ice in the interiors of Ganymede and Callisto.

Schubert, G., et al. Colloquium on Planetary W. acc. 3rd. Niagara Falls, New York, Oct. 27-29, 1980 — Pro-ceedings. Buffalo, N.Y., State University of New York. [1980], p.36-40, 12 refs. Ellsworth, K., Stevenson, D.J.

Extraterrestrial ice, Ice accretion, Temperature ef-

Volume changes in Ganymede and Callisto resulting from ice/water phase changes.

Squyres, S.W., Colloquium on Planetary Water, 3rd, Niagara Falls, New York, Oct. 27-29, 1980. Proceedings, Buffalo, N.Y., State University of New York, (1980), p.41-45, 2 refs.

Extraterrestrial ice, Ice water interface, Phase transformations.

Water ice on Mars: theoretical vs. morphological distributions.

Judson, S., et al, Colloquium on Planetary Water, 3rd. Niagara Falls, New York, Oct. 27-29, 1980. Proceedings, Buffalo, N.Y., State University of New York. (1980), p.59-63, 10 refs. Rossbacher, L.A.

Extraterrestrial ice, Ground ice, Mars (planet), Geo-cryology, Ice water interface, Geomorphology.

"Fluidized" impact craters in Bingham materials and the distribution of water on Mars.

Fink, J.H., et al. Colloquium on Planetary Water, 3rd, Niagara Falls, New York, Oct. 27-29, 1980. Pro-ceedings, Buffalo, N.Y., State University of New York, (1980), p.64-67, 11 refs. Greeley, R., Gault, D.E.

Mars (planet), Geomorphology, Ground water. Ice water interface, Geocryology.

Mars: ground ice replenishment from a subpermafrost

Mars: ground ice replenismient from a superior ground water system.
Clifford, S.M., Colloquium on Planetary Water, 3rd, Niagara Falls, New York, Oct. 27-29, 1980. Proceedings, Buffalo, N.Y., State University of New York, (1980), p.68-75, 17 refs.

Mars (planet), Heat transfer, Ground ice, Soil water Support ground water, G

migration, Subpermafrost ground water, Ground wa-

Did ice streams carve Martian outflow channels.

Lucchitta, B.K., et al, Colloquium on Planetary Water, 3rd, Niagara Falls, New York, Oct. 27-29, 1980. Proceedings, Buffalo, N.Y., State University of New York, [1980], p.88-96, 15 refs. Anderson, D.M., Shoji, H. Extraterrestrial ice, Mars (planet), Ice scoring.

Dredging, Geomorphology, Geocryology Flooding.

Remote sensing of Arctic hydrologic processes. Remote sensing of Arctic hydrologic processes.
Hall, D.K., et al. Colloquium on Planetary Water, 3rd, Niagara Falls, New York, Oct. 27-29, 1980. Proceedings, Buffalo, N.Y., State University of New York, (1980), p.141-149, 11 refs.

McCoy, J.E., Cameron, R.M., Van Etten, P., Stamm,

Hydrology, Geomorphology, Permafrost hydrology, Remote sersing, Radio echo soundings, Gas pipelines. Taliks, United States—Alaska.

Remote sensing of water frost and ice on planetary surfaces using near-infrared spectrophotometric tech-

niques.

Clark, R.N., Colloquium on Planetary Water, 3rd,
Niagara Falls, New York, Oct. 27-29, 1980. Proceedings, Buffalo, N.Y., State University of New York. 1980j. p 150-158, 11 refs

Frost. Ice conditions, Water, Ice crystal structure. Ice spectroscopy, Low temperature tests, Grain size,

Composition and microstructure of Ganymedes are artace from Voyage) semote measurements

Page K.D. C. na 2 NO C Nagara Fals November coolings Butta No (1980) p. 5x n Turk W. The grade of New York

Extraterrestrial ice. Microstructure, lee surface, Remote sensing.

Electromagnetic detection of soil water; use of time domain reflectometry on frozen soils.

Smith M.W. Grand and of Paretary Water of a Nagara Falls New York Oct 17-29 (1986). Procoordings, Butta is N.Y. Stare Use Costs of New York (1980), p. 1820-1850 state

Frozen ground. Moisture detection, Soil water, Unfrozen water content. Electromagnetic prospecting. Permatrost hydrology

Subsea permafrost research techniques

Lewellen, R., Geoscie i.e. and man, Dec. 80, 1977. Vol.18, p. 2964, 6 nets DLC GB451 2R47.

Subsea permatrost, Ottshore drilling, Borcholes,

36-577

The Soviet North, ¡Sovetskir Severy. Savin, S.V., Moscow, Prosveshcheme, 1980, 175p. Ir. Russian with English table of contents enclosed Polar regions, Expeditions, Research projects, Drift stations, Economic development, Natural resources

All terrain vehicles, Ice roads, Snow roads, Residential buildings.

36-578

Multizonal spaceborne photography of the earth. Mnogozonal'nye aerokosimicheskie s'emki zemlij. Sagdeev, R.Z., ed. Moscow, Nauka, 1981, 303p., In Russian with English table of contents enclosed selected papers see 36-579 through 36-581. passim. Ziman, IA.L., ed

Spaceborne photography, Alpine landscapes, Taiga, Albedo, Infrared reconnaissance, Geobotanical inter-

36-579

Development of a special spaceborne optical-electronic system for collecting multispectral video-information of the earth's surface. [Razrabotka spet-sializirovannoi optiko-elektronnoi sistemy operativnogo sbora innogospektiaľ noj videoinformatsii o po-verkhnosti zemli s borta ISZ₁.

Avanesov, G.A., et al. Mnogozonal'nye aerokosmicheskie stemki Zemli (Multizonal spaceborne photography of the earth) edited by R.Z. Sagdeev and I.V.I. Ziman, Moscow, Nauka, 1981, p.57-76. In Russian or ad.

Glazkov, V.D., Tarnopod'skii, V.I.

Airborne equipment. Spacecraft, Aerial surveys, Earth crust, Ice cover effect, Snow cover effect. Optical properties.

Spectrometric studies of earth surfaces: (Spektromet-Avanesov, G.A., et al. Mingozonialnyc aerokomic cheskie sveinki Zonli (Mutrzona) spacebonie photog-raphy of the earth) edited by R.A. Sagdeev and IAT Ziman, Moscow, Naula, 1981, p.100-117, In Russian

95 rets

Snetkova, N.I.

Aerial surveys, Radiation measuring instruments, Airborne equipment, Earth crust, Surface properties, Albedo, Landscape types, Geobotanical interpretation. Spectroscopy, Bibliographies.

Studying space structure of surface images obtained from satellites, (Izacheme prostranstvennoi struktury kosmicheskiikh izobrazhemi zemnoi poverkhnostij Egorov, VV et a Minogozonal'nye arrokosini cheskie s'ema Zemb (Multizonal spacehotne photography of the cartio edited by R.A. Sagdeev and IAVI Ziman, Moscow, Niaka, 1981, p.235-243. In Russian rets

Arumov G P

Spaceborne photography, Alpine landscapes, Taiga, **Photointerpretation**

Radar methods of studying the earth. ¡Radiolokatsionaye metody issledovaniia Zemlij.

Mcl'nik, IU.A., ed. Moscow, Sovetskoe radio, 1980, 262p., In Russian with abridged English table of contents enclosed. 118 refs.

Ice surveys, Ice reporting, Radar echoes, Radar photography, Mapping.

36-583

Methodology problems with seismic reflection surveying in Antarctica. (Metodicheskie problemy seismorazvedki MOV v antarkticheskikh uslovijakhj. Kogan, A.L., Geofizicheskie issledovanija v Antarktide: sbornik nauchnykh trudov, Leningrad, Nauchnoissledovateľskii institut geologii Arktiki, 1980, p.59-61. In Russian

Seismic reflection, Ice shelves, Glacier thickness, An-

Present-day methods of seismic sounding by the wave reflection method carried out in Antarctic to assess ice thickness and sea depth are discussed. Three zones of Antarctica are delineated on the basis of feasibility of seismic reflection. Seismic retion is most useful in studying thickness of shelf ice. Pros for improving seismic reflection methods are considered.

36-584

Velocity parameters in ice cover based on seismic reflection. (Skorostnye parametry ledovoi tolshchi po dannym seismicheskikh issledovanii MOV₁,

Pozdecy, V.S., Geofizicheskie issledovanija v Antarktide: sbornik nauchnykh trudov, Leningrad, Nauchnoissledovateľskii institut geologii Arktiki, 1980, p.62-67 In Russian. 3 refs.

Seismic reflection, Ice shelves, Glacier thickness, An-

Results of extensive calculations of effective velocities accord-Results of extensive calculations of effective velocities accoraing to seismic reflection travel time curves from soundings in
various parts of Antarctica are discussed. Possible error in statistical averaging of velocity values and the difference between
averaged effective velocity values and average velocity calculations from radar measurements in continental and shelf ice are

36-585

Using the geodesic radar system Poisk to coordinate geophysical surveys in Antarctica. (Primenenie radiogeodezicheskoi sistemy "Poisk" dlia koo diniroviniia geofizicheskikh s"emok v Antarktikej, koor-Bochkovskii, L.M., Geofizicheskie issledovaniia v Antarktide: sbornik nauchnykh trudov, Leningrad. Nauchno-issledovateľskii institut geologii Arktiki, 1980, p.75-80, In Russian. 7 refs.

Ice shelves, Glacier thickness, Radio echo soundings. Antarctica.

Aftarctica.

Recommendations for using the *Poisk-D* system in Antarctica for both shelf and sea ice are offered. *Poisk-D* is a geodetic device based on measurement of field intensity of radio waves of medium wavelength.

Erection of wooden modular buildings in the Baykal Amur railroad area. ¡Vozvedenie inventarnykh dereviannykh zdanii na BAMe; Gol'dguber, B., Na stroikakh Rossii, Feb. 1981, No.2.

46-49, In Russian.

Modular construction, Houses, Wooden structures, Prefabrication, Panels, Permafrost beneath struc-

New assembly for electric heating of cast-in-place concrete. [Novoe ustroistvo dlia elektroprogreva monolitnogo betona;

Trub, M., Na stroikakh Rossii, Jan. 1981, No.1, p.24-In Russian

Winter concreting, Concrete freezing, Electric heating, Concrete hardening.

36-588

Thickness of water films in fine grained soils. (O tolshehine vodnykh plenok v tonkodispersnykh grun-

Lysenko, M.P., Leningrad, Universitet, Vestnik, Dec. 1980, 24(4), p.29-36, In Russian with English summary, 11 refs. Fines, Soil water, Water films, Molecular structure,

Hygroscopic water, Phase transformations

36-589

Forest growth on gley-podsols and surface-gley soils formed on two-member deposits of the Arkhangel'sk Pt.1. [O lesorastitel nykh svoistvakh glee-podzolistykh i podzolistykh poverkhnostno-gleevatykh pochy Arkhangel'skoi oblasti razvitykh na dvuchlen-

nykh otlozhenijakh. 13. Rudneva, E.N., et al. Leningrad Universitet Vestnik, Dec. 1980, 24(4), p.85-91. In Russian with English summary. 16 refs.

Dvornikova, L.L., Rubilin, E.V. Cryogenic soils, Podsol, Forest soils.

36-590

Efficient turbodrill for Western Siberia. (O ratsional'nom tipe turbobura dha Zapadnoi Sibirij.

Gusman, M.T., et al. Nettianoe khoziaistvo. Feb. 1981, No.2, p.14-16. In Russian Ageev, A.L.

Petroleum industry, Drilling, Wells, Drills, Frozen

Properties of expanding cement solutions at low temperatures. ¡Svoistva rasshiriaiushchikhsia tsementnykh rastvorov pri ponizhennykh temperaturakhj. Kliusov, A.A., Neftianoe khoziaistvo, Mar. 1981. No.3, p.24-28. In Russian. 2 refs.

Petroleum industry, Wells, Drilling, Cements, Water content, Permafrost.

36-592

Calculation of a hot oil line during variations in the pumping regime. ¡Raschet goriachego truboprovoda pri izmenenii rezhima perekachkı].

Kozlova, R.G., et al. Neftranoe khoziaistvo. Mar 1981, No.3, p 56-58, In Russian. 8 refs Tugunov, P.L., Abramzon, L.S.

Hot oil lines, Pumps, Petroleum industry.

Heat and mass exchange in the cooling of air which is in direct contact with a cooling liquid.

Filatkin, V.N., et al. Journal of engineering physics, Nov. 1980 (pub. May 1981), 39(5), p.1180-1182. Translated from Inzhenerno-fizicheskii zhurnal. Pilip, L.L.

Cooling systems, Coolants, Supercooled fog. Heat transfer.

36-594

Polar ice sheets: developments since Wegener.

Robin, G. de Q., International Alfred-Wegener-Symposium, Berlin, 1980. Summaries of the reports, edited by U. Dornsiepen and V. Haak, Berlin, Dietrich Reimer, 1980, p.188-190. DLC QE1.1463 1980

Ice sheets, Low temperature research, Ice physics, Ice mechanics.

Wegener's role in identifying and measuring such parameters as surface form, accumulation and ablation, movement, thickness, and temperature is briefly discussed and his diversity of interests in meteorology, polar ice sheets, and continental drift is commented on

Light scattering by hexagonal ice crystals.

Coleman, R.F., et al. Journal of the atmospheric sciences, June 1981, 38(6), p.1260-1271, 12 refs Lion K N

Ice crystals. Ice optics, Light scattering, Analysis (mathematics).

36-596

Seasonal variations in the upper Arctic Ocean as observed at T-3. Morison, J., et al. Geophysical research letters, July

1981, 8(7), p.753-756, 11 refs Smith, J D

Sea water, Salinity, Water temperature, Seasonal variations, Ice islands, Arctic Ocean.

Nature of the North and its protection. Problems and measures of environmental protection in the Murmansk area. (Priroda Severa i ee okhrana blemy okhrany estestvennoi sredy i opyt organizatsu prirodookhrannykh ineropriiatii v Murmanskoi

oblastij. Potanin, V.A., ed. Murmansk, Murmanskoe knizhnoe izdatel'stvo, 1981, 92p. In Russian — For selected pa-pers see 36-598 through 36-605 — Rets. passim Littoral zone, Subarctic landscapes, Cryogenic soils,

Water pollution, Oil spills, Plant ecology, Ecosystems, Environmental protection, Arctic Ocean. USSR -- Murmansk.

36-598

Preservation of some plant species in the Murmansk region. Nidovaja okhrana rastenji v Murmanskooblastų.

Andreev, G.N., et al, Priroda Severa i ec okhrana Problemy okhrany estestvennoi sredy copyt organizat su-prirodookhrannykh meroprisatu v Mirmansoo su prirodookhraniiykh meropiisatii y oblasti (Nature), the North and its protection. Proplems and measures of environmental protection in the Murmansk area) edited by V.A. Potanin, Marmansi durmanskoe knizhnoe izdatel stvo. 1987. p. 10-24. b Russian Frets Shliakov, R N

Subarctic landscapes, Cryogenic soils, Plant ecology, Ecosystems, Environmental protection.

Reforestation of felled areas in the Murmansk region (Lesovosstanovienie v sviazi s promyshlennymi rub kami v Murmanskoi oblastij.

Isvetkov, V.F., Priroda Severa i ee okhrana - Probiemy okhrany estestvennoi sredy i opyt organizatsu prirodookhrannykh meropriiatu v Murmansl oi oblasti (Nature of the North and its protection - Problems and measures of environmental protection in the Murmansk area) edited by V.A. Potanin, Murmansk, Murmanskoe knizhnoe izdateľ stvo. 1981. p.25-27

Taiga, Cryogenic soils, Forestry, Revegetation, Human factors, Environmental protection.

36-600

Evaluating forest vulnerability to industrial wastes. fK metodike otsenki povrezhdenna lesov promyshlen-

nymi vybrosamij. Tsvetkov, V.F., Priroda Severa i ee okhrana blemy okhrany estestvennoi sredy i opyt organizatsii prirodookhrannykh meropriiatii v Murmanskoi oblasti Nature of the North and its protection. Problems and measures of environmental protection in the Murmansk area) edited by V.A. Potanin, Murmansk, Murmanskoe knizhnoe izdatel stvo. 1981, p. 28-31, In Rus-

Forest soils, Cryogenic soils, Soil pollution, Revegetation, Environmental protection.

Revegetation of felled areas in the Lappish reservation. (Vosstanovlenie rastitel nosti na vyrubkakh Laplandskogo zapovednikaj. Syroid, N.A., Priroda Severa i ee okhrana – Problemy

okhrany estestvennoi sredy i opyt organizatsu priro-dookhrannykh meropriiatu v Murmanskoi objasti (Nature of the North and its protection. Problems and measures of environmental protection in the Murmansk area) edited by V.A. Potanin, Murmansk, Murmanskoe knizhnoe izdateľstvo, 1981, p. 32-37, In Rus-10 rets

Subarctic landscapes, Plant ecology, Forestry, Revegetation, Cryogenic soils, Environmental protec-

36-602

Mapping of lichens in the Lappish reservation, this indikatsionnoe kartirovanie Laplandskogo zapo-

vednikaj. Ablaeva, Z.Kh., Priroda Severa i ee okhrana. blemy okhrany estestvennoi sredy i opyt organizatsii prirodookhrannykh meropinatii v Murmanskoi oblasti (Nature of the North and its protection Problems and measures of environmental protection in the Murmansk area) edited by V.A. Potanin, Murmansk manskoe knizhnoc izdateľstvo, 1981, p. 38-43. In Russian 7 rets

Subarctic landscapes, Cryogenic soils, Lichens, Plant ecology, Mapping, Environmental protection.

Evaluating the pollution of littoral waters in Barents and White seas. [K metodike of senki zagriaznenna pribrezhnykh vod Barentseva i Belogo moreij.

Potanin, V. A., et al. Priroda Severa i ec okhrana blemy okhrany estestvennoi sredy i opyt organizatsii prirodookhrannykh meropriiatii v Murmanskoi objasti Nature of the North and its protection and measures of environmental protection in the Mat-mansk arear edited by V.A. Potanin, Murmansk, Mar-manskoc knightne izdatel/styre 1981, p.52–87. In Rus SIAD

Norma, A.M.

Water pollution, Estuaries, Runoff, Wastes, Environmental protection, Arctic Ocean.

Effect of oil spills on marine ecosystems. Nordeisting Sistema

Shi herbakov (O.N.) Priroda Neveta a cellokhrana Problemy of hrany estestychhol siedy copyt organization prirodoodh marych merophiata s. Marmansko oblished Nature of the North and its protection. Problems and measures of community protection in the Murmansk at all of fed by V. V. Potarin, Marmar si

Water pollution, Oil spills, Ecosystems, Environmental protection, Arctic Ocean

Classification of industrial wastes in the Murmansk area according to fitness for biologic recultivation. Nekotorye aspekty klassifikatsii otkhodov promyshlennosti Murmanskoi oblasti po stepeni prigodnosti k

biologicheskoi rekul'tivatsii₁. Kapel'kina, L.P., Priroda Severa i ee okhrana. blemy okhrany estestvennoi sredy i opyt organizatsii prirodookhrannykh meropriiatii v Murmanskoi oblasti (Nature of the North and its protection. Problems and measures of environmental protection in the Murmansk area) edited by V.A. Potanin, Murmansk, Murmanskoe knizhnoe izdateľ stvo, 1981, p.74-78, In Rus-

Mining, Tailings, Wastes, Revegetation, Environmental protection.

36-606

Problems of applied geomechanics and engineering geology in construction. (Voprosy prikladnoi geomekhaniki i inzhenernoi geologii v stroitel'stve). Belyi, L.D., ed. Moscow, 1980, 149p., In Russian. For selected papers see 36-607 and 36-608. Refs.

Por Science (Compassion)

Engineering geology, Hydraulic structures, Dams, Rock fills, Permatrost beneath structures, Hydrothermal processes, Cold weather construction.

Regularities governing deformation of swelling clays. Nekotorye zakonomernosti deformirovaniia nabuk-

haiushchikh glinj. Tsytovich, N.A., et al. Voprosy prikladnoi geomek-haniki i inzenerrnoi geologii v stroitel'stve (Problems of applied geomechanics and engineering geology in construction) edited by L.D. Belyi, Moscow, 1980, p.32-44, In Russian. 5 refs.
Ter-Martirosian, Z.G.

Engineering geology, Clays, Paludification, Deformation, Test equipment, Laboratory techniques.

36.608

Field observations of cryogenic processes and deformations in the body of the Viliuy dam. [Naturnye nabliudeniia za kriogennymi protsessami i deformat-siiami v tele plotiny Viliuiskoi GES₃,

Tsytovich, N.A., et al, Voprosy prikladnoï geomek-haniki i inzhenernoì geologii v stroitel'stve (Problems of applied geomechanics and engineering geology in construction) edited by L.D. Belyi, Moscow, 1980, p.61-77, In Russian. 13 refs.

Hydraulic structures, Dams, Concrete structures, Earth dams, Rock fills, Permafrost beneath structures, Hydrothermal processes.

36-609

Geographic aspects of hydrologic investigations (river sistems of the South Minusinsk Basin taken as an example). (Geograficheskie aspekty gidrologicheskikh issledovanii (na primere rechnykh sistem IUzhno-

Minusinskot kotloviny)₃, Antipov, A.N., et al. Novosibirsk, Nauka, 1981, 177p.. in Russian with English table of contents enclosed. Refs. p.168-175.

Korytnyi, L.M.

Alpine landscapes, Taiga, Steppes, Cryogenic soils, Precipitation (meteorology), Mapping, Models.

Cryohydrogeochemical peculiarities of the perma-frost zone. ¡Kriogidrogeokhimicheskie osobennosti

merzlof zonyj. Anisimova, N.P., Novosibirsk, Nauka, 1981, 153p., In Russian with English table of contents enclosed. Refs. p.143-152.

Permafrost hydrology, Taliks, Active layer, Ground ice, Ice composition, Subsea permafrost.

36.611

Calculating the stess-strain state of swelling grounds. [Metod rascheta napriazhenno-deformirovannogo sos-

toianiia nabukhaiushchikh gruntovj. Davydov, N.I., Leningrad. Vsesoiuznyi nauchnoissledovateľskii institut gidrotekhniki. 1980, Vol.137, p.27-29, In Russian. 5 refs. Izvestiia.

Clays, Water content, Rheology, Deformation, Mathemptical models.

36-612

Influence of preliminary compaction on the strength of frozen peat. (Vliianie predvaritel'nogo uplotneniia na prochnostnye svoistva promorazhivaemogo torfaj, na procninostnye svoistva promoraznivaemogo toria). Naumov, V.P., Leningrad. Vesesoiuznyi nauchno-issledovateľskii institut gidrotekhniki. Izvestiia. 1980, Vol. 137, p. 79-82, ln Russian. 5 refs. Earth dama, Organic soils, Peat, Frost penetration, Freeze thaw cycles, Compaction, Bearing strength.

36-613

Forecasting frost weathering and frost resistance of rocks in the USSR. [K prognozu moroznogo vyve trivanija i morozostojkosti skal'nykh porod na territorii SSSR₁, Voronkov, O.K., et al, Leningrad.

Vsesoiuznyi nauchno-issledovateľsků institut gidrotekhniki. vestiia, 1980, Vol.137, p.86-92, In Russian. 8 refs. Ushakova, L.F.

Frost weathering, Frozen rocks, Freeze thaw cycles, Frost resistance.

Studying rock streams for evaluating the jointing of rocks. [Izuchenie kurumov s tsel'iu otsenki blochnosti skal'nogo massivaj, Voronkov, O.K., et al, Leningrad.

Vsesoiuznyi nauchno-issledovatel'skii institut gidrotekhniki. Izvestiia, 1980, Vol. 137, p. 116-121, In Russian. 13 refs.

Rock streams, Frost weathering, Freeze thaw cycles, Hydrothermal processes.

36-615

Abrasion wear of excavation equipment under northern conditions. [Abrazivnoe iznashivanie zem-lerošnykh mashin v uslovijakh Severa].

Ermolaev, S.V., et al, Mekhanizatsiia stroitel'stva, Sep. 1981, No.9, p.16-17, In Russian.

Cold weather construction, Earthwork, Excavation, Construction equipment, Cold weather performance.

Arkhangei'sk. Architectural biography. (Arkhangel'sk. Arkhitekturnaia biografiiaj, Barashkov, IU.A., Arkhangel'sk, Severo-Zapadnoe

knizhnoe izd-vo, 1981, 159p. (pertinent p.86-159), In Russian. 37 refs.

Urban planning, Swamps, Industrial buildings, Residential buildings, Soil freezing, Frost heave, Micro-climatology, Thermal insulation, Wind factors, De-

36-617

Feasibility of oil spill dispersant application in the southern Beaufort Sea.

Hildebrand, P.B., et al, Canada. Environmental Protection Service. Economic and technical review report, Sep. 1977, EPS-3-EC-77-16, 102p., With French

summary. 37 refs. Allen, A.A., Ross, C.W

Oil spills, Environmental protection, Countermeasures, Dispersions, Cost analysis, Water pollution, Emulsifying agents, Beaufort Sea.

Transition from natural-convection-controlled freezing to conduction-controlled freezing.

Harris, J.S., Minneapolis, University of Minnesota, Apr. 1980, 74p., Ph.D. thesis. 9 refs. Freezing, Convection, Conduction, Liquids, Temperature effects, Surface roughness, Time factor, Experimentation.

Pile design in permafrost. Weaver, J.S., et al. Canadian geotechnical journal, Aug. 1981, 18(3), p.357-370. With French summary

Morgenstern, N.R.

Pile structures, Permafrost physics, Settlement (structural). Bearing strength, Stresses, Adhesion, Ice solid interface. Soil creep, Loads (forces). Friction, Temperature effects, Design.

Slope protection along St. Lawrence Seaway canals. Olpinski, K., et al, Canadian geotechnical journal. Aug. 1981, 18(3), p.402-419, W. h French summary.

Christensen, C.J.

Slope protection, Slope stability, Bank protection (waterways), Channel stabilization, Rivers

Mathematical method for estimating soil temperatures in Canada.

Meikle, R.W., et al, Soil science. May 1981, 131(5), p.320-326, 2 refs.

Treadway, T R

Soil temperature, Seasonal variations, Statistical analysis, Mathematical models, Canada.

36-622

Proceedings.

Symposium on Processes of Glacier Erosion and Sedimentation, 5th. Geilo, Norway, Aug. 25-30, 1980, Annals of glaciology, 1981, Vol.2, 192p., Refs. passim For individual papers see 36-623 through 36-652 Glacial deposits, Glacial erosion, Glacial geology, Sedimentation, Meetings, Moraines, Subglacial

drainage. 36-623

Contribution of discontinuous rock-mass failure to glacier erosion.

Addison, K., Annals of glaciology, 1981, Vol.2, p 3-10.

Glacial erosion, Glacier beds, Rock mechanics, Ice solid interface, Fracturing, Stresses.

Seasonal variation of solute concentration in melt waters draining from an alpine glacier.

Collins, D.N., Annals of glaciology, 1981, Vol.2, p 11-16, 24 refs.

Meltwater, Water chemistry, Glacier ice, Glacial hydrology, Electrical resistivity, Seasonal variations, Glacier ablation, Subglacial drainage.

Subglacial morphology in northern Palmer Land. Antarctic Peninsula.

Crabtree, R.D., Annals of glaciology, 1981, Vol.2, p.17-22, 8 refs.

ubglacial observations, Glacier thickness, Glacier flow, Glacial erosion, Radio echo soundings, Profiles, Antarctica-Antarctic Peninsula.

Ice-thickness and surface-elevation data gathered from redio echo flights over the Antarctic Peninsula are presented as pro-files for five major outler glaciers in northern Palmer Land and as contour maps for an area of 8,000 sq km to the east of George as contour maps or an area of solvos k m to the east of George VI Sound. Glacier profiles appear to be closely related to ice discharge especially to convergent and divergent flow. Comparison of subglacial topography with geological evidence of faulting suggests that the area around George VI Sound is a region where structure is an important influence on the pattern of glacial erosion. (Auth.)

36-626

Glacial abrasion and sliding: their dependence on the debris concentration in basal ice. Hallet, B., Annals of glaciology, 1981, Vol.2, p.23-28,

Glacier flow, Glacial deposits, Basal sliding, Abrasion, Glacier beds, Rock mechanics, Ice solid interface.

Basal stress concentrations due to abrunt changes in boundary conditions: a cause for high till concentration at the bottom of a glacier.

Hutter, K., et al. Annals of glaciology. 1981, Vol.2, p.29-33, 19 refs. Olunloyo, V.O.S.

Glacier flow, Basal sliding, Glacial deposits, Boundary layer, Stresses, Viscosity, Ice temperature, Temperature gradients, Analysis (mathematics).

Bore-hole video and photographic cameras

Koerner, R.M., et al., Annals of glaciology, 1981, Vol.2, p.34-38, 4 refs.
Fisher, D.A., Parnandi, M.

Ice drills, Boreholes, Ice sheets, Ice solid interface, Ice deformation. Photographic equipment.

36.629

Particle size, shape, and load in a cold and temperate valley glacier.

Lister, H., Annals of glaciology, 1981, Vol.2, p. 39-44.

Glacier ice, Rocks, Particle size distribution, Glacial erosion. Glacial deposits, Geomorphology, Glacial geology, Loads (forces).

Forms of glacial relief of Spitsbergen glaciers.

Macheret, IU. IA., Annals of glaciology, 1981, Vol.2, p 45-51, 13 refs

Glacier surfaces, Glacier thickness, Glacier beds, Glacial deposits, Radio echo soundings, Moraines, Norway - Spitsbergen.

Freezing fronts and their possible influence upon processes of subglacial erosion and deposition. Menzies, J., Annals of glaciology, 1981, Vol 2, p.52-

56, 26 refs. Glacial erosion, Glacial deposits, Sedimentation, Glacier heat balance. Heezing points, Ice water interface, Subglacial observations. Plucking as an effect of water-pressure variations at the glacier bed.

Röthlisberger, H., et al. Annals of glaciology, 1981. Vol.2, p.57-62, 13 refs.

Water pressure, Subglacial drainage, Glacial hydrology, Glacial erosion, Rock mechanics, Abrasion.

36-633

Basal freezing of squeezed water: its influence on glacier erosion.
Souchez, R.A., et al. Annals of glaciology, 1981, Vol.2.

p.63-66, 8 refs. Tison, J.L.

Water pressure, Glacial erosion, Glacier beds, Freezing, Ice composition, Glacial deposits, Melting points, Glacial hydrology, Ice lenses, Water tempera

Influence of mass balance and run-off on relief-forming activity of mountain glaciers.

Chernova, L.P., Annals of glaciology, 1981, Vol.2, p.69-70, 6 refs.

Mountain glaciers, Glacier mass balance, Runoff, Glacier surfaces, Glacial deposits, Glacial rivers, Mo-

36-635

Observations on debris in the basal transport zone of Myrdalsjökuli, Iceland.

Humlum, O., Annals of glaciology, 1981, Vol 2, p.71-77. 32 refs.

Glacial deposits. Moraines, Glacier oscillation, Glacier beds, Rock mechanics.

36.636

Distinguishing characteristics of diamictons at the

margin of the Matanuska Glacier, Alaska. Lawson, D.E., Annals of glaciology, 1981, Vol.2, MP 1462, p. 78-84, 34 refs.

Glacial deposits, Subglacial drainage, Moraines, Sediment transport.

The origins of diamictons deposited at the Matanuska Glacier The origins of diamictons deposited at the Matanuska Glacier are identified in straigraphic sequences mainly by the presence or absence of a pebble fabric, internal structure, and variation in gravel-size clast distribution. These properties correlate with major differences in depositional mechanisms and source material. Melt-out till mostly inherits fabric, internal structure, and grain-size distribution from its debris-laden basal ice source. Sediment flow deposits and ice-slope colluvium (deposited by ablational slope processes) have properties developed by resedimentation mechanisms. Melt-out till tranges from structureless to stratified with interspersed lenses and discontinuous laminuse, and generally possesses a well-defined pebcontinuous laminae, and generally possesses a well-defined peb-

Field experiments to determine the effect of a debris layer on ablation of glacier ice.

Nakawo, M., et al. Annals of glaciology, 1981, Vol.2. p.85-91, 33 refs. oung, G.J

Glacier ablation, Glacial deposits, Thermal conductivity, Water content.

36-638

Sediment source for melt-water deposits.

Pessi, F., Jr., et al. Annals of glaciology, 1981, Vol.2, p 92-96, 32 refs. Frederick, J.E.

Glacial deposits, Meltwater, Sediments, Glacial hydrology, Morgines, Theories.

Moraine in-transit as parent material for soil development and the growth of Valdivian rain forest on moving ice: Casa Pangue Glacier, Mount Tronador (lat. 41 deg 10'S), Chile.

Rabassa, J., et al., Annals of glaciology, 1981, Vol.2, p 97-102, 32 refs.

Rubulis, S., Suarez, J

Mountain glaciers, Moraines, Soil formation, Sediment transport, Glacial deposits, Glacier oscillation, Forestry.

36-640

Sediment transport from the glacier zone, Central Asia.

Sheheglova, O.P., et al. Annals of glaciology, 1981. Vol.2, p 103-108, 12 refs. Chizhov, O.P.

Glacial deposits, Sediment transport. Glacial rivers. Geomorphology, Glacier melting.

36-641

Nature and origin of debris layers Glacier de Tsidjiore Nouve, Valais, Switzerland.

Small, R.J., et al, *Annals of glaciology*, 1981, Vol 2, p.109-113, 9 refs.

Gomez. B.

Glacial deposits, Sediment transport, Moraines, Particle size distribution, Mountain glaciers, Origin, Stresses.

36-642

Processes and models of Antarctic glaciomarine sedimentation.

Drewry, D.J., et al. Annals of glaciology, 1981, Vol 2, p.117-122, 27 refs. Cooper, A.P.R.

Glacial deposits, Sedimentation, Periglacial processes, Marine deposits, Ice shelves, Models, Calving. The processes governing sedimentation of the ice-rafted debris In processes governing sedimentation of the ice-raited debris (IRD) component of glaciomarine sediments are investigated in the marine zone around Antarctica. Four controlling factors are identified: nature and disposition of sediments at the grounding line, transition from grounded to floating ice, processes of under-side melting and freezing of these ice masses, and mechanisms of iceberg calving, fragmentation, and melt-release of debris in the open ocean. Modelling studies of Brunt and Ross, ice shelves suggest two main conclusions. (1) ice and Ross ice shelves suggest two main conclusions shelves are of major importance for sedimentation on the contimental shelf (2) Outlet glaciers, in contrast, have high sediment content, calve rapidly, and produce debris-rich iccbergs which contribute the major portion of IRD in the ocean (Auth. mod.)

36-643

Model for submarine glacial deposition.

Orheim, O., et al. Annals of glaciology, 1981, Vol 2 p.123-128, 23 refs.

Glacial deposits. Ice shelves, Sedimentation, Marine deposits, Grounded ice, Bottom sediment, Ice scoring, Glacier oscillation, Models, Antarctica-Weddell Sea.

Present-day sedimentary environments in the eastern Weddell Sea confirm low clastic sediment input from wide (> 100 km) ice shelves. Mainly bioclastic sediments are formed in situ on the inner and shallow central-shelf areas (250 to 350 m water). the inner and shallow central-shelf areas (250 to 350 m water depth), with sedimentation rates probably < 0.01 m cu ka lee-rafted debris (IRD) is mainly deposited on the outer shelf and upper continental slope, with a sedimentation rate of 0.02 to 0.07 m/cu ka. The coarse-grained texture of these deposits is caused by removal of finer grades in suspension during settling of IRD sediments. Overconsolidated till was deposited < 31 ka BP during expansion of grounded ice to the shelf break Subsequent eustatic rise caused grounded ice to the shelf break Subsequent is melted out of the base of the ice, depositing soft on sediments melted out of the base of the ice, depositing soft on sediments melted out of the base of the ice, depositing soft pebbly mud above the till. Marine conditions similar to preent-day conditions were found for the interval 30 to 40 ka BP IRD variation is an indicator of ice-shelf coverage and changes in relative sea-level, and is, in low latitudes, probably inversely related to the degree of ice cover

36-644

Model for sedimentation by tidewater glaciers. Powell, R.D., Annals of glaciology, 1981, Vol.2, p 129-

Glacial deposits, Marine deposits, Sedimentation. Stratigraphy, Tides, Models, Glacier flow, Calving. Outwash.

36-645

134, 2 refs

Ice-shelf moraine, George VI Sound, Antarctica. Sugden, D.E., et al. *Annals of glaciology*, 1981, Vol 2, p.135-141, 20 refs. Clapperton, C.M.

Ice shelves, Moraines, Glacial deposits, Sedimentation, Marine deposits, Models, Bottom sediment. Geomorphology, Antarctica-George VI Sound.

Geomorphology, Antarctica—George VI Sound. The morphology, sediments, and processes associated with the construction of a moraine along the western margin of the ice shelf in George VI Sound, Antarctica, are discussed. The moraine occurs as a double ridge where the ice sheet grounds against promontories on Alexander Island and is approximately horizontal over a distance of 120 km. It consists of exotic rock debris carried into the ice shelf by Antarctic Peninsula glaciers and local rock debris derived from the grounding lie on Alexander Island. As the coast steepens, so the proportion of exotic rocks increases. The transport of basal material from the peninsula implies that there can be little bottom melting beneath this part of the ice shelf. The moraine is modified by streams and marginal lakes which periodically drain into and through the ice shelf. Tidal lakes are inpounded against the ice shelf in shallower embayments and consist of fresh water overlying sea-water. A conceptual model of the moraine is developed sca-water A conceptual model of the moraine is developed and may help to explain some features of puzzling horizontal moraines found in formerly glaciated areas. (Auth.)

Some aspects of glacial erosion and deposition in north Germany.

Annals of glaciology, 1981, Vol.2, p.143-146, 14 refs

Glacial erosion, Glacial deposits, Glaciation, Sedimentation, Subglaciel drainage, Paleoclimatology, Pleistocene, Ice shorts, Germans

36-647

Importance of the regulation process to certain properties of basal tills deposited by the Laurentide ice

Kemins, T.J. Annals of g. Gology (198) Vol.2 p.147-152, 2 s rets

Regelation, Glacial deposits, Moraines, Periglacial processes. Palcoclimatology. Stratigraphy. Quaternary deposits, Freezing, Subglacial observations 36-648

Erosion rate of a Younger Dryas cirque glacier at

Krakenes, western Norway. Larsen, E., et al. Annus of guarology. 1981. Vol.2 p.153-158, 14 tets Mangerud, J.

Cirque glaciers. Glacial erosion. Lacustrine deposits. Glacial deposits, Moraines, Glacial reology, Stratigraphy.

Rock jointing and abrasion forms on roches moutonnees, SW Finland.

Rustas, J., et al. Annas of glaciology, 1987, Vol. 2 p.159-163, 13 tets eppala, M

Glacial erosion, Glacier beds, Abrasion, Rocks, Glacier flow, Glacial geology, Glacier oscillation, Ice mechanics. Models.

36-650

Glacier erosion and sedimentation in the volcanic regions of Kamchatka.

Vinogradov, V.N., Anna's of glaciology, 4981, Vol 2 p 164-169, 13 rets

Glacial erosion, Sedimentation, Glacial deposits, Moraines. Mountain glaciers, Volcanoes.

36-651

Bedrock weathering features in a portion of eastern Watts, S., Annals of glaciology, 1981, Vol.2, p.185-186, 25 re's

Glacial deposits, Rocks, Frost weathering, Moraines. Geochemistry, Geomorphology.

36-652

Tiskilwa Till, a regional view of its origin and depositional processes.

Wickham, S.S., et al. Annals of glaciology, 1984. Vol. 2 p.176-182, 16 rets Johnson, W.H.

Glacial deposits, Periglacial processes, Glacial erosion, Moraines, Origin, Glacier flow, Ice sheets, Subglacial observations

36-653

Pedological, isotopic, and geochemical investigations of the soils at the boreal forest and alpine tundra transition in northern Alaska.

Ugolim, F.C., et al, Soil science, June 1981 (1976) p.359-374, 46 (ets.)

Reamer, R.E., Rau, G.H., Hedges, J.I.

Alpine tundra, Forest land, Podsol, Soil composition. Geochemistry, Isotope analysis, Vegetation, Forest lines

36-654

Element concentrations in rehabilitation species from thirteen coal-stripmines in five western states and Alaska.

Gough, I.P., et al. U.S. Geologica, Sprice Open to report, [1981], 110p., 28 rcts Severson, R.C.

Plant ecology, Vegetation, Chemical composition, Quarries, Coal, Statistical analysis, United States Álaska.

36-655

Proceedings.

International Conference on Cloud Physics, 8th, Cicmont Ferrand, Fronce, July 18-19, 1980. Journal of recherches atmospheriques, July Dec. 1980. 249-249, p. 185-527. With French summaries. Rets. passint Cloud physics, Ice crystal nuclei. Nucleating agents.

Cloud droplets. Supercooled clouds, Ice crystal growth, Ice accretion, Meetings, Hailstone growth, Phase transformations

Formation mechanism of ice crystals in the polar atmosphere, pkyotaker (tarr no hyosho kansoka-bij. Ohtake, T., Potar news pkyokia hit. Jan. 1981, 16(2). n 9-15. In Japanese

Cloud physics. Precipitation (meteorology), Ice crys-

In polar areas ice crystals are frequently seen precipitating from to point areas teet systals are requestly seen precipitating from Clear skies. To study article repostals a plane with a knotlen berg particle spectrometer a cloud particle replicator a despoint hygrometer and a condensation micleus constet was used near Barrow. Alaski. Two water super-sources were identified open leads of an iti-pack see and human activities from villages. Water droplets, condensed from these sources, subsequently freeze and grow to larger crystals in a saturated environment. This occurs a long distance from where the crystals precipitate. Studies on entarctic ice crystals—occurrence, shape, size, concentration and chemical composition of nuclei shape, size, concentration and enemical composition of nuclei related to weather—were also carried out. Clear-sky ice crys-tals at the South Pole may result from slightly uprising and cooling warm air transported from the Weddell Sea along the slope toward the plateau. Aerial observations of clouds over the plateau support this hypothesis.

36-657

Growth of forage crops in the Far North, (Kormo-

proizvodstvo na Krainem Severej, Andreev, N.G., ed, Moscow, Kolos, 1981, 152p., In Russian. For selected papers see 36-658 through 36-

Thermokarst lakes, Subarctic landscapes, Meadows Continuous permafrost, Grasses, Cryogenic soils, Soil water migration, Tundra, Taiga, Microclimatology,

36-658

Problems of growing fodder crops in the Far North and their solutions. (Problemy kormoproizvodstva v raionakh Krainego Severa i puti ikh resheniiaj.

Andreev, N.G., Kormoproizvodstvo na Krainem Andreev. N.G., Kormoproizvousivo na Krainein Severe (Growth of forage crops in the Far North), Moscow, Kolos, 1981, p.6-14, In Russian.

Meadows, Cryogenic soils, Active layer, Permafrost depth, Plant ecology, Microclimatology.

Growing forage crops in the northern Pechora River area. (Voprosy kormoproizvodstva na Pechorskom

Severej.
Rochev, P.A., Kor, approizvodstvo na Kralnem Severe (Growth of forage crops in the Far North) edited by N.G. Andreev, Moscow, Kolos, 1981, p.14-23, In Rus-

Meadows, Grasses, Cryogenic soils, Plant ecology, Microclimatology, Freeze thaw cycles, Flood plains, Wind factors.

36-660

Ways of improving the development of natural grass-lands in the northern Komi ASSR. [Puti intensifikatsii kormoproizvodstva na severe Komi ASSR].

Gagiev, G.L. et al, Kormoproizvodstvo na Krainem Severe (Growth of forage crops in the Far North) edited by N.G. Andreev, Moscow, Kolos, 1981, p.23-32, In Russian. Chernov, B.A.

Meadows, Cryogenic soils, Grasses, Permafrost beneath rivers, Flood plains.

Forage reserves of the northern Ob' River area. [Ak-Purtos, G.M., Kormoproizvodstvo na Krainem Severe (Growth of forage crops in the Far North) edited by N.G. Andreev, Moscow, Kolos, 1981, p.32-40, In Rus

Subarctic landscapes, Tundra, Taiga, Meadows, Grasses, Cryogenic soils.

36-662

Ways of increasing the effectiveness of fodder plant production in the northern Yenisey River area. [Puti razvitija i povyshenija effektivnosti kormoprojzvodstva na Eniseiskom Severej.

Dergunov, I.S., et al, Kormoproizvodstvo na Krainem Severe (Growth of forage crops in the Far North) edited by N.G. Andreev, Moscow, Kolos, 1981, p.40-48. In Russian. 7 refs. In Russian. 7 Krivenko, M.F.

Grasses, Subarctic landscapes, Cryogenic soils. Meadows, Flood plains.

36-663

Components of the process of intensification of fodder plant production in the northern Yenisey River area. Slagaemye intensifikatsii kormoproizvodstva na

Enisetskom Severe;
Dergunov, 15. Kormoprorzvodstvo na Krainem
Severe (Growth of forage crops in the Far North) edited by N.G. Andreev, Moscow, Kolos, 1981. p. 50-52. In Russian

Polar regions, Cryogenic soils, Meadows, Flood

36-664

the to be to be to be the first of the first of

Water regime of cryogenic flood-plain soils of cultivated pastures. (Vodnyi rezhim merzlotnykh poi-mennykh pochy kul'turnykh pastbishch),

Semenova, T.N., et al, Kormoproizvodstvo na Krainem Severe (Growth of forage crops in the Far North) edited by N.G. Andreev, Moscow, Kolos, 1981, p.107-110, In Russian. 3 refs. Chemerzanskaia, L.M.

Meadows. Cryogenic soils, Active layer, Permafrost hydrology, Soil water migration. Hydrothermal pro-

36-665

Hay meadows on dried thermokarst lakes of Chukchi Peninsula. ¡Sozdanie senokosov na osushennykh termokarstovykh ozerakh Chukotki],

Tatarchenkov, M.I., et al, Kormoproizvodstvo na Krainem Severe (Growth of forage crops in the Far North) edited by N.G. Andreev, Moscow, Kolos, 1981, p.127-135, In Russian. 10 refs. AT

Subarctic landscapes, Tundra, Thermokarst lakes, Meadows, Meadow soils.

36-666

Complex mechanization of the construction of main pipelines. ¡Kompleksnaia mekhanizatsiia sooruzheniia

magistral nykh truboprovodovj. Savenko, V.A., Moscow, Nedra. 1981, 295p., In Russian. Abridged English table of contents enclosed.

Petroleum industry, Pipelines, Permafrost beneath structures, Swamps, River crossings, Mountains, Earthwork, Pipe laying, Pipeline insulation, Underground pipelines, Suspended pipelines, Hot oil lines.

36-667

Structure and dynamics of pine forests in Nizhnee Priangar'e (the lower Angara River area). (Struktura i dinamika sosnovykh lesov Nizhnego Priangar'ia₁. Lashchinskii, N.N., Novosibirsk, Nauka, 1981, 272p., In Russian with English table of contents enclosed Refs. p.254-270.

Subarctic landscapes, Permafrost distribution, Landscape types, Permafrost hydrology, Cryogenic soils, Forest soils, Plant ecology, Plant physiology.

Dry Valley Drilling Project.

McGinnis. L.D., ed. American geophysical Union.

Antarctic research series, Vol.33, Washington, D.C.,
1981, 465p., For individual papers see 36-669 through
36-683, or A-25316, A-25344, E-25317 through E25322, E-25324 through E-25343, and F-25323.

Geophysical surveys. Hydrogeology, Glacial geology, Drill core analysis, Frozen rocks, Antarctica—Ross Island, Antarctica—Victoria Land.

Island, Antarctica—Victoria Land.
The objectives of the Antarctic Research Series are stated in an introduction, along with the format and publication priorities for the series. An overview of the responsibilities of Japan. New Zealand, and the United States in executing the planned DVDP is given. The 29 papers comprising this volume arc classed under the headings: Exploration Geophysics; Lithologic, Geophysical, and Geochemical Logs; Lake Chemistry and Hydrogeology; Analyses of Crystalline Rocks; Analyses of Sedimentary Rocks; Glacial and Geologic History; and DVDP Core Storage and Bibliography.

Seismic refraction study in western McMurdo Sound. McGinnis, L.D., American Geophysical Union. tarctic research series, 1981, Vol.33, p.27-35, 13 refs. Seismic refraction, Seismic velocity, Subsea perma-frost, Sea ice, Antarctica—McMurdo Sound.

frost, Sea ice, Antarctica—McMurdo Sound.

Three reversed seismic refraction profiles in western McMurdo Sound were shot from sea ice in water depths ranging from less than 100 m to over 200 m. Velocity and depth interpretations indicate abnormally high sea floor velocities of 2.7 to 2.9 km/s, which are explained as being caused by submarine permafrost sediment. It is believed that the sea floor velocities observed here are the frozen equivalents of the lower-velocity sea floor sediments found farther out in McMurdo Sound. Basement depth varies from 0.48 km below sea level in New Harbor to 1.75 km about 13 km offshore. In areas of deep water and thick sediment, bottom fractions are attenuated due to thin, high-velocity, bonded submarine permafrost resting upon lowthick sediment, bottom fractions are attenuated due to thin-high-velocity, bonded submarine permafrost resting upon low-er-velocity, unfrozen sediments. The combination of low ocean water temperature (-1 9C) and low pore water salinity, at times less than one fifth that of sea water, is sufficient to explain the presence of frozen beds near the floor. Submarine, freshwater sediments are probably due to a combination of sea floor lowering as observed on the Atlantic Continental shelf of the United States and ponding marginal to a retreating McMurdo Ice Shelf. Intermediate velocities ranging from 3 to 3 6 km/s observed below the frozen sea floor may represent sediment of Late Mewzoic to Early Cenozoic age. (Auth mod.)

Reconnaissance seismic survey of McMurdo Sound

and Terra Nova Bay, Ross Sea. Wong, H.K., et al. American Geophysical Union Antaretic research series, 1981, Vol.33, p.37-62, 47 refs.

Christoffel, D.A.

Seismic surveys, Sedimentation, Glacial geology, Ice sheets, Antarctica—McMurdo Sound, Antarctica-Terra Nova Bay

Terra Nova Bay.

The sea floor of McMurdo Sound may be described as a north-south trending, eastward dipping slope incised by two submarine, fjordlike valleys. Sediments subparallel to and underlying this slope continue beneath the flat-lying, stratified sequence in the deep Erebus Basin and may persist uninterrupted to underlie Ross Island. Continuous seismic profiling in McMurdo Sound has demonstrated the presence and pervasiveness of the angular unconformity first mapped elsewhere in the Ross Sea By assuming that this unconformity is contemporaneous with that at sites 270-272 of the Deep Sea Drilling Project, an age of 4-5 m.y. may be assigned, and from this an uncorrected vergage sedimentation rate in McMurdo Sound of 18 m.m. since mid-Pliocene follows. The total sedimentary sequence exceeds 1.4 km in thickness in the central part of the sound Four north-south sonobody refraction profiles provide informaexceeds 1.4 km in thickness in the central part of the sound Four north-south sonobouy refraction profiles provide information on the sedimentary structure in the sound. Four layers with refraction velocities of 1.9, 2.4, 2.8-3.1, and 3.9-4.2 km shave been resolved. They are interpreted as manne, pebbly, muddy sand, a coarse, nearshore facies of Miocene-Oligocene mudstone, older preglacule sandstone and mudstone, animetasediments, respectively. (Auth. mod.)

36-671

Gamma ray, salinity, and electric logs of DVDP bore-

McGinnis, L.D., et al. American Geophysical Union Antarctic research series, 1981, Vol.33, p.95-108, T.

Stuckless, J.S., Osby, D.R., Kyle, P.R.
Permafrost, Ground ice, Electrical resistivity, Radioactivity, Salinity.

Natural gamma radiation measurements were made in eight boreholes on Ross Island and in the dry valleys. Total salinity of pore water was determined in five holes in Taylor and Wright valleys and in McMutdo Sound. Electrical resistivity measurements were made only in the Don Juan Pond hole which is urements were made only in the Don Juan Pond hole which is uncased. Additional electrical measurements were made on core samples. Resistivities are used to estimate salinities at in-tervals where water could not be squeezed from a sample Gamma logs supplemented by laboratory measurements of radioelement contents of core samples, show that relative to rocks of similar silica contents, basement rocks of the dry valley region are anomalously low in uranium and thorium but that the volcanic rocks from Ross Island are anomalously light in these elements as well as potassium. We attribute anomalies in the two groups of rock to radioelement abundance present at the time of crystallization. The gamma ray log od DVDP 3 shows an increasing radioactivity with increasing silica. Below 90 m the hole is dominated by basanite and a low radioactivity. The upper portion of the hole is dominated by differentiated alkalic rocks of higher radioactivity and a few ice lenses with little or no radioelement content. Logs of holes 10-14 reflect the low radioelement content of reworked sediment. In general, diamictions are more radioactive than coarse-grained sands and gravels. (Auth. mod.) rocks of similar silica contents, basement rocks of the dry valley

36-672

Magnetic stratigraphy of Late Cenozoic glaciogenic sediments from drill cores, Taylor Valley, Transantarctic Mountains, Antarctica.

Purucker, M.E., et al. American Geophysical Union. Antarctic research series, 1981, Vol.33, p.109-129, 34

Elston, D.P., Elston, D.P., Bressler, S.L.

composition, Magnetic properties, Drill core

Soil composition, Magnetic properties, Drill core analysis, Stratigraphy, Antarctica—Taylor Valley. Frozen glaciogenic sediments, deposited in a former fjord, were cored to 325 m in ice-free Taylor Valley. About 750 samples were obtained from material ranging from unstratified diamicrite matrix to finely laminated sandstone and siltstone. The Koeningsberger ratio was used to discard material of low magnetic stability. Remeval of material with Koeningsberger ratios less than 0.1 resulted in a significant refinement in the definition of polarity zones and allowed a refined temporal correlation between the sections in DVDP holes. Intervals of increased susceptibility reflect increased influx of litanomagnetic-bearing sediment derived from the McMurdo Volcaric Group, subaerially erupted to the east in the area of McMurdo Sound. One of these susceptibility zones is time-transgressive in relation to the polarity zonation, perhaps because deposition Sound. One of these susceptibility zones is time-transgressive in relation to the polarity zonation, perhaps because deposition of till from a grounded ice sheet at site 11 continued after deposition of till had ceased at sites 8 and 10. The finding of magnetite as the principal magnetic mineral in core 12 and in the lowermost susceptibility zones in cores 8, 10, and 11 indicates a different source area for this sediment. Magnetite in core 12 was derived from the Ferrar Dolerite, presumably from bedrock in western Taylor Valley. Titanohematite-bearing volcamic fragments in core 12 were crupted from a local source in Taylor Valley at a time when it was covered by ice. (Authmod)

Oxygen isotope ratios of antarctic permafrost and

Stuiver, M., et al. American Geophysical Union taretic research series, 1981. Vol.33, p.131-139, 16 refs

Yang, I.C., Denton, G.H., Kellogg, T.B.

Isotope analysis, Ice cores, Permafrost hydrology. Antarctica—Taylor Valley.

Oxygen isotope records of permafrost waters of DVDP cores 10, 11, and 12 often appear to be defined by nonconnate waters infiltrated much later. For the Lake Hoare core (DVDP 12) the preserved O18 record agrees with permafrost formation advancing downward from the surface after drainage of glacial advancing downward from the surface after drainage of glacial Lake Washburn about 10,000 years ago. Replacement of fresh water by seawater took place fairly recently in the New Harbor core (DVDP 10). Perhaps only the main part of the Commonwealth Glacier core permafrost (DVDP 11) was formed from connate waters. The isotope ratios from the core ice are compared with oxygen isotope ratios of valley glaciers, polar plateau ice, ice-cored moraines, and McMurdo shelf ice. The McMurdo lee Shelf isotope ratios show the main part of the shelf ice to be of sexware origin (Auth.) shelf ice to be of seawater origin. (Auth.)

36-674

Limnological studies of saline lakes in the dry valleys. Torii, T., et al. American Geophysical Union. Antarctic research series, 1981, Vol.33, p.141-159, Refs. p.156-159.

Yamagata.

Limnology, Salt lakes, Water chemistry.

Limnology, Salt lakes, Water chemistry.

The dry valley area is characterized by the presence of a number of lakes and ponds, some of them containing extremely saline water. In this report a general description of the nature of these saline waters is given. The exceptionally high water temperatures found throughout the year in some dry valley lakes have drawn special attention for many investigators interested in the heat source. Solar radiation was suggested and is now generally accepted as the source. In recent studies no geothermal activity was found. The possible sources of salts in the saline lakes are (1) geothermal and hydrothermal, (2) trapped seawater. (3) chemical weathering of rocks, (4) sea spray, (5) glacial meltiwater, and (6) groundwater discharge. An explanation using a single source has never been successful, and most workers are now inclined to favor multiple sources of salt. (Auth. mod.) (Auth. mod.)

36-675

Hydrology of the Don Juan basin, Wright Valley, Antarctica.

Harris, H.J.H., et al. American Geophysical Union. Antarctic research series, 1981, Vol.33, p.161-184, 39 refs

Cartwright, K.

Hydrology, Water chemistry, Salt lakes, Antarctica Don Juan Pond.

Don Juan Pond is an intermittent, chemically unique brine pond ed in a closed basin in the south fork of Wright Valley arctica. The floor of the basin is a discharge zon indwater brines confined in an underlying dolerite aq groundwater brines contined in an underrying dolerite aquiter. Although the flux of groundwater is quite small, groundwater probably provided about 70% of the water entering the pond late in the austral summer; the melting of ice in near-surface frozen ground gives rise to the streams. Precipitation is an insignificant source of water for the pond. Evaporation and sublimation are, with aerosols, the sole means whereby water leaves the The pond appears to be in a precarious hydrologic equi-the cessation of either streamflow or groundwater flow cause the pond to go dry. The major element chemistry librium, the cessation librium, the cessation of either streamlion or groundwater now would cause the pond to go dry. The major element chemistry of the groundwater is like that of the pond, indicating that the dissolved salts in both have a common origin.

36-676

Review of the geochemistry and lake physics of the antarctic dry areas. Wilson, A.T. American Geophysical Union.

Wilson, A.T. tic research series, 1981, Vol.33, p.185-192, 28 refs. Geochemistry, Icebound lakes, Soil chemistry, Solar radiation

This paper reviews the lake physics and geochemistry of Ance free areas. Because of the extreme cold and aridity and the fact that these areas are truly rainless, many features and phenomena exist that are not found on the other continents. The major source of the salts in the soil and lakes appears to be The major source of the salts in the soil and lakes appears to be from the sea via snow. A relative humidity mechanism for salt separation is proposed in order to explain the distribution of salts in the soils, glaciers, streams, and lakes of Antarctic dry areas. This mechanism leaves the least deiquescent salts in the soil and delivers the more deliquescent salts to the groundwater which flows along the surface of the ice-comented layer and hence to the saline lakes. While in the groundwater system, trace elements such as strontium may be leached from the soils. Climatic conditions are such that perennially ice-covered freshwater lakes can exist, and the conditions for the existence of these are defined. Soils relating of density-stratified lakes is common and in some cases very specificular, the bottom of Lake Vanda being 46C above the mean temperature of the region.

36-677

Hydrogeology of the dry valley region, Antarctica. Cartwright, K., et al. American Geophysical Union Antaretic research series, 1981, Vol 33, p 193-214. Refs. p 212-214. Harris, H.J.H.

Hydrogeology, Hydrology, Water flow, Subperma-frost ground water, Water chemistry,

The polar desert climate of the dry valley region of southern rice polar deserve limitate on the day value region or content. Victoria Land, Antarctica, severely restricts the occurrence and movement of all liquid water. The significance of liquid groundwater in the annual hydrologic cycle of the region is particularly limited. However, under appropriate thermal and chemical conditions, liquid groundwaters and groundwater flow. chemical conditions, liquid groundwaters and grounds systems do occur; these systems are locally significant in the transport of water and solutes. Three varieties of groundwater and of flow systems are identified. Shallow flow systems. and of flow systems are identified. Shallow flow systems, which generally occur in the active layer, are widespread at lower elevations; they are the primary source of water for numerous small, intermittent pends; they have a significant effect. on the distribution of soluble salts in surficial materials and soils There is apparently very little movement of groundwater in frozen ground; limited evidence of movement at two locations is presented. Deep, liquid groundwaters are found penetrating is presented. Deep, indust groundwaters are found penetrating or lying entirely beneath frozen ground in Taylor and Wright valleys. The discharge of these deep groundwaters significantly affects the mass balance and chemistry of Don Juan Pond; the chemistry of bottom waters in lakes Vanda and Bonney may also be affected. (Auth.)

36-678

Some trace element relationships in the Cenozoic rocks from Ross Island and vicinity, Antarctica. Goldich, S.S., et al. American Geophysical Union

Antarctic research series, 1981, Vol.33, p.215-228, 23 refs

Stuckless, J.S., Suhr, N.H., Bodkin, J.B., Wamser, R.C. Frozen rocks, Chemical composition, Geologic structures, Geochemistry, Antarctica-Ross Island.

The variability in chemical composition of the basanitoid (basanite) rocks of Ross Island and vicinity, Antarctica, results from a number of causes. A large part reflects crystal-liquid fractio-nation processes which produced the silica-undersaturated rock nation processes which produced the silica-undersaturated rock series—basanitod. trachybasalt, trachyandesite, phonolite Some of the variability in the basanitoids that is recognizable in the scatter of data points in variation diagrams, however, is directly the result of contamination with xenocrysts of olivine, clinopyroxene, and spinel derived by attrition of mafic and ultramafic xenoliths. Cr-Ni-Co relationships are useful in demonstrating contamination with xenolithic material that may be as much as 10-20 w/k. Ni-MgO and Cr-MgO relationships suggest that reactions took place between the xenoliths and the beautiful and trachyasalt magmas and that the music were suggest that reactions took piece between the xenotines and the basanitoid and trachybasali magmas and that the metals were added to the liquids by diffusion. The large lithophile cations (K, Rb. Ba, and Sr) behaved as incompatible elements, and a similar behavior is noted for La and Zr. Large variations in the concentrations of these elements and in ratios indicate differences in the parental basanitoid magmas. These differences in ences in the parental basanitoid magmas. These difference may reflect different degrees of partial melting of garnet perido tite mantle and also heterogeneity in composition of the mantle (Auth.)

36.679

Q-mode factor model for the petrogenesis of the volcanic rocks from Ross Island and vicinity. Antarctica. Stuckless, J.S., et al. American Geophysical Union Antarctic research series, 1981, Vol.33, p 257-280, 32

Miesch, A.T., Goldich, S.S., Weiblen, P.W. Frozen rocks, Models. Antarctica-Ross Island.

Major and minor elemental data examined by extended O-Major and minor elemental data examined by extended Q-mode factor analysis show that the petrogenetic evolution of the volcanic rocks from Ross Island and vicinity occurred in dis-tinct stages that were complex in detail. The chemical analyses for 24 oxides in 49 samples can be modeled closely by a three-dimensional system that consists of a starting liquid and two solidus assemblages. This fact suggests that all of the samples are related to a common parent magma. However, the three-dimensional system shows a large compositional gap between the basantoids and trachybasalts. Furthermore, attempts to match possible solidus compositions to actual minerals failed to yield assemblages similar to those observed in the samples Modeling was therefore attempted by dividing the samples into two related groups. (1) basanitoids and (2) trachybasalts and phonolities. Results of the study are reported. (Auth mod.)

Sedimentology and petrology core from DVDP 15. western McMurdo Sound. Barrett, P.J., et al., American Geophysical Union

Antarctic research series, 1981, Vol.33, p.281-314, 28 refs

Drill core analysis, Bottom sediment, Rocks, Antarctica-McMurdo Sound.

tica—McMurdo Sound.

The first drilling into the floor of McMurdo Sound (DVDP 15) took place in November 1975-16 km east of Marble Point through 122m of water. The purpose was to core the Censizors glacing in sequence estimated to be 300 in this. 2-m-this annual ice was used as a drilling platform until November 21, when the appearance of cracks in the ice asued the hole to be abandoned. The drill penetrated 65 m below the sea floor, recovering a total of 34 m of core. Over 278 kg of wash samples were also collected. The core is mainly sand made up chiefly of glassy and crystalline basaltie grains, with persistent

quartz, feldspar, and grantic tragments. The sources were the late Centozoic McMurdo Voicames to the south and the basement complex. Beacon and Ferral rocks in the adjacent Transantaretic Mountains. A detailed description of the core is given in the appendix. (Auth.)

36-681

Chemistry and clay mineralogy of selected cores from the Antarctic Dry Valley Drilling Project.

Ugolim, F.C., et al. American Georghysea, I. Antarche Joseph & Series, 1981, Vol. 38, p. 818 Refs. p. 327-829.

Deutsch, W. Harris, H.I.H.

Drill core analysis, Clay minerals, Chemical composi-tion, Subsea permatrost, Electrical resistivity, Antarctica - Taylor Valley.

Electrical conductivity and ionic composition of solutions ex-Electrical conductivity and innic composition of solutions ex-tracted from recommented permaficior from cores 8, 9, and 10. New Harbor, show that most of the sediments were deposited in a matrine environment and suggest that aggradation of perma-frost during exposure of the sediments to sub-agrada conditions caused ionic concentration. Influviol brines capable of moving in permatrix is also suggested. Regions of flow conductives are interpreted as a result either of freshwater episodes or of textural discontinuities. The clay minerals of the above cores and of core 11. Commonwealth Glacier, and core 12. (asc.) Leon, show little weathering and complex irregular interstratifcation of mica, vernicunte, monthiorilloanie, and chiorile Clay mineralogy of core 10 can be separated into three major assemblages corresponding to the three major lithologic units

Sedimentation conditions in Taylor Valley, Antarctica, inferred from textural analysis of DVDP cores. Powell, R.D., American Geophysica, Union Vita vite research series, 1981, Vol. 33, p. 22, 249, 55 res

Drill core analysis, Sediments, Soil composition, Frozen ground. Glacial deposits.

Stronger ground. Gracult deposits.

Six major sediment types have been defined from particlessize analyses of samples from DVDP cores 8, 9, 10, 31, and 32. Samples of present sedimentary environments in Taylor Valies provide baseline data for interpretation of each sediment type with respect to depositional processes. The worted sediments are thought to be the result of re-working of the syndepositional diametons. The particlessize analyses show a trend of indiameters. The particle-size analyses show a frend of in-crease in sorting as size increases or decreases toward 2.5 ph. Two interpretations are proposed for the glacial history of Tay-lor Valley. The two histories involves similar depositional pro-cesses and sedimentary environments, they differ in the turning of glacial events. This froblem is created by discrepancies in chronostratigraphy. Thus a preterred glacial history of Taylor chronostratigraphy. Thus a preterred glacial history of Taylor Valley cannot be given until the discrepancies are resolved (Auth. mod.)

36-683

Provenance and depositional environments of Late Cenozoic sediments in permafrost cores from lower Taylor Valley, Antarctica.

Porter, S.C., et al., American Geophysical Union taretic research series, 1981, Vol.33, p.351-363. rets

Permafrost structure, Glacial geology, Geologic structures, Sediments, Antarctica - Taylor Valley.

tures. Sediments. Antarctica — Taylor Valley. The provenance and depositional environments of trozen late. Cenozoic sediments of glacial and nonglacial origin recovered in four drill cores from lower Taylor Valley were assessed by means of lithic counts, microfabric analyses, and studies of sand grain surface textures, supplemented by isotopic and paleomitologic analyses by conversigators. Three of the cores, DVDP 8, 9, and 10, were drilled near the shore of New Harbor and intersected 185 m of sediment, the fourth (DVDP 11), drilled about 3 km paland near Companyional Billiance properties of 3.5. intersected 189 not sediment the fourth (DVDF 11), dried about 3 km inland near Commonwealth Glacier, penetrated 126 m of sediment. The uppermost 39 m of section in the New Harbor cores consists of delian sediments deposited in a shallow marine environment during the middle Holiciene following recession of a grounded tice where in the Ross Near Ross Near II. A thick section between 39 and 125 m consists targets of diam-A thick section between 39 and 125 m consists targets of diamictons of inferred glacialmarine origin, but the towest diamicton unit, between 104 and 125m, has a welf-developed fabric and is interpreted as a possible basal till deposited by grounded Ross Sea ice. A major lithologic change was recognized about 124 m in cores R and 10 and at about 205 m in core 11, above those levels, volcanic clasts of the McMardo volcanic group derived from the region of the Ross Sea were found in als samples at at lower levels more were detected. (Auth. mod.)

36.684

Glacier surges and related catastrophic phenomena [PullSatsu call in-S 04 0 5 5 5 heskie ras

Dolgashin, I. D., Color, Min. Com. Vol. 15, p. 9500 - 10, R., ssan - 6008. Osipora, G.B.

DICQLIZE

Mountain placiers, Glacier surges, Glacier ice, Ice breakup, Glacial lakes, Floods, Mudflows

Lowering power expenses in winter concreting Small the block of the algorithm A + A + P = 0Conder A IA Processor social strong Mill. 1981 No.5 p.s. 45 Jr. R. ssor

Winter concreting, Concrete aggregates, Formwork (construction). Electric heating.

Lightweight enclosures on the base of thermoinsulative fibrous materials. [Legkic ograzhdatushchie konby osnove voloknistykh teploizoliatsion akh distance.

Khoongis, II. N_{\odot} et al. *Promyshlennoe stroitel'stvo*, 1.1., 1981 $N_{\odot} \approx \rho$ 9-11. In Russian

V.V. Potzig, M., Lundstrom, B. Steel structures, Walls, Roofs, Thermal insulation.

16.687

Investigations for the design of objects built under complicated engineering and geological conditions. A skapna pod proektirovanie objektov v slozbrykh neserno- geologicheskikh uslovitakhj.

Z. Standt VA. Promysbier 28. No. 5 p. 5. In Russian Promyshicomoe stroitel'stvo. Mar

Loundations, Industrial buildings, Site surveys, Swamps, Slope processes, Slope protection, Thermokarst

16.6XX

Ways of lowering power expenses in winter concreting of massive structures. (Put) smithenia energozatrat growin netonirovanii monolitnykh konstruktsin. Ziscolatore, TB. Promyshlenmoe stroitel stvo, Mar 1981 No. 3, p.25-26. In Russian

Winter concreting, Formwork (construction), Concrete aggregates, Electric heating.

16.689

Artificial freezing of ground for building large foundation pits. (1/ opyta zamorazhivanna gruntos pri soohear kottovanov bol'shikh ploshchaden.

1X order XX Promyshiermoe stroitel stvo. Dec. 980 No.12, p.41-43. In Russian

Foundations, Pits (excavations), Artificial freezing, Farthwork.

36-690

Increasing the strength of pile foundations. (Putipo yshema effektivnosti svainykh fundamentovy, Zigelman, G.G., et al. Promyshlennoe stroitelstvo. No. 1980 No. Komboy, IU N

Foundations, Piles. Pile driving, Frozen fines, Clays, Bearing strength, Design.

36-691

Design of foundations for the Krasnoyarsk plant of heavy excavation equipment. [Procktnye resheniia Sandamentos, Krasnojarskogo zavoda trazbelykh ek-

Keed is IUN Promyshlennoe stroitel'stvo, Nov. p.9. In Russian

Industrial buildings, Foundations, Piles, Permafrost beneath structures.

36-692

Preparation of homogeneous foundations and their performance in perennially frozen ground, rPodgde eka odnorodnýkh osnovánu i opyt ikh ekspluátatšu se, horonerzykh gruntakhj. Listovick I.P. et al. *Promyshlennoe stroitelistvo.*

No. 1980 No.11 p.10-11. In Russian 2 refs. Dodg A.Z.

Permafrost bases, Foundations, Discontinuous per-mafrost, Permafrost control, Artificial thawing, De-\ign

36-693

Determining bearing strength of piles in the Far North, (Opredefenie nesushehe) sposobnosti svai v us-

or mach Krainego Sevetaj. Bosshakov N.M. Promyshlennoe stroitelistvo, Nov 980 No.11 p.11-12, fri Russian

Loundations, Supports, Piles, Swamps, Frozen ground. Design

Effective assemblies for unloading frozen cargo, (Efo to the last morke dha hygrazki smerzshikhsia gra-

xvis (1990), A.N. kt.al. Promyshlennys transport, Feb. (1888), No. 2, p. 856, 10. Russian (1895), A.A.

Railroad equipment, Unloading, Frozen cargo.

Electro-physical induction assembly, [Elektro-fizisesk ir e induktsionmara, ustanovkaj,

Dokaku AV. et al. *Promyshlennyi transport*, Feb. 1984 No.2, p.6-8. In Russian. Koltson, B.V., Obraztson, A.P., Mironova, N.B. Frozen cargo, Unloading, Railroad equipment.

16-696

Clamp-pin vibration ripper. (Vibratsionny) shtyrevoi Overheiser, Dr. gai S. V. Promyshlennyr transport. Feb. 1981, No. 2, p. 8–9. fr. Russian

Frozen cargo, Railroad equipment, Unloading,

36-697

Assembly for breaking frozen cargo, (Kom-Assembly for breaking frozen cargo. (Kombinirovannoc vozdeistvie na smetrshinsia graz). Vinogradov, V.K., et al. Promyshlennyi transport. Feb. 1981, No.2, p. 9, In Russian Severinova, E.P.

Railroad equipment, Unloading, Frozen cargo, Defrosting, Radiant heating, Vibration.

Ice crossings for the transportation of heavy cargo-¿Ledovaia pereprava dlia perevozki tiazhelovesnykh

Arzamaskov, V.N., et al. Promyshlennyi transport. Jan 1981, No.1, p 15-16, In Russian, Kulikov, A N

River crossings, Icebound rivers, Ice crossings, Ice cover thickness.

34-400

All terrain vehicles, (Transporting stedsing dia bezdorozhitaj. Kirkin, S.F., Promyshlennyi transport, Nov. 1980.

o II. p 4-6. In Russian

All terrain vehicles, Swamps, Snow cover, Trafficability, Air cushion vehicles.

36-700

How to protect shoots from snow breakage, rKak uberech' porosh of snegolomaj.

Ivashkevich, K.A., Put's putevoe khoziaistvo, 1981. No.6, p.24-25, In Russian

Forest strips, Protective vegetation, Snow retention, Snow loads, Railroads,

Heating of tunnels of the Baykal Amur railroad. (Popovodu obogreva tonnele: BAMaj.

Merinov, I.E., Put' i putevoe khoziaistvo, 1981, No 5. p.32-33. In Russian.

Tunnels, Electric heating, Drainage, Baykal Amur railroad.

36-702

Heating of railroad switches, (Nuzhen obogrey stre-

Ershoy, I.N., Put' i putevoe khoziaistvo, 1981, No 2, p.27-28, In Russian

Railroad tracks, Electric heating, Winter maintenance. Icing, Snow removal.

36-703

Snow protection of the Minsk railroad terminal. [Organizatsua snegobor'by na Minskom uzlej. Rybakov, S.A., et al. Put' i putevoe khoziaistvo, 1981.

No 2, p 29-30. In Russian Masal skir, V V

Railroads. Railroad tracks. Winter maintenance. Snow removal.

36-704

Snow removal machine for subways, Anggouborochiaia mashina dlia metroj. Everdoy, V.A., Put's putevoe khoziaistvo, 1981, No.1,

27. In Russian Railroads, Railroad tracks, Winter maintenance,

Snow removal.

36-705

Vibration ice-shearing equipment. (Vibratsionny) doskalyvatel

Kozlov, J.P., Pat' i putevoc khoziaistvo, 1981, No.1, p.41. In Russian Railroad tracks, Icing, Ice breaking, Railroad equip-

ment. Winter maintenance, Railroads.

Proceedings of the 49th annual meeting.

Western Snow Conference, Ft. Collins, Colorado State University, 1981, 140p., Refs. passim. For individual papers see 36-707 through 36-721

Snow hydrology, Snow accumulation, Snow water equivalent, Snow surveys, Snow melting, Runoff, Watersheds. Meetings, Microwaves, Forecasting.

Snow wetness measurements and runoff forecasting. Linlor, W.L. et al. Western Snow Conference

ccedings, 1981, 49th, p.1-12, 32 rets. Snow water content, Wet snow, Runoff forecasting, Liquid phases, Snow water equivalent, Microwaves. Snow depth, Snow density.

36-708

Snow pillow behavior under controlled laborators conditions. Smith, F.W., c. al, Western Snow Conference - Pro-

ceedings, 1981, 49th, p.13-22.

Boyne, H.S. Snow pillows, Snow loads, Snow temperature, Snow compression, Models, Laboratory techniques. Thermal expansion, Analysis (mathematics).

16.700

Application of airborne gamma radiation snow survey neasurements and snow cover modeling in river and

flood forecasting.

Carroll, I.R., et al., Western Snow Conference — Proceedings, 1981, 49th, p.25-33, 19 rets.
Larson, I.W.

Snow surveys, Snow hydrology, Flood forecasting, Snow cover distribution, Snow water equivalent, Gamma irradiation, Airborne radar, Snow accumulation, Ablation, Soil water, Rivers, Models,

Predicting deposition of blowing snow in trenches from particle trajectories.

Schmidt, R. V., et al, Western Snow Conference Pro-ceedings, 1981, 49th, p.34-42, 23 tets andolph, K.U.

Blowing snow, Snowdrifts, Snow mechanics, Snow trenches, Snow accumulation, Snowfall, Particles, Wind velocity, Mathematical models.

Application of a snowmelt model to two drainage basins in Colorado.

Jones, E.B., et al. Western Snow Conterence Pro-ceedings, 1981, 49th, p.43-54, 9 refs Shater, B.A., Rango, A., Frick, D.M.

Snow melting, Runoff forecasting, Drainage, Watersheds, Snow hydrology, Models, Stream flow.

36-712

Effects of snowdrift management on rangeland runoff. Cooley, K.R., et al. Western Snow Conference ceedings, 1981, 49th, p.55-64, 13 refs. Huber, A.L., Robertson, D.C., Zuzel, J.F.

Snowdrifts, Snow accumulation, Runoff, Precipitation (meteorology), Snow fences.

Precipitation-runoff modeling system for evaluating the hydrologic impacts of energy resources development.

Leavesley, G.H., et al. Western Snow Conference Proceedings, 1981, 49th, p.65-76, 15 refs. Lichty, R.W., Troutman, B.M., Saindon, L.G.

Snow melting, Runoff forecasting, Watersheds, Hydrology, Precipitation (meteorology), Mining, Computer applications, Models.

36-714

Snow surveys and Mount Saint Helens.

Crook, A.G., et al. Western Snow Conference—Pro-ceedings, 1981—49th, p. 77-84, 3 rets Davis, R.F., Moreland, R.E. Snow surveys, Snow depth, Snow water equivalent,

Volcanic ash, Albedo, Mountains.

36-715

Impact of Mount St. Helens ash deposition on snowmelt.

Tangborn, W.V., et al. Western Snow Conference Proceedings, 1981, 49th, p.85.94, 8 rets Lettenmaier, D.P.

Snow melting, Volcanic ash, Runoff forecasting, Mountains.

36-716

Quantitative analysis of avalanche hazard on U.S. highway 550, southwestern Colorado.

Armstrong, B.R., Western Snow Conference Proceedings, 1981, 49th, p.95-104, 11 refs Avalanche deposits, Roads, Damage, Snow depth. Vehicles, Accidents, Trafficability.

36-717 Evaluation of SNOTEL data during January 9-16, 1980 storm in the Tahoe-Truckee basins.

Moreund R.L. Western Snow Conference coedings, 1981, 49th, p.105-115, 9 rets

Snowstorms, Snow density, Snow cover distribution, water equivalent, Takes. Precipitation Snow (meteorology). Air temperature.

36-718

SNOTEL: a management tool for the future.

McMillan, G.D., Western Snow Conference coolings, 1981, 49th, p.116-119, 6 tels. Snow surveys, Telemetering equipment, Snow water

content, Soil water, Forecasting,

36-719 Seven years of weather modification in central and southern Utah.

et al. Western Snow Conference Summers, P.C. Summers, p. co. as. in every some concerns. Proceedings, 1981, 491, p. 120-130. 6 rets.
Griffith, D., Ogden, V. C.
Water supply. Weather modification, Precipitation

(meteorology). Cloud seeding. Agriculture. Cold weather performance.

Wagon Wheel Gap watershed experiment revisited. Van Haveren, B.P., Western Snow Conference. Proecedings, 1981, 49th, p.131-138, 3 refs

Snow hydrology, Watersheds, Stream flow, Runoff.

Automated snow data collection in California wilderness areas.

Pardee, J.G., Western Snow Conference Proceedings, 1981, 49th, p.139-140.

Snow accumulation, Weather stations, Precipitation gages, Runoff, Water supply.

36-722

Problems in the development of systems for engineering equipment of populated areas in Siberia, the Far East and North. [Aktual nye problemy razvitila sistem inzhenernogo oborudovanija naselennykh mest Sibiri, Dal'nego Vostoka i Krainego Severaj, Vodosnabzhenie sinitarnaia tekhnika, 1981, No.1, p.2-4, In Russian, Microclimatology, Residential buildings, Houses, Industrial buildings, Heating, Permafrost beneath structures, Cost analysis.

Laving nipelines in permafrost in earthquake areas. [Prokladka truboprovodov v zonakh vechnoi merzloty seismicheskot aktivnostij,

Unitov, A.V., Vodosnabzhenie i sanitarnaia tekhnika. 1981, No.1, p.4-7, In Russian. Permafrost beneath structures, Earthquakes, Pipe

laying. Pipeline supports, Pipelines.

36-724

Regularities governing microbic self-purification of Siberian rivers, ¡Zakonomernosti mikrobnogo samoo-

Siberian rivers, (Zakonomernosti mikromogo samoo-chishchenia rek Sibiri), Talueva, IU.G., et al. Vodosnabzhenie i sanitarnaia ickhnika, 1981. No.1, p.7-8. In Russian. Water pollution. Microbiology, Icebound rivers, Freeze thaw cycles.

36.725

Providing process equipment for temporary settlements in the North, [In/henernoe obespechenie vre-mennykh poselkov na Severej. Zemskova, V.E., et al. Vodosnab/henie i sanitarnaia ickhinka, 1981, No.1, p.8-11, In Russian.

Residential buildings, Industrial buildings, Modular construction, Roads, Pipelines, Permafrost beneath structures, Construction equipment.

36-726

Submerged water intakes, ¡Zatoplennye vodopriem-

Eresnov, V.N., et al. *Vodosnabzhenic i sanitarnaia* tekhnika. 1981, No.1, p.11-12, In Russian. 7 refs. seros, LA

Water supply, Water intakes, Filters, Icing, Slush.

Waste water purification and treatment of residues. (Ochistka stochnykh vod i obrabotka osadka). Neparidze, R.Sh., et al. Vodosnabzhenie i sanitarnaia tekhnika, 1981, No.1, p.13-14, In Russian. 5 refs.

Gol dtarb, L.L. Permafrost beneath structures, Waste disposal. Sewage treatment, Baykal Amur railroad.

36-728

Microclimate and thermal insulation of modular buildings, (Mikroklimat i teplovaia zashchita inventar-

nykh zdaniig. Kazantsev, I.V., et al. Vodosnabzhenie i sanitarnaia tekhnika, 1981, No 1, p.15-17, In Russian Gavrilova, O.F., Boshmakovich, I. T.

Modular construction, Residential buildings, Thermal insulation, Microclimatology.

36.779

Cost of laying utility lines in northern settlements. rk koromicheskii analiz sposobov prokladki inzhener-

i yi h seter severnykh poselkovj. Karpov, V. I., Vodovnahzhenie i sanitarnata tekhnika. 1981, No I., p. 18-19. In Russian

Urban planning, Thermal insulation, Utilities, Pipe laving, Permafrost beneath structures, Pipelines. 36-730

Forecasting thermal regimes of buildings in the Far North, (Prognozirovanie teplovykh rezhimov zdanii dha uslovu Krainego Severa).

Aver janov, V. K., et al. Vodesnabzhenie i sanitarnata izkhnika, 1981. No 1. p. 19-20. In Rossian 9 refs. Bysov, S. F., Orlov, A. H., Tiutiunnikov, A. F., Residential buildings, Industrial buildings, Micro-

climatology. Thermal regime, Permafrost beneath structures

Improving the water supply and waste disposal systems of the Baykal Amur railroad area. [Usovershenstvovanie sistem vodosnabzhenia i vodootvedeniia v usloviiakh BAMaj.

Dikarevskii, V.S., et al. Vodosnabzhenie i sanitarnaia tekhnika, 1981, No.1, p.22-23, In Russian 2 rets Petrov, E.G., Zyrianov, V.P., Tatura, A.E. Pipelines, Water supply, Waste treatment, Sewage

disposal, Permafrost beneath structures.

36-732

Construction and operation of water supply and waste disposal systems in Siberia. [Opyt naladki i ekspluatatsii sistem vodosnabzhenija i vodootvedenija v

Mitianin, V.M., et al. Vodosnahzhenie i sanitarnaia Bagaev, IU.G., Stankov, S.K.
Water supply, Sewage disposal, Waste treatment,

Pipelines, Permafrost beneath structures.

36-733

Water temperature in the water supply and sewage lines laid in freezing ground. [Temperatura vody vodoprovodnykh i kanalizatsionnykh setei prok-

ladyvaemykh v promerzaiushchem gruntej. Kardymon, V.F., et al, Vodosnabzhenie i sanitarnaia tekhnika, 1981, No.1, p.25-26, In Russian. Shinkarev, A.I.

Pipelines, Electric heating, Water supply, Sewage disposal, Waste treatment, Soil freezing.

Artificial replacement of ground water in Siberia, the North and the Far East. [Opyt i perspektivy primenenija iskusstvennogo popolnenija podzemnykh vod v

mia ksassveningo poponenia podremnyki vod vustovijakh Severa, Sibiri i Dal'nego Vostokaj. Berdanov, V.M., et al. *Vodosnabzhenie i samtarnaja tekhnika*, 1981, No.1, p.27-28, In Russian. 2 refs Vdovin, IU.L. Kozlov, I.D., Nikitin, A.M.

Water supply, Ground water, Water reserves, Permafrost hydrology.

Purification of drinking water taken from surface springs in the northern and northeastern USSR. stka vody dlia khoziaistvenno-pit'evykh tselei iz poverkhnostnykh vodoistochnikov v severnykh i severo-vostochnykh raionakh SSSR₁.

Novikov, V.K., et al. Vodosnabzhenie i sanitarnaia tekhnika, 1981, No.1, p.29, In Russian Paskutskaia, L.N.

Water supply, Water treatment, Water reserves, Fil-

All-Union scientific-technical conference on trends in the development of water supply and waste disposal systems for Siberia, the Far North and Far East. (Vsesoiuznaia nauchnostekhnicheskaia konferentsiia Osnovnye napravlenija sistem vodosnabzhenija i vodootvedeniia v raionakh Sibiri, Dal'nego Vostoka thorteeterina y latonakii Sistit, Dai nego victoka i Krainego Severa"), Vodosnabzhenie i sanitarnaia tekh-nika, 1981, No.1, p.30-31, In Russian Meetings, Pipelines, Water supply, Sewage disposal,

Waste treatment, Permafrost beneath structures.

Workshop on thermal insulation of buildings. (Nauchno-prakticheskii seminar "Teplovaia zashchita zdaniij, Vodosnabzhenie i sanitarnaia tekhnika. 1981. p 31-32. In Russian. Microclimatology, Buildings, Thermal insulation,

Permafrost beneath structures, Heating, Ventilation.

Hygienic basis for the development of water supply anu waste disposal systems in Siberia. (Gigeni-cheskie osnosy fazytitu sistem vodosnabzhenia i vo-dootvedenia v Sibiri). Pletnikova, 1 P., et al. Wodosnabzhenie i sandarinaa rekhinka, 1981. No 2, p.4-6. In Russian Sologub, A M and waste disposal systems in Siberia. [Gigieni-

Water supply. Surface waters, Permafrost hydrology, Taliks, Water treatment.

Design of municipal water supply and waste disposal systems in the North, (O prints)pakh procktirovaniia sistem kommunal'nogo vodosnahzhenna i vodootvedenna na Severej.

Vdovin, R. 1. Vodovnabzhenie i sanitarnaia tekhnika 1981, No 2. p.6-8. In Russian — 6 refs

Water supply. Sewage disposal, Pipelines, Perma-frost beneath structures.

36-740

Extended acration stations for biological treatment of waste waters, ¿Stantsu prodlennoi aeratsu dha biologi-

Alaev, V.V., et al. Vodosnabzheme i sanitatuara tekh-nika. 1981. No 2, p 26-27. In Russian

Lapkes, R.IA.

Water supply, Water treatment, Sewage disposal, Baykal Amur railroad, Permafrost beneath structures.

36-741

Design of water supply and sewage systems in the Far-East, Siberia and the Far North. Nekotorye aspekty proektirovanija objektov vodosnab/henija i vodoot-vedenija Sibiri, Dalinego Vostoka i Krainego Severaj, Lemenkova, A.A., et al. Vodosnabyhenie i sanitarnaja tekhnika, 1981, No.2, p.28, In Russian Velichkina, V.G.

Water supply, Pipelines, Water treatment, Filters, Sewage disposal.

36.742

Designing water supply and sewage systems in the Northern Zone, [Procktirovanie sistem vodosnabz-

heniia i kanalizatsii v Severnoi zonej. Ketaov. A.G., et al, *Vodosnabzheme i samtarnaia tekhnika*, 1981. No 3, p.25-26, In Russian Sverdlov, I Sh

Pipelines, Water supply, Sewage, Permafrost beneath structures.

36-743

Preventing the freezing and failure of steam heating elements. [Preduprezhdenie zamerzann i narushenii teploproizvoditeľ nosti kaloriterov obogrevacinykh pa-

Mikhailov, S.A., Vodosnabzherne i sanitarnaia tekhnika, 1981, No.5, p.11-13, In Russian 4 rets. Heating, Steam, Equipment, Freezeup.

36-744 Automatic stabilizer of exhaust ventilation in residential buildings. [Avtomaticheskii stabilizator vytiazh-noi ventiliatsii zhilykh domovj.

Bessolitsyn, IUA, et al. Vodosnabzhenie i sanitarnaia tekhnika, 1981, No 5, p 19-21, In Russian Turkin, V P

Residential buildings, Ventilation.

Pevek—the Arctic port. (Pevek—port arkticheskii). Abakumov, B., et al. Morskor flot, 1981, No.8, p.41, In Zelinskir A

Ports, Cargo, Unloading, Equipment, Work time standards, Arctic Ocean.

Icebreaker "Kapitan Dranitsyn". [Ledokol "Kapitan Dranitsyn"]. Peschansku, A., et al. *Morskov flot*, 1981, No.8, p.42-

46, 49, In Russian Strel'nikov, N., Khudin, V

Ice navigation, Icebreakers, Design.

36-747

Railroad tracks as they should be in the Baykal Amur railroad tunnels, [Put] v tonneliakh BAMa. Kakim on dolzhen byt?],

Gorokhov, A.B. Pat' i putevoe khoziaistvo.

1981, No.8, p.33-34, fr. Rassian Nechaev, It. P. Railroad tracks, Tunnels, Baykal Amur railroad, Flooding, Drainage, Cold weather operation.

36-748

Graphs of a typical upper ground layer temperature regime under a variable snow cover. Examples of se-lected diurnal variations at the Baltic station Warnemunde from Dec. 1978 through Mar. 1979. [Graphische Messwertbelege über das typische Temperaturverhalten der oberem Bodenschichte bei unterschiedlicher Schreedeckenauflage Beispiele ausgewählter Lagesgange für den Messzeitraum Dezember 1978 bis Marz 1979 vom Ostseckustenstandort Warr emundej.

Bauer, N.F. Zenschrift fin Meteorologie, 1981, 31(3), p.183-195. In German 20 rets

Soil temperature. Snow cover effect. Diurnal variations.

Ice cover in the Greenland and Norwegian Seas Wadhanis P. Reviews of geophysics, and space physics, Aug. 1984, 1965, p. \$45,395. Refs. p. \$90,393. Sea ice distribution, Pack ice, Polynyas, Ice edge, Boundary value problems. Fast ice. Ice air interface, Ice water interface

Plastic foam insulation of roads; frost resistance capacity, partial insulation and frost heaving, special transitions, icing and economy.

Gandahl, R., Sweden Statens vag- och trafikinstitut. Rapport, 1981. No.214A, 20p., 2 refs. Road icing, Countermeasures, Cellular plastics, Thermal insulation, Frost resistance, Frost heave, Polymers, Roadbeds.

Frost protection effect of different kind of pavement

structures. (Tjälisolerande effekten hos nagra overbyggnadskonstruktioner).
Gandahl, R. Sweden Statens vag- och trafikinstitut.
Rapport. 1981, No.215, 27p., In Swedish with English summary

Frost heave, Thermal insulation, Frost resistance, Bearing strength, Pavements, Protection, Soil treezing, Thermal conductivity, Water content, Freezing indexes, Polymers, Subgrades.

Frost heave tests with constant rate of heat extraction.

Stenberg, L., Sweden. Statens vag- och trafikinstitut. Rapport, 1981, No.220A, 22p. + appends., Part of this report has been presented at the 2nd International Symposium on Ground Freezing, 1980. See 36-65.

Frost heave, Freeze thaw cycles, Frost resistance, Heat flux, Soil freezing, Grain size distribution, Capillarity, Tests.

Climate of the Canadian Arctic islands and adjacent waters: Volume 1.

Maxwell, J.B., Climatological studies, No.30, Canada, Minister of Supply and Services, 1980, 531p., In English and French. Refs. p.44-53.
Climate, Sea ice, Snow accumulation, Precipitation

(meteorology), Air temperature, Wind chill, Meteorological charts, Maps.

Theory of solid-liquid interface and crystal growth. Homma, S., et al, *Physical Society of Japan. Journal*, July 1981, 50(7), p.2175-2179, 9 refs.

Yoshida, U., Nakano, H. Liquid solid interfaces, Crystal growth, Melting points, Mathematical models, Theories.

Freezing of finite domain aqueous solutions: solute redistribution.

Levin, R.L., International journal of heat and mass transfer, Sep. 1981, 24(9), p.1443-1455, With French, German and Russian summaries. +1 refs.

Solutions, Freezing, Chemical analysis, Liquid cooling, Liquid solid interfaces, Cooling rate, Thermodynamics, Mass transfer, Mathematical models.

Estimating the solidification/melting times of cylindrically symmetric regions.

Voller, V.R., et al. International journal of heat and mass transfer. Sep. 1981, 24(9), p. 1157-1562, With French, German and Russian summaries. 16 refs.

Freeze thaw cycles, Phase transformations, Boundary layer, Analysis (mathematics).

Microwaves in marginal ice zone research. Levey, D., Sea technology, Oct. 1981, 22(10), p.36-37

Sea ice distribution, Ice edge, Ice mechanics, Ice conditions, Microwaves, Remote sensing, Oceanographic surveys.

U.S. Environmental Satellite Data.

Needham, B.H., Sea technology, Oct. 1981, 22(10),

Sca ice distribution, Remote sensing, Spacecraft, Oceanographic surveys, Airborne radar, Microwaves, Environments.

36-759

Proceedings.

International Society for Terrain-Vehicle Systems International Conference, 7th, Calgary, Alberta, Aug 16-20, 1981, Hanover, N.H., ISTVS, 1981, 1605p. Refs. passim. For selected papers see 36-760 through 36-772

All terrain vehicles, Trafficability, Tundra, Tracked schicles, Snow cover effect, Environmental impact, Trenching, Ocean bottom, Friction, Meetings.

Ecological impact of wheeled, tracked, and air cushion vehicle traffic on tundra.

Abele, G., MP 1463, International Society for Terrain-Vehicle Systems. International Conference, 7th, Calgary, Alberta, Aug. 16-20, 1981. Proceedings, Hanover, N.H., ISTVS, 1981, p.11-37, 19 refs.

Tundra, Damage, All terrain vehicles, Tracked vehicles, Environmental impact, Vehicle wheels, Plant ecology.

Traffic tests were conducted on Alaskan tundra near Barrow in 1971. The impact of an air cushion vehicle is significantly less than that of a tracked or wheeled vehicle and is limited to than that of a tracked or wheeled vehicle and is limited to whatever damage is done to the vegetation by skirt contact, the effects of cushion pressure and cushion air flow are insignificant. The impact of wheeled and tracked vehicles is influenced primarily by the type and geometry of tires or tracks, ground contact pressure, and the number of traffic passes

Air cushion technology research at the National Research Council of Canada.

Fowler, H.S., International Society for Terrain-Vehicle Systems International Conference, 7th, Calgary, Alberta, Aug. 16-20, 1981. Proceedings, Hanover, N.H., ISTVS, 1981, p.179-203, 4 refs.
All terrain vehicles, Trafficability, Research projects,

Muskeg, Canada.

36.762

Interactions between tyre and soil, relations for the design of flexible toric casings.

Abeels, P.F.J., International Society for Terrain-Vehicle Systems. International Conference, 7th, Calgary. Alberta, Aug. 16-20, 1981. Proceedings, Hanover, N.H., ISTVS, 1981, p.455-470, 7 refs

Trafficability, Vehicle wheels, Swamps, Environmental protection, Models.

36.763

Comparison of tracked vehicle performance under different snowpack conditions.

Brown, R.L., International Society for Terrain-Vehicle

Systems. International Conference, 7th, Calgary, Alberta, Aug. 16-20, 1981. Proceedings, Hanover, N.H., ISTVS, 1981, p.531-550, 14 refs.

Tracked vehicles, Snow cover effect, Snow density, Impact strength, Trafficability, Pressure, Wet snow, Water content, Temperature gradients, Metamorphism (snow).

Behaviour of wheels with rounded profiles.

Hetherington, J.G., et al, International Society for Terrain-Vehicle Systems. International Conference, 7th, Calgary, Alberta, Aug. 16-20, 1981. Proceed Hanover, N.H., ISTVS, 1981, p.663-676, 5 refs Littleton, L., Caws, I.M. Proceedings.

Vehicle wheels, Trafficability, Soil strength, Military transportation.

36.765

BV 206-a new Swedish of terrain vehicle.

Ljunggren, J., International Society for Terrain-Vehicle Systems. International Conference, 7th, Calgary, Alberta, Aug. 16-10, 1981. Poccedings, Hanover, Alberta, Aug. 16-10, 1981. P occedings, Hanover, N.H., ISTVS, 1981, p.677-698.
All terrain vehicles, Tracked vehicles, Snow cover ef-

fect, Trafficability, Design.

Trials on muskeg with high floatation forestry tires. Mellgren, P.G., International Society for Terram-Vehicle Systems. International Conference, 7th, Calgary, Alberta, Aug. 16-20, 1981. Proceedings, Hanover, N.H. 18TVS, 1981, p.737-753.

Muskeg, All terrain vehicles, Trafficability, Vehicle

wheels. Swamps, Analysis (mathematics). 36-767

Estimating the cost of off-road transportation

Rhoads, E.M., International Society for Terrain-Vehicle Systems. International Conference, 7th, Calgary, Alberta, Aug. 16-20, 1981. Proceedings, Hanover, N.H., ISTVS, 1981, p.797-823, 5 refs.

All terrain vehicles, Tracked vehicles, Trafficability,

Cold weather operation, Cost analysis, United States -Alaska.

36,768

Subsea trenching in the Arctic.

Mellor, M., MP 1464. International Society for Terrain-Vehicle Systems International Conference, 7th. Calgary, Alberta, Aug. 16-20, 1981. Proceedings, Hanover, N.H., ISTVS, 1981, p.843-882, Refs. p.873-

Trenching, Ocean bottom, Bottom sediment, Pipelines, Ice scoring, Pressure ridges, Icebergs.

Environmental conditions are described for the continental shelf of the western Arctic, and for the shelf of Labrador and Newfoundland — Special emphasis is given to the gouging of bottom sediments by ice pressure ridges and icebergs, and an

approach to systematic tisk analysis is outlined. Protection of subsea pipelines and cables by trenching and direct embedment is discussed, touching on burial depth, degree of protection, and environmental impact. Conventional land techniques can be adapted for trenching across the beach and through the shallows, but in deeper water special equipment is required.

36.769

Radar-techniques in detecting the trafficability of frozen peatlands.

Saarilahti, M., et al. International Society for Terra i Vehicle Systems — International Conference, 7th, Calgary, Alberta, Aug. 16-20, 1981 — Proceedings. Hardver, N.H., ISTVS, 1981 — p.1017-1044, 7 refs. Tuuri M

Peat, Frozen ground strength, Trafficability, Bearing strength, Snow cover effect, Microwaves, Detection. Radar echoes, Dielectric properties, Lake ice.

Plate loading and vane-cone measurements for fresh and sintered snow.

Yong, R.N., et al. International Society for Territo-Vehicle Systems - International Conference, 7th, Calgary, Alberta, Aug. 16-20, 1981 - Proceedings, Harm-yer, N.H., ISTVS, 1981, p.1093-1118, 5 rets

Snow cover effect, Trafficability, Plates, Snow compression, Snow mechanics, Snow density, Snow deformation, Shear strength, Experimentation, Penetration tests, Loads (forces).

Prediction of drawbar-pull of tracked over-snow vehicle.

Yong, R.N., et al. International Society for Terrain-Vehicle Systems - International Conference, 7th, Calgary, Alberta, Aug. 16-20, 1981 Proceedings, Hanover, N.H., ISTVS, 1981, p.1119-1149, 15 reis

Tracked vehicles, Snow cover effect, Traction, Sliding, Friction, Shear stress, Plates, Sintering, Snow depth, Forecasting, Penetration tests, Analysis (mathematics).

Analytical model for the turning of tracked vehicles in soft soils.

Karafiath, U.L. International Society for Terrain-Vehicle Systems - International Conference, 7th, Calgary, Alberta, Aug. 16-20, 1981 — Proceedings, Harrover, N.H., ISTVS, 1981, p.1385-1441

vehicles. Trafficability, Friction, strength, Plastic properties, Tracking, Models, Shear

Determination of net accumulations from gross beta activity measurements in the North Water region. Ambach, W., et al. Polartorschung, 1980, 50(1-2), p.1. 7. In English with German summary 9 rets Muller, F

Radioactive logging, Ice cores, Meltwater, Firn.

Contamination of firn layers by radioactive fallout. ¿Zur Kontammation von Erinschichten durch radioaltiven Falloutj.

Ambach, W., Polartorscharg, 1980, 50(1-2), p. 17-22 In German with English summary and figure captions

Radioactive isotopes, Fallout, Firn, Drill core anal-

ysis.

Measurements of the gross-beta-activity and the tritium concentration of firm samples from different regions indicate ensurant ronmental pollution by radioactive fission products from nu-clear weapon tests which have been earned out in the atmo-sphere since 1952—In order to review the exposure dose from sphere since 1952. In order to review the exposure dose from contaminated firm maximum values of the exposure dose for the contaminated firm maximum values of the exposure dose for the exposition of 168 hours per week were taken for comparison from the "Osterreichische Strableinschutzverordnung", 1972 (HZK 168). For example, the value of HZK 168 for a mixture of unknown composition decaying by alpha beta gamma radiation, as well as the values of HZK 168 for individual nuclids such as \$7.90, Cs-137, and Pm-147 are discussed in this article Assuming realistic conditions it is shown that the heavily contaminated firm layers are no significant risk to human beings Results of examinations of the cores from the South Pole are included in the data analysis. included in the data analysis (Auth, mod.)

Trigonometric altimetry over extremely cold snow surfaces, ¡Zim thiconometrischer Hohenmessing. extrem kalten Schneefia, heng Ziek, W., Polartorschiege 1980-80(1-2), p.23-28-4.

German with Logist, summary and figure copings 5 rets

Snow cover effect, Height finding, Refraction, Air

temperature. Antarctica.

In Dome C (Antarctica) the retraction coefficient k was deter mined by reciprocal vertical angle measurements taken over a period of two days. In addition, the accuracy of the trigonometric levelling was investigated. Results are presented in tables and graphs. (Auth. mod.)

Seven-year performance of CRREL slow-rate land treatment prototypes.

Jenkins, T.F., et al, U.S. Army Cold Regions Research and Engineering Laboratory, July 1981, SR 81-12, 25p. ADA-103 739, 6 refs.

22p. ADA-103 /39, 6 rels. Palazzo, A.J., Schumacher, P.W., Hare, H.E., Butler, P.L., Diener, C.J., Graham, J.M. Waste treatment, Water treatment, Land reclama-tion, Water chemistry, Nutrient cycle, Statistical analysis. Soil water.

analysis, Soil water.

A set of six outdoor, slow-rate land treatment prototypes was operated from June 1973 through May 1980. Water quantity and quality data are presented for the wastewater applied to and the percolate leaving the 5-foot soil profile. Average concentration, mass loading and mass and percentage removal of wastewater constituents are presented on a yearly basis. Tabulations of crop production and nutrient uptake are also presented Nutrient balance sheets summarize the relative amounts removed by plant uptake, deep percolation and other removal mechanisms for nitrogen and phosphorus.

Thermal design of frost proof pavements.

Refsdal, G., Norway. Statens vegvesen, veglaboratoriet. Meddelelser, Feb. 1981, No.53, p.19-

Pavements, Frost resistance, Thermal properties, Construction materials, Roads, Protection, Frost action, Thermal conductivity, Design.

Polystyrene foam for lightweight road embankments. Dahlberg, R.G., et al, Norway. Statens vegvesen, veglaboratoriet. Meddelelser, Feb. 1981, No.53, p.27-

Embankments, Polymers, Bearing strength, Soil stabilization, Ice control, Road icing, Slope stability.

Hot applied thermoplastic road marking materials. Ruud, O.E., Norway: Statens vegvesen, ve-glaboratoriet. Meddelelser, Feb. 1981, No.53, p.41-

Road maintenance, Markers, Plastics, Thermal properties. Cold weather operation.

Frost protection in building construction.

Sactersdal, R., et al, Norway. Statens vegvesen, veglaboratoriet. Meddeleiser, Feb. 1981, No.53, p.45-Refsdal, G

Frost resistance. Construction materials, Buildings, Soil freezing, Frozen ground strength, Bearing strength, Thermal conductivity, Frost action, Frost heave, Protection, Water content, Compressive properties, Freezing indexes, Roads.

Seasonal water supply forecasting for areas having seasonal snowcover

Cline, T.B., U.S. Office of Water Research and Technology Technical completion report, OWRT allot-ment grant A-065-IDA, Moscow, Idaho Water Reources Research Institute, Mar. 1980, 122p., 28 refs Water supply, Snow hydrology, Runoff forecasting, Stream flow, River flow, Seasonal variations, Models, Computer applications.

36-782

Proceedings.

Symposium on the Heat Exchange at Snow and Ice Surfaces, Oct. 26, 1962, National Research Council, Canada Associate Committee on Soil and Snow Me-chanies Technical memorandum. Oct. 1963, No.78. 82p., Refs. passim. Includes eight papers presented at the symposium

Snow surface temperature, Ice surface, Air temperature, Meetings, Runoff forecasting, Glacier surfaces, Radiometry, Sea ice, Ice growth, Heat flux, Snow air interface. Ice air interface.

Kane, D.L., Alaska, University, Institute of Water Resources, Completion report No. 80-06, Feb. 1981, 23p., 7 refs.

owmelt, Seepage, Frozen ground physics, Runoff, Soil water, Ground ice, Ice lenses, Snow depth.

36-784

Precipitation and snow cover data, 1976. Finnish Meteorological Institute. Meteorological yearbook of Finland, 1979, Vol.76, Pt.2 1976, 108p., In English and Finnish

Precipitation (meteorology). Snow depth, Snow density, Meteorological charts, Maps, Statistical analysis, Seasonal variations.

36-785

Road construction machines used in building the Baykal Amur railroad. [Strottel'nye i dorozhnye mashiny na BAMe₁.

Ikonnikov, V.G., et al, Stroitel'nye i dorozhnye mu-

shiny, Jan. 1981, No.1, p.5-6, In Russian Makushkin, D.O., Marchenko, S.IU., Skalozub, G.E. Embankments, Earthwork, Baykal Amur railroad, Construction equipment, Permafrost beneath struc-

Hammers for frozen ground excavation. [Mashiny udarnogo deistviia dlia razrabotki merzlykh gruntovy, Odyshev, A.G., et al. Stroitel'nye i dorozhnye ma-shiny, Jan. 1981, No.1, p.6-7, In Russian. 3 refs. Polonskii, G.L

Earthwork, Excavation, Hammers, Cranes (hoists). Frozen ground.

36-787

Improving cutting tools of trenching excavators for frozen ground. [Sovershenstvovanie rabochikh ganov transheinykh ekskavatorov dlia razrabotki mer-

ganov transfernysti ekskazatow unia razradowi merziykh gruntovj.
Osipenko, B.V., et al. Stronel'nye i dorozhnye mashiny, Jan. 1981, No.1, p.8-9, In Russian 2 refs.
Sokolov, L.K., Paneev, A.V.
Trenching, Equipment, Earthwork.

Selecting optimal parameters of cutting tools of trench excavators for frozen ground. (Vybor ratsional'nykh parametrov rezhushchikh organov transheinykh mashir dlia razrabotki merzlykh gruntov₃, Sokolov, L.K., Stroitel'nye i dorozhnye mashiny. Jan. 1981, No.1, p.9-11, In Russian. 5 refs. Earthwork, Trenching, Frozen ground.

Standardized cutting tools for trenching equipment. [Unifitsirovannyi rezhushchii instrument dlia transheinykh ekskavatorovi,

Bondarenko, V.P., Stroitel nye i dorozhnye mashiny. Jan. 1981, No.1, p.11-13. In Russian. 3 refs.

Earthwork, Trenching, Equipment, Frozen ground.

Operational loading regimes of pumps and hydraulic motors of universal excavators at low temperatures. (Ekspluatatsionnye rezhimy nagruzheniia nasosov i gidromotorov khoda universal'nykh ekskavatorov v uslovijakh nizkikh temperaturi,

Vasil'chenko, V.A., et al, Stroitel'nye i dorozhnye mashiny. Jan. 1981, No.1, p.13-14, In Russian — refs. M.A., Khorosh, A.I.

Earthwork, Tracked vehicles, Excavation, Cold weather operation.

Testing hydraulic drive of the BM-1500 drilling equipment, [Ispytaniia oblicmnogo gidroprivoda hurilinoi mashiny BM-1500].

Goikhman, IA A., Stronel'nye i dorozhnye mashiny. Jan. 1981, No l. p. 15-16. In Russian.

Earthwork, Drilling, Drills, Cold weather construc-

Influence of transmission fluid temperature on the performance of EO-4121 excavators. (Vlimme temperatury rabochei zhidkosti na proizvoditel'nost' ekskavatorov EO-4121₁. Khorosh, A.I., et al. *Strojtel nye i dorozhnye mashiny*

Jan. 1981, No.1, p 16-17, In Russian 2 rets Kaverzin, S.V., Dmitriev, V.A.

Earthwork, Excavation, Equipment.

"Sloterm" type heating panels for tower crane cabins. Otoplenie kabin bashennykh kranov nagrevateľ nymi paneliami tipa "Sloterm"].

Jan. 1981. No. 1. p. 17-18. In Russian Khainatskii, G. F., Zal'tsman, E. G. Construction equipment, Cranes (hoists), Cold

weather construction. Heating.

36-794

Dynamic loads on the plowing equipment of a highspeed patrol snowplow. [Dinamicheskie nagruzki pluzhnogo oborudovanna skorostnogo patrul'nogo snegoochistitelia₁.

Nishneyich, E.L., et al. Stroite/nye i dorozhnye ma-shini, Jan. 1981, No.1, p.20-21, In Russian Zhubrin, V.G., Ivanov, A.N. Roads, Winter maintenance, Snow removal.

Moisture exchange between ground water and rocks in the aeration zone during winter-spring periods. ¡Otsenka vlagoobmena gruntovykh vod s porodam

zony aeratsii v zimne-vesennii periody. Konopliantsev, A.A., et al. Vodnyc resursy. 1981, No.2, p. 90-97, in Russian. 9 rets Sedova, V.K., Obukhova, I.V.

Soil water migration, Frost penetration, Ground water, Phase transformations, Snow cover effect, Seasonal freeze thaw.

Organization of cross-country route of march.

Oborudovanie kolonnogo putij. Titovskii, V., Voennyi vestnik, Aug. 1981, p.85-86, In

Military operation, Roads, Swamps, Forest soils, Military transportation, Roadbeds, Earthwork.

36-797

Construction of ice crossings. [Oborudovame ledianor

perepravyj. Sotnikov, I., *Voennyi vestnik*, Mar. 1981, No 3, p 79-80. In Russian.

Icebound rivers, Ice crossings, Ice cover thickness, Ice surveys, Military operation.

36-798

Peculiarities of military operations in polar regions. ¡Osobennosti boevykh deistvii v Zapoliar'ej. Andresian, G.A., Voennyi vestnik, Dec. 1980, No.12,

p.34-38. In Russian. Polar regions, Military operation, Military transportation, Military equipment, Military facilities, Tundra, Taiga, Swamps,

Glaciological expedition on Spitsbergen. [Gliatsiologicheskaia ekspeditsiia na Shpitsbergenej, Koriakin, V.S., Zemlia i vselennaia, Mar.-Apr. 1981.

No.2, p.48-51, In Russian.

Expeditions, Glaciation, Glacier ice, Ablation, Ice surface, Glacier surveys, Snow surveys, Norway—Syalbard.

Ranch houses for the Far North. [Usadebnye doma

dlia Krainego Severaj. Denderin, I.T., Zhilishchnoe stroitel stvo. Dec. 1980. No.12, p.14-16, In Russian.

Houses, Residential buildings, Standards, Permafrost beneath structures. Snowdrifts.

Frost resistance of cellular silica slag concrete. [Morozostoikost] gazoshlakosilikatnogo betonaj. Suleimenov, S.T., et al. Stroite/hyc materialy, July 1981, No 7, p 20-21, In Russian S rets Zhunisov, S Zh.

Lightweight concretes, Concrete aggregates, Wastes. 36-802

Phenolformaldehyde fiber glass thermal insulation for enclosures. (Steklofenopiasty effektivnye te ploizoliatsionnye materialy dha ograzhdanishehikh konstruktsiij. Stefurak, B.I., Stroite/Eve materials, May 1981. No 5.

14-15. In Russian Modular construction, Industrial buildings, Thermal

insulation.

Diagram for calculating ice pressure on the plating of icebreaker frames. [Grafik raschetnogo daylenna i da

na obshiyku korpusa icolokosa; Segal, Z B., et at. Sudostroenie July 1981, No 7 p 8 9. In Russian – 7 rets

Popov, G-P Ice navigation, Icebreakers, Ice pressure.

Bending moment in pipe bending using ice as filler [ligibarushchir moment pri gibke trub's ispoli zovanier I'da v kachestve mapoinitenaj

Gorelik, B.A., et al. Sinhostroenic, Apr. 198 No.4 42-44. In Russian Social Mironov, V I

Ships, Pipes (tubes), Design

Support devices for oceanographic work aboard the icebreaker "Otto Schmidt". (Ustroistva dlia obespechenija okeanograficheskikh rabot na ledokole "Otto Shmidt"₃. Starshinov, V.A., et al, *Sudostroenie*, Mar. 1981, No.3,

p.19-21. In Russian.

Kuperman, A.M.

Icebreakers, Ice navigation, Oceanographic surveys, Equipment.

36-806

Studying stresses on icebreaker shafting and cargo vessels in ice navigation. [Issledovanie nagruzok na valoprovodakh ledokolov i transportnykh sudov ledovogo plavaniiaj.

Merkulov, V.A., et al. Sudostroenie, Mar. 1981, No.3,

p.22-25, in Russian. 5 refs. Timofeev, V.I., IAkovleva, M.V.

Icebreakers, Ice breaking, Ice loads, Propellers.

Local microclimatic zones aboard floating docks. rSozdanie lokal'nykh zon mikroklimata na plavuchikh dokakhj.

Vinogradov, E.S., et al, Sudostroenie, Mar. 1981, No.3, p.48-50, In Russian. 3 refs. Grimitlin, M.I., Pozin, G.M.

Floating structures. Docks, Winter maintenance,

Equipment, Heating. 36-808

Evaluating the performance of logs aboard icebreak-Guzeev, A.G., et al. Sudostroenie, Jan. 1981. No.1, p.30-31. In Russian. 2 refs.

Icebreakers, Ice navigation, Velocity measurement. 36-809

Evaluating the environment damage from construction and operation of oil pipelines. [K voprosu opredeleniia ushcherba okruzhaiushchei prirodnoi srede pri stroitel'stve i ekspluatatsii truboprovodov₂,

Kim, B.I., Transport i khranenie nefti i nefteproduk-tor., 1980. No.12, p.29-30, In Russian. Petroleum industry, Oil recovery, Pipelines, Oil spills, Vegetation, Thermokarst, Environmental protection.

Operation of radar controlled armament in freezing weather. (Osobennosti ekspluatatsii RLV

vremiaj. Kostin, N., et al. Vestnik protivovozdushnoj oborony. Jan. 1981, No.1, p.59-61, In Russian. Kucherov, IU.

Radar, Military equipment, Icing, Winter maintenance. Defrosting.

36-XII

Morphological investigations of first-year sea ice pressure ridge sails. Tucker, W.B., III, et al. Cold regions science and tech-

nology, 1981, Vol.5, MP 1465, p.1-12, 16 refs Govorn, J.W

Pressure ridges, Sea ice, Ice structure, Ice cover thickness, Offshore structures, Ice pressure, Ice strength.

36-812

Estimates of permafrost thickness from well logs in northern Alaska.

Osterkamp, T.E., et al. Cold regions science and technology, 1981. Vol.5, p.13-27, 30 refs.
Payne, M.W.

Permafrost thickness, Well logging, Drilling, Perma-frost physics, Subsea permafrost. Lithology. 36.813

Catchment hydrology of a High Arctic lake

Woo, M., et al, Cold regions science and technology. 1981, Vol.5, p.29-41, 19 refs Heron, R., Steer, P

Lake water, Hydrology, Water balance, Snowmelt, Ice melting, Runoff, Water storage.

36-814

Modelling the effects of a snowdrift-preventing forest and a snow fence by means of activated clay particles. Anno, Y., et al. Cold regions science and technology 1981, Vol.5, p.43-58, 14 refs. Konishi T

Snowdrifts, Protective vegetation, Snow fences, Trees (plants), Wind tunnels, Models.

Ski gliding and water film. Ambach, W., et al. Cold regions science and technologs, 1981, Vol.5, p.59-65, 5 refs. Mayer, B

Skis, Snow surface, Water films, Dielectric proper ties, Measurement.

36-816

Thermal properties of soils in cold regions. Farouki, O.T., Cold regions science and technology, 1981, Vol.5, p.67-76, 21 refs.

Permafrost thermal properties, Frozen ground physics, Soil freezing, Freeze thaw cycles, Thermal conductivity, Unfrozen water content, Analysis (math-

36-817

Development of the Yakovlevo iron ore deposit of the Kursk magnetic anomaly, ¡Osvoenie lAkovlevskogo zhelezorudnogo mestorozhdenia KMA].

Solodovnikov, D.V., Shakhtnoe stroitel'stvo. Apr 1981, No.4, p.7-8. In Russian.

Mining, Excavation, Ground water, Seepage, Artificial freezing.

36-818

Basic technical design of shaft construction in the Yakovlevo mine. ¡Osnovnye tekhnicheskie resheniia proekta sooruzheniia stvolovi.

Los', I.F., et al. Shakhtnoe stro'tel'stvo. Apr. 1981, No.4, p.8-14, In Russian. Kleev, I.V., Berger, B.B., Mishedchenko, A.D.

Mining, Shafts (excavations), Water level, Seepage, Artificial freezing.

36-819

Artificial rock freezing in drilling deep shafts. [ls kusstvennoe zamorazhivanie porod i prokhodka glubokikh stvolovj.

Florov, I.N., et al, *Shakhtnoe stroitel stvo*. Apr. 1981, No.4, p.15-18, In Russian. Lukin, V.P.

Mining, Shafts (excavations), Water level, Artificial

Blasting techniques for excavating shafts in artificially frozen rocks. (Vzryvnye raboty pri prokhodke stvola v iskusstvenno zamorozhennykh porodakhj, Oksanich, I.F., et al, Shakhtnoe stroite/stvo. Apr. 1981, No.4, p.18-19, In Russian. 2 refs.

Chmykhalov, V.S. Mining, Shafts (excavations), Blasting, Artificial freezing.

Temperature control in shaft No.2 of the Yakovlevo mine of the Kursk magnetic anomaly. tOrganizatsiia termokontrolia pri sooruzhenii stvola No.2 IAkovlev-

Varenyshev, V.M., et al. Shakhtnoe stroite/stvo. Apr. 1981, No.4, p.20-22. In Russian. nov. A.D., Lukin, V.P.

Mining, Shafts (excavations), Water level, Artificial freezing, Frozen rock temperature, Temperature con-

36-822

Artificial freezing technique for the excavation of very deep mine shafts. Prokhodka glubokikh shakhtnykh stvolov metodom zamorazhivaniiai.

Vialov, S.S., et al, Shakhtnoe stroitel'stvo. Apr. 1981. No.4. p 22-23. In Russian.

Zaretskii, IU.K., Gorodetskii, S.E.

Mining, Shafts (excavations), Sands, Water level, Artificial freezing.

Environmental protection of gas recovery areas in northern West Siberia. (Aktual'nye vopresy okhrany prirodnoi sredy Zapadno-Sibirskogo Severa v sviazi s osvoeniem gazovykh resursov regionaj, Bud'kov, S.T., et al, Russia Ministerstvo vysshego i

srednego spetsial'nogo obrazovanna. Izvestnashikh uchebnykh zavedenii Neft'i gaz, July 1981, No.7, p.86-90, In Russian. 9 refs Silin, A.N.

industry, Gos pipelines, Permafrost beneath structures, Environmental protection.

Determining the pressure on casing and selecting the assortment of pipes for the Far North. [K vop opredelenija davlenija na obsadnuju kolonnu i vybora sortamenta trub v uslovnakh Krainego Severaj.

Abdullaev, T.B., Russia Ministerstvo vysshego i srednego spetsial nogo obrazovania Izvestiia vysshikh uchebnykh zavedenii Neft No 3, p 26-29, In Russian 10 refs Neft' i gaz, Mar. 1981,

Petroleum industry, Oil wells. Well casings, Perma frost.

36-825

Seismoacoustic techniques of determining engineering and geological properties of alluvial shingle under permafrost conditions. (Opredelente inzhenerno-geologieheskikh kharakteristik alliuvial nykh galechnikov v uslovnakh mnogoletnei merzloty metodami seismoakustikij.

Nikitin, V.N., et al. Inzhenernaia geologiia, May-June 1981, No.3, p.90-96, In Russian 9 refs. Ozmidov, O.R.

Embankments, Bridges, Foundations, Permafrost beneath structures, Gravel, Baykal Amur railroad, Bearing strength, Acoustic measurement, Seismic velocity.

36-826

Rheologic properties of clayey material in earth dams. (Reologicheskie svoistva glinistogo materiala

zemlianykh plotinj. Meschian, S.R., *Inzhenernaia geologiia*, Mar.-Apr.

1981, No.2, p.34-40. In Russian. 12 refs. Earth dams, Clays, Rheology, Bearing strength, De-

Geologic processes and phenomena in oil and gas bearing areas of the Tyumen' Priob'e. Geologicheskie protsessy i jaylenija v neftegazonosnykh rajonakh Tiumenskogo Priob'iai.

umenskogo Priob 13; Khasanov, M.F., Inzhenermua geologia, Mar.-Apr. 1981, No.2, p.52-59, In Russian. 3 refs. Permafrost distribution, Geocryology, Permafrost structure, Slope processes, Frost heave, Thermokarst, Permafrost hydrology.

36-828

Retaining walls for excavations in permafrost. [Podpornye stenki dlia vyemok v vechnomerzlykh grun-

Novikov, F.IA., Inzhenernaia geologiia, Mar.-Apr. 1981, No.2, p.96-105, In Russian. 4 refs. Earthwork, Rock excavation, Slope stability, Walls,

Permafrost. 36.829

History of formation of geologic and geocryologic conditions in the coastal plains of Yakutia. [Istoriia formirovaniia inzhenerno-geokriologicheskikh uslovii primorskikh nizmennostei IAkutii₁,

Kaplina, T.N., et al, Inzhenernaia geologiia, Mar.-Apr. 1981, No.2, p.106-113, In Russian. 17 refs.

Kuznetsova, I.L. Plains, Frozen fines, Loess, Permafrost distribution, Permafrost structure, Engineering geology.

In the ecologic niches of glaciers, IV ekologicheskikh nishakh lednikovj.

Markin, V.A., *Priroda*, Apr. 1981, No.4, p.55-65, In Russian. 9 refs.

Glacier ice, Colored ice, Microbiology, Algae, Cryobiology, Plant ecology, Ecosystems.

36-831

Effect of artificial revegetation on eroded soils of north taiga in the Vozer-Usa-Ukhta oil pipeline area. (Opyt fitomelioratsii erodirovannykh pochvo-gruntov trasse magistral nogo nefteprovoda Vozei-Usa-I khta (podzona severnoi taigi),

Akul'shina, N.P., et al. Rustitel'nye resursy, 1981, 17(2), p.175-183, lo Russian - 18 refs. Lobovikov, N.N. Mengalimov, Kl. fA. Petroleum transportation, Pipelines, Soil erosion,

Taiga, Cryogenic soils, Revegetation, Environmental protection

New foundation design for large volume vertical steel reservoirs. (Novaia konstruktsiia osnovaniia pod vertikal'nye stal'nye rezervuary bol'shoi emkostii. Barskii, B.I., et al. Stroitel'stvo truboprovodov, Sep. 1981, No 9, p 19-20, In Russian Kostoglodov, V.V., Konovalov, P.A., Kova enko, V.G.

Petroleum industry, Steel structures, Reservoirs, Oil storage, Permafrost beneath structures.

Technology of very deep artificial freezing of rocks. Tekhnologna zamorazhivanna gornykh porod na bol shie glubinyj.

Shparber, P.A. Shakhtnoc stroitel'stvo. May 1981 o 5, p 8-11. In Russian

Mining, Excavation, Ground water, Water level, Seepage, Artificial freezing.

36.834

New technical solutions for ground water seepage problems in mining. (Novye tekhnicheskie resheniia v proektakh osushenija gornodobyvajushchikh pred-

Til' V.I. et al. Shakhtnoe stroitel'stvo. May 1981. No.5, p.11-13, In Russian.

Klimentov, M.N.

Mining, Excavation, Water level, Seepage, Artificial

Crane-drilling assemblies for sinking piles and building supports in thawed and frozen grounds. (Buril'nokranovye mashiny dlia ustroistva opor u sval v talykh

kranovye mashiny dila ustroistva opor u sval v talykn i merzlykh gruntakh, Makushkin, D.O., et al. Stroitel'nye i dorozhnye mashiny, May 1981. No.5, p. 16-18, In Russian. Bugaev, V.G., Kagan, I.L. Earthwork, Excavation, Drills, Cranes (hoists), Sea-

sonal freeze thaw.

36-836

Calculating the performance of hinged rippers. (Raschet proizvoditel nosti navesnogo rykhliteliaj. Telushkin, V.D., et al. Stroitel nye i dorozhnye mashiny, July 1981, No.7, p.17-19, In Russian. 4 refs. Selivanov, A.S.

Earthwork, Excavation, Equipment, Frozen ground.

Frost heave of rocks during shaft excavation. [Moroznoe puchenie porod pri sooruzhenii stvolaj. Demich, L.M., et al, Shakhtnoe stroitel'stvo. Mar. 1981, No.3, p.12-14, In Russian. 3 refs. Kozel, A.M., Kostyrkin, A.A., Koldobskii, IU.A Mining, Artificial freezing, Frost penetration, Frost heave, Supports.

36-838

Icing on wind energy systems.

Hoffer, T., et al, U.S. Department of Energy, Office of Solar Power Applications, Wind Energy Systems Division, DOE/ET/23170-80.1, Jan. 1981, c70p., 21 refs. Reale, T., Elfiqi, A.

Icing, Glaze, Ice accretion, Wind power generation, Structures, Supercooled clouds, Ice forecasting, Computer applications.

16.910

Tips for proper equipment winterizing. Better roads. Oct. 1981, 51(10), p.7-14.

Winter maintenance, Equipment, Cold weather operation, Snow removal, Earthwork, Engine starters, Frozen ground, Antifreezes,

36.840

Sediment transport investigations in Norwegian glacier streams, 1979. [Materialtransportundersökelser i norske bre-elver. 1979].

Kjeldsen, O., ed. Norway. Vassdrags- og elektrisitet-sevesenet. Hydrologisk avdeling. Rapport, 1980, No.1-80, 43p., In Norwegian with English summary. 21 refs.

Sediment transport, Suspended sediments, Glacial rivers, Streams, Floods, Water pollution.

36.841

Greenland Ice Sheet Program (GISP) 1981: deep drilling completed.

Dansgaard, W., Denmark. Commission for Scientific Research in Greenland Newsletter Oct. 1981.

Ice drills, Drill core analysis. Research projects, Ice sheets.

Field tests of a surface ice accretion measurement system.

Tattelman, P., U.S. Air Force Geophysics Laboratory Technical report, Dec. 23, 1980, AFGL-TR-81-0007, Air Force surveys in geophysics, No.435, 22p. ADA-100 282

Ice accretion, Ice solid interface, Glaze, Icing, Ice detection, Ice physics, Supercooled clouds, Ice cover thickness, Design criteria, Mountains.

36-843

Climatic regionalization of the Qinghai-Xizang Pla-

Lin, Z., et al. Acta geographica Sinica, 1981, 36(1), p.22-32. In Chinese with English summary 13 refs

Climate. Precipitation (meteorology), Altitude. Humidity, China-Qinghai-Xizang Plateau

16.844

Laboratory tests on ice sheet adhesion strength on piles of different materials.

Frederking, R., et al. Finland. Technical Research. Centre Laboratory of Structural Engineering Report, Apr. 1981, No.14, 41p. + appends, With Finn-14 refs. sh summary. Karri J

Ice adhesion, Ice sheets, Piles, Ice solid interface. Strain tests, Stresses, Experimentation, Strength.

Surface temperature enhanced NOAA-satellite infrared imagery for the Bering, Chukchi, and Beaufort Seas and the Gulf of Alaska.

Ahlmas, K., Alaska, University Institute of Marine Science, Report, Mar. 1981, IMS R80-2, 91p., 13

Sea water. Surface temperature. Sea ice distribution. Remote sensing, Infrared photography, Statistical analysis.

36-846

Hydrologic reconnaissance near Fourth of July

Creek, Seward, Alaska Nelson, G.L., U.S. Geological Survey. Water-resources investigations. Apr. 1981, No.81-21, 10p., 2

Permafrost hydrology, Stream flow, Ground water, Glacial rivers. Snowmelt.

Seasonal dynamics of the leaf mass of Betula exilis Sukacz, in the forest tundra of Taymyr, ¡Sezonnaia dinamika listovoi massy Betula nana L. subsp. evilis (Sukacz.) Hulten v lesotundre Taimyraj. Spodobtseva. N.I., Rastitel nye resursy. 1981. 17(2), p.251-256. In Russian. 22 refs. Tundra, Forest tundra, Plant ecology, Biomass. Cryo-

genic soils, Active layer, Snow cover effect, Soil temperature.

36-848

1981 Oil Spill Conference (Prevention, Behavior, Con-1961 Oll Spill Conference (Prevention, Behavior, Control, Cleanup), Atlanta, Georgia, March 2-5, 1981, Washington, D.C., American Petroleum Institute, 1981, 742p., Refs. passim. For selected papers see 36-849 through 36-859.

Oil spills, Countermeasures, Detection, Environmental impact, Sea ice, Pollution, Dispersions, Oil recoverv. Airborne equipment.

36-849

BIOS project-frontier oil spill countermeasures research.

Blackall, P.J., et al, 1981 Oil Spill Conference (Prevention, Behavior, Control, Cleanup), Atlanta, Georgia, March 2-5, 1981. Proceedings, Washington, D.C., American Petroleum Institute, 1981, p.167-172, 3 refs. Sergey, G.A.

Pack ice, Oil spills, Countermeasures, Research projects, Environmental impact, Shores, Environmental protection, Ice oil interface, United States-Alaska.

Dome petroleum's oil spill research and development program for the Arctic.
Pistruzak, W. M., 1981 Oil Spill Conference (Preven-

Historiak, W. M., 1981 on Spin Confective Prescription, Behavior, Control, Cleanup), Atlanta, Georgia, March 2-5, 1981. Proceedings, Washington, D.C., American Petroleum Institute, 1981, p.173-182, 23

Oil spills, Research projects, Ice conditions, Countermeasures, Environmental impact, Offshore drilling, Environmental protection, Ice oil interface, Beaufort

Dome petroleum's oil and gas under sea ice study. Buist, I.A., et al. 1981 Oil Spill Conference (Prevention, Behavior, Control, Cleanup), Atlanta, Georgia, March 2-5 1981 Proceedings, Washington, D.C. American Petroleum Institute, 1981, p.183-189, 8 rets Pistruzak, W.M., Dickins, D.F.

Sea ice, Oil spills, Natural gas, Countermeasures, Environmental impact, Subglacial observations, Ice cover effect, Equipment, Environmental protection, Ice oil interface.

16-852

Oil migration and modification processes in solid sea

Selson, W.G., et al. 1981 Oil Spill Conference (Prevention, Behavior, Control, Cleanup). Atlanta. Georgia, March 2-5, 1981. Proceedings, Washington, D.C., American Petroleum Institute, 1981, p. 191-198, 12 refs

Oil spills, Dispersions, Countermeasures, Sea ice distribution. Ice conditions, Environmental impact, Ice growth, Environmental protection, Ice melting, Migration, Convection, Tests, Ice oil interface, United States-Alaska-Prudhoe Bay.

36.853

Anticipated oil dispersion rates in pack ice.

Reimer, E.M., 1981 Oil Spill Conference (Prevention. Behavior, Control, Cleanupi, Atlanta, Georgia, March 2-5, 1981. Proceedings, Washington, D.C., Ameri-can Petroleum Institute, 1981, p.199-201, 2 rets Oil spills, Dispersions, Pack ice, Countermeasures,

Remote sensing, Environmental impact. Exploration. Environmental protection, Petroleum transportation. LANDSAT, Ice oil interface.

Containment of oil spilled under rough ice.

Cox, J. C., et al. 1981. Oil Spill Conference (Presention, Behavior, Control, Cleanup), Atlanta, Georgia, March 2-5, 1981. Proceedings, Washington, D.C., American Petroleum Institute, 1981, p 203-208, 1 ret-Schultz, L.A.

Oil spills, Ice bottom surface, Countermeasures, Sea ice distribution, Ice conditions, Environmental impact, Roughness coefficient, Environmental protection, Ice oil interface.

36-855

Cold weather response, F. V. Rvuvo Maru No.2, St. Paul, Pribiloff Islands, Alaska. 1981 Oil Spiil Conference (Prevention, Behavior, Control, Cleariup), Atlanta, Georgia, March 2-5, 1981. Proceedings, Washington, D.C., American Petroleum Institute, 1981, p.227-231, 3 refs.

Oil spills, Cold weather operation, Tundra, Countermeasures, Marine biology, Environmental impact, Environmental protection, United States—Alaska—

Pribilof Islands.

36-856 Oil spill countermeasures in landfast sea ice.

Allen, A.A., et al. 1981 Oil Spill Conference (Prevention, Behavior, Control, Cleanup), Atlanta, Georgia, March 2-5, 1981. Proceedings, Washington, D.C., American Petroleum Institute, 1981, p.297-304, 20 refs

Selson, W.G.

Oil spills, Sea ice distribution, Fast ice, Countermeasures, Dispersions, Environmental impact, Subglacial observations, Environmental protection, Ice oil interface.

36-957

Spill impacts and shoreline cleanup operations on Arctic and sub-Arctic coasts.

Owens, E.H., et al., 1981 Oil Spill Conference (Preven-

tion, Behavior, Control, Cleanupi, Atlanta, Georgie, March 2-5, 1981. Proceedings, Washington, D.C., American Petroleum Institute, 1981, p. 305-309, 6 (ets.) Robilhard G A

Shores, Oil spills, Ice conditions, Countermeasures, Sea ice distribution, Environmental impact, Environ-mental protection, Ice oil interface.

Impacts of a spill of No.6 fuel oil on Lake Winona. Fremling, C.R., 1981. Oil Spill Conference (Preven-tion, Behavior, Costrol, Cleanup). Adama, Georgia, March 2-5, 1981. Proceedings, Washington, D.C. American Petroleum Institut, 1981, p.419-421, 3 refs. Lake ice, Oil spills, Lake water, Countermeasures, Environmental impact. Subglacial observations, En-vironmental protection. Ice oil interface.

Oil slick igniter for remote areas.

Merkle, K.M., 1981. Or Spat Conference (Prevention Behavior, Control, Cicar (p). Atlanta, Ocoogra, Marci 2-5, (1981). Proceedings: Washington, D.C., American Petroleum list tute. (1981). p.617-621. Grets. Ice floes, Oil spills, Ice conditions, Countermeasures,

Environmental impact. Equipment, Environmental protection. Ice oil interface.

Mechanistic theory of ice lens formation in finegrained soils.

Konrad, J.-M., et al, Canadian geotechnical journal, Nov. 1981, 17(4), p.473-486, With French summary.

Morgenstern, N.R.

Ice lenses, Ground ice, Ice formation, Fines, Soil freezing, Frost heave, Heat transfer, Mass transfer, Tests.

36-861

Energetics of an ablating headscarp in permafrost. Pufahl, D.E., et al, Canadian geotechnical journal, Nov. 1981, 17(4), p.487-497, With French summary.

Morgenstern, N.R.

Permafrost mass transfer, Permafrost heat balance, Ground thawing, Landslides, Mudflows, Ablation, Radiometry.

First approximation of the volume of ground ice, Richards Island, Pleistocene Mackenzie delta, Northwest Territories, Canada. Pollard, W.H., et al, Canadian geotechnical journal.

Pollard. Nov. 1981, 17(4), p.509-516, With French summary 22 refs.

Ground ice, Ice wedges, Active layer, Ground thawing, Thermokarst development, Pleistocene.

36-863

Thermal design for insulated pipes.

Hwang, C.T., et al, Canadian geotechnical journal, Nov. 1981, 17(4), p.613-622, With French summary.

Seshadri R., Krishnavya, A.V.G

Pipeline insulation, Thermal insulation, Freeze thaw cycles. Permafrost preservation, Thaw depth, Frost heave, Time factor, Design, Analysis (mathematics).

36.864 Alaska OCS Socioeconomic Studies Program; defini-

Alaska 20CS Socioeconomic Studies r rogram; definition of Alaska petroleum development regions. Alaska Outer Continental Shelf Office, Technical report No.1, Aug. 1978, 69p., 4 refs.
Petroleum industry, Olf recovery, Economic development, Environmental impact, Legislation, Offshore drilling, United States-Alaska.

36-865

Alaska OCS Socioeconomic Studies Program; Beaufort Sea petroleum development scenarios: transportation impacts. Alaska Outer Continental Shelf Office. Technical report No.20, Aug. 1978, 163p., Refs.

Offshore drilling, Economic development, Legislation, Oil recovery, United States—Alaska.

36-866

Magnetic properties of iron ore minerals at subzero temperatures. Magnitnye svoistva rudnykh minera-lov zheleznykh rud v oblasti otritsatel nykh tem-

peraturj. Dotsenko, V.D., et al. Russia. Ministerstvo vysshego i srednego spetsial'nogo obrazovaniia. Izvestiia vys-shikh uchebnykh zavedenii. Gornyi zhurnal, 1980, No.11, p.5-9, In Russian. 6 refs Gubin, G.V., Tkachev, E.S.

Mining, Minerals, Frost action, Magnetic properties, Low temperature tests, Laboratory techniques.

Using the heat from compressed air for heating ventilation air in winter before feeding it into shafts. ilspol'zovanie tepla szhatogo vozdukha dlia podogreva ventiliatsionnogo vozdukha zimoi pered podachei v

Skrypnikov, V.B., Russia. Ministerstvo vysshego i srednego spetsial'nogo obrazovaniia. Izvestiia Shikh uchebnykh zavedenii. Gornyi zhurnal. 1980. No.11, p.60-63. In Russian 3 refs.

Mining, Shafts (excavations), Ventilation, Cold weather operation.

Optimizing the process of mechanical dehydration of frozen, low decomposition peat from high bogs. [Optimizatsiia protsessa mechanicheskogo obezvoz-hivaniia merzlogo torfa verkhovogo tipa nizkoi stepeni

razlozhenija. Sherstnev, V.L. et al, Russia. Ministerstvo vysshego. i srednego spetsial nogo obrazovaniia. Izvestiia vys-shikh uchebnykh zavedenii. Gornyi zhurnal. 1980. No.12, p. 7-9. In Russian.

Aleksandrov, B.M., Teterin, A.G., Kungurov, E.N. Swamps, Peat, Frost action, Dehumidification.

Optimizing the regime of permafrost softening when using focusing antennas of superhigh frequency. (Optimizatsiia rezhima razuprochneniia merzlykh porod pri ispol'zovanii fokusiruiushchikh antenn sverkhvysokikh chastotj.

Trofimov, A.S., Russia. Ministerstvo vysshego i srednego spetsial nogo obrazovania. Izvestiia vysshikh uchebnykh zavedenii. Gornyi zhurnal, 1981, No.1, p.5-8, In Russian. 2 refs.

Mining, Excavation, Permafrost heat transfer, Electric heating.

Friction coefficients of rocks moving on conveyer belts treated with defrosting fluids. (Koeffitsienty treniia dvizheniia gornykh porod po konveiernoï lente pri primenenii sredstv predotvrashcheniia primerzanijaj.

Osinnikov, B.N., et al. Russia. Ministerstvo vysshego i srednego spetsial nogo obrazovaniia. Izvestiia vys-shikh uchebnykh zavedenii. Gornyi zhurnal. 1981. No.1, p.48-51, In Russian. 2 refs. Katinichenko, N.M., Kalinichenko, P.A.

Mining, Rubber, Frost protection, Belt conveyors.

Dispersion of neat during dehydration in a frozen state. [Dispergirovanie torfa pri obezvozhivanii v merzlom sostojanij, Aleksandrov, B.M., et al. Russia. Ministerstvo vys-

shego i srednego spetsial nogo obrazovanija. Izvestija shego i srednego speisiai nogo oblivativishikh uchebnykh zavedenh. Gornyi zhurnal. 1981, No.2, p.22-24, In Russian. 3 refs. 1981, No.2, p.22-24, In Russian. 3 refs. Kungurov, E.N., Teterin, A.G., Sherstney, V.I.

Peat, Frost action, Dehumidification, Dispersions.

Temperature profile of fluid streams in drilled wells. Temperaturnyi profil' potokov zhidkosti v burovoi skvazhinej. Makarov, L.V., et al, Russia. Ministerstvo vysshego

srednego spetsial nogo obrazovaniia. Izvestiia shikh uchebnykh zavedenii. Gornyi zhurnal. 1981, No.2, p.24-28, In Russian. 4 refs.

Nustroy, V.S., Shestakoy, A.F. Mining, Drilling, Wells, Drilling fluids, Permafrost thermal properties, Permafrost control.

Instrument for rapid determination of thermophysical properties of frozen ground. [Pribor dlia ekspressteplofizieheskikh kharakteristik merzlogo

Tsibul'skii, V.R., et al. Russia. Ministerstvo vysshego i srednego spetsial'nogo obrazovaniia. Izvestiia vysshikh uchebnykh zavedenh. Gornyi zhurnal. 1981. No.5, p.13-16, In Russian. 2 refs. Postnov, IU.E.

Permafrost thermal properties. Measuring instruments. Laboratory techniques.

Influence of temperature and humidity of frozen ground on its explosive properties. (Vliianic ylazh-nosti i temperatury merzlykh gruntov na yzryya-

Drogoveiko, I.Z., et al, Russia. Ministerstvo 135shego i srednego spetsial nogo obrazovaniia. Izvestiia vysshikh uchebnykh zavedenii. Gornyi zhurnal. 1981. No.6, p.65-69, In Russian. Smirnov, A.M.

Blasting, Frozen ground temperature, Ground ice, Explosion effects.

Changes in ground freezing in the Moscow area. 112menenie promerzaniia gruntov v usloviiakh Moskvyj. Prosenkov, V.I., Razvedka i okhrana nedr. Jan. 1981. io.1, p.33-36, In Russian. 6 refs.

Soil freezing, Frost penetration, Ground ice, Soil temperature, Snow cover effect, Human factors engineering, Soil air interface, Heat transfer.

Thermal insulation of the cold block of the EP-300 assembly in the Lisichanskii petroleum processing plant. (Termoizoljatsija kholodnogo bloka ustanovki EP-300 Lisichanskogo NPZ₃. Dubravin, P., *Promyshlennoe stroiteľ stvo i inzhener-*

nye sooruzhenia. Apr.-June 1981, No.2, p.22-24, In

Petroleum industry, Pipeline insulation, Liquefied

Design of electrical grounding systems for industrial complexes in the Far North. (Osobennosti rascheta zazemliaiushchikh sistem promyshlennykh kompleksov v rajonakh Krajnego Severaj,

Aseev, G.G., Promyshlennaia energetika, June 1981. No.6, p.34-38, In Russian 7 tets

Industrial buildings, Electrical grounding, Permafrost beneath structures. 36-878

Possibilities of navigation on small rivers of western Siberia. ¡Vozmozhnosti osvočnija malykh rek Zapad-

not Sibiriy. Zachesov, V., et al. Rechnot transport, 1980, No 12. p.25-26. In Russian Gerasia Gerasimov, V

Icebound rivers, Estuaries, Ice navigation, Ships 36-879

For permafrost regions, (Dha raionov vechno) mer-

Shabalin, B., Rechnot transport, 1980, No.12, p.42-43. In Russian.

Rivers, Ice navigation, Docks, Foundations, Piles, Permafrost beneath rivers.

Cutter-bar machines for ice. [Barovye mashiny dlia rezaniia l'dai.

Zelinger, F., et al. Rechnot transport, 1981, No.1, p. 41. In Russian.

Icebound rivers, Docks, Ice cutting, Equipment, Ships, Winter maintenance.

Equipment for deicing ship frames. (Dia mekhanizatsii vymorozochnykh raboti

Voinich, V., et al. Rechnoi transport, 1981, No.2, p.36. In Russian

Churakov, L., Zakharov, V., Liuft, A

Docks, Ship icing, Icebound rivers, Ice breaking, Winter maintenance.

Use of ice breaking attachments. [Ispot'zovanic ledokol'nykh pristavok). Tretnikov, G., Rechnot transport, 1981, No 4, p 46

Icebound rivers, Ice breaking, Ice navigation, Ice-

36-883

Determining propulsive performance of ships in broken ice. [Dha opredelenna khodkosti sudov v bi-

tom l'du₃. Derevianchenko, N., et al. Rechnot transport, 1981. No.5, p.40, In Russian

River ice, Ice navigation, Ships, Models,

36-884

Studying ice conditions on ship routes, [Issledovame ledovogo sostoianna sudokhodnoi trassyj.

Pashchenko, L. Rechnot transport, 1981, No 6, p.40-

Icebound rivers, Ice navigation, Ice cover thickness, Icebreakers, Ice breaking, Mathematical models.

Navigating under ice conditions, [Dlia ekspluatats) v ledovýkh úsloviiakhj.

Ignaties, N., Rechnot transport, 1981, No.8, p 28-29, In Russian. River ice, Ice navigation, Ships, Diesel engines,

Equipment. 36-886

36-888

Design of power industry complexes and land preservation problems. (Procktirovanie energopromyshlennykh kompleksov i problemy sokhrannosti zemel'nykh

Turushina, I. A., Geografiia i priroditye resursy, Apr-June 1981, No 2, p. 18-24, In Russian 5 refs Electric power, Wastes, Tailings, Revegetation, Soil

erosion, Cryogenic soils, Environmental protection.

Mountain-steppe soils of the Mongolian Altai. [Gotno-stepnye pochyy Mongol'skogo Altaiaj.

Ufimiseva, K.A., Geografia i prirodnye resursy, Apr-June 1981, No.2, p.54-60, In Russian 18 rets Alpine landscapes, Sporadic permafrost, Cryogenic soils. Soil profiles, Soil composition.

Soil cover and land resources in the south of eastern

Siberia, (Pochvenny) pokrov i zemelinye resursy juga Vostochnoj Sibiri; Kuzimin, V.A., et al. Geografia i prirodnye resursy. Apr.-June 1981, No.2, p.60-68, In Russian 30 refs Environmental protection, Landscape types, Alpine tundra, Taiga, Steppes, Cryogenic soils, Mapping, egetation patterns.

Altitudinal belts and climate in mountains of southern Siberia. (Vysotnaia poiasnost' i klimat v gorakh IUzhnor Sibirij.

Nazimova, D.L. et al. Geografia i pritodnye resursy. Apr. June 1981, No.2, p.68-78. In Russian 23 refs Molokova, N.L. Dzhanseitov, K.K. Mountains, Taiga, Landscape types, Micro-

climatology.

36-890

Geographic forecasts of changes in western Siberia related to partial river diversion. (Geograficheskii prognoz izmenenii dlia Zapadnoi Sibiri v sviazi s perebroskoj chasti stoka sibirskikh reki.

Malik, L.K., et al. Geografia i prirodnye iesursy. Ap June 1981, No.2, p.135-145. In Russian. 36 refs Neishtadt, M.L. Karavaeva, N.A., Rauner, IU. L. River diversion, Swamps, Drainage, Peat, Land recla-mation, Irrigation, Revegetation.

36-891

New approach and trends in economic development of the North. Foreign experience and Soviet practice. (Novye podkhody i tendentsii osvoeniia Severa: zaru-bezhnyi opyt i sovetskaia praktika).

Agranat, G.A., Geografiia i prirodnye resursy, July-Sep. 1981, No.3, p.27-32, In Russian.

Economic development, Environmental protection, Subpolar regions, Subarctic landscapes.

36-892

Rating the forest protection zone in the Baykal Amur railroad area. (Normirovanie zashchitnykh lesov zony BAMai.

Sapozhnikov, A.P., Geografiia i prirodnye resursy. Ju-ly-Sep. 1981, No.3, p.77-82, In Russian. 3 refs. Environmental protection, Forest land, Landscape types, Cryogenic soils, Protective vegetation, Forest strips, Baykal Amur railroad.

36-893

Remote-sensing techniques of studying soils. [Primenenie distantsionnykh metodov dlia issledovaniia

Kondrat'ev, K.I.A., et al, Geografiia i prirodnye resursy, July-Sep. 1981, No.3, p.83-90, In Russian.

Fedchenko, P.P. Soil surveys, Optical properties, Albedo, Remote

Applying system analysis to reflection spectra of soils. (Sistemnyi analiz spektrov otrazhenia pochy, Kuznetsov, V.V., et al., Geografiia i prirodnye resursy, July-Sep. 1981, No.3, p 90-97. In Russian. 15 refs. Tolchel'nikov, IU.S

Soil surveys, Optical properties, Albedo, Remote sensing, Soil composition, Classifications, Spaceborne photography, Aerial surveys, Mapping.

Microelements in the landscapes of the Central Nonchernozem area. [Mikroelementy landshaftov tsentral nogo Nechernozem ia]. Khrustaleva, M.A. et al. Geografiia i prirodnje resurs). July-Sep. 1981, No.3, p. 120-124. In Russian.

9 refs

Korenevskaja, V.E., Shkuratenko, Z.V., Forest soils, Podsol, Moraines, Seasonal freeze thaw, Microclimatology, Soil composition. Soil profiles.

Resistance of cryogenic biogeocenoses to the influence of human activities. (Ob ustoichivosti merzlotnykh biogeotsenozov k antropogennomu vozdejst-

Savvinov, D.D. Geografiia i prirodnye resursy, July-Sep. 1981, No.3, p (24-126, In Russian. Taiga, Cryogenic soils, Landscape types, Human factors, Soil erosion, Environmental protection.

Trends in improving technology of the construction of 500 kw overhead lines in mountains. (Osnovnye na-pravlenna sovershenstvovanna tekhnologii stroi-tel'stva VI, 500 kV v gornykh uslovnakh). Tamamshey, A.A., et al, Energeticheskoe stratelistyo, Sep. 1981, No.9, p.2-7, In Russian Chipashyth, V.Sh., Elenbogen, G.N.

Alpine landscapes, Power line supports, Foundations, w loads. Avalanches

Earthwork and rock excavation in the construction of 500 kw overhead lines, (Protzvodstvo zemeľno-skalnykh rabot pri stroitel'stve VI 500 kV v gornykh uslovuakh).

Dylnost, A.L., at al, Energeticheskoe stroitel'stvo, Sep. 1981, No.9, p.8-9, In Russian Gogichaishvili, V.I., Bosikov, A.I.

Power lines, Foundations, Earthwork, Blasting, Alpine landscapes.

36-899

Construction of anchored foundations in fractured bedrock. [Tekhnologija sooruzhenija ankernykh tun-damentov v treshehmovatykh skal'nykh gruntakh). Gonchar, A.L., et al. *Energeticheskoe stroitel'stvo*, Sep. 1981, No 9, p.9-14, In Russian 2 rets Kireev, V.L. Gorzheni, A.L.

Power line supports, Foundations, Anchors, Moun-

36-900

Design of lightweight steel frames for unit-construction, (Osobennosti konstruktivnykh reshenii oblegchennykh stal'nykh karkasov sborno-razbornykh zda-

Kasatkin, V.B., et al, Energeticheskoe stroitel'stvo. Sep. 1981, No.9, p.20-22. Bel'kov, A.A

Industrial buildings, Steel structures, Prefabrication, Panels, Walls, Thermal insulation.

Design and building standards for earth dams in the northern construction-climatic zone. (O normakh proektirovaniia i stroitel'stva gruntovykh plotin v severnoi stroitel'no-klimaticheskoi zonej.

Myznikov, IU.N., Energeticheskoe stroitel stvo. Sep. 1981, No.9, p.39-42, In Russian. 3 refs Standards, Earth dams, Earth fills, Drainage, Hy-

draulic structures, Permafrost beneath structures.

Assigning the density of packing supersaturated earth in the core of the dam under northern conditions. voprosu obosnovanija plotnosti ukladki pereuvlazhnennykh gruntov v jadro plotiny v severnykh usloviiakhj. Kadkina, E.L., Energeticheskoe stroitel'stvo. Sep.

1981, No.9, p.69-70, In Russian. Earth dams, Earth fills, Permafrost beneath struc-

tures, Frozen fines, Active layer, Cores.

36-903

Beac

Performance of marker beacon foundations under ice conditions, (Osnovaniia stvornogo znaka rabotaiushchego v ledovýkh uslovitakhj,

Dovgalenko, A.G., Transportinoe stroite/stvo. Sep. 1981, No.9, p.19-20. In Russian. Hydraulic structures, Foundations, Piles, Ice loads,

36-904

Using octahedral piles in building foundations in the Baykal Amur railroad area, ilz opyta primeneniia vos migrannykh syet v fundamentakh zdanii na

Rozanov, A.S., *Transportinoe stroitel'stvo*, Sep. 1981, No.9, p.22-23. In Russian.

Buildings, Foundations, Piles, Permafrost beneath structures.

Manufacturing prestressed PAG-XIV plates for airfield pavements at the Kolchedansk reinforced concrete plant, alzgotovlenie prednapriazhena vkh aerodromnykh plit PAG-XIV na Kolchedanskom zavode

Fomina, N.L., Transportnoe stroite/stvo. Sep. 1981. No 9, p 23-25, In Russian

Airports, Pavements, Reinforced concretes, Permafrost beneath structures.

36-906

Cost of railroad construction in paluded taiga. (O smetnor stoimosti stroitel'stva zheleznykh dorog v taezhno-bolotistoi mestnostij.

Larionov, A.D., Transportnoe strong/stro. Sep. 1981 No.9, p.38-39, In Russian

Taiga, Cost analysis, Paludification, Railroads, Buildings, Earthwork.

36-907

Increasing the role of experimental work, (Porysit rof opytno-eksperimental nykh rabory. Stafeev, P.F., *Transportnov stroitel/stvo* (Sep. 1981 No.9, p.40-42, In Russian

Buildings, Railroads, Tunnels, Naleds, Construction materials. Permafrost beneath structures. Lests, Experimentation.

Using concretes with evenly distributed reinforcement in marine shore-protecting structures. In meneme dispersite-arthrovarango betoria y berego zashehituvkh morskikh sooruzhennakh),

Pisanko, G.N., et al. Transporting strone sivo, 8ep. 1981, No.9, p.50-51, 1; Russian — 1 ret Nageviell, H. M., Sastiyes, V.T., Kadakin, V.I.

Hydraulic structures, Shore erosion, Ocean waves, Protection, Reinforced concretes, Frost resistance, Walls, Seasonal freeze thaw,

36-909

Exhibition of construction and road maintenance machines. (Smott strottel nor) do rezhnor teknnika. Kazanovskina: N.P.: Transportner strotterstvo, Sep. 1981, No.9, p.53-54. Ir. Russian

Construction equipment, Roads, Earthwork, Equipment, Excavation.

Review of the Dry Valley drilling Project, 1971-76. Torn, T. Polar (cord, Sep. 1984), 20(129), p. 553-5-1 Drill core analysis, Geocryology, Low temperature research, Glacial geology.

research, Glacial geology.

The concept and developmental background of the project are described and the general geographic and geological features of the area noted. The planning and field work, strongly supported by the National Science Four fation, began in [97] and 1973 respectively. The 15 DSDP drill holes are listed with their locations, penetration depths, dates, and principal geological units. Summaries of results are given for Ross Island, the Dry Valleys, and McMurdo Sound.

36.911

Shipping routes, ice cover and year-round navigation in the Canadian Arctic.

Dey, B.B., Polar record, Sep. 1981, 20(129), p.549-559, 35 refs.

Ice navigation. Sea ice distribution, Ice breaking, Canada-Arctic Archipelago.

Polar Ice Coring Office antarctic field activities.

Marshalt, P.S., et al. *Polar record*, Sep. 1984, 20012 (c), p.561-562, 5 (cfs.

Kuivinen, K.C.

Ice cores. Drilling fluids.

Ice cores. Drilling fluids.

In its third Antarctic field season PICO conducted a programme of shallow ice core drilling at Amundsen-Scott South Pole station, and for the first time obtained ice core to 100-m depths from Vostok station (USSR) for American researchers. Hot-water drilling of shot holes at Dome C was also completed Field work included testing the new PICO shallow ice core drill and the PICO hot water drill, recovery of the NSF-Swiss shallow drill stuck at a depth of 65 m at Dome C during the previous field season and inspection and reactivation of the Nowegaria. field season, and inspection and reactivation of the Norwegian and Soviet Union's freeze-in experiments at the RISP drill camp, J-9 (Auth.)

Greenland Ice Sheet Program, 1980.

Marshall, P.S., et al., Polar record, Sep. 1984, 200 (29) p.562-565

Kurymen, K C

Ice sheets, Rotary drilling, Drill core analysis, Ice composition, Greenland

Transglobe Expedition, 1979-1982.

Shepard, O., Polin record, Sep. 1981, 20(129) p.s. -

Expeditions, Veather observations, Snow cover, Drill core and six, chaygen isotopes.

The Trang soc. Expedition, intending to circumnasigate the globe along the Greenaich Meridian using surface transportation, is received through the tracerse of Amiraciae from near SANAF status. It south Base via the South Box. Generally suits of the metizorological and placidogical programs are reported, daily transfer or incommendation of the ported daily transfer or incommendation of the profession of the processing programs are reported, daily transfer or incommendation of the profession of the processing programs are reported.

16.915

Problems of the Arctic and the Antarctic, Collection of articles, Vol.49.

Co., 1981, 4670. Translation of Progress Avided Scientific Afficient Antarktoki Sisterio St. (A., 1984), 4670. Translatio of Progress Avided Antarktoki Sisterio St. (A., 1984), 4671. Translatio Scientific Scie articles see (\$29.6). 25395, and K-25.90.

Polar regions, I ow temperature research

The original Russian articles from which this translation was made can be found, inder accession numbers 32,356 through 32,454 or 9B;19073, 91,19072, and 10K;21264. The pages 32-484 or 9B-19073 of 19072 and 108-21264. The papers cover a variety of topics meanding water circulation and aron, the Arcti. Ocean beat exchange between Arcti, and Arani waters the Chuk-bi-flow lead thickness of multi-year ice, after day atmospheric, are data to forecasts for the Antarctic, polar cap autoras, figure in a farctic fast, lessen we compressed strength, temperature setsors, ce island, deformation, Acceptable for the Article factors and the proposed for the proposed for the Article factors and the Arctic factors and the Arctic factors are also as a factor for the Arctic factors and the Arctic factors are also as a factor for the Arctic factors and the Arctic factors and the Arctic factors are also as a factor factor factor factors and the Arctic factors and the Arctic factors are also as a factor factor factor factor factors are also as a factor factor factor factor factor factor factors are also as a factor fact bottom relief, and sea, or mapping from satellate data

Circulation of water masses in the central part of the Arctic Basin.

Problems of the Arctic and the Antarc-Corection of articles Vol. 49, edited by AF (cobmon New Deibi, Americal Publishing Co. (18) p. 1823. For Russian original Sec 32-536. B

Ocean currents. Sea ice. Drift, Boundary value prob-

Peculiarities of heat exchange of Atlantic waters in the Arctic Basin.

Be 1.6 to 4 N. Problems of the Arctic and the Antare Concerns of articles Vol. 49, edited by A.F. School, New Deini, Americal Publishing Co. p. 14-36. For Russian original sec 32-537.

Water transport, Heat transfer, Ocean currents, Arctic Ocean, Atlantic Ocean.

Method of calculating the state of the Chukchi flaw lead in June.

As kainen, A.L. Problems of the Arctic and the An-Janutic, Collection of articles, Vol. 49, edited by A.F. Trishnikov, New Delhi, Amerind Publishing Co., 1981, p.44-51, For Russian original see 32-538.

Sea ice. Fast ice. Polynyas, Ice melting, Analysis (mathematics), Chukchi Sea.

Influence of puddles on the spatial nonuniformity of

thickness of multi-year ice in winter.

Bullet VIV et al. Problems of the Arctic and the Vitactic Collection of articles. Vol. 49, edited by A 1 Destroikov, New Delhi, Amerind Publishing Co., 1981, p.n., 67. For Russian original see 32-539. southern A.A.

fee cover thickness, Sea ice. Snow cover, Seasonal variations, Arctic Ocean.

16-920

Compression strength of sea ice specimens under complex loading.

Proof VA et al. Problems of the Arctic and the Astronomy Collection of articles, Vol. 49, edited by A.L. Freshnikov, New Delhi, Amerind Publishing Co., 981 p.97-104, For Russian original sec 32-540.

Sea ice. Salt ice, Compressive properties, Dynamic

Microscopic algae in the fast ice of Alasheyev Bight. B. forskii, V.Kh., et al., Problems of the Arctic and the Autorofic, Collection of articles, Vol. 49, edited by A.F. Treshnikov, New Delhi, Amerind Publishing Co., 98 p. 105-119. For Russian original see 32-541 or 98 1907 v. 9 refs.

9B 19075 - 9 rets Nikolacy, V.A. Nikolacy, S.E. Fast ice, Algae, Cryobiology, Ice cores, Antarctica— Masheyey Bight.

Glacio-biological observations in the Alasheyev Bight, made by the Four anth Soviet Antarctic Expedition, revealed that acthe Four anth anatom anatom expension, recessor and the life of microscopic algae in sea ace continues through all climatic seasons. A total of 78 species of diatoms and one situ offacellate alga were identified. Lee sampling and sample handling techniques and the properties of fast ice and sea water are described

36-922

Three sensors of air temperature pulsations.

Leonox, B.P. Problems of the Arctic and the Antare-Collection of articles, Vol. 49, edited by A.F. shi key, New Delhi, Amerind Publishing Co., 198 p. 128-136, For Russian original sec 32-542.

Atmospheric circulation, Turbulent flow, Air temperature. Temperature measurement.

Deformation of ice island occupied by Severnyi

Particles A.P. et al. Problems of the Arctic and the A. et al. Collection of articles. Vol. 49, edited by A.U. J. eson door, New Delhi, Americal Publishing Co. as 1 44,149. For Russian original see 32-543.

IV Basova LO 100 islands, Ice deformation, Ice mechanics, 36-924

omenclature of major objects of bottom relief of

Arctic Ocean.

Kr. hmm. IL. A. Problems of the Arctic and the Artarctic, Collection of articles, Vol. 49, edited by A. Freshinkov, New Delhi, Amerind Publishing Co. 1981, p.150-152. For Russian original see 32-544. Bottom topography, Topographic features, Ter-

36-925

Possible use of microwave satellite data for sea ice

Loshchilov, V.S., Problems of the Arctic and the Antarctic, Collection of articles, Vol. 49, edited by A.F. Treshnikov, New Delhi, Amerind Publishing Co., 1981, p 164-167, For Russian original see 32-545.

Sea ice, Microwaves, Mapping, Spacecraft.

Snow and snow cover; proceedings of a symposium. Snieg i pokrywa Snieżna, materiały z Sympozjumj. Sympozjum "Snieg in Pokrywa Snieżna", Zakopane, Poland, March 15-17, 1973, Warsaw, Institut Meteorologii i Gospodarki Wodnej, 1977, 188p. In Polish with English and Russian summaries. Rets passim. For individual papers see 36-927 through 36-936.

Snow surveys, Snow physics, Snow cover distribution, Snowmelt, Meetings, Mountains, Avalanche formation, Snow depth.

Peculiarities and anomalies of snow precipitation in mountains. (Osobliwości i anomalie opadow snieżnych

W gorach,
Chomicz, K., Snieg i pokrywa snieżna, materiały z
Sympozjum w Zakopanem, March 15-17, 1973, Warsaw, Institut Meteorologici Gospodarki Wodnej, 1971,

In Polich with English and Russian p 5-29, 8 refs.. In Polish with English and Russian ummaries

Snow accumulation, Precipitation gages, Snowfall, Snow surveys, Mountains, Models.

36-978

Probability of duration and maximum depth of snow cover in Ślovakia. (Prawdopodobienstwo wystepo-wania oraz maksymalnej grubości pokrywy snieżnej na

Słowacji, Samaj, F., et al, Śnieg i pokrywa śnieżna, materialy z Sympozjum w Zakopanem, March 15-17, 1973, War-saw, Institut Meteorologii i Gospodarki Wodnej, 1977. p.31-62, 7 refs., In Polish with English and Russian summaries.

Snow depth, Snow cover distribution, Altitude,

Snow cover in Karkonosze Mountains. [Pokrywa

Snieżna w Karkonoszachj. Sadowski, M. Śnieg i pokrywa śnieżna: materiały z Sympozium w Zakopanem, March 15-17, 1973, War-saw, Institut Meteorologii i Gospodarki Wodnej, 1977. p 63-75, 4 refs. In Polish with English and Russian summaries

Snow depth, Snow water equivalent, Charts, Moun-

Spatial structure of the snow cover in the upper part of the watershed of the Potok Szrenicki, Struktura przestrzenna pokrywy śnieżnej w gornej cześci ziewni

Potoku Szrenickiegoj.
Głowicki, B., Śnieg i pokrywa śnieżna; materiały z Sympozjum w Zakopanem, March 15-17, 1973, War-saw, Institut Meteorologii i Gospodarki Wodnej, 1977, p.77-95, 10 refs. . In Polish with English and Russian . summaries

Snow cover structure, Snow density, Watersheds, Altitude

Snow cover in the Rzeszow Voivodship with particular attention to the mountain regions, (Pokrywa snieżna w wojewodztwie rzeszowskim ze szczegonom. uwzględnieniem obszarow gorskichj.

Dwygerinic nowano gussian; Pazzos, S., Smieg i pokrywa smezna, naiterialy z Sym-pozjun w Zakopanem, March 15-17, 1973, Warsaw, Institut Meteorologii i Gospodarki Wodnej, 1977, p 97-123, [ti ets.]. In Potish with English and Rossian

Snow cover distribution, Snow surveys, Snow depth. Snowmelt, Weather stations, Mountains.

36-932

Influence of snow on trees and shrubs in the upper forest zone of the Tatra Mountains. (Wplyw stacga na drzewa i krzewy w obszarze gornej granicy lasu w Tatrachs.

Myczkowski, S., Snieg i pokrywa snieżna, materiały z Sympozjum w Zakopanem, March 15-17, 1973, War-saw, Institut Meteorologii Gospodarki Wodne, 1977, p 125-134, 17 refs. – In Polish with English and Rusian summaries

Snow cover effect, Trees (plants), Forest lines, Snow fall, Alpine landscapes, Protective vegetation, Climatic factors, Plant ecology, Avalanche formation, Countermeasures.

36-933

Results of measurements of evaporation and sublimation from snow cover in the Tatra Mts. (Wsteptic wyniki pomiatow patowania i sublimacii z pokrywy smeznet w. Latrachi.

Szkutnicki, J., Snieg., pokrywa snieżna, materiały z Sympozjani w Zakopanem, Moen (5-17, 1973) War-saw, Institut Meteorologici Gospodarki Wodnen 1977. p 135-144, 10 rets. The Polish with English and Russian summaries

Snow evaporation, Sublimation, Snow surface, Water balance, Snow physics.

36-934

Physical properties of snow in Hala Gasienicowa (Ta-Mts.). [Fizy.zne właściwości śniegu na Hali-Gasterneowen.

Klapowa, M. Snieg i pokrywa śnieżna: materiały z Sympozjum w Zakopanem, March 15-17, 1973, Warsaw, Institut Meteorologii i Gospodarki Wodnej, 1977, p 145-163, 21 rets. In Polish with English and Russian summaries

Snow physics, Metamorphism (snow), Snow water content. Snow temperature, Snow density, Temperature gradients.

Attempt of a quantitative evaluation of creep in a snow cover, (Proba ilosciowej oceny powolnych ra-

Buranow ki, N., Sneg a pokrywie snieznejj.
Buranow ki, N., Sneg a pokrywa sniezna: materialy z Sympolijum w Zakopanem, March 15-17, 1973, War-saw, Institut Meteorologia (Gospodarki Wodne), 1977. p 165-175, 13 icts. In Polish with English and Rus-. Sian summaries

Snow creep, Rheology, Snow cover stability, Snow compression. Snow surface. Air temperature.

36.936

Results concerning snow avalanches in the Tatra Mountains, (Wyms) badan bad lawmami, smeznymi w Tatrachi.

Sympozium w Zakopariem, March 15-17, 1973, Warsaw, Institut Meteorologii i Cospodarki Wodnej. 1977. p. 177-188, 20 tets. —In Poilsh with English and Riss

Avalanche formation, Snow cover stability. Slone orientation, Mountains.

36.937

Theoretical estimates of the various mechanisms involved in iceberg deterioration in the open ocean envi-

ronment. White, F.M., et a., U.S. Coast Guard. White, F.M., et a., U.S. Coast Guard - Report, May 1980, CG-D-62-80, 126p - AD \(\cdot \) 0.94 557. Rets. p. 118-126.

Spaulding, M.I., Gommho, I.

Icebergs. Ice deterioration, Ice melting, Ocean waves, Calving, Wind factors, Convection, Buoyancy. Stability.

36-938

First Annual Workshop on Ice Storage for Cooling Applications.

Jonne National Laborators Rep ANT-81-45, 84p [belades 7 papers

Cold storage, Ice, Cooling systems, Design, Meetings.

Effects of ice on coal movement via the inland water-

Lunardina, V. L. et al. U.S. Alina Cold Regions Re-Security and Lyange Cong. Languages, June 1981. SR 81-43. Tp. ADA-098 740, 50 cels. Minst. L.D., Presterna C.O.

fee cover effect. Channels (waterways). Coal. Fuel transport. Locks (waterways). Marine transporta-

tion, Cold weather performance. Dams.
The part of the Inland Waterways which carries significant coal and which may experience significant ice problems includes the

following rivers or waterways. Ohto, Monogahela, Allegheny, Kanawha, Upper Mississippi, and Illinois. Coal transportation along these rivers may be locally interrupted for periods up to 30 days or more every three to five years. Coal handling facilities, navigation channels, and lock and dam sites along the ice prone rivers were surveyed by visit of telephone to ascertain the scope of the ice problems. The importance of ice as a barrier to increased coal movement on the waterways studied manifests itself differently for each link of the flow system. In order of importance the ice will affect the navigation channels, locks and dams, and finally the coal loading unloading facilities. The coal handling facilities will not be significantly slowed down by ice problems associated with winter navigation

36-940

Distribution of snow accumulation in Sapporo (in 1979 and 1980).

Naruse, R., et al. Low temperature science (Teion kagaka). Series A Physical sciences. Data report. 1980, No.39, p.1-3, In Japanese. 1 ref. Aburakawa H Aburakawa, H.

Snow cover distribution, Snow accumulation, Japan -- Ѕаррого.

Survey of snow patches in Nakanosawa, Satsunai River, Mts. Hidaka.

Ohmae, H., et al, Low temperature science (Teion kagaku). Series A Physical sciences. Data report.

1980, No.39, p.5-11, In Japanese. 8 refs. Naruse, R., Fukami, H., Naitoh, A., Nishimura, H. Snow cover distribution, Snow surveys, Mountains,

Strain rate and stresses of snow on a mountain slope, Toikanbetsu, northern Hokkaido; Pt.3.

Huzioka, T., et al, Low temperature science (Teion kacaku) Series A Physical sciences Data report 1980, No.39, p.13-33, In Japanese. 2 refs. Shimizu, H., Akitaya, E., Narita, H.

Snow physics, Strains, Stresses, Slope orientation, Mountains.

Distribution of patch ice off Okhotsk Sea coast of Hokkaido observed with sea ice radar network. January-April, 1980.

Tabata, T., et al. Low temperature science (Teion Series A Physical sciences. Data report, 39 p.35-61. In Japanese. 2 refs kagaku). 1980, No.39, p.35-61, In Japanese.

1980, No.39, p.35-61, in Japanese. 2 reis Sea ice distribution, Radar echoes, Radar photography, Okhotsk Sea.

36-944

Studies of the behavior of a snow cover on mountain slope; 7--single vertical principal stress. Yoshida, Z., Low temperature science (Teion kagaku)

Series A Physical sciences, 1980, No.39, p.1-16, In Japanese with English summary. 17 refs now strength, Snow cover, Stresses, Strains, Snow deformation, Slopes.

Compression tests of wet snow

Ohmae, H., et al. Low temperature science (Teion Series A Physical sciences, 1980, No.39, p.17-24. In Japanese with English summary. 12 refs Wakahama, G

Wet snow, Snow compression, Snow creep, Snow strength, Stresses, Snow water content, Snow mechanics, Tests.

Propagation of micro-pressure waves in a snow layer. Ishida, T., Low temperature science (Teion kagaku) Series, A Physical sciences, 1980, No 39, p 25-31, In Japanese with English summary 3 refs Snow physics, Wave propagation, Pressure.

36-947

Measurements of heat transfer coefficients in blowing

Kaneda, Y., et al. Low temperature science (Teion Series 4 Physical sciences, 1980, p 33-47. In Japanese with English summary. 13 refs. Macno. N.

Blowing snow, Heat transfer, Wind velocity, Snowdrifts, Wind tunnels.

16.949

Observations of particle motions in blowing snow.

Araoka, K., et al. Low temperature science (Teion kagaku) Series 4 Physical sciences, 1980, p 49-54, In Japanese with English summary Series 4 Physical sciences, 1980, No.39 9 refs Macno N

Blowing snow, Snow mechanics, Particles, Velocity, Photographic reconnaissance, Wind tunnels

36.949

Characteristics of the snow cover in mid-winter in Hokkaido.

Akitaya, E., et al. Low temperature science (Leion Series A Physical sciences, 1980, No 39, p 55-61. In Japanese with English summary 4 rets Endo, Y.

Snow cover distribution, Snow hardness, Snow depth, Temperature gradients, Air temperature.

36-950

Snow survey by snow depth recorders in Teshio mountainous region

Aburakawa, H. Low temperature science (Teion kagaku) Series A Physical sciences, 1980, No.39, p.63-74. In Japanese with English summary 8 refs Snow depth, Snow surveys, Snowfall, Snow melting, Mountains, Precipitation (meteorology), Slope orien-

Surface shapes of snow cornices.

Natuse, R., Low temperature science (Teion kagaku) Series A Physical sciences, 1980, No.39, p.75-80, In Japanese with English summary 12 refs

Snow cornices, Surface properties, Measurement.

Glide mechanism of a snow cover on a slope covered with dwarf bamboo bushes, Pt.2.

Endo, Y., Low temperature science (Teion kagaku) Series A Physical sciences, 1980, No 39, p.81-89, In Japanese with English summary 4 refs

Japanese with English summary 4 refs Snow slides, Snow mechanics, Slopes, Surface prop-erties, Snow density, Snow depth.

Formation process of snow drifts by horizontal-slat fences.

Kobayashi, D., et al. Low temperature science (Teion kagaku) Series A Physical sciences, 1980, No.39, p.91-100, In Japanese with English summary 14 rets Aburakawa, H. Tushima, K. Kinoshita, S. Snowfifts, Snow fences, Snow mechanics, Blowing

Continuous observation of melting at the hottom of a snow cover during the winter (preliminary report). . Low temperature science (Teion kagaku). Series A Physical sciences, 1980, No.39, p 101-108, In Japanese with English summary 5 refs

Heat flux, Snow melting, Snow water equivalent, Bottom melting, Soils, Winter, Snow cover.

Experimental study of local temperature increases within a snow cover.

Fukami, H., et al. Low temperature science (Teion kagaku) Series A Physical sciences, 1980, No 39, p.109-117. In Japanese with English summary 15 refs

Kojima, K

Snow temperature, Thermal conductivity, Solar radiation, Snow cover, Temperature variations, Tests. While penetrating into the snow cover, short-wave solar radiation is absorbed in it. As a result the temperature in the snow tion is absorbed in it. As a result the temperature in the snow cover increases locally and may lead to internal melting. Remarkable examples are seen in ice shelves or sea ice in Antarctica, which are generally referred to as subsurface melt pools or puddles. Simulating the conditions experimentally, a study was made of the local temperature increase. By supplying an actifical whort-wave radiation and a wind on the upper surface of a snow sample block, temperatures at various depths within each sample were measured. The experimental apparatus is shown. In all the experiments local temperature increases were observed, and in some instances internal inclining took. shown in all the experiments local temperature increases were observed, and in some instances internal melting took place. Extinction of short-wave radiation within the snow cover was measured by a device developed by the authors. The influence of snow properties on local temperature increase was determined from the experiments and calculations as follows: 1) With a decrease in thermal conductivity of the snow cover the maximal value of local temperature increase shows an increase. 2) The depth of maximal value of local temperature inrease is mainly determined by the extinction coefficient /ith a decrease in extinction coefficient, the depth of the maximai value of local temperature increase lowers (Auth mod)

36-956

Extinction measurements of solar radiation within a snow cover.

Fukami, H. et al. Low temperature science (Teion Series A Physical sciences, 1980, No 39 kagaku) p 119-126. In Japanese with English summary 9 rets

Snow physics, Solar radiation, Radiation absorption Snow density, Snow cover, Grain size.

36-957

Percolation of sea ice, Pt.2 brine drainage channels in young sea ice.

Sarto, I., et al. Low temperature science (Teion Series A Physical sciences, 1980, No. 39. kagaku) p 127-132. In Japanese with English summary 5 rets Ono. N

Sea ice, Brines, Surface drainage, Grain size, Channels (waterways).

36-958

Observation of the wind on drift ice and its movement. Kawamura, T., Low temperature science (Teion kagaka) - Series A Physical sciences, 1980, No.39, 33-139, In Japanese with English summary Ice floes, Drift. Ice mechanics, Wind velocity, Radar photography, Wind direction.

36-959

Height distribution of pack ice off the Okhotsk Sea coast of Hokkaido.

refs Tabata, T

Pack ice, Sea ice distribution, Remote sensing, Stereophotography, Radar echoes, Lasers

36-960 Observed sea ice thickness in the northern Okhotsk

Tabata, T., et al. Low temperature science (Teron kagaku) Series A Physical sciences, 1980, p.153-158. In Japanese with English summary. Series A Physical sciences, 1980, No.39,

Sohguchi, Y., Saito, T Sea ice, Ice cover thickness, Remote sensing, Stefan problem, Air temperature, Statistical analysis, Okhotsk Sea.

16.961

Freezing phenomena at scawater surface opening in winter; Pt.1-Role of evaporation in initial growth of sea ice and behavior of brine in young ice. Ono, N., et al. Low temperature science (Teion kagaku). Series A Physical sciences, 1980, No 39, p.159-166. In Japanese with English summary 6 refs. Wakatsuchi, M. Kawamura, T

Sea water freezing, Polynyas, Ice growth, Evaporation, Brines, Air temperature.

Freezing phenomena at seawater surface opening in polar winter; Pt.2-Measurements of salinities and volumes of brine rejected by a growing sea ice.

Wakatsuchi, M., et al. Low temperature science (Teion кадакит Series A Physical sciences, 1980, No 39, p 167-174, In Japanese with English summary 8 refs. Ono, N Series A Physical sciences, 1980, No 39,

water freezing, Polynyas, Ice growth, Ice salinity. Brines.

36-963

Freezing phenomena at seawater surface opening in polar winter; Pt.3-Measurement of crystallographic orientation of newly grown sea ice.

cawamura, T., et al. Low temperature science (Teion Series A Physical sciences, 1980, No. 39, kagaku) 75-180. In Japanese with English summary Ono N

Sea water freezing, Polynyas, Ice crystal structure, Ice growth.

36-964

Water migration and heat conduction in soil near its melting temperature.

Truta, H., et al. Low temperature science (Teion kagaku) – Scies A Physical sciences, 1980, No.39, p 181-18". In Japanese with English summary 4 rets Suzuki, Y

Soil water migration, Frozen ground temperature, pecific heat, Thermal conductivity, Temperature el-

Note on analysis of data obtained by thermal probe method.

Suzuki, Y., Low temperature science (Teion kagaku) Series A Physical sciences, 1980, No 39, p. 189-192, In-Japanese with English summary 1 ret

Thermal conductivity, Thermal diffusion, Analysis (mathematics).

36-966

Measurements of the velocity of crack propagation in ice.

Sato, A., et al. Low temporerure science (Teion kagaku) kagakur – Series A Physical sciences, 1980, No 39 p 193-195. In Japanese – 5 rets Wakahama, G

Ice cracks, Crack propagation, Velocity,

Snapshot apparatus for impact force et snow.

Kawada, K., Low temperature science (Teion kagaku). Series, A. Physical sciences, 1980, No.39, p.197-199, In

Snow physics, Photographic equipment, Impact strength, Photography.

36-968

Observation of the ground-ice mass found in Oketo,

Fukuda, M., et al. Low temperature science (Teion Series A Physical sciences, 1980, No.39, kagaku). p 201-205, In Japanese. 2 refs Santa, H.

Ground ice, Frozen ground physics, Temperature effects, Permafrost physics.

36-969

Kinetics of the coagulation growth of hailstone nuclei. O kinetike koaguliatsionnogo rosta zarodyshei gradinj.

Begalishvili, N.A., Zakavkazsků regional nyi nauchnoissledovateľsků institut. Trudy, 1981, Vol.73, p.46-54, In Russian. 8 refs.

Hailstone growth, Cloud droplets, Coagulation

36-970

Studying the coalescence growth of hailstones in supercooled fine cloud droplets. (Issledovanie koaguliatsionnogo rosta gradin v srede pereokhlazhdennykh

natisionnogo rosta gradin v srede percokniaznaennykn melkikh oblachnykh kapel'j. Nadibaidze, G.A., et al. Zakavkazskii regional'nyi nauchno-issledovatel'skii institut. Trudy. 1981, Vol.73, p.55-59, ln Russian 4 refs. Robitashvili, G.A., Rukhadze, I.I.

Supercooled clouds, Hail clouds, Hailstone growth, Cloud droplets, Coalescence.

36-971

Mineralization and the chemical composition of atmospheric precipitation in the Arctic sector of Eurasia. (Mineralizatsiia i khimicheskii sostav atmosfernykh osadkov v arkticheskom sektore Evrazii, Lychagin, M.IU., Moscow. Universitet. Vestnik. Seriia 5 Geografiia, Sep.-Oct. 1981, No.5, p.80-82, In

Russian. 3 refs.

Polar regions, Precipitation (meteorology), Snow composition, Water chemistry, Meteorological data.

36-972

Bottom heat transfer to water bodies in winter.

O'Neill, K., et al. U.S. Army Cold Regions Research and Engineering Laboratory. Sep. 1981, SR 81-18, 8p.

Ashton, G.D. Water temperature, Freezing points, Heat flux, Heat transfer, Bottom sediment, Limnology, Lakes, Ponds, Winter.

In many surface water bodies, water temperature closely follows ambient air temperature. This means that warmer water in winter absorbs heat from below. The extent and pattern of winter heat gain is constrained by the fact that the water temperature does not fall below the freezing point. On the basis of a few simple assumptions, governing equations are solved here pertaining to heat flow in bottom sediments. The results are presented in general nondimensionalized curves. These allow estimation of water/sediment heat flux for any particular case, given truncation of the water temperature curve at the freezing point. The user must supply pertinent yearly air temperature mean and amplitude of variation, together with the thermal diffusivity for the bottom material. The governing equations are solved using a higher order finite element method which solves directly for temperature gradients and hence for heat flux. Thus the method provides particularly accurate flux values at high efficiency. The results illustrate in detail how winter water heat gain is less in cases where mean air tempera-In many surface water bodies, water temperature closely follows values at high efficiency. The results illustrate in detail how winter water heat gain is less in cases where mean air tempera-

36-973

•

Mine/countermine problems during winter warfare.

Final report of a workshop. Lunardini, V.J., ed, U.S. Army Cold Regions Research and Engineering Laboratory. Sep. 1981, SR 81-20, 43p. ADA-107 047.

Explosives, Cold weather performance, Snow cover effect, Blasting, Frozen ground, Research projects, Land mine warfare.

The possibility of modern warfare being waged under cold weather conditions has raised questions about the effectiveness of conventional and new mine systems during the winter. A workshop on mine/countermine winter warfare was held at the U.S. Army Cold Regions Research and Engineering Laboratory, 21-23 October 1980, to define problems related to cold tory, 21-23 October 1980, to define produents related to cold climates. The designer, developer and user communities sent 22 representatives from 16 organizations outside of CRREL. Discussion papers were prepared by four groups, covering emplacement of mines, mine performance, detection of mines, and neutralization of mines. The emphasis was on the unique problems of the winter environment. It appears that the U.S. has lems of the winter environment. It appears that the U.S. has the capability to conduct defensive warfare during the summer but is not adequately prepared for mine/countermine winter

warfare. Test and research programs are called for to compensate for the prior lack of consideration of the winter environment, to adequately winterize new mine, countermine systems, and to formulate appropriate doctrine for defensive winter

Surface drainage design for airfields and heliports in arctic and subarctic regions.

Lobacz, E.F., et al, U.S. Army Cold Regions Res and Engineering Laborators, Sep. 1981, SR 81-22, 56p; ADA-107-293, 40 refs Eff. K.S.

Airports, Surface drainage, Road icing, Permafrost distribution. Cold weather construction. Design criteria, Environmental impact, Helicopters, Engineer-

This report presents engineering guidance and design criteria for drainage facilities at Army and Air Force airfields and heliports in arctic and subarctic regions. Attention is given to hydrologic criteria, icings, environmental impact, storm drains and design computer programs. A design example and a list of 40 references are included in two appendixes.

Statistical evaluation of soil and climatic parameters affecting the change in pavement deflection during thawing of subgrades.

Chamberlain, E.J., U.S. Army Cold Regions Research and Engineering Laboratory, July 1981, CR 81-15, 10p., ADA-106 976, 7 refs.

Pavements, Deformation, Seasonal freeze thaw, Subgrade soils, Loads (forces), Climatic factors, Frost penetration, Statistical analysis.

This report analyzes the results of a field study previously re-ported by Scrivner et al (1969) for the National Cooperative Highway Research Program. These authors studied the sea-sonal pavement deflection characteristics of 24 test sites on sonal pavement actractions of 24 test sites on roads in service in regions with freezing indexes ranging fror. 100F-days to 2100F-days. They used the Dynaflect cyclic pavement loading device to determine the pavement system response. Of specific interest to the analysis was the increased pavement deflection after freezing and thaving and the time to recovery of normal deflection characteristics. These characteristics were related to soil and climatic factors using statistical teristics were related to soil and climatic factors using statistical techniques. The most significant observations of this statistical analysis are: 1) that the freezing index is not a significant parameter in determining the percent increase in pavement deflection during thawing, and 2) that the recovery time is inversely proportional to the depth of freezing. As was expected, the most significant variable affecting the increase in pavement deflection was the frost susceptibility classification. This observation reinforces the necessity for careful selection of soil materials used in navement assures. used in pavement systems.

36-976

Geocryology, Merzlotovedeniej, Kudriavtsev, V.A., ed, Moscow, Universitet, 1981, 239p., In Russian with English table of contents en-40 refs.

Geocryology, Permafrost origin, Permafrost distribution, Classifications, Terminology, Permafrost thermal properties, Permafrost physics, Permafrost transformation, Permafrost hydrology, Unfrozen wa-Permafrost ter content, Active layer, Maps, Surveys.

Formation of dispersed rock composition in cryolithosphere, ¿Formirovanie sostava dispersnykh porod v kriolitosferej. Konishchev, V.N., Novosibirsk, Nauka, 1981, 197p.

In Russian with English table of contents enclosed Refs. p.187-195.

Permafrost origin, Frozen fines, Loess, Clays, Frost penetration, Clay minerals, Frost action, Frost weathering, Ground ice, Permafrost structure, Grain

Hydrometeorological conditions of formation and destruction of multilayer ice on slopes of the reservoir at the Kiev pumped-storage station. Vonokov. V.K., Hydrotechnical construction. Feb.

1981, 15(2), p. 78-82, Translated from Gidrotekhnicheskoe stroitel'stvo. 6 refs.

Reservoirs, Concrete structures, Icing, Seasonal

freeze thaw, Ice accretion, Ice deterioration, Slopes.

Evaluation of earthquake resistance of deep foundations of bridge supports, taking into account the in-

teraction with the adjacent soil mass. Nikitin, A.A., et al, Soil mechanics and foundation engineering, Mar.-Apr. 1981 (Pub. Sep. 1981), 18(2), p.66-70, Translated from Osnovaniia, fundamenty i mekhanika gruntov 10 refs.

Bridges, Piers, Supports, Foundations, Permafrost beneath structures, Baykal Amur railroad.

Formation of ice jams and their distribution

Zhukova, M.A., Soviet hydrology, secretal papers May 1979, 18(1) p.7-15, 9 (cls.)

Icebound rivers, Ice breakup, Water level, Floods, Ice jams, Baykal Amur railroad, Forecasting,

Long-range forecast of the flood volume of the Oka River with allowance for irregular soil freezing in the

Rakhmanov, V.V., Soviet hydrology, selected papers, May 1979, 18(1), p.34-39, 2 re

River basins, Soil freezing, Runoff, Floods, Long range forecasting.

Formation of river icing.

Sokolov, B.L., Soviet hydrology, selected papers, May 1979, 18(1), p.53-57, 9 refs.

Icebound rivers. Permafrost beneath rivers, Ice breaking, Nateds, Ice growth, Alimentation, Water reserves.

36-983

Results of additional investigations of the effect of the forest on maximum spring flood discharges.

Vodogretskii, V.E., et al. Societ hydrology, selected papers, May 1979, 18(1), p. 70-76, 23 refs. Zaitseva, R.S.

Forest land, Snow cover distribution, Forest canopy, Snow accumulation, Snow water equivalent, Rivers,

36-984

Roadbed construction in western Siberia. (Vozvedenie zemlianogo polotna v usiovnakh Zapadnoi Sibirij. Leitland, V.G., et al. Astomobil nye dorogi, Aug 1981, No.8, p.12-13 Vorobjev, N.I., Tabakov, N.V., Akhpatelov, E.A.

Roads, Roadbeds, Permafrost beneath structures, Earthwork, Equipment.

36-985

Ferrous metallurgy slags used in road construction. (Aktivnyc shlaki chernoi metallurgii v dorozhnon

Kirshina, K.V., et al. Astomobiling dorog, A.g. 1981, No.8, p.16-17, In Russian Lyzhenko, I.G., Kocharov, M.M.

Roadbeds, Pavements, Foundations, Concretes, Concrete aggregates. Wastes, Cements, Frost resistance.

Requirements for road parameters when allowing for climatic differences, (Osobonnosti obosnovano, trebovannik parametram dorog s uchetoin klimata razlichnykh regionov; Vasil'ev. AP 4x

Astomobilinye dorogi. Aug. 1981 No 8, p 19-21. In Russian

Roads, Roadbeds, Pavements, Hydrothermal processes. Frost action. Snowdrifts, Icing. Design.

Ice atlas; Canadian Arctic waterways.

Markham, W.E., Hull, Quebec, Canadian Government Publishing Centre 1981, 198p. In English and 32 rets French

Ice conditions, Sea ice distribution, Ice breakup, Freezeup, Drift, Climatic changes, Maps, Charts, Statistical analysis, Ice mechanics, Pack ice, Fast ice, Ice islands, Icebergs, Canada.

Development of geographic sciences in Kirchizia

[Razvitie geograficheskikh nauk v Kirgizin, Umurzakov, S.U., ed. Franze, Ilim, 1980, 163p., In Russian For selected papers see 36-988 through 36-992 Rets passin

Alpine landscapes, Alpine glaciation, Glacier ice, Ablation, Water reserves, Glacial hydrology, Water supply, Snow cover distribution, Snow water equivalent, Periglacial processes, Cryogenic soils.

New data on the geography of recent glaciation of Kirgiziya. (Novye dannye po geografu sovremennogo oledenenna Kirgizuj.

Zabirov, R.D. Razvitte geograficheskikh nauk v. Kirgizii (Development of geographic sciences in Kirghizia) edited by S.U. Umurzakov, Frunze, Ilim, 1980, p.59-78, In Russian 9 refs

Mountain glaciers, Ablation, Glacier ice, Water reserves, Glacial rivers, Alimentation.

Water resources of Kirghizian rivers and their utilization. ¡Vodnye resursy rek Kirgizii i prognoz ikh ispol'zovanijas.

Bol'shakov, M.N., Razvitie geograficheskikh nauk v Kirgizii (Development of geographic sciences in Kirghizia) edited by S.U. Umurzakov, Frunze, Ilim, 1980,

p.78-95, In Russian. 10 refs. Glacial hydrology, Glacial rivers, Runoff, Water supply, Alpine glaciation, Ablation, Water reserves, Snow water equivalent.

36-991

Kirghizian landscapes and their investigations. (Landshafty Kirgizii i zadachi ikh dal'neïshego izucheniia₁,

Azykova, E.K., et al, Razvitie geograficheskikh nauk v Kirgizii (Development of geographic sciences in Kirghizia) edited by S.U. Umurzakov, Frunze, Ilim, 1980, p.114-131, In Russian. 37 refs Krinitskaia, R.R.

Alpine landscapes, Alpine tundra, Alpine glaciation, Periglacial processes, Snow cover distribution, Cryo-genic soils, Frost weathering, Slope processes.

36,002

Formation of mountain soils taking the Soviet Tien Shan as an example. [Nekotorye voprosy gornogo pochvoobrazovaniia na primere Sovetskogo Tian'-Shania].

Mamytov, A.M., et al. Razvitie geograficheskikh nauk v Kirgizii (Development of geographic sciences in Kirghizia) edited by S.U. Umurzakov, Frunze, Ilim, 1980, p.131-137, In Russian. 9 refs.

Alpine landscapes, Cryogenic soils, Soil formation, Slope processes, Soil erosion.

Chlorophylls and primary production associated with ice of Amur Bay, Sea of Japan.

Kuznetsov, L.L., Soviet journal of marine biology, Sep.-Oct. 1980, 6(5), p.297-299, 11 refs. Translated from Biologiia moria.

Algae, Impurities, Sea ice.

Coastal morphology, coastal erosion, and barrier islands of the Beaufort Sea, Alaska.

Hopkins, D.M., et al, U.S. Geological Survey. Open-file report, 1978, No.78-1063, 54p., For short version see 35-3259. Refs. p.49-54. Hartz, R.W.

Coastal topographic features, Shore erosion, Ice scoring, Sediment transport, Bottom topography, Beaches, Sea level, Ice wedges, Mapping.

Review of earthquake activity and current status of seismic monitoring in the region of the Bradley Lake Hydroelectric Project, southern Kenai Peninsula,

Lahr, J.C., et al, U.S. Geological Survey. Ope port, 1981, No.81-736, 21p. + figs., 22 refs. Stephens, C.D.

Seismic surveys, Earthquakes, Construction, Electric power, United States-Alaska-Bradley Lake.

36.006

Relationships between varve thickness and climatic parameters and paleoclimatic reconstruction. Open

Perkins, J.A., et al, U.S. Geological Survey. C file report, 1981, 81-952, 26p. + tables, 31 refs Sims, J.D.

Sanowfall, Lacustrine deposits, Climatic factors, Thickness, Temperature effects, Paleoclimatology, Bottom sediment, United States—Alaska—Skilak I ake

Nutritional ecology of microtine rodents: linear foraging-rate curves for brown lemmings.

Batzli, G.O., et al. Oikos, 1981, 37(1), p.112-116, With Russian summary. 15 refs. Jung, H.-J.G., Guntenspergen, G.

Tundra, Ecology, Animals, Grasses.

Alaska highway work in high gear. Oilweek, Aug. 3, 1981, 32(23-26), p.12-18.

Cold weather construction, Gas pipelines, Drilling, Soli strength, Freeze thaw cycles.

Beaufort installation described as unique. Oilweck. Aug. 3, 1981, 32(23-26), p.52. Offshore drilling, Artificial islands, Facilities.

36-1000

Raman scattering and structure of normal and super-

Cooled water.

D'Arrigo, G., et al. Journal of chemical physics. Nov. 1, 1981, 75(9), p.4264-4270, 21 rets.

Maisano, G., Mallamace, F., Migliardo, P., Wander-

Supercooling, Water structure, Temperature effects, Spectra, Ice formation, Low temperature research,

36-1001

Esso seeks ice strengthened semi-submersible for east coast. Oilweek. Aug. 17, 1981, 32(28), p.67-68.
Offshore drilling, Petroleum industry, Ice cover strength, Countermeasures, Equipment.

Sea ice will increase operating costs in Alaska's Bering Sea waters.

Ivanhoe, L.F., Oil and gas journal, Oct. 26, 1981, 79(43), p.267-268.

Offshore drilling, Sea ice. Ice conditions. Pack ice. Ice surface, Bering Sea.

Soviets push for construction of strategic Yamal gas line. Oil and gas journal, Nov. 2, 1981, 79(44), p.57-

Gas pipelines, Cold weather construction, International trade, USSR-Yamal Peninsula.

36-1004

Alaska group proposes crude, NGL pipeline. Oil and gas journal. Nov. 9, 1981, 79(45), p.109.
Pipelines, Crude oil, Natural gas, Gas pipelines, Cost analysis, United States—Alaska.

Method studied to protect rigs from sea ice. Oil and gas journal. Nov. 9, 1981, 79(45), p.118. Sea ice. Ice mechanics, Ice pressure, Offshore structures, Offshore drilling, Protection.

36-1006

Unprotected cp propellers on Polar-class icebreakers. Shipbuilding and marine engineering interna-tional. Sep. 1981, 104(1250), p.361-365, 5 refs. Icebreakers, Propellers, Protection.

36-1007

Helicopter icing spray system improvements and flight experience

Belte, D., Canadian aeronautics and space journal, Second Quarter 1981, 27(2), p.93-106, 6 refs Aircraft icing, Helicopters, Ice prevention, Ice formation, Ice forecasting, Cloud droplets, Tests.

Linear and nonlinear processes in the erosion of H2O ice by fast light ions.

Brown, W.L., et al. *Physical review letters*, Nov. 17, 1980, 45(20), p.1632-1635, 25 refs. Augustyniak, W.M., Lanzerotti, L.J., Johnson, R.E., Evatt. R.

Ice physics, Ions, Ice erosion, Heat loss, Temperature effects. Electron transitions

Surface disturbance and protection during economic development of the North. (Narushenic poverkhnosti i ee zashchita pri osvoenii Severa).

Brown, J., et al. MP 1467, Novosibirsk, Nauka, 1981.

88p., In Russian with English table of contents en-Refs. p.59-80. closed Grave, N.A.

Permafrost preservation, Human factors, Damage. Oil spills, Permafrost distribution.

Gas line prebuilding sparks Canadian pipeline con-

Rowland, L.O., Pipeline and gas journal, Jan. 1981, 208(1), p.40-42. Gas pipelines, Cold weather construction, Canada.

36-1011

Anomalous behavior of the atmospheric surface layer over a melting snowpack.

Halberstam, 1, et al, Journal of applied meteorology, Mar. 1981, 20(3), p.255-265, 21 refs.

Schieldge, J P Snow melting. Snow surface temperature, Snow air interface, Air masses, Air temperature, Wind factors,

36-1012

Ice-free pavement evaluation of Verglimit as a deicing agent.

Dohaney W.J. et al. Materials performance, Mar.

1981, 20(3), p +9-44 Innes LD

Road icing, Chemical ice prevention, Salting, Solutions, Pavements, Ice removal, Snow removal, Skid resistance, Thermocouples.

36.1013

Hydraulic clutch adds versatility to snow sweeper. Hydraulies and pneumatics, Apr. 1981, 3464), p. 22-24. Snow removal, Equipment, Runways, Engines.

36.1014

Model study of iceberg scouring in the North Atlantic.

Chart, T.R., Journal of petroleam technology, Dec 1980, 32(12), p.2247-2252, 20 rets.

Icebergs, Ice scoring, Ice pressure, Bottom sediment, Mathematical models, Soil pressure, Ice loads, Impact strength, Tests.

36-1015

Intense east coast storm produces record-breaking snowfalls Foster, J.L., et al. Monthly weather review. Apr. 1981

109(4), p 916-919, 4 refs Ormsby, J.P.

Snowfall, Storms, Remote sensing, Records (extremes), Clouds (meteorology).

36,1016

Welding pipelines in cold climates.

Weymueller, C.R., Welding design and fabrication, Feb. 1981, p.45-51

Pipe laying, Cold weather construction, Welding.

36-1017

Pipeline crews challenge range-country winter. Welding design and tabrication, Feb. 1981, p.52-53 Gas pipelines, Cold weather construction, Pipe laying, Natural gas.

36-1018

Construction underway on Alaska Highway prebuild. Ives, G., Jr., Pipe line industry, Feb. 1981, 54(2), p.47-

Pipelines, Construction, Environmental protection, United States-Alaska.

How to solve Arctic gas flow problems.

Adams, J.S., Pipe line industry, Feb. 1981, 54(2), p.61-63. 4 refs.

Gas pipelines, Soil freezing, Active layer, Ground ice, Fuel transport.

36-1020

Northwest Alaskan expands frost heave tests. Oil and gas journal, Mar. 2, 1981, 79(9), p.56-57 Frost heave, Gas pipelines, Underground pipelines, Soil freezing, Tests.

Grand Banks, Arctic islands search heating up. Oil and gas journal. Mar. 2, 1981, 79(9), p.68-69. Offshore drilling, Offshore structures, Ice control, Artificial islands.

Simplicity is key factor in the design of an aircraft ice-detector. Engineering, May 1981, 122(5), p 37

Aircraft icing, Ice detection, Equipment.

Coping with airframe i-

Aarons, R. Business and commercial aviation, Feb. 1981, 48(2), p.77-79

Aircraft icing, Ice forecasting, Antifreezes, Accidents,

Caution—contaminated runways. Cotton, B. Bi siness and commercial aciation, Feb. 1981, 48(2), p.80-83

Runways, Cold weather operation, Ice removal, Snow removal, Aircraft landing areas, Slush.

Empirical method of estimating daily average basin-

wide snowmelt.

Rantz, S.E., U.S. Geological Survey. California District. Report. June 1973, No.14-73, 24p. PB-222 066, 4 refs

Snowmelt, Snow water equivalent, Snow surveys, Air temperature. Precipitation gages.

So-1026

Foreign materiel for Arctic operations. U. S. Library of Congress. Aerospace Technology Division ATD report. June 1969, No.69-80, 41p. AD-691 224

Bibliographies, Military engineering, Cold weather

operation, Vehicles, Logistics, Shelters, Navigation. Airplanes.

Acoustic attenuation in sea ice [and] Reflection of sound at the water-ice interface.

Langleben, M.P., et al. McGill University, Montreal.

Macdonald Physics Laboratory Lee Research Project. Report. May 1970, No.S-16, 30p., AD-707 059,

Pounder, E.R.

Sea ice, Ice acoustics, Attenuation, Ice water interface, Reflection.

Cold weather construction materials: Part 2-Regulated-set cement for cold weather concreting, field

validation of laboratory tests.

Houston, B.J. et al, L.S. Army Engineer Waterways Experiment Station, Vicksburg, Mississippi. Misc. laneous paper. Sep. 1981. C-75-11, MP 1466, 33p.

Construction materials, Winter concreting, Concrete strength, Cements, Concrete placing, Concrete aggregates, Temperature effects, Tests.

Snow cover data, Canada, winter 1978-79. Downsview, Ontario. Atmospheric Environmental Service,

1979, 48p., In English and French. Snow cover distribution, Snow courses, Snow depth, Snow water equivalent, Statistical analysis, Altitude, Canada.

Use of pre-fabricated Parshall flumes to measure stream flow in permafrost-dominated watersheds. Slaughter, C.W., U.S. Pacific Northwest Forest and

Range Experiment Station, Portland, Oregon. U.S. Forest Service research note, Apr. 1981, PNW-382,

Permafrost hydrology, Stream flow, Watersheds,

36-1031

Water balance and heat balance. [Wasserhaushalt und

Wärmehaushalt, Lang, H., et al, Wasser, Energie, Lust.—Eau, énergie air, 1980, 72(9), p.284-289, In German with English and French summaries. 4 refs.

Schladler, B. Water balance, Heat balance, Glacial hydrology, Runoff, Climatic effects, Water reserves, Meltwater, Forecasting.

Glacier movement and subglacial water drainage.

(Gletscherbewegung und Wasserabfluss). Röthlisberger, H., Wasser, Energie, Luft—Eau, energie, air, 1980, 72(9), p.290-294, In German with English and French summaries. 15 refs.

Glacier flow, Glacial hydrology, Subglacial drainage, Runoff, Water pressure, Glacier beds, Subglacial caves, Velocity.

36-1033

Ice-clearing dates for Maine lakes.

Fobes, C.B., Maine fish and wildlife, Winter 1974-75,

Lake ice, Ice melting, Statistical analysis, United States-Maine.

36-1034

Composition for reducing the strength of ice.

Glanville, J.O., et al, U.S. Patent Office. Patent, Mar. 3, 1981, 10 col. USP-4,254,166.

Ice strength. Countermeasures, Solutions, Antifreezes. Frozen cargo.

36-1035

Cooperative test program for precast concrete paving elements.

Litvan, G.G., et al, American Society for Testing and Materials. Special technical publication. 1980, No.691, National Research Council, Canada. Division of Building Research, DBR paper No.937, p.560-573, With French summary.

MacInnis, C., Grattan-Bellew, P.E.

Precast concretes, Freeze thaw cycles, Construction materials, Concrete durability, Paving, Salting, Chemical ice prevention, Humidity, Tests.

High-humidity buildings in cold climates -a case his-

Brand, R.G. American Society for Testing Materials Special technical publication, 1980, No.691, National Research Council, Canada Division of Building Research, DBR paper No.937, p. 231-238, With French summary

Masonry, Frost action, Air leakage, Humidity, Buildings, Construction materials, Corrosion, Indoor climates. Temperature effects.

Electromagnetic subsurface measurements.

Dean, A.M., Jr., U.S. Army Cold Regions Research and Engineering Laboratory, Oct. 1981, SR 81-23. 19p. ADA-108 192

Ice cover, Profiles, Electromagnetic prospecting, Airborne radar, Subglacial observations, Remote sensing, Ice bottom surface, Frazil ice, Ice jams, Permafrost, Oil spills

In 1974 personnel at the U.S. Army Cold Regions Research and Engineering Laboratory (CRREL) began using an impulse radar system to profile accumulations of ice forms. Through field experience the system has been modified so that it can be effecperience the system has been modified so that it can be effectively used as a profiling system, in a ground or airborne configuration, in certain high-noise environments. The system can penetrate fresh water and media with a high water content. For instance, frazil and brash ice accumulations with approximately 50% water have been profiled to a depth of 25 to 35 ft. As a result of the CRREL modifications, the system has found extensive and varied applications as a low-level remote sensing tool. Applications include profiling ice accumulations (including ice jams), river beds, sheet ice, permafrost, subsurface ice masses river bank revetiments through air-entrained water, snow covers, sea ice, icebergs, and peat bogs. Limited laborsmasses river bank reveniments inflough an entrained water, snow covers, sea ice, icebergs, and peat bogs. Limited laboratory work has also shown that the impulse radar system may be able to detect oil and gas under sea ice. Selected applications and data are presented. Since it has been used mainly for research, the CREEL system needs further development to make it useful to operational units. Additional development of hardware and software is recommended.

Final report on statistical analysis of pingo-like features (P.L.F.) in the Beaufort Sea.

Barrodale Computing Services, Ltd., Victoria, B.C., Sidney, B.C., Institute of Ocean Sciences, 1980, 26p. Pingos, Subsea permafrost, Ocean bottom, Detection, Frost mounds, Analysis (mathematics), Statistical analysis, Beaufort Sea.

36-1039

Deformation characteristics of sea ice.

Bogorodskii, V.V., et al, U.S. Army Cold Regions Research and Engineering Laboratory, Jan. 1981, TL 750, 7p., ADB 055 331L, For Russian original see 34.4251. 3 refs.
Gavrilo, V.P., Gusev, A.V., Nikitin, V.A.
Sea ice, Ice deformation, Bearing strength, Ice me-

chanics, Ice loads, Test equipment, Scale effect. chanics, Ice loads, Test equipment, Scale effect. The authors used a "pressimetric technique" to study the deformation characteristics of ice directly in the ice cover. A probe, comprised of a rubber-coated metal cylinder, is a part of the pressiometric complex which is inserted in the ice cover. An active liquid is pumped under pressure through a hydromain into the probe. As a consequence, the rubber coating expands and the diameter of the well wall becomes larger. The radial deformation of the well wall is measured based on the volume of the active liquid, with its discharge being measured by means of a calibrated cylinder. The accuracy of the ice deformation measurements is within 0.001 mm. The results of the calculations given in this paper are graphically depicted.

tions given in this paper are graphically depicted 36-1040

Evaporation from a snow cover; review and discussion of measurements. Bengtsson, L., Nordic hydrology, 1980, No.11, p.221-

Snow evaporation, Snow surface, Heat flux, Snow melting, Atmospheric density.

Review of periglacial research. [Periglaziale Forschung in Revues,

Washburn, A.L., Geologische Rundschau, May 1981, 70(2), p.664-690. In German with English, French and Russian summaries. Refs. p.683-690.

Periglacial processes, Permafrost physics, Frost action, Geocryology, Patterned ground. Frost heave, Paleoclimatology, Altiplanation.

36-1042

Columbia Glacier and the Trans-Alaska Pipeline. (Der Columbiagletscher und die Alaska-Pipeline). Haeberli, W., Wasser, Energie, Luft Eau, energie, air. 1981, 72(5-6), p.111-117. In German with French and English summaries. 18 refs. Glacier mass balance, Calving, Icebergs, Pipelines,

Petroleum transportation, Marine transportation, Ice conditions, Radar echoes.

Sediment transport in the Tanana River near Fair-

Sediment transport in the Lanana River near Fairbanks, Alaska 1977-79.

Burrows, R.L., et al. U.S. Geological Survey. Water Resources Investigations, Apr. 1981, No.81-20, 56p. Emmett, W.W., Parks, B.

Sediment transport, River flow, Sedimentation, Geomorphology, Suspended sediments, Particle size distribution, United States—Alaska—Tanana River.

36-1044
Greenhouses in Alaska.
Carlson, A.R., et al. Alaska | University | Cooperares Extension Service | Publication, June 1971,

Epps, A.C

Plant ecology, Growth, Agriculture, Structures, Protective coatings, Snow loads, Greenhouses, United States-Alaska.

36-1045

Snowmelt generated run-off from small areas as a daily transient process.

Bengtsson, L., Geophysica, 1981, 17(1-2), p.109-121,

Snowmelt, Runoff, Snow water content, Water flow.

Absolute greatest thickness of level ice on the Baltic

Palosuo, E., Geophysica, 1981, 17(1-2), p.133-142, 10

Sea ice. Ice cover thickness. Baltic Sea.

Sea ice: the potential of remote sensing.

Weeks, W.F., Oceanus, Fall 1981, 24(3), MP 1468, p.39-48.

iea ice. Lake ice, Ice physics. Remote sensing, Spaceborne photography.

Soviet glaciological studies in 1974. ¡Sovetskie gliatsi-

stitut geografii. Materialy gliatsiologicheskikh issledovanii. Khronika obsuzhdeniia, July 1975. Vol.26, p.5-15. In Russian.
Lapina, La ologicheskie issledovaniia v 1974 goduj. Kotliakov, V.M., et al. Akademiia nauk SSSR. In-

Research projects, Alpine glaciation, Slope pro-cesses, Avalanches, Mudflows, Glacier ablation, Glacier surges, Heat balance, Snow surveys, Glacier surveys, Slope orientation, Snow cover structure, Ice thermal properties. Snow thermal properties.

Workshop of the section of Glaciology and the conference on formation and regime of snow cover in areas ence on formation and regime of snow cover in areas of complicated orography (March 1975). Rabochec soveshchanie sektsii gliatsiologii i soveshchanie po teme "Formirovanie i rezhim snezhnogo pokrova v raionakh so slozhnoi orografiei" v marte 1975 g.]. Golodkovskaia, N.A., et al. Akademiia nauk SSSR. Institut geografii. Materialy gliatsiologicheskikh issledovanii. Khronika obsuzhdeniia, July 1975, Vol.26, p.15-23, In Russian.

Meetings, Glaciology, Alpine glaciation, Mountain glaciers, Glacier beds, Bottom topography, Glacial hydrology, Glacier surges, Geocryology, Research

Resolutions of the Glaciology Section workshop (24-28 March 1975). (Rezoliutsiia rabochego sovesh-chaniia Sektsii gliatsiologii (24-28 marta 1975 g.), Akademiia nauk SSSR. Institut geografii. Materi-Chamia Schol grashologic (24-26 mara 14/28 g), Akademia nauk SSSR. Institut geografii. Materialy gliatsiologicheskikh isskedovanii. Khronika ob-surhdeniia, July 1975, Vol.26, p.23-25, In Russian Glaciology, Meetings, Glacier surveys, Glacier surges, Glacier surfaces, Snow cover distribution, Maps, Research projects.

Regional scientific conference "Results and prospects of glacioclimatic investigations in the Altai-Sayan Mountains". [Regional naid nauchnaid konferentsua "Itogi i perspektivy gliatsio-gidroklimaticheskogo izuchenna Altae-Saranskoi gornoi oblasti";

Reviakin, V.S., et al. Akademiia nauk SSSR Institut geografii. Materialy ghatsiologicheskikh is-Khronika obsuzhdenia. July 1975. dedovanii Vol 26, p 25-28, In Russian Lebedeva, I M

Meetings, Mountain glaciers, Alpine glaciation, Glacial hydrology, Climatology.

Symposium on remote sensing in glaciology, (Simpozium po distantsionnym izmereniiam v gliatsiologiis.

Richardson, H., Akademiia nauk SSSR. Institut geo-grafii. Materialy gliatsiologicheskikh issledovanii. Khronika obsuzhdeniia. July 1975, Vol.26, p.28-30, In

Meetings, Remote sensing, Glaciology, Radar echoes, Ice cover thickness, Glacier ice, Snow surveys, Temperature measurement, Airborne equipment, Infrared photography.

36-1053

Unfrozen water in glacier ice. [Zhidkaia voda vnutri

lednikovj.
Golubev, G.N., Akademiia nauk SSSR. Institut geografii. Materialy gliatsiologicheskikh issledovanii. Khronika obsuzhdeniia. July 1975, Vol.26, p.31-51, In Russian with English summary. 67 refs.

Polar regions, Glacier ice, Unfrozen water content.

36-1054

External heat exchange of the Medvezhiy glacier in the Pamirs. [Vneshnil energoobmen lednika Medvez-

Nii na Pamire, Voloshina, A.P., Akademiia nauk SSSR Institut geo-grafii. Materialy gliatsiologicheskikh issledovanii. Khronika obsuzhdeniia, July 1975, Vol.26, p.39-78, In Russian with English summary. 7 refs. Mountain glaciers, Glacier surfaces, Heat balance,

Glacier surveys, Microrelief.

Possibility of forecasting characteristics of floods caused by outbursts of glacial lakes. [Vozmozhnost' prognoza kharakteristik pavodkov vyzyvaemykh proryvami lednikovykh ozerą,

Glazyrin, G.E., et al, Akademiia nauk SSSR. Institut Materialy gliatsiologicheskikh is-Khronika obsuzhdeniia, July 1975, geografii. sledovanii Vol.26, p.78-85, In Russian with English table of contents enclosed. 15 refs. Sokolov, L.N.

Mountain glaciers, Glacial hydrology, Glacial lakes,

36-1056

Influence of the thermal regime of the Muksu River basin on the formation of snowmelt and glacier ablation runoff. (Vliianie termicheskogo rezhima vodosbora na formirovanie talogo snegovogo i lednikovogo stoka r. Muksu₃, Shcheglova, O.P., Akademiia nauk SSSR.

Materialy gliatsiologicheskikh Khronika obsuzhdeniia, July geografii. 1975. Vol.26, p.85-89, In Russian with English summary.

Glacial rivers, River basins, Thermal regime, Mountain glaciers, Ablation, Snowmelt, Glacial hydrology. 36-1057

Recent glaciation of Wrangel Island and its dependence on climatic fluctuations, ¿Sovremennoe oledene-nic ostrova Vrangelia i zavisimost' ego rezhima ot

nic ostrova vrangena i zavisninosi cos saministi kolebanii klimataj.
Svatkov, N.M., Akademiia nauk SSSR. Institut geografii. Materialy gliatsiologicheskikh issledovanii. Khronika obsuzhdeniia, July 1975, Vol.26, p.89-96. In Russian with English summary. 6 refs.

Mountain glaciers, Glacier surveys, Nivation, Aerial surveys.

36-1058

Calculating approximate numbers and areas of glaciers in unexplored regions. [Raschet priblizitel'nogo chisla i ploshchadi lednikov v neizuchennykh raionakhj. Glazyrin, G.E., et al, Akademiia nauk SSSR.

gcografii. Materir ly gliatsiologicheskikh is-sledovanii. Khronika obsuzhdeniia. July 1975, Vol.26, p.97-101, In Russian with English summary. geografii. 5 refs

Sokolov, L.N

Alpine glaciation, Glacier ice, Distribution, Ice volume, Snow line, Ice surveys.

36-1059

Homogeneity of perennial variations of the equilibrium line altitude within glaciated areas. (Stepen' odnorodnosti mnogoletnikh kolebanii vysoty granitsy

norodnosti mnogoletnikh kolebanii vysovy grainisy pitaniia v predelakh lednikovol oblastij. Shantykova, L. N., Akademiia nauk SSSR. Institut geografii. Materialy gliatsiologicheskikh is-sledovanii. Khronika obsuzhdeniia, July 1975. Vol.26, p.101-105, In Russian with English summary

Mountain glaciers, Alimentation, Snow line, Snow cover distribution. Glacier surfaces.

36-1060

Peculiarities of glaciation of eastern Pamirs. [Oso-

bennosti oledenemia vostochnogo Pamiraj. Rototaeva, O.V., Akademia nauk SSSR Institut Materialy gliatsiologicheskikh is-Khronika obsuzhdeniia. July 1975. sledovanii Vol.26, p.105-119, In Russian with English summary 8 refs

Alpine glaciation, Slope orientation, Snow line, Mountain glaciers, Mapping, Classifications.

36-1061

Evaporation from glaciers in Central Asia (measurements and calculations). [Intensivnost' ispareniia s lednikov srednel i tsentral noi Azii (vozmozhnosti izmerenii i raschetov)1.

Lebedeva, I.M., Akademiia nauk SSSR. Institut geo-grafii. Materialy gliatsiologicheskikh issledovanii Khronika obsuzhdeniia, July 1975, Vol.26, p.119-129 In Russian with English summary. 9 refs.

Mountain glaciers, Glacier surfaces, Evaporation.

Snow evaporation, Ice sublimation, Meltwater.

36-1062

Meteorological peculiarities of water accumulation in the Kolka glacier basin. [Meteorologicheskie usloviia

nakopleniia vody v basseine lednika Kolkaj, Krenke, A.N., et al, Akademiia nauk SSSR. Materialy gliatsiologicheskikh is-Khronika obsuzhdeniia, July 1975, geografii. ledovanii Vol.26, p.130-140, In Russian with English summary 7 refs.

Kukushkina, K.I.

Alpine glaciation, Glacial hydrology, Meltwater, Rain, USSR—Caucasus.

36-1063

Space statistical structure of the surface-ablation field of a mountain glacier. [Izuchenic prostranstvennol statisticheskol struktury polia poverkhnostnoi abliatsii gornogo lednikat.

Diurgerov, M.B., Akademiia nauk SSSR. Institut geografii. Materialy gliatsiologicheskikh is-sledovanii. Khronika obsuzhdeniia, July 1975. Vol.26, p.140-144. In Russian with English summary 5 refs.

Mountain glaciers, Glacier surfaces, Ablation, Measurement. Accuracy.

36-1064

Studying snow cover in steppe geosystems of southern Minusinsk Basin. (Issledovanie snezhnogo pokrova stepnykh geosistem iuga Minusinskoi kotloviny).

Grudinin, G.V., Akademiia nauk SSSR. Institut geo-grafii. Materialy gliatsiologicheskikh issledovanii. Khronika obsuzhdenija, July 1975, Vol.26, p.145-150. In Russian with English summary. 7 refs Steppes, Snow cover distribution, Snow water equiva-

36-1065

lent. Snow surveys.

Variations of isotope composition of atmospheric precipitation and lake waters in Antarctica. (Variatsii izotopnogo sostava atmosfernykh osadkov i ozernor v Antarktide i Subantarktikej.

Gordienko, F.G., et al, Akademiia nauk SSSR. stitut geografii. Materialy gliatsiologicheskikh sledovanii. Khronika obsuzhdeniia, July 19 July 1975. Vol.26, p.150-154. In Russian with English summary. 12 refs

Barkov, N.L. Orlov, A I

Polar regions, Precipitation (meteorology), Isotope analysis, Antarctica.

Oxygen and hydrogen isotope compositions of atmospheric precipitation are influenced by different parameters: distance between the ocean and observation stations, condensation temperature, evaporation in the process of precipitation and others. Mean annual air temperature in the ground layer is considered Mean annual air temperature in the ground tayer is considered of principal importance and equations, relating isotope compositions to surface air temperature, are derived. Approximate linear relations between these values, obtained for 7 inland and 5 coastal stations, revealed some discrepancies, so that the absolute temperature correlation was not made, pending further investigations and corrections.

36-1066

Prospects and results of deep drilling in Antarctica. Iltogi i perspektivy glubokogo bureniia v Antarktide; Korotkevich, E.S., et al, Akademiia nauk SSSR - In-stitut geografii. Materialy gliatsiologicheskikh is-sledovani. Khronika obsuzhdemia, July 1975, Vol.26, p.155-158. In Russian with English summary Petrov, V.N.

Ice drills, Drilling fluids, Thermal drills, Ice coring drills, Antarctica.

Preliminary results of studying ice cores obtained from a 900-meter borehole at Vostok Station are described and discussed They include ice-density measurements, petrographic and crystallographic analyses, caliper logging, thermometry, microbiology and micropaleontology of ice, thermophysical and isotope investigations. A special thermo-electric assembly was designed for dry drilling under specific Antaretic conditions. Research is continued on the use of antirheologic fluids in attempts to drill down to the ice bottom

36-1067

Radar-echo sounding of West Spitsbergen glaciers in 1974. (Nekotorye rezul'taty radiolokatsionnogo zon-dirovanna lednikov Zapadnogo Shpitsbergena ; 1974

Macheret, IU IA., Akademiia nauk SSSR geografii. Materialy gliatsiologicheskikh is-Khronika obsuzhdenna, July 1975. dedovanii Vol.26, p.158-164, In Russian with English summary 11 refs

Mountain glaciers. Glacier surveys, Radar echoes, Glacier ice, Ice cover thickness, Glacier beds, Bottom topography.

36-1068

Mechanics of heavy snowstorms and studies of snowstorm regimes in mountains. [Mekhanika sil'nykh metelei i osobennosti issledovanna metelevogo rezhima v gorakh₁. Diunin, A.K., et al. Akademna nauk SSSR

Materialy giratsiologicheskikh is Khronika obsuzhdenna, July 1975 geografii. sledovanii Vol.26, p 165-171. In Russian with English summary 9 refs.

Snowstorms, Snow mechanics, Snow transfer, Snow surveys. Mountains, Wind factors.

36-1069

Peculiarities of snow transfer in mountains. (Osobennosti perenosa snega v gornykh raionakhj. Komarov, A.A., et al, Akademiia nauk SSSR

geografii. Materialy ghatsiologicheskikh is-sledovanii Khromka obsuzhdeniia, July 1975, Vol.26, p.172-178, In Russian with English summary. 17 refs

Al'ishuler, Z.E.

Mountains, Snow transfer, Snow accumulation, Snowfall, Wind factors.

Theoretical model of snow deposition on leeward slopes. ¡Teoreticheskaia model' snezhnykh otlozhenii na gornom podvetrennom sklonej.

Matvienko, V.S., Akademiia nauk SSSR, Institut geografii, Materialy ghatsiologicheskikh is-sledovanii, Khronika obsuzhdeniia, July 1975, Vol.26, p.179-183, in Russian with English summary

Alpine landscapes, Slope orientation, Snow cover distribution, Wind factors, Mathematical models.

Methods of determining optimal number of snow-survev points for forecasting discharges of mountain rivers. [Metodika opredeleniia optimal'nogo nabora snegopunktov dlia prognozov stoka gornykh rekj.
Getker, M.I., et al. Akademiia nauk SSSR. Institut
geografii. Materialy gliatsiologicheskikh issledovanii. Khronika obsurhdeniia, July 1975. Vol.26, p.184-193, In Russian with English summary 6 refs.

Shentsis, LD.

Alpine landscapes, Glacial hydrology, Snow surveys snow cover distribution. Mountain glaciers, Glacial rivers.

36-1072

Improving snow measurements in mountains for hydrologic forecasts, il sovershenstvovanie izmerenii drologic torecasts. It sover successive and successive snezhnogo poktova v gorakh dlia gidroprognozovy. Borovikova, U.N., et al. Akademia nauk SSSR Institut geografii. Materialy ghatsologicheskikh issledovanii. Khronika obsuzhdenna. July 1975, Vol.26, p.193-202, In Russian with English summary 6 refs

Konovalov, V G Snow surveys, Snow water equivalent, Glacial hydrology, Runoff.

Calculating the part of solid, liquid and mixed precipitation in the monthly norm. [Sposob rascheta doli tverdykh, zhidkikh i smeshannykh osadkov v ikh me-

siachnor normej. Bogdanova, E.G., Akademna nauk SSSR. Materialy gliatsiologicheskikh is-Khiomka obsuzhdenna. July 1975. geografii sledovanii Vol 26, p.202-207, Ir. Russian with English summary

Water supply. Snow water equivalent, Snowfall, Air temperature.

Distribution of solid precipitation over the Globe. (Raspredelenie tverdykh osadkov po zemnomu sharu), Bogdanova, E.G., et al. Akademiia nauk SSSR. In-stitut geografii. Materialy gliatsiologicheskikh is-Khronika obsuzhdeniia. July 1975, Vol.26, p.207-212, In Russian with English summary. 10 refs Sokolova, G.P.

Snowfall, Snow accumulation, Snow depth, Snow cover distribution. Charts. 36-1075

Kharacteristics of heavy snowfalls. [Kharakteristiki

sil'nykh snegopadovj. Lipovskaia, V.I. Akademiia nauk SSSR. Institut geo-grafii. Materialy gliatsiologicheskikh issledovanii. Khronika obsuzhdeniia. July 1975. Vol.26. p.212-216. In Russian with English summary. 12 refs.
Snowfall, Snow accumulation, Meteorological data,

Statistical analysis.

36-1076

Using satellite information in studying snow melting dynamics. [Primenenie sputnikovoi informatsii v izu-

chenii dinamiki snegotaianiiaj. Deleur, M.S., et al, Akademiia nauk SSSR. Materialy gliatsiologicheskikh is-Khronika obsuzhdeniia. July 1975, geografii. sledovanů. Vol.26, p.216-221, In Russian with English summary. 9 refs.

Babkina, L.P., Pankratova, E.I.

Snow surveys, Remote sensing, Airborne equipment, Snow melting, Snow line, Mapping, Radar photography.

36-1077

Large scale mapping of snow reserves from aerial survey data. (Printsipy krupnomasshtabnogo kartirovaniia snegozapasov na osnove aerofotos emok₁, Shcheglova, O.P., et al, Akademiia nauk SSSR. Institut geografii. Materialy gliatsiologicheskikh is-Sicdovanii. Khronika obsuzhdeniia. July 1975, Vol. 26, p. 221-226, In Russian with English summary.

Gapishko, V.G.

Snow surveys, Aerial surveys, Snow cover distribution, Mapping.

36-1078

Snow cover distribution in the high altitude zone of ranges adjacent to the Issyk-Kul' basin. [Raspredelenie snezhnogo pokrova v vysokogornoi zone khrebprilegaiushchikh k Issyk-Kul'skoi kotlovine, Dikikh, A.N., Akademiia nauk SSSR. Institut geo-grafii. Materialy gliatsiologicheskikh issledovani. Khronika obsuzhdeniia, July 1975, Vol.26, p.226-229.

in Russian with English summary. 8 refs.
Alpine landscapes, Snow cover distribution, Snow surveys, Slope orientation, Snow density, Snow evaporation, Snow cover structure.

36-1079

Snow cover transformation and evaporation in relation to microclimatic conditions of the valley slopes and bottom. (Osobennosti ispareniia i transformatsii snezhnogo pokrova v zavisimosti ot mikroklimaticheskikh uslovií sklonov i dna dolinyj

Kuvaeva, G.M., Akademiia nauk SSSR. Institut geografii. Materialy gliatsiologicheskikh issledovanii. Khronika obsuzhdeniia, July 1975, Vol.26, p.229-239, In Russian with English summary. 18 refs. Alpine landscapes, Valleys, Slopes, Snow cover distri-

bution, Metamorphism (snow), Microclimatology, Snow evaporation, Topographic effects.

36-1080

Accuracy of measuring snow reserves on mountain glaciers. (O tochnosti izmereniia snegozapasov na gor-

nykh lednikakhj. Emel'ianov, IU.N., et al, Akademiia nauk SSSR. stitut geografii. Materialy gliatsiologicheskikh is-sledovanii. Khronika obsuzhdeniia. July 1975, Vol.26, p.239-245, In Russian with English summary.

Zhidkov, V.A., Nozdriukhin, V.K.

Mountain glaciers, Snow surveys, Water reserves, Snow water equivalent.

36-1081

neous concepts on temperatures in glacier ice. Oshibochnye predstavlenija o temperaturakh v tolshche lednikov₁,

Krass, M.S., et al. Akademiia nauk SSSR. Materialy gliatsiologicheskikh is-Khronika obsuzhdeniia. July 1975, geografii. sledovanů. Vol.26, p.246-253, In Russian.

Shumskii, P.A. Glacier ice. Ice temperature, Mathematical models,

36-1082

Comments on "Erroneous ideas about temperatures in glacier ice". [Po povodu oshibochnykh predstav-lenii o temperaturakh v tolshche lednikov].

Zotikov, I.A., Akademiia nauk SSSR. Institut geo-grafii. Materialy gliatsiologicheskikh issledovanii. grafii. Materialy gliatsiologicheskikh issledovanii. Khronika obsuzhdeniia. July 1973, Vol.26, p.253-254, In Russian with English summary. 5 refs. Glacier ice, Glacier surges, Ice temperature, Heat transfer.

36,1083

New way of calculating deformation rates in glacier O novom metode rascheta skorostei deformatsii v lednikakh₁,

Shumskii, P.A., Akademiia nauk SSSR. Institut geo grafii. Materialy gliatsiologicheskikh issledovanii. Khronika obsuzhdeniia. July 1975, Vol.26, p.254-257. grafii. In Russian. 2 refs.

Glacier ice, Stresses, Deformation.

More on the new method of calculating deformation rates in glacier ice. Eshche raz o novom metode rascheta skorostei deformatsii v lednikakhj.

Vinogradov, O.N., et al, Akademiia nauk SSSR. Institut geografii. Materialy gliatsiologicheskikh issledovanii. Khronika obsuzhdeniia. July 1975, Vol.26, p.257-259, In Russian with English summary. July 1975,

Garelik, I.S.

Glacier ice, Stresses, Deformation.

Comments on the article by P.S. Shpin', G.S. Avraamov and V.P. Avraamova "On the possibilities of using the apparatus of the energy distribution model in analyzing and forecasting the state and regime of glaciers". [Retsenziia na stat'iu P.S. Shpinia, I.S. Avraamova i V.P. Avraamovoj "O vozmozhnosti primeneniia apparata energeticheskoi modeli razrusheniia dlia analiza i prognozirovaniia sostoianiia i rezhima lednikov"j.
Denisov, IU.M., et al, Akademiia nauk SSSR.

stitut geografii. Materialy gliatsiologicheskikh stitut geograii. Materialy gitatsiologicneskiki is-sledovanii. Khronika obsuzhdeniia. July 1975. Vol.26, p.259-261, In Russian. 4 refs. Kotliakov, V.M., Glazyrin, G.E., Krenke, A.N. Glacier ice, Ablation, Ice surface, Heat balance,

Mathematical models.

Annotated list of Soviet literature on glaciology for 1973. [Annotirovannyi spisok sovetskoi literatury po gliatsiologii za 1973 god₃. Kotliakov, V.M., et al, Akademiia nauk SSSR.

stitut geografii. Materialy gliatsiologicheskikh is-sledovanii. Khronika obsuzhdeniia. July 1975, Vol.26, p.262-325, In Russian. 586 refs. Lanina, I.IA., Chernova, L.P. Glaciology, Bibliographies.

eomorphology and permafrost conditions of Garry Island, N.W.T.

Kerfoot, D.E., Vancouver, University of British Columbia, 1970, 308p. + figs., Canadian theses on minute of the figure of the fi crofilm, No.5819, Ph.D. thesis. Refs. p.299-304

Geomorphology, Permafrost thermal properties, Tundra, Vegetation, Active layer, Patterned ground, Ground ice, Soil temperature, Shoreline modification. Ocean waves, Mudflows, Erosion, Canada-Northwest Territories-Garry Island.

Sea ice, winter convection, and the temperature mini-

mum layer in the Southern Ocean.
Toole, J.M., Journal of geophysical research, Sep. 20, 1981, 86(9), p.8037-8047, 40 refs.

Sea ice, Water temperature, Heat transfer, Ice models, Mathematical models.

els, Naturematical models.

The structure of the near surface waters in the Southern Ocean, poleward of the Antarctic Polar Front but away from continental margins, is investigated with a three-dimensional time-dependent numerical model which resolves the annual sea ice cycle. The growth and decay of the ice field is predicted, using an earlier thermodynamic ice model, in terms of specified atmospheric data and computed thermohalmine characteristics of the cream lawer. The model treat the temperature minimum ocean layers. The model treats the temperature minimum ocean layers. The model treats the temperature minimum layer in the Southern Ocean as the remnant of a deep winter mixed layer which becomes capped by surface heating and precipitation in summer. The predicted thermobaline characteristics of the temperature minimum layer and the surface mixed layer are in good agreement with observations. Finally, the annual air-sea heat exchange predicted by the model is discussed. (Auth. mod.) discussed. (Auth. mod.)

36-1089

Modeling of anisotropic electromagnetic reflections from sea ice.

Golden, K.M., et al. *Journal of geophysical research*. Sep. 20, 1981, 86(C9), MP 1469, p.8107-8116, 17 refs. Ackley, S.F.

Sea ice, Ice salinity, Electromagnetic properties, Anisotropy.

The contribution of brine layers to observed reflective anisotropy of sea ice at 2100 MHz is quantitatively assessed, and a tropy of sea ice at 2100 Wirtz quantitatively assessed, and a theoretical explanation for observed reflective anisotropy is proposed in terms of anisotropic electric flux penetration into the brine layers. The sea ice is assumed to be a stratified dielectric consisting of prue ice containing ellipsoidal conducting inclusions (brine layers) uniformly aligned with their long axes preparations forme a years of unionity aligned with riter in ong axes perpendicular to the preferred crystallographic c axis direction. The asymmetrical geometry of the brine layers is shown to produce an anisotropy in the complex dielectric constant of sea ice. The contribution of these layers to the reflective anisotropy is examined with a numerical method of approximating the reflected power of a radar pulse incident on a slab of sea ice. (Auth. mod.)

36-1090

Estimating surface wind direction over drifting open

Feldman, U., et al, Journal of geophysical research. Sep. 20, 1981, 86(C9), p.8117-8120, 36 refs. Howarth, P.J., Davies, J.A.

Wind direction, Pack ice.

36-1091

Numerical-graphic method c calculating temperatures at the filter-dam abutment to the frozen side of the river valley. [Chislenno-graficheskii metod temperaturnogo rascheta primykaniia fil'truiushchei plotiny k merzlomu bortu rechnoi doliny₁,

Bitiurin, A.K., et al. Russia. Ministerstvo vysshego i srednego spetsial nogo obrazovanija. Izvestija vysshikh uchebnykh zavedenii. Stroitel'stvo i arkhitektura, 1981, Vol.8, p.89-92, In Russian. 4 refs. Gorokhov, E.N.

Earth dams, Permafrost beneath structures, Thermal regime, Design.

36-1092 Determining elasticity modulus and viscosity coefficient of ice cover from field data. [Opredelenie modulia uprugosti i koeffitsienta viazkosti ledianogo

pokrova po dannym naturnykh issledovaniij. IAkunin, A.E., Russia. Ministerstvo vysshego i sred-TAKUNIN, A.E., KUSSIA. AMINISCISTVO TYSSINGO ISFED-nego spetsial'nogo obrazovaniia. Izvestiia vysshikh uchebnykh zavedenii. Stroitel'stvo i arkhitektura. 1981, Vol.8, p.92-97, In Russian. 5 refs. Ice physics, Viscoelasticity, Ice thermal properties.

Classification of frozen grounds according to abrasive properties. [Klassifikatsiia merzlykh gruntov po iznashivaiushchei sposobnostij. Leshchiner, V.B., et al. Russia. Ministerstvo vys-

shego i srednego spetsial nogo obrazovanija. Izvestija vysshikh uchebnykh zavedenii. Stroitel stvo-i arkhitektura, 1981, Vol.8, p. 123-127, In Russian. Kravchenko, S.M.

Frozen ground strength, Earthwork, Excavation, Equipment, Abrasion, Classifications.

Engineering-geological problems of protecting geological environment. [Inzhenerno-geologicheskie prookhrany okruzhaiushchei geologicheskoi sredy₁.

Osipov, IU.B., et al. Itogi nauki i tekhniki. Serna Citdrogeologiia. Inzhenernaia geologiia, 1980, Vol.7, 96p., In Russian with English table of contents en-115 refs. closed.

Alpine landscapes, Glaciation, Geocryology, Glacial hydrology, Periglacial processes, Cryogenic soils, Slope processes, Solifluction, Soil erosion, Human factors. Water pollution, Environmental protection. Permafrost thermal properties, Land reclamation.

Thermos method of curing concrete in freezing weather, ¡Osobennosti "termosnogo" vyderzhivanija Detona pri proizvodstve rabot v zimnikh uslovijakhj. Osipov IUK, et al. Moscow. Inzhenemo-stronelinyi institut. Sbornik trudov. 1978, No.167, p.24-35. In Russian. 7 refs. In Russian. 7 Kopylov, V D

Winter concreting, Concrete placing, Reinforced concretes, Concrete strength.

Equipment with thermomechanical digging tools for hard ground. ¡Razrabotka prochnykh gruntos ma-shinami s termomekhanicheskimi rabochimi organamij

Chechenkov, M.S., Moscow, Inzhenerno-stroitel'nyi institut. Sbornik trudov, 1978, No.167, p 153-158, In Russian.

Earthwork, Thermal drills, Excavation, Frozen ground.

36-1097

Snow cover dynamics in non-homogeneous physiographic types of terrain. [Dinamika snezhnogo pokrova v neodnorodnykh fiziko-geograficheskikh tipakh

mestnostij, Kobzistyi, P.I., et al, Fizicheskaia geografija i geoinor-fologija, 1978. Vol.20, p.139-143, In Russian with English summary 5 refs.

Sheherban', I.M. DLC GLF56

Landscape types, Snow surveys, Snow transfer, Snow accumulation, Snow cover distribution, Snow stratig-

36-109R

Road construction manual for engineers, (Stroitel styo-Sprayochnik inzheneraavtomobil'nykh dorog. dorozhnikaj. Bochin, V.A., ed. Moscow, Transport, 1980, 511p., In

Russian with abridged English table of contents en-closed. 66 refs.

DLC TE151.S83

Manuals, Standards, Roads, Pavements, Roadbeds. Foundations, Hydraulic structures, Bridges, Culverts, Soil stabilization, Permafrost beneath structures Earthwork, Construction equipment, Construction materials.

Geothermal conditions in the sedimentary cover of the Siberian Platform.

Slavin, V.I., et al. *International geology review*. Sep 1981, 23(9), p.1058-1066, 11 refs For Russian original see 35-1570.

Tychino, N.IA., Boboshina, O.A.

Polar regions, Permafrost distribution, Permafrost depth, Frozen rock temperature, Geothermy.

36-1100

Problems of thematic mapping. Scientific-technical conference on cartography, 3rd, Irkutsk, Jan.30-Feb.2, 1968. (Voprosy tematicheskogo kartografirovaniias.

Nauchno-tekhnicheskaia konferentsiia po kartografii, 3rd, Irkutsk, Jan. 30-Feb. 2, 1968, Irkutsk, 1968, 181p., In Russian. For selected papers see 36-1101 through 36-1111

DLC GA108.N3 1968

Permafrost distribution, Landscape types, Cryogenic soils, Taiga, Tundra, Swamps, Geocryology, Geologimaps, Snow cover distribution, Aerial surveys, Photointerpretation, Stereophotography.

Using the map of taiga landscapes in western Siberia for analyzing and mapping some hydrologic phenomena. [Ispol'zovanie karty tipov mestnosti talgi Zapadnot Sibiri pri analize i kartografirovanii nekoto-

rykh gidrologicheskikh javlenij. Burakov, D.A., et al. Nauchno-tekhnicheskaja konferentsiia po kartografii, 3rd, Irkutsk, Jan. 30-Feb. 2. 1968. Voprosy tematicheskogo kartografirovania (Scientific-technical conference on cartography. 3rd, Irkutsk, Jan 30-Feb. 2, 1968. Problems of thematic mapping) edited by B.A. Bogoiavlenskii, Irkutsk. 1968, p.13-15, In Russian.

Bulatov, V.I DLC GA108.N3 1968

Taiga, Landscape types, Paludification, Mapping, Snow cover distribution, Floods.

Map of swamps in the Tyumen' region atlas. (Karta bolot v atlase Tiumenskoj oblastij.

Shumilova, L.V., Nauchno-tekhnicheskaia konferentsija po kartografij, 3rd, Irkutsk, Jan. 30-Feb. 2, 1968. Voprosy tematicheskogo kartografirovaniia (Scientific-technical conference on cartography, 3rd, Irkutsk, Jan 30-Feb.2, 1968, Problems of thematic mapping) edited by B.A. Bogoiavlenskii, Irkutsk, 1968, p.17-19.

DLC GA108.N3 1968

Swamps, Cryogenic soils, Maps, Geocryology, Permafrost distribution. Landscape types, Polar regions,

Large scale mapping of different swamp types in the Irkutsk region. (Tipologicheskaia kharakteristika bolot Irkutskoi oblasti dha krupnomasshtabnogo kartografiros anuas

Liakhova, I.G., et al, Nauchno-tekhnicheskaia konferentsua po kartografii, 3rd, Irkutsk. Jan 30-Feb 2. 1968. Voprosy tematicheskogo kartografirovanna (Scientific-technical conference on cartography, 3rd, Irkutsk, Jan 30-Feb 2, 1988, Problems of thematic mapping) edited by B.A. Bogoravienskii, Irkutsk, 1968, p.19-21, In Russian

Malomyzheva, T V DLC GA108 N 1968

Swamps, Landscape types, Cryogenic soils, Peat, Mapping, USSR—Irkutsk.

36-1104

Large scale geomorphologic and geogryologic mapping. [Krupnomasshtabnoe kriogeomorfologicheskoe kartirovanies

Liubimov, B.P., et al. Nauchno-tekhnicheskaia kon ferentsiia po kartografii, 3rd, Irkutsk, Jan 30-Feb 2. 1968 Voprosy tematichesko_co kartografirovanna (Scientific-technical conference on cartography, 3rd, Irkutsk, Jan 30-Feb 2, 1968, Problems of thematic mapping) edited by BA Bogoravlensko, Irkutsk, 1968, p.22-24, In Russian Mudroy, II A

DLC GA108 N3 1968

Geological maps, Geomorphology, Frost weathering, Geocryology, Permafrost distribution, Permafrost structure, Ground ice. Tundra.

36-1105

Methods of compiling small scale engineering-geological maps of lowlands with a wide development of permafrost. ¡K voprosu o metodike sostavlenija n. dkomasshtabnykh inzhenerno-geologicheskikh kart ravninnykh territorii s shirokim razvitiem mnogoletnemerzlykh porodj. Trofimov, VT., Nauchno-tekhnicheskaia konferent-

siia po kartografii, 3rd, Irkutsk, Jan.30-Feb.2, 1968. Voprosy tematicheskogo kartografirovaniia (Scientific-technical conference on cartography, 3rd, Irkutsk, Jan. 30-Feb. 2, 1968, Problems of thematic mapping) edited by B.A. Bogoiavlenskii, Irkutsk, 1968, p. 24-25.

DLC GA108.N3 1968

Geocryology, Permafrost distribution, Permafrost structure, Mapping, Geological maps.

36-1106

Compiling small scale geocryologic map of plains with a wide development of Quaternary deposit (exemplified by the northern part of the west Siberian lowland). ¡Opyt sostavleniia melkomasshtabnoi karty ravninnykh territorii s shirokim razvitiem chetvertichnykh otlozhenii (na primere severa Zapadno-Sibirskoi

nizmennosti);. Gruzdov, A.V., et al. Nauchno-tekhnicheskaia konferentsiia po kartografii, 3rd, Irkutsk, Jan. 30-Feb. 2, 1968. Voprosy tematicheskogo kartografirovaniia (Scientific-technical conference on cartography, 3rd, Irkutsk, Jan.30-Feb.2, 1968, Problems of thematic mapping) edited by B.A. Bogoravlenskii, Irkutsk, 1968, p.25-27, In Russian Trofimov, V T

DLC GA108 N3 1968

Geocryology, Geological maps, Permafrost distribution, Aerial surveys, Permafrost structure, Mapping.

36-1107

Large scale geocryologic mapping of mountain taiga areas in southern Yakutia on the landscape basis. [Krupnomasshtabnoe geokriologicheskoe kartirovame gorno-taezhnykh raionov Il zhnoi IAkutii na land-

shaftnor osnovej. Alekseev. V.R.: Nauchno-tekhnicheskaia konterentsna po kartografii, 3rd, Irkutsk, Jan.30-Feb 2, 1968. Voprosy tematicheskogo kartografirovanna (Scientific-technical conference on cartography, 3rd, Irkatsk, Jan 30-Feb.2, 1968, Problems of thematic mapping) edited by B.A. Bogoiavlenskii, Irkutsk, 1968, p.28-29, In Russian

DLC GA108 N3 1968

Landscape types. Taiga, Permafrost distribution, Active layer, Cryogenic soils, Maps.

Principles of editing large scale topographic maps of mountain taiga. Nekotorye printsipy geografiches-kogo redaktirovanna krupnom isshtabnyk h topografic cheskikh kart gorno-taczhnykh territorija

Plastinin, I. A., Nauchno-tekhnicheskaia konferentsiia po kartografii, 39d, In utsii, Jan 30-Feb 2, 1968, Voprosy tematicheskogo kartografirovanna (Scientifictechnical conference on cartography, 3rd Irkotsk. Jan 30-Feb 2, 1968. Problems of thematic mapping) edited by B.A. Bogoravienskii, Irkutsk, 1968. p.l.sn-139. In Russian

DLC GA108 N3 1968

Taiga, Aerial surveys, Landscape types, Photointerpretation, Mapping.

36.1109

Landscape regionalization of paluded taiga in the west Siberian plain for topographic studies. (Prints p. landshaltnogo rajonirovanna taezhnykh zaboloenen-nykh rajonos Zapadno-Sibiiskoj nizmennosti dna re-

daktsionno-topograficijeskikh rabotj. Sudakova, 8.S., et al. Nauchno-tekhnicheskaja koloterentsua po kartografii, 3rd, Irkutsk, Jan 30-J-08-2, 1968. Voprosy tematicheskogo kartografirovanna (Scientific technical conference on cartography, 3rd, Irkutsk, Jan 30-Feb 2, 1968, Problems of thematic mapping) cuited by BA Bogoravlenskii, Irkutsk 1968, p.139-141. In Russian

Tolstoukhov, A.S. DLC GA108 N3 1968

Taiga, Paludification, Landscape types, Mapping. 36-1110

Using aerial photographs (scale 1:50 000) for topographic interpretation in compiling stereotopo-graphic maps (scale 1:25 000) of forest lands in Siberia and the Far East. (O primenenn aerosnimkomasshtaba 150 000 dha topograficheskogo deshifrirovanna pri sozdanii kart masshtaba 125 000 stereotopograficheskim metodom na zalesennyc raiony Sibiri i Dal'nego Vostokaj. Kosmakova, O.P., et al. Najichno-tekhnicheskaja Fon-

ferentsha po kartografii, 3rd, likutsk. Jan 30-Feb 2 1968, Voprosy tematicheskogo kartografirovanna (Scientific-technical conference on cartography, 3rd, Irkutsk, Jan 30-Feb 2, 1968, Problems of thematic mapping edited by B A Bogora Cersku, Irkutsk, 1968, p.143-146, in Russian

Shul'min, MA DLC GA108 N3 1968

Forest land, Aerial surveys, Photointerpretation, Stereophotography.

36-1111

Western Siberia from an airplane (aerial reconnaissance for small scale mapping of western Siberia). (Zapadnaja Sibir s samoleta therovizual noe sledovanie dlia obespechenia melkomasshtabnogo kartografirovanija Zapadnoj Sibiri)j. Bogojavlenskij, B.A., et al. Nauchno-tekhnicheskaja

konferentsiia po kartografii. 3rd. Irkutsk, Jan 30-Feb.2. 1968, Voprosy tematicheskogo kartografirovantia (Scientific-technical conference on cartography, 3rd, Irkutsk, Jan.30-Feb 2, 1968, Problems of thematic mapping) edited by B.A. Bogoraylerskin. Irkutsk, 1968, p.146-148, In Russian DLC GA108 N3 1968

Taiga, Mapping, Aerial surveys

36-1112

National icing facilities requirements investigation. Taylor, F.R., et al. U.S. Federal Aviation Administra-tion. Technical Center Report, Jane 1981, FAX-CT tion. Technical Center Report, Jane 1 81-35, Var. p., ADA-102-520, 31 rcts Adams, R.J.

Aircraft icing, Runways, Icing, Research projects, Laboratories, Ice formation, Wind tunnels, Meteorological factors, Legislation, Tests, Facilities.

Dynamic response of bridge piers to ice forces. Gordon, E.W., Crai. Aborta. University, Edinor ton Department of Crof. Light Corng. Structural engi-neering report. Apr. 1983. No.96, 224p., Rets. p.84-88. Montgomery, C.I.

Bridges, Piers, Ice loads, Ice mechanics, Ice cover strength, Dynamic properties, Ice pressure, Design. 36.1114

Pothole primer a public administrator's guide to un derstanding and managing the pothole problem.

Faton, R. V., et al. I. S., Army, Cold Regions, Rescues, and Engineering Taboritons, Sept. 1984, SR, 87, 524p., ADA-107, 294, 14 (cf.). Joubert, R.H., Wright, F.A.

Pavements, Defects, Road maintenance, Freeze thaw cycles. Damage, Fatigoc, Cavities

Rate of progressive deterioration on Colorado high-W315.

Hutter, W., et al. Colorado Department of Highways. Die ision of Transportation Planning. Report, Apr. 1978. CDH-DTP-R-78-4, 86p., 9 refs.

Donnelly, D.E.

Road maintenance, Pavements, Damage, Freeze thaw cycles. Design, Altitude.

Solar design manual for Alaska.

Seifert, R.D., Alaska: University: Institute of Water Resources: Bulletin, July 1981, Vol.1, 163p., 25 refs. Solar energy, Heating, Heat loss, Thermal insulation, Institute of Water United States-Alaska.

36-1117

No respite in county airport operations. Public works. F. b. 1981, 112(2), p.78-79

Snow removal, Runways, Equipment, Aircraft landing

36-1118

Comparison of models for forecasting snowmelt run-

M.E., et al. Water resources bulletin. Oct. 1980, 16(5), p.914-920, 8 refs.
 M.Chen, R.H., Rango, A.
 Runoff, Snowmelt, Forecasting, Volume, Mathemati-

cal models.

36-1119

New method for sampling snow melt and rainfall in forests.

Helvey, J.D., et al. Water resources bulletin, Oct. 1980, 16(5), p.938-940, 7 refs.

Fowler, W.B.

Snowmelt, Sampling, Precipitation gages, Forest land, Snow samplers, Mountains, Rain.

36-1120

Morphology, hydrology and hydrochemistry of karst in permafrost terrain near Great Bear Lake, Northwest Territories.

west territories.

Va.) Everdingen, R.O., National Hydrology Research Institute, Ottawa, Canada. Paper, 1981, No.11, Instituted Waters Directorate, IWD scientific series No.114, 53p. + imps, With French summary. 47

Karst, Hydrology, Permafrost hydrology, Geomorphology. Water chemistry, Ground water, Ions, Canada—Northwest Territories—Great Bear Lake. 36-1121

High-luminance road surfaces.

Thurmann-Moe, T., et al, U.S. Army Cold Regions Research and Engineering Laboratory. Dec. 1980, TL 765, 18p., Translated from Norway. Veglaboratoriet. Meddelelser, June 1980, No.52. 14 refs. Dorum, S.

Roads. Surface properties, Luminance, Optical prop-

Roads. Surface properties, Luminance, Optical properties, Visibility, Weathering, Tests.

The road surface is an important factor for the visibility conditions of night driving. The most important characteristics are the structure and the luminosity of the surface. These characteristics have been proven to have major significance for visual guidance, recognition of obstacles, and glare. In order to obtain maximum effect, the luminosity of the road surface must be produced by the particles protruding up from the surface, i.e. the coarsest portion of the aggregates. The usefulness is determined by the durability, the resistance to weathering, and the degree of luminosity. Quartzites have the best wear properties and anorthosites are lighter in color. The field tests have confirmed the positive effect of a light-colored road surface or a light-colored shoulder on the recognition of obstacles on the road. The tests have also shown satisfactory wear characteristics of those light-colored aggregates that had been selected on the basis of laboratory testing.

36.1122

Limnological investigations: Lake Koocanusa, Montana. Pt. 5: Phosphorus chemistry of sediments. 1st andar, 11, et al. U.S. Army Cold Regions Research

iii d Figureering Laboratory, July 1981, SR 81-15, 9p., ADA-107, 049, 13, refs.

Limnology, Lacustrine deposits, Chemical composition, Bottom sediment.

This study characterizes the sediments from Lake Koocanusa (Lihby Dam reservoir). Montana in terms of their books This study characterizes the sediments from Lake Koocanusa (Lihby Dam reservoir), Montana, in terms of their ability to sorb and release P. Sediment samples were collected at 12 stations located between the U.S.-Canadian border and Libby Dam (42 miles downstream of the border) during July 1977. The sediments from Lake Koocanusa are calcareous, low in organic matter ($<2.3^{\circ}$), and have a slity loam or loam texture. Most of the P associated with these sediments was in the inorganic form ($>85^{\circ}$), which was highly correlated (r=0.89) with oxaltae extractable Fe in the sediment. Sorption tests, with concentrations of either 1 or 10 mg P/g sediments, showed that these sediments have limited ability to sorb additional P from concentrated solutions. The maximum amount sorbed at the lower P concentrations was 67° of the added P and was highly

correlated with oxalate extractable Fe in the sediments. Desorption studies showed that very small amounts of both the originally bound P (1 to 2%) and the added P (< 6.3%) were released. Conclusion, the sediments in Lake Koocanusa act as

36-1123

Integral transform method for the linearized Boussinesq groundwater flow equation.

Daly, C.J., et al, Water resources research, Aug. 1981 17(4), MP 1470, p.875-884, 10 refs

Morel-Seytoux, H.J.

Ground water, Water flow, Mathematical models.

An analytical procedure is developed for the determination of nt analytical procedure is based upon the user of orthogonal func-potentiometric head in nonhomogeneous aquifers. Both steady and unsteady flow conditions are considered. The analytical procedure is based upon the use of orthogonal functions. It consists essentially of assuming an appropriate orthogonal series for both the aquifer properties and the unknown potentiometric head. The technique is applied to several one and two-dimensional flow problems where conditions are described by the linearized Boussinesq equation. The result of the analysis is the expression of potentiometric heads in analytic form. Subsequent use of Darcy's law yields accurate, analytic equations for the associated velocity fields. Such representations of the flow field are a potential benefit for prediction of mass transport in groundwater since velocity is known as a continuous function of space and time. Other useful features of the orthogonal series approach include its straightforward It consists essentially of assuming an appropriate ortho of the orthogonal series approach include its straightforward application. The approach is also shown to eliminate the intro-duction of discretization errors associated with the use of node systems which are required by many alternative numerical

Ice effects on bridges. Ottawa, Roads and Transportation Association of Canada, 1981, 123p., Refs. p.117-123

Bridges, Ice solid interface, Piers, Pile load tests, Ice loads, Ice pressure, Ice mechanics, Damage, River ice. Lake ice, Ice cover thickness, Ice cover strength, De-

36-1125

Water resources appraisals for hydroelectric licensing; Alaska river basins, Alaska. U.S. Federal Energy Regulatory Commission. Office of Electric Power Regulation. Planning status report, Jan. 1981. FERC-0068, 32p. + 3 maps, Originally issued 1967: revised January 1981. River basins, Water reserves, Hydrology, Electric

power, Legislation, United States-Alaska.

36-1126

Production strategies in antarctic inland waters: phytoplankton eco-physiology in a permanently icecovered lake.

Vincent, W.F., Ecology, Oct. 1981, 62(5), p.1215-1224, 37 refs.

Limnology, Plankton, Lake ice, Ice cover effect, Antarctica-Fryxell, Lake.

Three distinct population strategies were observed within the summer algal plankton of Lake Fryxell. Phytoplankton imsummer algal plankton of Lake Fryxell. Phytoplankton immediately under the ice were adapted to relatively bright light but were limited by nitrogen availability. Net population increases in both the upper and lower euphotic communities occurred very early in the season. Flagellated algae in the middle of the oxygenated water column swam up to depths of greater light during the day and returned to lower depths of greater nutrient supply at night. These mid-euphotic populations continued to grow throughout mdaummer. Comparisons with other Dry Valley lakes suggest that nutrient supply, rather than in situ light or temperature, determines the large lake-to-lake and depth variations in primary productivity. Nutrient availab and depth variations in primary productivity. Nutrient availability appears to control algal biomass, but in contrast to arctic ecosystems, low light rather than low temperature dampens algal photosynthesis to cellular rates that are well below those recorded at lower latitudes. (Auth. mod.)

Fracture mechanical models of dry slab avalanche re-

McClung, D. M., Journal of geophysical research, Nov. 10, 1981, 86(B11), p.10783-10790, 35 refs.

Snow mechanics, Avalanche mechanics, Avalanche modeling, Shear strain.

Oceanic CO2 produced by the precipitation of

CaCO3 from brines in sea ice.
Jones, E.P., et al. Journal of geophysical research.
Nov. 20, 1981, 86(C11), p.11041-11043, 20 refs. Coote, A.R.

Sea ice. Brines, Water chemistry.

Garbon dioxide is produced in brines formed during the growth of sea ice as a result of preferential precipitation of calcium carbonate. This process can explain the observed CO2 super-saturation in some arctic waters and could produce a CO2 flux into the ocean in neceovered waters of 1.5 mol m y or a total of 6 billion mol y for both the arctic and antarctic regions.

On the dynamics of ice sheets

Haltar, P. Journal of geophis ca 1981, 86(C11), p.17065(11072)

Ice sheets, Ice mechanics, Ice models.

A similarity solution of the equation that describes the time evolution of an ice sheet is obtained by separation of variables It describes the motion of an initial delta function ice sheet distribution and is asymptotically stable with respect to all perturbations that leave the total volume invariant. Homogeneity in one horizontal direction is assumed. (Auth)

Sea ice displacement from SEASAT synthetic aper-

Hall, R. L., et al. Journa, of geophysical r. 20, 1981, 86(C11), p.11078(j.1082), 7 rets. Rothrock D A

Sea ice, Drift, Remote sensing, Radar echoes,

Static electrical conductivity as an indicator of the sulfate content of polar ice cores.

Maccagnan, M., et al. Geophisical research letters. Sep. 1981, 8(9), p.97(6972) (7 rets. Barnola, J.M., Delmas, R., Daval, P.

Ice cores, Ice electrical properties.

Past atmospheric sulfate content is probably recorded in polar snow and ice. A simple method based on electrical conduc-tivity measurements on ice cores has been proposed recently to thity measurements on the cores has been proposed recently to easily detect atmospheric sulfate changes caused by stonent voi-canic eruptions in the past. It is shown that this method is particularly useful when used in central polar areas but that its application must be done carefully when analyzing constal or bedrock ices for which aging effects are able to seriously disturbent electrical properties. Cores from Dome C were used in the measurements for sulfate content. (Auth mod-

Satellite information as data source for mapping natural resources, ¡ Acrokosmicheskaia informatsiia kak istochnik resursnogo kartografirovaniiaj. Plastinin, L.A., ed. Irkutsk, 1979, 150p. In Russian

For selected papers see 36-1133 through \$36-1138 Refs. passim.

Belov, A.V., ed. Bogoiavlenskii, B.A., ed

Spaceborne photography, Alpine landscapes, Mapping, Taiga, Swamps, Cryogenic soils, Snow cover distribution, Permafrost distribution, Slope processes, Snow accumulation, Avalanches,

Using satellite data in landscape mapping of mountain taiga in the northern Lake Baykal area. [Ispol'zovanie kosmicheskoi informatsii pri landshattnom kartografirovanii gornotaezhnykh territorii (na primere Severnogo Pribaikal'ia)j.

Amelina, T.V., et al. Aerokosmicheskaia informatsiia kak istochnik resursnogo kartografirovaniia (Satellite information as a data source for mapping natural resources) edited by L.A. Plastinin, A.V. Belov and B.A. Bogoiavlenskii, Irkutsk. 1979, p.49-58. In Russian

Amelin, A.V

Spaceborne photography, Alpine landscapes, Taiga, Photointerpretation.

36-1134

Using satellite data in mapping soils of mountainbasin areas of northern Transbaikal. (Ispol zovame aerokosmicheskikh materialov pri kartirovanii pochv gorno-kotlovinnykh territorii Severnogo Zabaikal'iaj, Kaz'min, V.A., Aerokosmicheskaia informatsiia kak istochnik resursnogo kartografirovanna (Satellite information as a data source for mapping natural resources) edited by L.A. Plastinin, A.V. Belov and B.A. Bogotavlenskii, Irkutsl. 1979, p 59-78, In Russian

Spaceborne photography, Cryogenic soils, Perma-frost distribution, Mapping, Alpine landscapes.

Using satellite information in complex thematic mapof subarctic territories in the northeastern USSR, (Ispol/zovanie kosmicheskoi informatsii dha kompleksnogo tematicheskogo ka tografirovaniia su-

barkticheskikh territorii Severo-Vostoka SSSR₁. Astakhova, V. V. et al. Aerokosmicheskara informat-siia kak istochnik tesutsnogo kartografirovanna (Satellite information as a data source for mapping natural resources) edited by L. V. Plastinin, A.V. Belov and B.A. Bogoravlenskin, 1934, 1939, p.88498, In Russian,

Spaceborne photography, Subarctic landscapes, Mapping, Photointerpretation.

Using satellite photographs in mapping snow avalanches in western Altai. [spoi zovanic materialov acrokusmicheskoi s''emki dlia kartografirovania suczhnykh lavin na primere Zapadnogo Altaiaj, kravtsova, V.I., et al. Aerokusmicheskaia informatsiia

kak istochnik resursnogo kartografirovaniia (Satellite information as a data source for mapping natural re-Sources) edited by L.A. Plastinin, A.V. Belov and B.A. Bogoiavlenskii, Irkutsk, 1979, p.99-124, In Russian.

Sokolova, O.A.

Spaceborne photography, Alpine landscapes, Slope rocesses, Avalanches, Maps.

36-1137

Aerial survey methods for studying and mapping glaciers in northern Transbaikal. [Acrometody chenii i kartografirovanji lednikov Severnogo Zabai-

Plastinin L.A. et al. Aerokosmicheskaja informatsija kak istochnik resursnogo kartografirovaniia (Satellite information as a data source for mapping natural resources) edited by L.A. Plastinin, A.V. Belov and B.A. Bogoiavlenskii, Irkutsk, 1979, p.125-135, In Russian. 4 refs.

Pliusnin, V M.

Aerial surveys, Photointerpretation, Mapping, Glacier surfaces, Snow cover distribution, Moraines, Mountain glaciers.

36-1138

Application of serial surveying methods to studies of slope processes in mountains of the Baykal Amur railroad area, rOpyt primenenija aerometodov v izucheniji sklonovykh protsessov gornykh rajonov BAMj. Pliusnin, V.M., Aerokosmicheskaja informatsija kak

istochnik resursnogo kartografirovaniia (Satellite information as a data source for mapping natural resources) edited by L.A. Plastinin, A.V. Belov and B.A. Bogoiavlenskii, Irkutsk, 1979, p.136-143, In Russian.

Aerial surveys, Mountains, Slope processes, Stereo photography, Photointerpretation, Permafrost distribution, Snow accumulation, Avalanches, Mudflows, Baykal Amur railroad, USSR—Kadar Range.

36-1139

Snow cover of southern Minusinsk Basin. [Snezhnyl pokrov iuga Minusinskoi kotlovinyj, Grudinin, G.V., Novosibirsk, Nauka, 1981, 160p., In

Russian with English table of contents enclosed. Refs. p.150-158.

Taiga, Steppes, Snow cover distribution, Snow ac-cumulation, Snowstorms, Snow transfer, Snow evaporation, Ice sublimation, Snowmelt.

Feasibility of heating ship's hull to prevent icing. (Ratsional'nost' primeneniia obogreva korpusa sudna

dlia bor'by s obmerzaniem_j.
Roslik, IA.F., et al. Leningrad. Tsentral'nyi nauchnoissledovateľskii institut morskogo flota. 1980, Vol.260, p.49-54, In Russian. 5 refs.

Ship icing, Ice adhesion, Ice accretion, Ice prevention, Heating.

Continuous sagging of dams built in swampy areas of the Bom-Tynda line. ¡Dlitel'nye osadki nasypi na mares yah uchastkakh linii Bam-Tynda;.
Minailov, G.P., et al, Transportnoe stroitel'stvo, Oet.

1981, No.10, p.3-5, In Russian Guletskii, V.V

Swamps, Railroads, Embankments, Permafrost beneath structures, Discontinuous permafrost, beneath Frozen ground settling.

Use of synthetic materials in hydraulic construction. rPrimenenie sinteticheskikh materialov v gidrotekhnicheskom stroitel'stvej.

To gskii, R.V. Transportnoc stroitel'sivo. Oct. 1981, No 10, p.16-18. In Russian 3 refs.

Hydraulic structures, Filters, Drains, Plastics, Frost resistance, Construction materials.

36-1143

Ecology, [Ekologua], Fedorov, V.D., et al. Moscow, Universitet, 1980, 464p., In Russian with English table of contents enclosed Refs. p.410-433 Cillmanov, T G.

Ecology, Theories, Terminology, Ecosystems, Tundra, Landscape types, Heat balance, Cryogenic soils, Biomass, Soil microbiology.

36-1144

Analysis of the influence of ice on spring phytoplankton population structure in the southeast Bering Sea. Schandelmeier, L., et al, Limnology and oceanography, Sep. 1981, 26(5), p.935-943, 17 refs. Alexander, V

Plankton, Marine biology, Sea ice, Bering Sea.

Summer ice and carbon dioxide.

Kukla, G., et al, *Science*. Oct. 30, 1981, 214(4520), p.497-503, Numerous refs. Gavin, J.

Sea ice distribution, Ice volume, Atmospheric composition. Carbon dioxide.

The extent of Aniarctic pack ice in the summer, as charted from satellite imagery, decreased by 2.5 million square kilometers between 1973 and 1980. The U.S. Navy and Russian atlases and whaling and research ship reports from the 1930's indicate that summer ice conditions earlier in this century were heavier than the current average. Surface air temperatures along the seasonally shifting belt of melting snow between 55 and 80 N during spring and summer were higher in 1974 to 1978 than in 1934 to 1938. The observed departures in the two hemispheres qualitatively agree with the predicted impact of an increase in atmospheric carbon dioxide. However, since it is not known to what extent the changes in snow and ice cover and in temperature can be explained by the natural variability of the climate system or by other processes unrelated to carbon diox-The extent of Antarctic pack ice in the summer, as charted from system or by other processes unrelated to carbon diox-cause-and-effect relation cannot yet be established. (Auth.)

36-1146

Problems in sea ice studies. [Voprosy morskogo ledovedeniia_],

Volkov, N.A., ed. Leningrad. cheskii nauchno-isseledovatelskii institut. Trudy. 1981, Vol.372, 154p., In Russian. For individual papers see 36-1147 through 36-1165. Refs. passim. Air water interactions, Ice formation, Ice conditions.

Ice navigation, Icebreakers, Ice surveys, Ice forecasting, Ice salinity, Ice physics, Arctic Ocean.

36-1147

Interrelation between changes of water temperature in the northern Atlantic Ocean and the area of polar ice. rK voprosu o vzaimosviazi izmenenii temperatury vody v Severnoi Atlantike i ploshchadi poliarnykh l'dov₁.

Abramov, V.A., et al, Leningrad. Arkticheskii i annauchno-issledovateľ sků tarkticheskii Trudy, 1981, Vol.372, p.5-17, In Russian. 9 refs. Zakharov, V.F.

Water temperature, Air water interactions, Ice formation, Ice conditions, Arctic Ocean.

36-1148

Long range anomalies of glacial and thermal inhomogeneities in the ocean and the state of atmospheric processes in the northern European basin. Dlitel'nye anomalii ledovo-termicheskikh norodnostel okeana i sostolanila atmosfernykh protsessov v raione Severo-Evropeiskogo basseina,

Lebedev, A.A., Leningrad. Arkticheskii i antarkti-cheskii nauchno-issledovatel'skii institut. Trudy, 1981, Vol.372, p.18-25, In Russian. 8 refs. Ice conditions, Meteorological factors, Arctic Ocean.

Long range changes in ice conditions of the polar Atlantic Ocean. [Mnogoletniaia izmenchivost ledovykh v poliarnykh ratonakh Atlanticheskogo okeanaı.

Lebedev, A.A., Leningrad. cheskii nauchno-issledovateľskii institut. Trudy. 1981, Vol.372, p.26-34, In Russian. 3 refs.

Polar regions, Ice conditions, Icebergs, Ice navigation, Ice forecasting, Atlantic Ocean.

36-1150

Space structure of ice cover in the Arctic Ocean and its seasonal variations. [Osobennosti prostranstvennoi struktury ledianogo pokrova Severnogo Ledovitogo okeana i ee sezonnaia izmenchivost'),
Borodachev, V.E., et al. Leningrad. Arkticheskii i an-

nauchno-issledovateľ sků Trudy, 1981. Vol.372, p.35-43, In Russian. Volkov, N.A., Grishchenko, V.D.

Ice cover, Structural changes, Arctic Ocean.

Automation of the search for optimal forecasting indices and the compilation of prognostic schemes, rAvtomatizatsiia poiska optimal'nykh predskazatelci i postroeniia prognosticheskikh skhemi

Kovalev, E.G., et al. Leningrad. Arkticheskii i an-tarkticheskii nauchno-issledovatel'skii institut Trudy. 1981. Vol.372, p.44-52, ln Russian. 5 refs. Nikolacy, IL.V., Priamikov, S.A.

Polar regions, Ice navigation, Ice forecasting, Comuter applications, Arctic Ocean.

36-1152

Characteristics correlating ice condition anomalies in Arctic seas of the Atlantic Ocean region. [Obobshchaiushchie kharakteristiki anomalii ledovitosti morei priatlanticheskol Arktikij. Lebedev, A.A., Leningrad.

Arktichesků i antarktichesků nauchno-issledovateľ ků institut Trudy. 1981, Vol.372, p.53-62, In Russian. 2 refs. Polar regions, Sea ice distribution, Ice conditions,

Seasonal variations, Arctic Ocean.

Possibility of long range forecasts of anomalous ice conditions in the Davis Strait. (O vozmozhnosti prognoza anomalii ledovitosti Devisova proliva s bol'shoi zablagovremennost'iu1,

Mironov, E.U., Leningrad. Arkticheskii i antarkticheskii nauchno-issledovatel'skii institut. Trudy. 1981, Vol.372, p.63-68, In Russian. 6 refs. Ice forecasting, Sea ice distribution, Ice conditions,

Meteorological factors, Atmospheric circulation.

36-1154

Using mean-weighted criteria in forecasting leads beyond fast ice in the Chukchi Sea. [Ispol'zovanie srednevzveshennykh kriteriev dlia prognoza chukot-

skoi zapripainoi progalinyj. Arikainen, A.I., Leningrad. Arkticheskii i antarkticheskii nauchno-issledovatel skii institut. Trudy. 1981, Vol.372, p.69-72, In Russian. 4 refs. Sea ice distribution, Fast ice, Polynyas, Ice forecast-

Numerical model of fall-winter ice phenomena. [Chislennaia model' osenne-zimnikh ledovykh jayleniis. Frolov, I.E., Leningrad. Arkticheskii i antarktic kii nauchno-issledovateľskii institut. Trudy. 1981, Vol. 372, p.73-81, In Russian. 11 refs.

Sea ice distribution, Ice forecasting, Long range forecasting, Mathematical models, Polar regions.

Modification of the MAS method for calculating redistribution of drifting ice. (O modifikatsii metoda MAS dlia rascheta pereraspredeleniia l'da pri dreife]. Kheisin, D.E., Leningrad. Arktichesků i antarkt chesků nauchno-issledovateľsků institut. Trud 1981, Vol.372, p.82-89, In Russian. Sea ice distribution, Drift, Pack ice, Ice forecasting.

Formation of the Novosibirsk polynya beyond fast ice in winter. (Osobennosti formi, vaniia Novosibirskoi

arminer. Icosociniosi irini. vainai Novosioriskoi zapripainoi polyn'i v zimnii periodj. Arikicheskii i antarkti-cheskii nauchno-issledovatel'skii institut. Trudy. 1981. Vol.372. p.90-105. In Russian. 17 refs. Polar regions, Sea ice distribution, Fast ice, Snow

cover distribution, Polynyas, Ice conditions, Meteorological factors.

36-1158

Shifting of ice edges and massive ice boundaries in Arctic seas during summer. (Smeshchenie kromok I'da granits ledianykh massivov v arkticheskikh moriakh

v letnii period₁, Karelin, I.D., Leningrad Arkticheskii i antarkticheskii nauchno-issledovatel'skii institut. Trudy. 1981. Vol.372, p.106-113, In Russian 1 ref.

Ice surveys, Ice forecasting, Ice conditions, Drift, Ice edge. Arctic Ocean.

Annual variations in ice exchange through Novosibirsk straits. [Mezhgodovyc izmeneniia ledoobmena cherez Novosibirskie prolivy].
Gorbunov, IU. A., et al, Leningrad. Arkticheskii i an-

tarkticheskir nauchno-issledovateľsků Trudy, 1981, Vol 372, p 114-116, In Russian. 2 refs. Karelin, I.D.

Ice surveys, Ice passing, Sea ice distribution, Drift. Ice volume, Arctic Ocean.

Dependence of wind and isobaric coefficients of drift on ice packing, ¿Zavisimost' vetrovogo i izobariches-kogo koeffitsientov dreifa ot splochennosti l'daj. Nikolaeva, A.I.A., Leningrad — Arkticheskii i antarkti-cheskii – nauchno-issledovateľskii – institut. – Trudy. Trudy. 1981, Vol.372, p.117-122, In Russian. 4 refs. Ice conditions, Drift, Pack ice, Ice forecasting, Meteorological factors, Arctic Ocean. Ice conditions.

Peculiarities of melting and accretion in submerged arts of Arctic Basin ice. (Nekotorye osobennosti taianija i narastanija podvodnoj chasti I'dov v Arkticheskom basseinej. Grishchenko, V.D., Leningrad. Arkticheskii i antarki

1981, Vol.372, p.123-128, In Russian. 7 refs. Underwater ice, Ice formation, Ice accretion, Ice melting, Arctic Ocean.

Peculiarities of ice compression in Antarctica. (Oso-

bennosti szhatila l'da v Antarktikej. Voevodin, V.A., et al. Leningrad. Arkticheskii i antarkticheskii nauchno-issledovatel'skii institut. tarkticheskii nauchno-issledovateľskii institut. Trudy, 1981. Vol.372, p.129-134, In Russian. 2 refs. Romanov A.A.

Ice edge, Drift, Ice pressure, Compressive properties, Pressure ridges, Meteorological factors, Antarctica. Due to specific natural conditions in Antarctica, the northern Due to specific natural conditions in Antarctica, the northern progress of ice edge is irregular in time and space. Tee drifting speeds are higher compared to the Arctic. This combined with irregular progress furthers ice compression. Specific features of ice compression processes and the observed relation between wind velocities and ice compression intensity is discussed.

36.1163

Salinity of ice in the Kara and Laptev seas. O solenosti l'dov morei Karskogo i Laptevykhj,

Appel', I.L., et al, Leningrad. Artichesků i antarkti-chesků nauchno-issledovateľ sků institut. Trudy, 1981, Vol.372, p.135-142, In Russian. 14 refs. azintsev, IU.L.

Polar regions, Sea ice, Ice salinity, Drift, Physical properties.

36-1164

Selecting optimal place for unloading and laying out transportation routes on fast ice. (Optimizatsiia vybora mesta vygruzki i prokladki transportnykh trass na pripaej. Leningrad. Arkticheski i antarkticheski nauchne-issledovateľski institut. Trudy. 1981, Vol.372, p.143-148, In Russian.

Polar regions, Fast ice, Ice surveys, Aerial surveys, Remote sensing, Mapping, Cargo, Unloading, Trans-

36-1165

Ice compression during fall-winter period between the Karskie Vorota strait and Yenisey Bay. (Szhatie I'da v osenne-zimnii period na trasse proliv Karskie

Vorota-Eniselskii zalivi, Voevodin, V.A., Leningrad, Arkticheskii i antarkti-cheskii nauchno-issledovatel skii institut. Trudy, 1981, Vol.372, p.149-154, In Russian. 1 ref.

Ice navigation, Pack ice, Pressure ridges, Ice breaking, Icebreakers, Arctic Ocean.

36-1166

Environmental assessment of the Alaskan continental shelf, Vol.11. Biological studies. Boulder, Colorado, Outer Continental Shelf Environ icital Assessment Program, July 1981, 670p., Principal investigators' fi-Includes 5 papers. Refs. passim. reports. Offshore drilling, Environmental impact, Drilling fluids, Marine biology, Sea ice distribution, Ice condi-

tions. 36-1167

Alaskan wind energy handbook.

Reckard, M., et al, Fairbanks, Alaska, Department of Transportation and Public Facilities, July 1981, 144p., Newell, M.

Electric power, Wind factors, Manuals, Construction, Maintenance, Windmills, United States—Alaska.

36-1168

All-Union conference "Physical origin of recent cli-matic changes", Moscow, Apr.23-25, 1979. Proceed-

ings, No.2, part 2. (Sbornik No.2 chast' 2), Vscsoiuznyi simpozium "Fizicheskie osnovy izmeneniia sovremennogo klimata", Moskva, 23-25 apr., 1979, Moscow, Nauka, 1981, 334p., In Russian. For selected papers see 36-1169 through 36-1173. Refs. passim.

Climatic changes, Atmospheric circulation, Taiga, Microclimatology, Paludification, Cryogenic soils, Frost penetration, Human factors, Permafrost beneath lakes, Shores, Environmental protection.

36-1169

Fluctuations of mean monthly air temperature in eastern Siberia related to atmospheric circulation. [Kolebaniia srednei mesiachnoi temperatury vozdukha Vostochnoi Sibiri i ikh sviaz' s tsirkuliatsiei atmosfervi.

Sorokina, L.P., et al, Vsesoluznyi simpozium "Fizicheskie osnovy izmeneniia sovremennogo klimata". Moskva, 23-25 apr., 1979. Sbornik No.2, chast 2 (All-Union conference "Physical origin of recent climatic changes", Moscow, Apr. 23-25, 1979. Proceedings, No.2, part 2), Moscow, Nauka, 1981, p.162-174, In Russian. 4 refs.

Durney, V.F., Semenchuk, M.P.

Climatic changes, Atmospheric circulation, Air temperature, Meteorological data, USSR—Angara River, USSR—Yenisey River.

Changes in heat transfer and microclimate in relation to paludification of southern taiga in the Irtysh River a. _Elzmenenie teploobmena i mikroklimata v sviazi s protsessom zabolachivanija v juzhnotaezhnom Prijr-

Linevich, N.L., Vsesoiuznyi simpozium "Fizicheskie osnovy izmenenija sovremennogo klimata". Moskva, 23-25 apr., 1979. Sbornik No.2, chast' 2 (All-Union conference "Physical origin of recent climatic changes", Moscow, Apr. 23-25, 1979. Proceedings, No.2, part 2), Moscow, Nauka, 1981, p.207-214, In Russian. 2 refs.
Taiga, Microclimatology, Paludification, Peat, Soil

temperature, Cryogenic soils, Heat transfer.

36-1171

Influence of the Bratsk water reservoir on microclimate of its coastal zone. (Vliianie Bratskogo vodokhranilishcha na mikroklimat pribrezhnoi zonya.

D'iakonov, A.I., et al, Vsesoiuznyī simpozium "Fizicheskie osnovy izmeneniia sovremennogo klimata", Moskva, 23-25 apr., 1979. Sbornik No.2, chast' 2 (All-Union conference "Physical origin of recent climatic changes", Moscow, Apr. 23-25, 1979. Proceedings, No.2, part 2), Moscow, Nauka, 1981, p.251-Strelochnykh, L.G.

Lakes, Shores, Cryogenic soils, Soil water, Permafrost beneath lakes, Air temperature, Water temperature. Hest transfer.

Influence of human activities on microclimatic conditions of taiga. (Vliianie khoziaistvennoi deiatel'nosti cheloveka na mikroklimaticheskie uslovija v taezhnykh lesakhj, Chertovskil, V G., et al, Vsesoiuznyi simpozium "Fizi-

cheskie osnovy izmeneniia sovremennogo klimata". Moskva, 23-25 apr., 1979. Sbornik No.2. chast' 2 (All-Union conference "Physical origin of recent climatic changes", Moscow, Apr. 23-25, 1979. Proceedings, No.2, part 2), Moscow, Nauka, 1981, p. 275-281, In Russian. 5 refs.

Anikeeva, V.A., Kubrak, N.I.

Taiga, Human factors, Microclimatology, Cryogenic soils, Soil temperature, Frost penetration.

36-1173

Protection and melioration of landscapes and climate in the Lake Baykal area. ¿K probleme sokhranenila i melioratsii klimata i landshaftov Pribaikal'ia i basseina ozera Baikal₁.

Ladelshchikov, N.P., et al, Vsesoiuznyi simpozium "Fizicheskie osnovy izmeneniia sovremennogo klimata", Moskva, 23-25 apr., 1979. Sbornik No.2. chast' 2 (All-Union conference "Physical origin of recent climatic changes", Moscow, Apr. 23-25, 1979. Proceedings, No.2, part 2), Moscow, Nauka, 1981. p.288-301, In Russian. 27 refs. Ladeishchikova, E.N.

Forest land, Landscape types, Economic develop-ment, Human factors, Soil erosion, Revegetation, Environmental protection.

36-1174

. . . .

Biologic melioration of lands in Siberia and Ural Mountains (recommendations and experimental schemes). ¡Biologicheskaia rekul'tivatsiia zemel' v Sibiri i na Urale (rekomendatsii i eksperimental'nye skhemy)1.

Trofimov, S.S., ed, Novosibirsk, Nauka, 1981, 113p. In Russian. For selected papers see 36-1175 and 36-

Mining, Tailings, Revegetation, Swamps, Peat, Land reclamation, Environmental protection, Cryogenic

36-1175

Revegetation of depleted placer deposits in Ural Mountains and Siberia. (Rekul'tivatsiia otrabotainnykh rossyperina Urale i v Sibirij.

Nakariakov, A.V. Biologicheskaja rekultīvatsija ze-mel v Sibiri i na Urale (rekomendatsi) i eksperimental'nye skhemy) (Biologic inclioration of lands in Siberia and Ural Mountains (recommendations and experimental schemes)), Novosibirsk, Nauka, 1981, p 46-68. In Russian

Mining, Tailings, Environmental protection, Revegetation, Land reclamation, Cryogenic soils, Permafrost.

Biologic melioration of depleted peat deposits in Ural Mountains and Siberia. (Biologicheskara rekultivat-sija vyrabotannykh tortianikov Urala i Sibiriy.

Nakariakov, A.V., et al. Biologicheskaja rekul tivatsija zemel v Sibiri i na Urale trekomendatsiji eksperimental'nye skhemy) (Biologic mehoration of lands in Siberia and Ural Mountains (recommendations and experimental schemes)). Novosibirsk, Nauka, 1981, 69-82. In Russian

Nazarenko, V.V

Swamps, Peat, Mining, Revegetation, Land reclama-

Algal flora in Karelian swamps and its dynamics activated by natural and human factors, [Al'goflora bolot Karelii i ee dinamika pod vozdeistviem estestven-nykh i antropogennykh faktorovi.

Shtina, E.A., et al. Leningrad, Nauka, 1981, 269p. In Russian with English table of contents enclosed Refs. p.241-268.

Antipina, G.S., Kozlovskaja, I. S.

Subarctic landscapes, Swamps, Algae, Organic soils, Cryogenic soils, Environmental protection, Human

36-1178

United States geological survey in Alaska: accomplishments during 1979.

Albert, N.R.D., ed. U.S. Geological Survey. Circular,

1981, No.823-B. 151p., Refs. passim. papers see 36-1179 through 36-1182. Hudson, T., ed.

Geological surveys, Permafrost hydrology, Glacial deposits, Sedimentation, Marine deposits, Moraines, United States-Alaska.

Further notes on the ground-water supply beneath Selim Creek near Cape Lisburne, northwestern Alaska.

Feulner, A.J., et al. U.S. Geological Survey. Circular. 1981, No.823-B, p.12-14, 2 refs. Williams, J.R.

Ground water, Water supply, Permafrost hydrology,

36-1180

Deglaciation and sea-level fluctuations in Port Valdez, Alaska.

Williams, J.R., et al. U.S. Geological Survey. Circular, 1981, No.823-B, p.78-80, 7 refs.
Coulter, H.W.

Glacial deposits, Glacier oscillation, Sea level, Bottom sediment, United States-Alaska-Port Valdez.

Environmental geologic studies of the northern Ber-

Thor, D.R., et al. U.S Geological Survey Circular, 1981, No 823-B, p 121-122, 11 rets Nelson, C.H. Marine deposits, Ice scoring. Sediment transport,

Geological surveys, Seismic surveys, Bering Sea.

Depth changes in Icy Bay, Alaska, caused by sedimentation and melting of icc-cored moraine.

Molma, B.F., U.S. Geological Survey — Circular, 1981. No.823-B. p.125-128, 3 test Sedimentation, Subsea permafrost, Ground thawing,

Moraines, Melting, Marine deposits, Bathymetry, United States—Alaska - Icy Bay.

Evaluation of lands for recreational snowmobile use. Evaluation of rands for recreational snowmobile use. Lacey, R.M., et al. U.S. Construction Engineering Research Laboration. — Lechnical report, May 1981. N. 105, 74p. ADA-101-075, Refs. p. 80-35. Baran, R.S. Severinghaus, W.D., Hunt, D.J. Snow vehicles, Land reclamation, Cold weather operation.

Some fundamental aspects of laboratory simulation of snow or sand drifts near obstacles.

De Krasinski, J., et al, Calgary. University. Department of Mechanical Engineering. Report, Oct. 1979, No.151, 22p. + figs., 11 refs. Szuster T

Snowdrifts, Sands, Buildings, Snow mechanics, Mechanical properties, Mountains, Deserts, Shear stress, Cohesion, Velocity.

36-1185

Pipeline construction: back to basics at Banister. Journal of Canadian petroleum technology, July-Sep. 1981, 20(3), p.23-24. Pipe laying, Cold weather construction, Welding.

36-1186

Signatures of snow in the 5 to 94 GHz range. Hofer, R., et al, Radio science, Mar.-Apr. 1978, 13(2), p.365-369, 6 refs.

Schanda, E. Snow physics, Microwaves, Scattering, Radiometry, Snow water content, Electromagnetic prospecting, Snow cover structure. Snow temperature. Brightness.

36-1187 Snow parameter determination by multichannel mi-

crowave radiometry.

Hofer, R., et al. Remote sensing of environment, 1979, Vol.8, p.211-224, 7 refs Good, W

Snow physics, Snow cover structure, Microwaves, Radio etry, Scattering, Remote sensing, Snow water content, Snow temperature, Brightness.

36-1188

Proceedings of the High Pressure Salt Brine Deicing Conference, Hartford, Conn., March 11-12, 1980. Dougan, C.E., U.S. Federal Highway Administration

Technology sharing report, Apr. 1980, FHWA TS-81-

rectiningly snaring report. Apr. 1980, PHWA 15-81-202, 78p. + 5 appends.

Meetings, Road icing, Brines, Chemical ice preven-tion, Road maintenance, Winter maintenance, Salt-ing, Snow removal, Ice removal.

36-1189

Hydrologic recomsin, Alaska, 1978. anaissance of the Noatak River ba-

Childers, J.M., et al, U.S. Geological Survey. Water resources investigations. Open-file report., 1981, No.81-1005, 38p., 10 refs. Kernodle, D.R.

River basins, Hydrology, Surface waters, Icebound rivers, Water reserves, Climatic factors, Cirque glaciers. Seas onal variations.

Research and development work in the Division of Mechanical Engineering, 1980. Ottawa, National Research Council, Canada, Division of Mechanical Engi-

neering, [1981], 75p.

Ice breaking, Ice cutting, Aircraft icing, Ice preven tion, Research projects, Ice mechanics, Cold weather operation, Propellers, Helicopters, Hydraulic jets, Air cushion vehicles, Sea ice, Ice loads.

Norwegian practice in cold regions engineering Flaate, K., ASCE Spring Convention, New N.Y., May 11-15, 1981, 1981, 8p., 4 refs.

Pavements, Roads, Soil freezing, Frost action, Freeze thaw cycles, Thermal insulation, Frost heave, Bearing strength, Frost penetration, Tunnels.

36-1192

Morphodynamic aspects of jökulhlaups in the Swiss Morphodynamische Aspekte aktueller Gletscherhochwasser in den Schweizer Alpen,

Hacherli, W., Regio Basiliensis, 1980, 21(3), Basler geographische Hefte, No.20, p.58-78, In German with French and English summaries. French and English summaries. Refs. p.77-78.

Glacial hydrology, Subglacial caves, Glacial lakes,
Runoff, Floods, Glacier flow, Glacial deposits.

36-1193

Macroscopic view of snow deformation under a vehi-

Richmond, P.W., et al, U.S. Army Cold Regions Rescarch and Engineering Laboratory, July 1981, SR 81-17, 20p., ADA-107 038, 10 refs. Blaisdell, G.L.

Snow deformation, Snow compression, Loads (forces), Vehicles, Snow density, Stresses, Snow comection, Tests.

In this report the deformation of snow under a vehicle is discussed. For snow with an initial density of less than 0.45 Mg/cu m, load transfer through shallow snow is shown to be attenuated by an interfacial boundary force. Evidence is presented that shows the existence of a density distribution in the deformed area. Results of a laboratory plate-sinkage test on

sintered snow support this analysis.

tained for the interfacial boundary for Maximum values ob-orce range from 1355 to tained for the interfacial boundary force range from 1355 to 2670 N when the average density of the deformed area is about 0.5 Mg/cu m.

36-1194

Multiple glaciation in the Beaver Mountains, western interior Alaska.

Bundtzen, T.K., Alaska. Division of Geological and Geophysical Surveys. Geologic report, 1980, No.63, p.11-18, 15 refs.

Rock glaciers, Glaciation, Paleoclimatology, Quaternary deposits, Mountains.

36-1195

Evidence for suprapermafrost ground-water blockage. Prudhoe Bay oil field, Alaska.

March, G.D., Alaska. Division of Geological and

Geophysical Surveys. Geologic report, 1980, No.63, p.29-32, 10 refs. Suprapermafrost ground water, Permafrost beneath

roads, Ground water, Gravel, Water flow, Ponds, Petroleum industry.

Remote sensing for water resources and hydrology; recommended research emphasis for the 1980s. Crook, L.T., et al, Washington, D.C., National Academy Press, 1980, 28p.

Water reserves, Remote sensing, Hydrology, Snow melt, Runoff, Ice conditions, Models, Mountains, Legislation, Mapping.

36-1197

Under the Beaufort: Canada drills in the Arctic. Ottawa, Canada, Department of Indian and Northern Affairs, 1980, 41p

Offshore drilling, Artificial islands, Sea ice distribution, Ice conditions, Water pollution, Environmental protection, Beaufort Sea.

Categorization of northern Green Bay ice cover using LANDSAT 1 digital data—a case study.

Leshkevich, G.A., U.S. National Oceanic and Atmospheric Administration. NOAA technical memoran-dum, Jan. 1981, ERL GLERL-33, 19p., Refs. p.17-19. Ice cover. Ice conditions, Ice detection, Remote sensing, LANDSAT, Photointerpretation, Slush, Snow cover effect. Spectra.

36-1199

Observations of condensate profiles over Arctic leads with a hot-film anemometer.

Andreas, E.L., et al, Royal Meteorological Society. London. Quarterly journal, 1981, Vol. 107, MP 1479.

Williams, R.M., Paulson, C.A.
Polynyas, Pack ice, Profiles, Drops (liquids), Turbulent exchange, Water temperature, Temperature gradients, Condensation, Anemometers, Analysis

Past volcanism and climate revealed by Greenland

Hammer, C.U., et al, Journal of volcanology and geothermal research, 1981, Vol.11, p.3-10, 16 refs. Clausen, H.B., Dansgaard, W. Ice cores, Chemical analysis, Volcanoes, Climatic

changes, Paleoclimatology.

36-1201

Visualization of the flow adjacent to a vertical ice surface melting in cold pure water. Carey, V.P., et al, Journal of fluid mechanics, 1981, Vol.107, p.37-55, 9 refs.

Gebhart, B.

Ice surface, Ice melting, Water flow, Water temperature, Temperature effects, Velocity, Photography 36-1202

Force exerted on a single spherical particle by a freezing interface: experiments

Gupta, G., et al, Journal of colloid and interface science, Aug. 1981, 82(2), p.458-464, 12 refs. Rice, R.F., Wilcox, W.R.

Freezing rate, Interfacial tension, Solids, Impurities, Experimentation, Organic nuclei.

Sediment transport processes and coastal variability on the Alaskan North Slope.

Owens, E.H., et al, International Coastal Engineering Conference, 17th, Sydney, Australia, March 1980. Proceedings, [1981], p.1344-1363, 15 refs. Harper, J.R., Nummedal, D.

ediment transport, Shoreline modification, Tundra, Erosion, Ocean waves, Ground ice, Coastal topographic features.

36-1204

Grain size and composition of seafloor sediment, Kodiak Shelf, Alaska.

Hampton, M.A., U.S. Geological Survey. Open-file report, 1981, No.81-659, 101p

Marine deposits, Bottom sediment, Grain size, Soil

composition, Geological surveys, Sampling, United States—Alaska—Kodiak Shelf. 36-1205

Tread design effect on winter traction.

King, T.R., et al, Society of Automotive Engineers. Technical paper series, 1981. No 810067, 20p., 11 refs. Matyja, F.E

Tires, Traction, Snow cover effect, Ice roads, Cold weather operation, Snow compaction, Surface properties. Design. Tests.

36-1206

Stop winter downtime cold. American city and county, Sep. 1981, 96(9), p.107-109.
Vehicles, Winter maintenance, Cold weather opera-

tion. 36-1207

Various measures of the effectiveness of vellow gog-

Kinney, J.A.S., et al, U.S. Naval Submarine Medical Research Laboratory. Report. Oct. 8, 1980, No.941, 39p., ADA-093 105, 45 refs.

Schlichting, C.L., Neri, D., Kindness, S.W. Visibility, Whiteout, Snow optics, Military operation, Luminance, Countermeasures, Eveglasses.

Depth perception with yellow goggles. Kinney, J.A.S., et al. U.S. Naval Submarine Medical Research Laboratory Report. Aug. 11, 1981. No.960, 6p., 4 refs. Luria, S.M., Schlichting, C.L., Neri, D.F.

Luminance, Whiteout, Countermeasures, Snow optics, Snow cover effect, Eyeglasses.

Ground-water reconnaissance of part of the lower Kenai Peninsula, Alaska. Nelson, G.L., et al. U.S. Geological Survey. Open-file report. 1981, No.81-905, 32p., 10 refs.

Johnson, P.R.

Ground water, Water reserves, Drainage, Stream flow, Glacial deposits, Moraines, Geological surveys, United States-Alaska-Kenai Peninsula. 36-1210

Soviet glaciological studies in 1968. ¡Sovetskie gliatsiologicheskie issledovaniia v 1968 goduj, Lapina, I.IA., Akademiia nauk SSSR. Institut geo-

Materialy gliatsiologicheskikh issledovanii. Khronika obsuzhdeniia. 1970, Vol.16, p.5-12, In Russian

Alpine glaciation, Snow surveys, Ice surveys, Remote sensing, Glacier ice, Glacier flow, Snow physics, Snow accumulation, Snow water equivalent, Ice forecasting, Ship icing, Alimentation, Albedo, Ablation, Heat bal-

36-1211

Workshop of the glaciology section in March 1969. (Rabochee soveshchanie sektsii gliatsiologii v marte

1969 g.₁. Golodkovskaia, N.A., et al. Akademua nauk SSSR. Institut geografii. Materialy gliatsiologicheskikh is-sledovanii. Khronika obsuzhdeniia, 1970, Vol.16, p.12-18, In Russian. Davidovich, N.V.

Meetings, Glaciology, Mountain glaciers, Glacier oscillation, Glacier ice, Avalanches, Snowstorms, Glacial hydrology, Ice jams, Ship icing, Glacier surges, Snow surveys

36-1212

International Symposium on Antarctic Glaciological Exploration. [Mezhdunarodnyi simpozium po gliatsiologicheskim issledovannam Antarktikij. Shumskil, P.A., Akademna nauk SSSR Institut geo-

grafii. Materialy gliatsiologicheskikh issledovanii Khronika obsuzhdeniia. 1970. Vol. 16. p. 18-22. In Rusgrafii.

Meetings, Glaciology, Ice dating, Radioactive age determination, Cosmic dust, Ice drills, Ice cores, Ice cover thickness, Radar echoes, Seismic surveys, An-

The first International Symposium on Antarctic Glaciological Exploration took place in Hanover, New Hampshire, Sept. 3-7, 1968. Scientific reports were grouped according to these topisotopic and chemical snow age determination, cosmic and volcanic dust, deep ice drilling technology, ice core analyses, radar and seismic soundings; glacio-meteorology, ice budget and ice cover history, glaciological studies in peripheral areas, sea ice; ice shelves, snowstorms. The papers presented demonstration strate considerable achievements in a majority of the topics discussed

Fourth Transcaucasian scientific conference on snow cover, avalanches and glaciers of Caucasus. [Chetvertaia Zakavkazskaia nauchnaia konferentsiia po izu cheniiu snezhnogo pokrova, snezhnykh lavin i lednikov Kavkazaj,

Krenke, A.N., Akademiia nauk SSSR. Institut geografii. Materialy gliatsiologicheskikh issledovanii. Khronika obsuzhdeniia, 1970, Vol.16, p.22-25, In Rus-

Meetings, Alpine glaciation, Glacial hydrology, Sno surveys, Slope processes, Floods, Glacier ice, Albedo,

36-1214

Brief characteristic of glaciohydrology of Iceland. rKratkaia kharakteristika gliatsiogidrologii Islandii, Sokolov, D.P., Akademiia nauk SSSR. Institut geo-grafii. Materialy gliatsiologicheskikh issledovanii. Khronika obsuzhdeniia, 1970, Vol.16, p.25-29, In Rus 7 refs.

Mountain glaciers, Glacier flow, Glacial hydrology, Floods, Glacial lakes, Glacial rivers.

Solving the avalanche movement equations. [Issledovanie reshenii uravnenii dvizheniia snezhnykh la-

Bakhvalov, N.S., et al. Akademiia nauk SSSR. Institut geografii. Materialy gliatsiologicheskikh issledovanii. Khronika obsuzhdeniia, 1970, Vol.16, p.31-38, In Russian with English summary p.154. Eglit, M.F.

Avalanche engineering, Avalanche mechanics, Impact strength, Snow loads.

Snow pressure on avalanche protection structures. Davlenie snega na protivolavinnye sooruzheniia, Voitkovskii, K.F., Akademiia nauk SSSR. Inst. K.F., Akademiia nauk 333n. instant Materialy gliatsiologicheskikh is-Khronika obsuzhdeniia. 1970, Vol.16. geografii.

p.38-45, In Russian with English summary p.154.

Avalanche engineering, Avalanche mechanics, Snow loads, Impact strength.

Experimental determination of avalanche impact strength. Eksperimental noe opredelenie silv udara

streagns. (Eksperimental noe opredelenie sily udara snezhnykh lavinj. Akkuratov, V. N., et al. Akademiia nauk SSSR. In-situt geografii. Materialy gliatsiologicheskikh is-sledovanii. Khronika obsuzhdeniia. 1970. Vol.16. p. 45-52. In Russian with English summary p. 185. Avalanche engineering, Avalanche mechanics, Models, Impact strength.

Studying snow impact on a tixeu oussessing includara snega o nepodvizhnoe prepiatstviej, and Alademiia nauk SSSR. Institut Studying snow impact on a fixed obstacle. [Issledova-

Materialy gliatsiologicheskikh is-Khronika obsuzhdeniia. 1970, Vol.16. geografii. sledovanii. p.52-57. In Russian with English summary p.155.

IAkimov, IU.L

Avalanche engineering, Avalanche mechanics, Avalanche erosion, Impact strength, Mathematical models.

36-1219

Air waves originating during avalanche movement. (O vozniknovenii vozdushnykh voln pri dvizhenii lavinj. Moskalev, IUD. Akademiia nauk SSSR. Institut Materialy gliatsiologicheskikh is-Khronika obsuzhdeniia. 1970, Vol.16, sledovanů p 57-62. In Russian with English summary p.156. refs

Avalanche mechanics, Avalanche wind, Avalanche erosion, Avalanche engineering, Wind velocity.

36-1220

Thermodynamic model of impact waves originating during the passage of avalanches. (Termodinamiches-kara model' obrazovanita udarnoi volny pri skhode snezhnoù laviny),

Tebuev, D.I. et al. Akademia nauk SSSR. Institut geografii Materialy gliatsiologicheskikh is-sledovanii Khronika obsuzhdeniia, 1970, Vol.16. p 62-66. In Russian with English summary p.156

Doloy, M.A., Khalkechey, V.A.

Avalanche engineering, Avalanche triggering, Avalanche mechanics, Impact strength, Mathematical

36-1221

Experimental installations for studying dynamic characteristics of avalanche flow. [Eksperimental nye ustanovki dlia issledovaniia dinamicheskikh kharak-

teristik lavinnogo potokaj, Matvienko, V.S., Akademiia nauk SSSR. Materialy gliatsiologicheskikh is-Khronika obsuzhdeniia, 1970, Vol.16, geografii. sledovanii. p.67 p.67-71, In Russian with English summary p.156. 4 refs.

Avalanche engineering, Avalanche mechanics, Snow physics, Flow measurement, Snow loads, Experimen-

Snow cover equilibrium and its pressure against a stationary shield with viscoplastic flow of snow on a slope. (Raynovesie snezhnogo pokrova i ego davlenie na nepodvizhnyi shchit pri viazko-plasticheskom te-

chenii snega na sklone₃. El'mesov, A.M., Akademiia nauk SSSR. Institut geo El'mesov, A.M., Akademiia nauk SSSR. Institut geo-grafii. Materialy gliatsiologicheskikh issledovanii. Khronika obsuzhdeniia, 1970, Vol. 16, p.71-78, In Russian with English summary. 4 refs.

Slope processes, Snow stabilization, Supports, Snow

loads, Snow creep, Plastic snow friction

36-1223

Methods and some results of studying flow and pressure of snow cover in the Kuznetskiv Alatau Mountains. (Metodika i nekotorye rezul'taty issledovanii techenija i davlenija snezhnogo pokrova v gorakh Kuznetskogo Alatauj,

Anfilof'ev, B.A., et al, Akademiia nauk SSSR. stitut geografii. Materialy gliatsiologicheskikh is-sledovanii. Khronika obsuzhdeniia, 1970, Vol.16, p.78-82. In Russian with English summary p.157. 10

Lokhin, V.K.

Avalanche engineering, Avalanche triggering, Snow mechanics, Flow measurement, Snow retention, Supports, Snow loads, Concrete structures.

36-1224

Design of snow retaining structures for avalanche protection. Nekotorye voprosy proektirovaniia snegouderzhivaiushchikh protivolavinnykh sooruzheniij. Losev, K.S., Akademiia nauk SSSR. grafii. Materialy gliatsiologicheskikh issledovanti. Khronika obsuzhdeniia. 1970, Vol.16. p.83-86, In Rus-

sian with English summary p.157. 8 refs. Avalanche engineering, Avalanche triggering, Snow mechanics, Snow retention, Supports, Foundations, Concrete structures, Permafrost beneath structures. Construction materials, Models.

Regularities governing daily course of cohesive forces in snow cover. Nekotorye zakonomernosti sutochnogo khoda sil stsepleniia v snezhnom pokrovej. Krasnosel'skii, E.B., Akademiia nauk SSSR. Institut geografii. Materialy gliatsiologicheskikh is-sledovanii. Khronika obsuzhdeniia, 1970, Vol 16, p.86-90, In Russian with English summary p.157. 8

Slope processes, Snow cover stability, Snow recrystallization, Cohesion, Snow creep, Shear strength.

Using logarithmically-normal distribution curve in determining maximal avalanche volumes. [Primenenie logarifmicheski-normal'noi krivoi raspredeleniia dlia

opredelenia maksimal'nykh ob'emov lavinj. Belen'kii, B.M., Akademia nauk SSSR. Institut geo-grafii. Materialy gliatsiologicheskikh issledovani. Khronika obsuzhdenia, 1970, Vol. 16, p.90-95, in Russian with English summary p.157. 6 refs

Avalanche engineering, Avalanche triggering, Snow mechanics, Volume.

Evaluating reliability of calculation of avalanche-danger boundaries in the Kirovsk area. (Otsenka obespechennosti rascheta granits lavinoopasnykh zon v raione goroda Kirovskaj.

Itkin, V.A., Akademiia nauk SSSR. Institut geografii. Materialy gliatsiologicheskikh issledovanii gliatsiologicheskikh Khronika obsuzhdeniia. 1970. Vol.16, p.95-100. In Russian with English summary p.158. 7 refs

Slope processes, Avalanche formation, Avalanche triggering, Avalanche engineering.

36-1228

Regularities of snow cover distribution on the Rasvumchorr Plateau (Khibiny Mountains) and the evaluation of snow accumulation in avalanche foci. [Zakonomernosti raspredeleniia snezhnogo pokrova na plato Rassumehorr v Khibinakh i otsenka snegonakopleniia v lavinnykh ochagakhj.

Institut geo-Usynin, V.I., Akademiia nauk SSSR Materialy gliatsiologicheskikh issledovanij Khronika obsuzhdeniia, 1970, Vol.16, p.100-103, In Russian with English summary p 158. 6 rets

Slope processes, Snow accumulation, Avalanche formation, Avalanche triggering, Avalanche mechanics. Wind factors.

Some numerical characteristics of avalanche activity. (Nekotorye kolichestvennye kharakteristiki lavinnoi deiatel'nosti₁.

Runich, A.V., et al. Akademiia nauk SSSR. Materialy gliatsiologicheskikh is-Khronika obsuzhdeniia, 1970, Vol.16, geografii sledovanů. p.104-107, In Russian with English summary p 158 14 refs

Emel'ianov, IU.N

Avalanche formation. Avalanche triggering, Avalanche mechanics, Avalanche erosion, Avalanche deposits, Volume.

36-1230

Water-pressure avalanches and the urgency of studying them. ¡Gidronapornye laviny i aktual'nost' ikh izu-

Rzhevskii, B.N., Akademiia nauk SSSR. Institut geografii. Materialy gliatsiologicheskikh issledovanii. Khronika obsuzhdeniia. 1970. Vol.16, p.107-111, In Russian with English summary p.158. 8 refs

Avalanche engineering, Snow accumulation, Wet snow, Water pressure, Mudflows.

Evaluating avalanche danger when selecting routes for power transmission lines in high mountains. Opyt otsenki javinnoj opasnosti pri vybore marshruta dlja trassy linii elektroperedachi v vysokogornykh us-

loviiakhj, Drozdovskata, N.F., et al. Akademiia nauk SSSR. Institut geografii. Materialy gliatsiologicheskikh is-sledovanii. Khronika obsuzhdeniia, 1970, Vol 16. p.111-115. In Russian with English summary p 159 IAzykov, I. E.

Alpine landscapes, Slope processes, Power lines, Avalanches.

Predicting fresh wet snow avalanches triggered from 'a point". ¡O prognozirovanu mokrykh lavin svezhego

"a point", [O prognoziro ann mostysmassis activity snega nachinaiushchikhsia "iz tochki"]. Korolev, A.I., Akademna nauk SSSR. Institut geografii. Materiali gliatsiologicheskikh issledovanii. Khronika obsuzhdeniia, 1970. Vol.16, p.115-121. In Russian with English summary p.159. Avalanche engineering, Avalanche formation, Wet

36.1233

snow, Avalanche forecasting.

Avalanche classification. [K voprosu klassifikatsii la-

vinj. Kozhevnikov, V.S., Akademiia nauk SSSR. geografii. Materialy gliatsiologicheskikh is-Khronika obsuzhdenia, 1970, Vol.16, sledovanii. p 121-126. In Russian with English summary p 159 4 refs.

Avalanche engineering. Classifications, Avalanche formation. Avalanche triggering, Avalanche mechan-

Conditions for avalanche formation from fresh snow in the upper Angren River area. [Uslovita obrazovanija lavin iz svezhevypavshego snega v verkhov'iakh reki Angrenj.

Kharitonov, G.G., Akademna nauk SSSR Materialy gliatsiologicheskikh is-Khronika obsuzhdenna, 1970, Vol 16, geografii. sledovanii p 126-130. In Russian with English summary p 159 6 refs.

Avalanche engineering, Snow accumulation, Snow depth. Avalanche formation.

Meteorological peculiarities of avalanche formation during snowfalls in Kirghizia. (Meteorologicheskie osobennosti formirovaniia lavin vo vremia snegopadov

na territorii Kirgizii, Barbat, IU.P., Akademiia nauk SSSR. Institut geografii. Materialy gliatsiologicheskikh issledovanii. Khronika obsuzhdeniia, 1970, Vol.16, p.130-136, ln Russian with English summary p.160. 7 refs.

Avalanche engineering, Avalanche forecasting, Snow-fall, Snow accumulation, Avalanche formation.

Avalanche regimes in the central part of the Trans-Tien Shan road Frunze-Osh. [K voprosu o lavinnom rezhime srednet chasti Transtian'shanskot avtomagistrali Frunze-Osh₁, |Ablokov, A.A., Akademiia nauk SSSR. Institut geo-

grafii. Materialy gliatsiologicheskikh issledovanii. Khronika obsuzhdeniia, 1970, Vol.16, p.136-142, ln

Russian with English summary p.160. 6 refs.

Avalanche forecasting, Snow accumulation, Avalanche triggering, Roads, Meteorological factors, Vegetation factors.

36-1237

Geographic conditions determining peculiarities of avalanche regimes in mountains of the northern Lake Baykal area and Transbaikal. (Geograficheskie usloviia opredeliaiushchie osobennosti lavinnogo rezhima v gornykh raĭonakh severnogo Pribaĭkal'ia i

Zabalkal'iaj, Volodicheva, N.A., Akademiia nauk SSSR. Materialy gliatsiologicheskikh is-Khronika obsuzhdeniia, 1970, Vol.16, sledovanii. p.142-147, In Russian with English summary p.160. 9 refs.

Avalanche engineering, Slope processes, Avalanche forecasting, Baykal Amur railroad, Avalanche formation, Geography.

36-1238

Avalanches in Central Altai. [Laviny Tsentral'nogo Altaias

Dushkin, M.A., et al, Akademiia nauk SSSR. geografii. Materialy gliatsiologicheskikh is-sledovanii. Khronika obsuzhdeniia, 1970, Vol.16, geografii. p.148-150, In Russian with English summary p.161. 3 refs.

Petkevich, M.V., Reviakin, V.S.
River basins, Avalanche formation, Avalanche erosion, Avalanche triggering.

36-1239

Avalanche regimes in Kamchatka Peninsula. [Oso-

bennosti lavinnogo rezhima Kamchatkij, Volodicheva, N.A., Akademiia nauk SSSR. Institut geografii. Materialy gliatsiologicheskikh is-sledovanii. Khronika obsuzhdeniia. 1970, Vol.16, p.150-154, In Russian with English summary p.161. 7 refs.

Snow cover distribution, Slope orientation, Snow accumulation. Avalanche formation, Avalanche trigger-

36-1240

Influence of summer snowfalls on glacier ablation in central Asia and southeastern Kazakhstan. [Vliianie letnikh snegopadov na tajanje lednikov Srednej Azij i iugo-vostochnogo Kazakhstana). Lebedeva, I.M., Akademiia nauk SSSR. Institut geo-

Materialy gliatsiologicheskikh issledovanii. Khronika obsuzhdeniia, 1970, Vol.16, p.163-173, In

Russian with English summary. 13 refs.

Mountain glaciers, Glacier ice, Glacier surfaces, Snow cover distribution, Albedo, Glacier ablation, Ice subli-

36-1241

Glaciers of the Orulgan Range. (Sovremennye ledniki khrebta Orulganj, Bashlavin, D.K., Akademija nauk SSSR, Institut geo-

Materialy gliatsiologicheskikh issledovanii Khronika obsuzhdeniia, 1970, Vol.16, p.174-175, In Russian with English summary. 8 refs.

Mountain glaciers, Snow cover distribution, Ava-

lanches, Glacier surfaces, Aerial surveys. Cirque glaciers.

Influence of glacier structure on the formation of morainal rolling topography in Spitsbergen. (O viiianii struktury lednikov na formirovanie kholmisto-

nii struktury lednikov na formirovanie knoimisto-griadovogo morennogo rel'cfa na Shpitsbergene;. Troitskii, L.S. Akademiia nauk SSSR. Institut geo-grafii. Materialy gliatsiologicheskikh issledovanii. Ahronika obsuzhdeniia, 1970, Vol.16, p.178-183, In Russian with English summary. 13 refs.

Mountain glaciers, Glacial erosion, Glacier ice, Ice structure. Moraines.

36-1243

Deglaciation of the Aragats Mountains in Armenia. [Degliatsiatsiia massiva Aragats v Armenii],

Maksimov, E.V., Akademiia nauk SSSR. geografii. Materialy gliatsiologicheskikh is-sledovanii. Khronika obsuzhdeniia, 1970, Vol.16, p.184-191, In Russian with English summary.

Mountain glaciers, Glacial erosion, Moraines, Glacier melting.

36-1244

Experiments in intensifying ice cover melting under unfavorable weather conditions. [Eksperimenty po usileniiu taianiia ledianogo pokrova pri neblagopriiatnykh usloviiakh pogodyj. Tsykina, G.A., Akademiia nauk SSSR. Institut geo-

grafii. Materialy gliatsiologicheskikh issledovanii. Khronika obsuzhdeniia. 1970, Vol.16. p.191-196. In Russian with English summary.

Sea ice. Icebound lakes, Icebound rivers, Ice cover thickness, Artificial melting, Dusting.

Glaciation peculiarities of the Arctic continental shelf of Europe. (Nekotorye osobennosti oledenenii materikovykh shel'fov (na primere Evropeiskoi Arktiki)1,

Grosval'd, M.G., Akademiia nauk SSSR. Materialy gliatsiologicheskikh is-Khronika obsuzhdeniia, 1970, Vol.16, geografii. p.196-207, In Russian with English summary. refs.

Coastal topographic features, Glaciation, Barents Sea.

36-1246

Glaciers of the Scandinavian Peninsula and their

mass budget. [Ledniki Skandinavskogo poluostrova i ikh biudzhet massy].
Golodkovskaia. N.A., Akademiia nauk SSSR. Institut geografii. Materialy gliatsiologicheskikh issledovanii. Khronika obsuzhdeniia. 1970, Vol.16. p.208-231, In Russian with English summary.

Mountain glaciers, Glacier ice, Snow depth, Ice growth, Mass balance, Alimentation, Ablation.

36-1247

Studies of heat, ice and water balance in representative mountain-glacier basins within the IHD framework, rissledovanie balansov tepla, l'da i vody na reprezentativnykh gorno-lednikovykh basseĭnakh po programme Mezhdunarodnogo gidrologicheskogo

desiatiletiia, Krenke, A.N., Akademiia nauk SSSR. Institut geografii. Materialy gliatsiologicheskikh issledovanii. Khronika obsuzhdeniia, 1970, Vol.16, p.232-237, In

Mountain glaciers, Glacier ice, Heat balance, Mass balance.

36-1248

Organizing glacio-hydroclimatic studies in the Altai Mountains within the IHD framework. (Ob organizatsii gliatsiogidroklimaticheskogo izucheniia gornogo Altaia po programme MGD₃, Krivonosov, B.M., Akademiia nauk SSSR.

Institut Rrivonosov, B.M., Akademia nauk 353K Institut geografii. Materialy gliatsiologicheskikh is-sledovanii. Khronika obsuzhdeniia, 1970, Vol.16, p.237-240, In Russian. 3 refs., In Russian. 3 refs. Mountain glaciers. Precipitation (meteorology), Snow cover distribution, Glacier ice, Glacial hydrology. 36-1249

First results of hydrological observations on the Abramov glacier. [Pervye rezul'taty gidrologicheskikh

nabliudenii na lednike Abramovaj. Akbarov, A.A., Akademiia nauk SSSR. Institut geografii. Materialy gliatsiologicheskikh issledovanii. Khronika obsuzhdeniia, 1970, Vol.16, p.240-244, In Russian with English summary. 3 refs.

Mountain glaciers, Snow cover distribution, Glacier

ice, Snowmelt, Glacier ablation, Glacial rivers, Alimentation. Glacial hydrology.

36-1250

Ten years of photo-geodetic activities on Polar Ural laciers (route surveys and charting of small glaciers). Desiat' let fotogeodezicheskikh rabot na lednikakh Poliarnogo Urala (opyt nazemnoi s"emki i sostavleniia planov malykh lednikov);. Tsvetkov, D.G., Akademiia nauk SSSR. Institut geo-

grafii. Materialy gliatsiologicheskikh issledovanii. Khronika obsuzhdeniia, 1970, Vol.16, p.245-257, In Russian with English summary. 16 refs.
Glacier surveys, Mountain glaciers, Glacier ice,

Geodesy, Photogrammetry, Polar regions, USSR-Ural Mountains.

Description of a portable assembly for churn-drilling of ice to the 200 m depth. [Opisanie portativnos burovoi ustanovki dlia udarno-kanatnogo bureniia lednikov na glubiny do 200 mj. Tsykin, E.N., Akademiia nauk SSSR. Institut geo-

grafii. grafii. Materialy gliatsiologicheskikh issledovanii. Khronika obsuzhdeniia. 1970, Vol.16, p.257-262, In Russian with English summary.

Mountain glaciers, Ice drills, Core samplers.

Oscillations of Spitsbergen glaciers in Late Holocene. O kolebaniiakh lednikov Shpitsbergena v pozdnem golotsenej.

Troitskii, L.S., et al, Akademiia nauk SSSR Ir geografii. Materialy gliatsiologicheskikh Institut Khronika obsuzhdeniia, 1970. Vol.16. sledovanii p.263-265, In Russian. 14 refs.

Mountain glaciers, Glacier oscillation, Glacier ice, Moraines. Radioactive age determination.

Observations in the Bol'shaya Khadata glacial basin and mass budgets of the Polar Ural glaciers in 1967-68. [Nabliudeniia v reprezentativnom gliatsial nom basseine reki Bol'shaia Khadata i biudzhet massy lednikov Poliarnogo Urala v 1967/68 biudzhetnom

goduj. Gus'kov, A.S., Akademiia nauk SSSR. Institut geografii. Materialy gliatsiologicheskikh issledovanii Khronika obsuzhdeniia. 1970, Vol.16, p.265-272, In

Mountain glaciers, Snow cover distribution. Snow surveys, Snowmelt, Glacier ablation, Glacier mass balance, Mass balance, Polar regions, USSR-Ural Mountains.

Structural peculiarities of cirque glacier ice in the Polar Ural Mountains, (Nekotorye osobennosti struktury I'da karovykh lednikov Poliarnogo Urala). Kuindzhi, V.B., Akademija nauk SSSR. Institut Reo-

Materialy gliatsiologicheskikh issledovanii Khronika obsuzhdeniia. 1970, Vol.16, p.272-278, In 2 refs.

Mountain glaciers, Glacier ice, Ice structure, Alimentation, Ice composition.

On the "365 line" in Tadzhikistan. [O "linii 365" v Tadzhikistanes.

Khon, A.I., Akademiia nauk SSSR. Institut geografii. Materialy gliatsiologicheskikh issledovanii Khronika obsuzhdenna. 1977., Vol 16, p. 278-279. In Russian. 4 refs

River basins, Runoff, Watersheds, Snow line. Aerial surveys. Snow cover distribution.

36-1256

Seasonal distribution of river runoff in the El'brus Mountain area. ¡Vnutrigodovoe raspredelenie stoka rek Priel'brus'iai

Samukashvili, R.D., Akademiia nauk SSSR. geografii. Materialy gliatsiologicheskikh is-sledovanii. Khronika obsuzhdeniia, 1970. Vol.16, p.280-281, In Russian. 2 refs. Glacial hydrology, Glacial rivers, Alimentation, Run-

off, Glacier ablation, USSR-Caucasus.

36-1257

New data on movements of the Mushketov glacier. (Novye dannye o dvizhenii lednika Mushketova). Kon'kov, I.D., et al. Akademija nauk SSSR — Institut Materialy gliatsiologicheskikh is-Khronika obsuzhdeniia, 1970. Vol.16. sledovanii p.282-285, In Russian. 4 refs. Laukhin, IA.N., Tishina, L.N.

Mountain glaciers, Glacier surveys, Glacier flow, Glacier surfaces, Ice cracks, USSR-Tien Shan.

Erosional activity of glaciers in relation to paleoclimatic reconstructions. [Ob ekzaratsionnoi deiatel]. nosti lednikovykh pokrovov v sviazi s rekonstruktsier

drevnego oledenenija, Sukhodrovskii, V.L., Akademija nauk SSSR geografii Materialy gliatsiologicheskikh is-sledovanii Khronika obsuzhdenna, 1970, Vol 16. p.285-286, In Russian

Glaciation, Glacial erosion, USSR-Franz Josef I and

Review of the book "Snow cover of the Earth and glaciers" by V.M. Kotliakov. [Dve retsenzii na knigu V. M. Kotliakova "Snezhnyt pokrov Zemli i ledniki Tronov, M.V., et al, Akademiia nauk SSSR. geografii Materialy gliatsiologicheskikh is-siedwanii Khronika obsuzhdeniia, 1970, Vol.16, p.287-295, In Russian. 5 refs. Institut Kamalov, B.A.

Glaciology, Glacier ice, Glacier surfaces, Snow cover distribution, Alimentation, Ablation, Mass balance.

36-1260

Answer to my critics. (Otvet moim retsenzentam) Kotliakov, V.M., Akademiia nauk SSSR. M., Akademiia nauk SSSR. Institut Materialy gliatsiologicheskikh is-Khronika obsuzhdeniia, 1970, Vol.16, ecografii. n 295-298 In Russian

Glaciology, Glacier ice, Glacier surfaces, Snow cover distribution, Glacier alimentation, Glacier ablation, Mass balance.

36-1261

Impacts of pipelines on fish and wildlife; an annotated

bibliography.
Vogel, B., Northern Pipeline Agency, 1980, 77p. Gas pipelines, Environmental impact, Marine bi-ology, Bibliographies, Ecology.

International Field Year for Great Lakes (IFYGL)

data catalog: United States data archive. Hodge, W.T., U.S. National Oceanic and Atmospheric Administration. NOAA technical memorandum, Sep. 1978, EDIS NCC-3, 203p.

Limnology, Meteorology, Ecology, Chemical analysis, Data processing, Classifications, Catalogs (publications), United States-Great Lakes.

Marine transportation and High Arctic development: a bibliography. Scientific and technical research relevant to the development of marine transportation in the Canadian North.

Dunbar, M.J., Ottawa, Canadian Arctic Resources Committee, 1980, 162p.

Sea ice, Marine biology, Marine deposits, Bibliographies, Oceanography.

36-1264

Boulder fields of the James Bay area, Subarctic Québec. ¿Les champs de blocs en Jamésie. Québec subarctique₁.

Dionne, J.C., Géographic physique et Quaternaire, 1978, 32(2), p.119-144, In French with English and German summaries. Refs. p.129-131.

Rocks, Coastal topographic features, Geomorphology, Periglacial processes, Shoreline modification, Canada-Quebec-James Bay.

Periglacial features and phenomena in the James Bay area, Subarctic Quebec. (Formes et phénomènes péri-

glaciaires en Jamésie. Québec Subarctique, Dionne. J.C.. Géographic physique et Quaternaire. 1978, 32(3), p.187-247. In French with English and German summaries. Refs. p.221-225.

Periglacial processes. Patterned ground. Ice wedges. Frost heave, Frost mounds, Thermokarst, Ground ice. Canada Quebec James Bay.

Outline of the eastern James Bay coastal environments.

Dionne, J.C., Canada Geological Survey. Paper, 1980, No.80-10, p.311-338, With French summary. Refs. p.336-338

Coastal topographic features, Shoreline modification, Offshore landforms, Drift, Ice mechanics, Land ice, Quaternary deposits, Ocean waves, Ocean currents, Tides, Canada—Quebec—James Bay.

36-1267

Winter limnological conditions in a prairie pothole

lake and the application of molecular oxygen. Applegate, R.L., et al. Brookings, South Dakota State University, Water Resources Institute, June 1979, 61p., Refs. p.59-61.

Limnology, Oxygen, Ice cover effect, Snow cover effect. Lake ice. Chemical analysis, Water chemistry.

Boulders in the tidal zone at Saint-Fabien-sur-Mer. lower St. Lawrence Estuary. (Les blocs d'estran a Saint-Fabien-sur-Mer, estuaire maritime du Saint-Lau-

rent. Québec₃, Dionne, J.C., Maritime sediments, Apr. 1979, 15(1), p.5-13. In French with English summary. 20 refs. Marine deposits, Glacial deposits, Rocks, Geomorphology, Glacier flow, Paleoclimatology, Canada—Saint Lawrence Estuary.

36-1269

Some observations on springtime snow/ice conditions on 10 Canadian high arctic islands-and a preliminary comparison of snow/ice conditions between eastern Prince of Wales Island and western Somerset Island, NWT, 5 May-2 July 1979.

Miller, F.L., et al. Canadian Wildlife Service. Progress notes, Dec. 1980, No.116, 11p., 9 refs. Kiliaan, H.P.L

Snow cover distribution, Ice conditions, Land ice, Offshore landforms, Animals, Islands.

Linear and nonlinear aspects of snow albedo feedbacks in atmospheric models.

Roads, J.O., Journal of geophysical research, Aug. 20, 1981, 86(C8), p.7411-7424, 24 refs. Snow optics, Albedo, Snow cover effect, Mathemati-

cal models. 36-1271

Monthly and seasonal variability in the ocean-iceatmosphere systems of the North Pacific and North

Walsh, J.E., et al, Journal of geophysical research, Aug. 20, 1081, 86(C8), p.7425-7445, 32 refs. Sater, J.E.

Sea ice, Ice water interface, Ice air interface, Atmospheric circulation, Seasonal variations.

36-1272

Radiation absorption coefficients of polycrystalline ice from 400-1400 nm.

Grenfell, T.C., et al, *Journal of geophysical research*, Aug. 20, 1981, 86(C8), p.7447-7450, 15 refs. Perovich, D.K.

Ice physics. Ice crystal optics, Radiation absorption, Wave propagation, Attenuation.

Analytical data and statistical summary from the analyses of stream-sediment and heavy-mineral concentrate samples collected in Bristol Bay, Ugashik, and

Karluk quadrangles, Alaska.

Detra, D.E., et al, U.S. Geological Survey. report, 1981, No.81-963, 88p. + 3 maps, 3 refs. Risoli, D.A., O'Leary, R.M., Hurrell, J.A., Everman,

Sediments, Sediments, Geochemistry, Streams, Minerals, Chemical analysis, Statistical analysis, Geological surveys, Channels (waterways), United States— Alaska.

36-1274

Coastline of Canada-littoral processes and shore morphology.

Conference on the Coastline of Canada- Its Littoral Processes and Shore Morphology, Halifax, Nova Scotia, May 1-3, 1978, Canada. Geological Survey. Scotia, May 1-3, 1978, Canada. Geological Survey. Paper, 1980, No.80-10, 439p., With French summar-Refs. passim. McCann, S.B., ed.

Geomorphology, Shoreline modification, Coastal topographic features, Remote sensing, Sea ice, River ice, Tides, Sedimentation, Beaches, Canada.

36-1275

Watershed modeling in cold regions: an application to the Sleepers River Research Watershed in northeastern Vermont.

Stokely, J.L., MP 1471, Hanover, N.H., Dartmouth College, June 1980, 241p., M.E. thesis. Refs. p.175-

Watersheds, Snowmelt. Runoff, Frozen ground, Soil water, Stream flow, Snow accumulation, Ablation, Models, Computer application, Hydrology, Floods.

36-1276

Problems of physiographic zoning of polar lands.

Govorukha, L.S., ed, New Delhi, India, Amerind Publishing Co., 1981, 242p., TT 75-52080, Refs. passim. Translation of Leningrad. Arkticheskii i antarkti-Vol.304, 1971. For individual articles see 36-1277 through 36-1288. cheskii nauchno-issledovatel'skii institut.

Cruchinin, IU.A., ed.

Landscape development, Landscape types, Mapping, Classifications, Climate.

Principles of typological classification of landscape and zoning.

Rikhter, G.D., Problems of physiographic zoning of polar lands, edited by L.S. Govorukha and IU.A. Kru-chinin, New Dethi, India, Amerind Publishing Co., 1981, p.1-4, TT 75-52080, For Russian original see 27-1601. 27 refs.

Landscape development, Landscape types, Mapping, Classifications.

Arctic boundary and principles of its determination. Petrov, L.S., Problems of physiographic zoning of polar lands, edited by L.S. Govorukha and IU.A. Kruchinin, New Delhi, India, Amerind Publishing Co., 1981, p.15-34, TT 75-52080, For Russian original see 27-1602. 62 refs.

Mapping, Polar regions.

36-1279

Sea boundary of the Arctic.

Baskakov, G.A., Problems of physiographic zoning of polar lands, edited by L.S. Govorukha and IU.A. Kru-chinin, New Delhi, India, Amerind Publishing Co., 1981, p.35-60, TT 75-52080, For Russian original see 27-1603. 60 refs.

Sea ice, Climatic factors, Water chemistry, Water temperature. Ocean currents.

Hydrometeorological basis of distinguishing natural

zones in the Arctic Ocean. Shpaikher, A.O., Problems of physiographic zoning of polar lands, edited by L.S. Govorukha and IU.A. Kru-chinin, New Delhi, India, Amerind Publishing Co., 1981, p.61-75, TT 75-52080, For Russian original see 36 refs.

Sea ice, Water temperature, Climatic factors, Map-

Climatic zoning of the Arctic.

Prik. Z.M., Problems of physiographic zoning of polar Inds, edited by L.S. Govorukha and IU.A. Kruchinin, New Delhi, India, Amerind Publishing Co., 1981, p.76-88, TT 75-52080, For Russian original see 27-1605. 5 rcfs.

Climatology, Mapping, Polar regions.

Topographical status and differentiation of ice sheets. Govorukha, L.S., Problems of physiographic zoning of polar lands, edited by L.S. Govorukha and IU.A. Kru-chinin, New Delhi, India, Amerind Publishing Co., 1981, p.89-107, TT 75-52080, For Russian original see 27-1606 or 6E-11614. 22 refs.

Mountain glaciers, Ice sheets, Glacial deposits, Landscape development.

Data obtained by earlier workers and the structure and classifications of glacial landscapes in the Arctic and Antarctica were studied. The natural boundaries of topographic subdivisions within an ice cover are discussed. (Auth.)

36-1283

Genetic classification of microrelief forms of antarctic glaciers and their role in physiographic zoning of the

Kruchinin, IU.A., Problems of physiographic zoning of polar lands, edited by L.S. Govorukha and IU.A. Kru-chinin. New Delhi, India, Amerind Publishing Co., 1981, p.108-132, TT 75-52080, For Russian original see 27-1607 or 6F-11615. 27 refs.

Glacier surfaces, Snow cover distribution, Snow surface, Microrelief.

Data on microrelief forms of ice and snow in Antarctica were collected. A scheme of the genetic classification of the microrelief is given. Two types of microrelief (colian and thercollected. A scheme of the genetic classification of the mi-crorelief is given. Two types of microrelief (eolian and ther-mai) are divided into subtypes, which are divided into classes and forms. Seventeen forms, and climatic conditions (wind, solar heat and frost), under which they developed, are dis-cussed. Since snow cover and its microrelief serve as visual in-dicators of natural conditions in Antarctica, as soil and plant cover do on the other continents, their study should be encouraged. (Auth.)

7,7,4

4.4.4

Zoogeographical zoning of the Arctic.

Rutilevskii, G.L., Problems of physiographic zoning of polar lands, edited by L.S. Govorukha and IU.A. Kruchinin, New Delhi, India, Amerind Publishing Co., 1981, p.133-154, TT 75-52080, For Russian original see 27-1608 34 refs

Climate, Animals, Ecology, Tundra.

Morphological structure of some landscapes in the Arctic zone.

Mikhailov, I.S., Problems of physiographic zoning of polar lands, edited by L.S. Govorukha and IU.A. Kruchinin, New Delhi, India, Amerind Publishing Co., 1981, p. 155-172, TT 75-52080, For Russian original see 27-1609.

Polar regions, Landscape types.

36-1286

Physiographic zoning and intralandscape classifica-

tion of the Novosibirsk Islands. Sisko, R.K., Problems of physiographic zoning of polar lands, edited by L.S. Govorukha and IU.A. Kruchinin, New Delhi, India, Amerind Publishing Co., 1981, p.173-196, TT 75-52080, For Russian original see 27-1610. 34 refs.

Polar regions, Geobotanical interpretation, Land-

scape types, Classifications.

36-1287

Natural districts of Severnaya Zemlya.

Semenov, I.V., Problems of physiographic zoning of polar lands, edited by L.S. Govorukha and IU.A. Kruchinin, New Delhi, India, Amerind Publishing Co., 1981, p.197-222, TT 75-52080, For Russian original see 27-1611. 49 refs.

Polar regions, Deserts, Landscape types, Tundra. 36-1288

Intralandscape zoning of low-lying oases of the eastern Antarctic.

Aleksandrov, M.V., et al. Problems of physiographic zoning of polar lands, edited by L.S. Govorukha and IU.A. Kruchinin, New Delhi, India, Amerind Publishing Co., 1981, p.223-242, TT 75-52080, For Russian original see 27-1612 or 6E-11616. 15 refs. Simonov, I.M.

Cryogenic soils, Lakes, Periglacial processes, Patterned ground, Antarctica-Molodezhnaya Station. The morphology of landscapes of lowland cases and classifica-tion of some periglacial landscapes in Antarctica were studied tion of some perguacial ianascapes in Antarctica were studied. The main feature of antarctic oases is the presence of lakes which never freeze through. From a regional point of view, single lowland oases form a landscape. According to morphological structure, lowland-oasis landscapes are comparatively simple: facies—well-delineated, area—district-subdistrict. Classification of antarctic oases and their morphology requires detailed landscape mapping. (Auth.)

36-1289

Yearbook, Vol.72. [Jahrbuch, 72. Band]

Schiffbautechnische Gerellschaft, Berlin, Berlin, Springer-Verlag, 1978, 476p., In German with English summaries. Refs. passim. For selected papers see 36-1290 through 36-1294.

Ships, Ice navigation, Ice conditions, Ice breaking, Icebreakers.

36-1290

Ice breaking with a model and on full scale. (Eisbrechen mit Modell und Grossausführung. Schwarz, J., et al. Schiffbautechnische Gesellschaft,

Berlin. Jahrbuch, Vol.72, Berlin, Springer-Verlag, 1978, p.207-219, In German with English summary. Discussion, p.277. 4 refs. Hoffmann, L

Ice breaking, Ice strength, Models, Icebreakers, Ice cover thickness.

36-1291

Arctic merchant vessels of the second generation. Arktische Handelsschiffe der zweiten Generation, (Arktische Handelsschiffe der zweiten Generation, Waas. H., Schiffbautechnische Gesellschaft, Berlin. Jahrbuch, Vol.72. Berlin. Springer-Verlag, 1978, p. 221-232. In German with English summary. 9 refs. Discussion, p. 277-278.

Ice navigation, Ice conditions, Ships, Ice breaking, feebreakers, Tests.

36-1292

30-1392 Dynamic behavior of marine gas turbines for ice-breaking ships. Dynamisches Verhalten von Schiffs-gasturbinen für eisbrechende Schiffer, Rohkamm, E. Schiffbautechnische Gesellschaft, Ber-lin. Jahrbuch, Vol.72, Berlin, Springer-Verlag, 1978.

p.235-250, In German with English summary. 13 refs.

Icebreakers, Dynamic properties, Engines, Models, Ice breaking.

36-1293

Electric motor propulsion used in icebreaking by cargo ships. ¡Stromrichtergespeiste Propellerantriebe für eisgehende Handelsschiffe].

Stiglitz, J., Schiffbautechnische Gesellschaft, Berlin, Jahrbuch, Vol.72, Berlin, Springer-Verlag, 1978, r. 251-259, In German with English summary. 7 refs. Discussion, p.278-279.

Ice navigation, Ice breaking, Engines, Tanker ships,

Gas turbine propulsion with "electric shaft" for icebreaking tankers. (Gasturboantriebe mit "elektrischer Welle" für eisbrechende Tankers, Kranert, K., Schiffbautechnische Gesellschaft, Berlin

Jahrbuch, Vol.72, Berlin, Springer-Verlag, 1978, p.261-276, In German with English summary 11 refs. Discussion, p.278-279.

Ice navigation, Tanker ships, Ice breaking, Engines. Icebreakers, Propellers.

Ice-oil boom-from Tsang's folly to Tsang's boom. Tsang, G., et al, Spill technology newsletter, Mar.-Apr. 1978, 3(2), p.15-21, 2 refs. Vanderkoov, N.

Oil spills, Countermeasures, Ice conditions, River ice, Water pollution, Ice oil interface, Booms (equipment).

Equipment development for Arctic oilspill countermeasures.

Meikle, K.M., Spill technology newsletter, May-June 1978, 3(3), p.35-41, 3 refs.
Oil spills, Countermeasures, Ice conditions, Sea ice

distribution, Air cushion vehicles, Water pollution.

Oil recovery from under river ice.

Quam, H.A., Spill technology newsletter. May-June 1978, 3(3), p.51-74.

Oil recovery, Oil spills, River ice, Ice bottom surface, Countermeasures, Ice cutting, Bubbles, River flow,

36-1298

Missiles or parachutes-how to track oiled ice. Blackall, P.J., Spill technology newsletter, Sep.-Oct. 1978, 3(5), p.25-26, 2 refs.

Oil spills, Detection, Sea ice distribution, Ice bottom

surface, Pollution.

36-1299

Study on the feasibility of underwater containment of

subsea oil spills in Arctic waters.
Chen, K.W., Spill technology newsletter, Jan.-Feb. 1979, 4(1), p.37-45.

Oil spills, Countermeasures, Offshore drilling, Ice bottom surface. Ice conditions. Drift, Oil recovery.

Feasibility study of surface techniques for the detection of oil under ice.

Gill, R.J., et al, Spill technology newsletter, Mar.-Apr. 1979, 4(2), p.57-67. Keliher, T.E., Rossiter, J.R., Rich, N.H., Bruce-Lock-

hart, M.P. Oil spills. Detection, Subglacial observations, Ice bottom surface, Snow electrical properties, Ice elec-

36-1301

Remote sensing of oil spills.

Neville, R.A., et al, Spill technology newsletter, Mar.-Apr. 1979, 4(2), p.111-121, 7 refs.

O'Neil, R.A., Dagg, K.

Oil spills, Detection, Remote sensing, Ice conditions,

36-1302

Oil-ice interaction.

trical properties.

Thorston, D.E., Spill technology newsletter, May-June 1979, 4(3), p.160-161.

Oil spills, Sea ice, Subglacial observations, Ice bot-

tom surface, Offshore drilling, Ice oil interface.

36-1303

Remote sensing of oil spills.

Fingas, M., Spill technology newsletter, May-June 1979, 4(3), p.191-192. Oil spills, Remote sensing, Sea ice distribution.

Proposed study of oil and gas under ice.

Pistruzak, W.M., Spill technology newsletter, Sep-Oct. 1979, 4(5), p.304-313.

Oil spills, Natural gas, Water pollution, Pack ice, Ice m surface, Subglacial observations, Ocean bottom. Offshore drilling, Environmental impact.

Prediction of temperatures in concrete bridges Churchward, A., et al. American Society of Civil Engineers. Structural Division. Journal. Nov. 1981. 107(ST11), p.2163-2176, 12 refs

Bridges, Concrete structures, Strains, Temperature gradients. Temperature variations, Solar radiation

Sand waves in lower Cook Inlet. Alaska.

Mahmood, A. et al. American Society of Civil Engi neers Geotechnical Engineering Division Journal, Oct. 1981, 107(G110), p.1293-1507, 17 rets Ehlers, C.J., Cilweck, B.A.

Ocean bottom. Sands, Marine geology, Geomorphology, Acoustics, United States Alaska—Cook

36-1307

Ice cover effects on stream flows and mixing.

Lau, Y.1., et al. American Society of Civil Engine Hydraulies Division Journal, Oct. 38 107(HY10), p.1225-1242, 14 rets Krishnappan, B.G.

Ice cover effect. Channels (waterways), Flow rate, Turbulent flow. Shear stress, Velocity, Analysis (mathematics).

Wastewater treatment by a prototype slow rate land treatment system.

Jenkins, T.F., et al., U.S. Army, Cold Regions Research and Engineering Laboratory, Aug. 1981, CR 81-14, 44p., ADA-106 975, Refs. p 37-39 Palazzo A I

Waste treatment, Water treatment, Chemical anal-Nutrient cycle, Evapotranspiration, Plants (botany), Soil water.

Cold regions testing of an air-transportable shelter. Flanders, S.N. U. S. Army Cold Regions Research and Engineering Luboratory, Aug. 1981, CR 81-16, 20p. ADA-107-131, 9 rets.

Portable shelters, Transportation, Cold weather per-

formance, Airplanes, Tests.

An air-transportable shelter designed and built at CRREL for An air-transportation shelter designed and built at CRREL for use in cold regions underwent testing in Hanover, New Hampshire, and Ft. Greely, Alaska. The shelter demonstrated some of its capabilities for mobility by being towed for more than 60 miles behind various vehicles and by being transported on a C-130 cargo airplane, a CH-47 helicopter, and a trailer truck The shelter proved to be very easy for a crew of two to four to set up in all weather conditions including -40F cold However, the gasoline-powered generator, which was a source for space heat as well as electricity, functioned very poorly. Overall, the prototype successfully demonstrated qualities of self-reliance, ease of operation and thermal efficiency.

36.1310

MIZEX—a program for mesoscale air-ice-occan interaction; experiments in Arctic marginal ice zones.

1. Research strategy. Wadhams, P., ed. U.S. Army Cold Regions Research and Engineering Laboratory, June 1981, SR 81-19, 20p., ADA-107, 046, 59 refs

Martin, S., ed. Johannessen, O.M., ed. Hibler, W.D. III, ed. Campbell, W.J., ed.

Ice air interface. Ice water interface, Ice edge, Sea ice distribution, Research projects, Climatic factors, Sea water, Water temperature.

This document describes the research strategy for a series of mesoscale studies of arctic marginal ice zones. The main goal of this program is to gain a better understanding of the processes occurring at the ice margin. These processes are relevant to climate, weather forecasting, petroleum exploration and production, marine transportation, naval operations, and commer-cial fisheries. In addition MIZEX will aid in determining what modifications to existing ice-ocean-atmospheric models are needed for better prediction near the ice margin.

Spring flood - meltwater or groundwater. Rodhe, A., Nordie by diology, 1981, 12(1), p.21-30, 14

Floods, Meltwater, Snowmelt, Ground water, Stream

Ice action on lakeshores near Schefferville, central Quebec-Labrador, Canada.

Pyokan, M., Canadian normal of earth sciences, Oct 1981, 18(10), p.1629-1654. With French summers

Shore erosion. Shoreline modification. Pressure ridges, Ice pressure, Lake ice, Ice erosion, Vegetation, Damage, Wind factors,

36-1313

Frost action effects on pavements revecutive sum-

Hoffman, G.1 et al. Peonselvaria. Department of Transportation Barcarot Marcais Isotropic for Transportation Barcarot Marcais Isotrop and Re-search (Report) Dec. 1979-17p. PBN0-198-884 Cumberledge G. Bhara des A.C. Frost action, Pavements, Freezing indexes, Frost heave. Frost penetration, Subgrades, Bearing

strength

36.1314

Closed-system freezing of soils in linings and earth embankment dams.

Jones, C.W., Engineering and Research Center, Denver. Colorado Water and Power Resources Service, /Reports. Mar. 1981. REC-ERC-81-1, 48p. PB81-240 23 rets

Soil freezing, Earth dams, Embankments, Linings, Freezing indexes, Frost action, Frost protection, Frost penetration, Frozen ground, Soil water, Density (mass volume).

36-1315

A Contract of the Contract of

Monitoring glacier outburst floods

Young, G.J., Nordie hydrology, 1980, Vol 11, p.285-299, 32 refs

Glacial hydrology, Glacial lakes, Subglacial drainage, Subglacial caves, Floods, Glacier oscillation, Glacier

36-1316

Round table on the formation of heterogeneous slopes, Caen, March 1979, (Table ronde sur les formations de versants heterogenes, Caen, Mars 1979j. Contre de geomorphologie de Caen. Bulletin, Nov. 1979, No 24, 200p., In French. Refs. passim.

Slope processes, Landscape development, Stratigraphy, Meetings, Paleoclimatology.

36-1317

Effects of timber harvest in the snow zone on volume and timing of water yield. Troendle, C. V. et al. Interior West watershed manage-

ment Compiled and edited by D.M. Baumgartner, cymposium, Spokane, Wash, April 8-10, 1980j. 1981, p.231-243, 26 rels. Leat, C.F.

cover effect, Forest canopy, Watersheds, Evapotranspiration, Structural timbers.

36-1318

Snowfall in the Moroccan Atlas Mountains, (Les

Chutes de neige dans l'Atlas marocainy. Peyron, M., Revue de geographie alpine, 1980, 68(3), p. 237-254. In French with English summary. 14 refs. Snow cover distribution, Snowfall. Mountains, Solar radiation, Wind factors

36-1319

Workshop on oil-gas and ice.

Mackay, D. Spill technology newsletter, Jan.-Feb. 1980, 5(1), p.15-18.

Oil spills. Countermeasures, Ice bottom surface, Drift, Ice mechanics, Meetings, Water pollution, Ice oil interface. Ice gas interface.

36-1320

Dome petroleum's oil and gas undersea ice study. Buist, J.A., et al. *Spill technology newsletter*. May-June 1981, 6(3), p.120-146, 13 refs. Dickins, D.F.

Oil spills, Natural gas, Water pollution, Countermeasures, Ice bottom surface. Sea ice. Ice oil interface.

36-1321

River and suspended sediment discharge into Byam Channel, Queen Elizabeth Islands, Northwest Territories, Canada.

McLaren, P., Aretic, June 1981, 34(2), p.141-146, 14

Suspended sediments, Sediment transport, River flow, Ice breakup, Drainage, Channels (waterways). 36-1322

Erosion control along transportation routes in north-

Chridge, F.B. et al. Arctic, June 1981, 34(2), p.147-75". With French summary 3 refs Mirza, A.M.

Soil crossion, Bank protection (waterways), Perma-frost control, Drainage, Ground ice, Countermeasures. Marine transportation.

36-1323

Holocene glaciation of the Arrigetch Peaks, Brooks Range, Alaska. 1 Ibs. J.M., et al., Aretic, June 1981, 34(2), p.158-168,

With French summary. 42 refs. Hamilton, I.D., Calkin, P.E.

Cirque glaciers, Glaciation, Moraines, Glacial deposits, Paleoclimatology.

36-1324

Seismic evidence of shallow permafrost beneath is-

lands in the Beaufort Sea, Alaska. Moracl, J.L., et al. Arctic, June 1981, 34(2), p.169-Rugers JC

Permafrost distribution, Offshore landforms, Freeze than eyeles, Seismic refraction.

36-1325

Tussock replacement as a means of stabilizing fire breaks in tundra vegetation.

Patterson, W.A., III, et al. Arctic, June 1981, 34(2), p.188-189, 7 refs. Dennis, J.G.

Tundra, Fires, Countermeasures, Revegetation, Vegetation, Thermokarst.

Characteristics of the broadscale antarctic sea ice extent and the associated atmospheric circulation 1972-

Streten, N.A., et al, Archiv fur Meteorologie, Geophysik und Bioklimatologie Scr. A, 1980, 29(3), p.279-299, 18 refs.

Pike, D.J. Sea ice distribution. Sea ice distribution. Seasonal variations, Atmospheric circulation. Atmospheric circulation. Antarctica.

The monthly and seasonal means, extremes and variability of the Southern Hemisphere sea ice are examined for a five year period. Variability is found to be greatest in the longitudes of the Antarctic coastal embayments, and a small but general decline in extent at all seasons throughout the period is observed. At near maximum ice extent (Jul-Nov), the 5 year mean of the zonal westerlies to the north of the ice increases with increasing zonal westeries to the north of the tee increases with increasing tie extent, however for individual years, at maximum tie extent, there is no clear correlation between zonally averaged ice extent and the strength of the zonal westerlies in the preceding or succeeding month. Comparison with the 5 year mean longitudinal pattern of atmospheric pressure maxima and minima gittudinal pattern of atmospheric pressure maxima and minima at the latitude of the Antarctic trough points generally to asymmetries in the ice edge, such that it is further north and more variable in regions of frequent low pressure, and further south in regions of relatively high pressure. Examination of a specific longitudinal zone indicates that the pattern of ice extent is clearly regional, and apparently related to variations in the combined oceanic and atmospheric circulation particularly in the Antarctic embayments. (Auth.)

General Assembly, 1981. [Assemblée générale 1981]. Association Nationale pour l'Etude de la Neige et des Avalanches, Neige et avalanches, July 1981, No.26, p.4-35. In French

Avalanche formation, Avalanche forecasting, Meetings, Avalanche triggering, Meteorological instruments. Cost analysis.

"Avalancher", a pneumatic launcher for avalanche triggering. (L"Avalancheur", un lanceur pneuma-

Perroud, P., et al. Neige et avalanches, July 1981, No.26, p.45-57. In French.

Avalanche triggering, Equipment, Avalanche forma-

36-1329

Tougne, M.

Oceanography of the eastern Bering Sea ice-edge zone in spring.

Alexander, V., et al, Linnology and occanography, Nov. 1981, 26(6), p.1111-1125, 20 refs. Niebauer, H.J.

Sea ice, Ice edge, Biomass, Plankton, Climatic changes.

Temporal variability of microparticle properties in polar ice sheets.

Thompson, L.G., et al. Journal of volcanology and geothermal research, Aug. 1981, 11(1), p.11-27, 38

Mosley-Thompson, E.

Ice sheets. Microelement content. Periodic variations Particles

Four recent ice core studies reveal a consistently recurring temporal correlation between increased microparticle concentrations and lower global temperatures. A continuous 900-year
record of particle deposition from the 101-m South Pole core
was obtained by analyzing 6218 samples. The concentration
of insoluble particles with diameters < 0.63 microns increases
substantially between A.D. 1450 and 1850. Some of the additional material may be volcanic. The microparticle analyses of
selected sections from three deep cores coupled with the respective O18 measurements reveal that in all three cores the last
glacial or Late Wisconsin ice contained great quantities of microparticles. The ratio of the average microparticle concentration in Wisconsin sections to that in Holocene sections is 6 for
the 905-m Dome C. Antarctica core, 3 for the 2164-m Byrd
Station, Antarctica core and 12 for the 1387-m Camp Century,
Greenland core. These data suggest that the global atmosphere was heavily laden with suspended particulates near the
end of the last major glaciation. (Auth mod.) poral correlation between increased microparticle concentra-

36-1337

Tephra layers in the Byrd Station ice core and the Dome C ice core. Antarctica and their climatic impor-

tance. Kyle, P.R., et al. Journal of volcanology and geother-mal recarch. Aug. 1981. 11(1), p.29-39, 19 rels. Jezek, P.A., Mosley-Thompson, E., Thompson, I. G. Ice cores, Impurities, Climate, Volcanic ash, Antaretica-Takahe, Mount. Antarctica-Byrd Station.

Volcame glass shards from tephra layers in the Byrd Station ice core were chemically analyzed by electron microprobe. Te-phra in seven layers have similar peralkaline trachyte composi-tions. The tephra are believed to originate from Mt. Takabe, on the basis of their chemical similarity to analyzed rocks from tions. The tephra are believed to originate from the classics, on the basis of their chemical similarity to analyzed rocks from Mt. Takshe and because dated rock samples from the volcano are younger than 250,000 years old deep in the Dome C toe core, which is 2400 km from Byrd Station, are composed of peralkaline trachyte and may have also been derived from Mt. Takshe. The tephra could have resulted from eruptions which were triggered by increased we loading during the late Wisconsin glaciation. Preliminary grain size data suggest the eruptions were only minor and they were unlikely to have instantaneously altered global climate as have explosive eruptions in the tropic. Nevertheless, the effect of this localized volcanic activity upon the Antarctic energy budget warrants further investigation. (Auth.)

Rational use and protection of natural resources in Siberia, (Ratsional noe ispot zovanie i okhrana prirod-

nykh resursov Sibirij, Vorob'ev, V.V., ed. Novosibirsk, Nauka, 1981, 184p., In Russian — For selected papers see 36-1333 through 36-1345. — Refs. passim

Naprasnikov, A.T. ed

Environmental protection, Natural resources, Permafrost beneath rivers, Permafrost beneath lakes, Cryo-genic soils, Landscape types, Taiga, Alpine tundra, Swamps, Economic development, Land reclamation, Permafrost hydrology, Ice forecasting, Baykal Amur

Regional landscape forecasts related to the river diversion problem in Siberia. ¡Opyt regional'nogo land-shaftnogo prognozirovanija v svjazi s problemoj pere-

broski stoka sibirskikh rekj. Mikhailov, N.L. et al. Ratsional noe ispol zovanie i okhrana prirodnykh resursov Sibiri (Rational use and protection of natural resources in Siberia) edited by V.V. Vorobjes and A.T. Naprasnikov, Novosibirsk Nauka, 1981, p.10-36, In Russian, 16 refs. Nikolaev, V.A., Timashev, I.E.

River diversion, Landscape types, Permafrost beneath rivers, Cryogenic soils, Maps, Taiga, Swamps, Land reclamation, Environmental protec-

36-1335

Landscape-geographic provisions for regional economic development programs (exemplified by the western BAM section). [Landshaftno-geograficheskoe obespechenic regional nykh programin osvoeniia (na primere zapadnogo uchastka BAM):.

Mikheev, V.S., Ratsional noe ispol zovanie i okhrana prirodnykh resursov Sibiri (Rational use and protection of natural resources in Siberial edited by VV Vorob'ev and A.I. Naprasnikov, Novosibirsk, Nauka, 1981, p.36-58, In Russian 25 rets

Taiga. Alpine tundra, Glaciation, Environmental protection, Baykal Amur railroad, Charts.

Combined development of natural resources quality of natural environment in the BAM area. [Kompleksnie osvoenie prirodnykh resursov i kachestyo okruzhajushchej sredy v zone BAM₁,

Drozdovskii, E.E., Ratsional noc ispol zovanie i okhrana prirodnykh resursov Sibiri (Rational use and protection of natural resources in Siberial edited by V.V. Vorob'ev and AT Naprasnikov, Novosibirsk, Naula, 1981, p.58-73, In Russian

Environmental protection, Economic development, Baykal Amur railroad, Permafrost, Cryogenic soils.

Water resources in the BAM zone and prospects for their utilization. (Vodnyc results) zony BAM i per-

spektry (kh ispor/zovanna). Dobroumov, B.M.: Ratsional/noc ispol/zovanie i okhrana prirodnykh resusov. Sibiri (Rational use and protection of natural resources in Siberial edited by V.V. Votobley and A.T. Naphashikov, Novosibirsk, Nauka, 1981, p. 73-88. Jr. Russian — 10 rets.

Watersheds, Water supply, Snow water equivalent, Permafrost hydrology, Baykal Amur railroad,

Using and protecting water resources in the Aldan-Chul'man region. (Voprosy ispol'zovanija i okhrany vodnykh resursov Aldan-Chul'manskogo regiona), Konstantinov, A.F., Ratsional'noc ispol'zovanie i okhrana prirodnykh resursov Sibiri (Rational use and protection of natural resources in Siberia) edited by V.V. Vorob'ev and A.T. Naprasnikov, Novosibirsk, Nauka, 1981, p.88-102, In Russian. 20 refs.

Mountains, Alpine landscapes, Permafrost distribu-tion, Snow water equivalent, Water supply, Perma-frost hydrology, Naleds, Taliks, Environmental pro-

36-1339

Possibility of forecasting ice breakup on the BAM zone rivers. ¿O vozmozhnosti prognoza vskrytija rek peresekajushehikh BAM₁.

Shilina, L. L. Ratsional'noe ispol'zovanie i okhrana prirodnykh resursov Sibiri (Rational use and protection of natural resources in Siberia) edited by V.V. Vorobev and A.T. Naprasnikov, Novosibirsk, Nauka, 1981, p.102-106. In Russian. 3 refs. River basins, River ice, Ice forecasting, Ice breakup,

Baykal Amur railroad.

36-1340

Lakes in the central BAM area and their rational utilization. (Ozera tsentral'nogo uchastka zony BAM problemy ikh ratsional'nogo ispol'zovaniiaj.

Dmitrieva, V.T., et al. Ratsional'noe ispol'zovanie i okhrana prirodnykh resursov Sibiri (Rational use and protection of natural resources in Siberia) edited by V.V. Vorob'ev and A.T. Naprasnikov, Novosibirsk, Nauka, 1981, p.106-124. In Russian. 14 refs.

Naprasnikov, A.T. Glacial lakes, Thermal regime, Permafrost beneath lakes, Permafrost hydrology, Thermokarst, Water supply, Baykal Amur railroad, Charts, Environmental protection.

36-1341

Geographic investigations and use of biotic resources in the BAM zone. (Geograficheskoe izuchenie i ispol'zovanie bioticheskikh resursov zony BAM₁,

Il'ina, L.N., Ratsional'noc ispol'zovanic i okhrana prirodnykh resursov Sibiri (Rational use and protection of natural resources in Siberia) edited by V.V. Vorobev and A.T. Naprasnikov, Novosibirsk, Nauka, 1981, p.124-140. In Russian. 17 refs.

Landscape types, Alpine landscapes, Taiga, Mapping, Economic development, Environmental protection, Baykal Amur railroad, Charts.

Environmental protection in the BAM zone. blemy okhrany okruzhajushchej sredy v zone BAM₁, Mikhailov, N.A., et al, Ratsional'noe ispol'zovanie i okhrana prirodnykh resursov Sibiri (Rational use and protection of natural resources in Siberia) edited by V.V. Vorob'ev and A.T. Naprasnikov, Novosibirsk, Nauka, 1981, p.148-155, In Russian. 5 refs.

Permafrost beneath structures. Cryogenic soils. Active layer, Soil temperature, Foundations, Embankments, Baykal Amur railroad, Snow cover effect, Topographic effects.

Changes in soil climate induced by economic development of permafrost areas. (Nekotorye voprosy iz-menenija pochvennogo klimata pri khozialstvennom osvočnii oblasti mnogoletnei merziotyj.

Dugarov, V.I., Ratsional noe ispol'zovanie i okhrana prirodnykh resursov Sibiri (Rational use and protection of natural resources in Siberia) edited by V.V. Vorob'ev and A.T. Naprasnikov, Novosibirsk, Nauka, 1981, p. 155-159, In Russian, 8 refs. Permafrost distribution, Cryogenic soils, Soll temper-

ature. Baykai Amur railroad, Hydrothermal processes, Vegetation factors.

Peculiarities of ice and thermal regimes of northern Lake Baykal, (Osobennosti ledovo-termicheskogo

Lake Baykal. (Osobennosti ledovo-termicheskogo rezhima Severnogo Baikala). Shimaraev, M.N., Ratsional noe ispol'zovanie i okhrana prirodnykh resursov Sibiri (Rational use and protection of natural resources in Siberia) edited by V.V. orobev and A.T. Naprasnikov, Novosibirsk, Nauka, 1981, p. 163-168, In Russian. 2 refs. Permafrost beneath lakes, Lake ice, Ice conditions,

Ice cover thickness, Thermal regime.

Microbiologic characteristics of water-bodies in the Upper Angara River basin. Mikrobiologicheskaia kharakteristika vodoemov Verkhneangarskoi kot-

sov, I.A., Ratsional'noe ispol'zovanie i okhrana prirodnykh resursov Sibiri (Rational use and protection of natural resources in Siberia) edited by V.V. Vorob'ev and A.T. Naprasnikov, Novosibirsk, Nauka,

1981, p.168-180, in Russian. 16 refs.
Rivers, Lake water, Bacteria, Plankton, Ecology,
Ecosystems, Baykal Amur railroad, Permafrost beneath lakes.

Physical basis for polymer reliability in cold climates. rFizicheskie osnovy nadezhnosti polimernykh materialov v uslovijakh kholodnogo klimataj.

Kozlov, A.G., ed, Yakutsk, Izd-e IAkutskogo filiala SO AN SSSR, 1977, 116p., In Russian. For selected papers see 36-1347 through 36-1350. Refs. passim. Polymers, Plastics, Construction materials, Compo ite materials, Laminated glass, Glue, Adhesion, Cold weather performance.

36.1347

Weather resistance of polymers under climatic conditions of Yakutsk. [Atmosferostolkost' polimernykh materialov v klimaticheskikh uslovijakh goroda lAkut-

Cherskii, I.N., et al, Fizicheskie osnovy nadezhnosti polimernykh materialov v usloviiakh kholodnogo klimata (Physical basis for the stability of polymer materials in cold climates) edited by A.G. Kozlov. Yakutsk, Izd-e IAkutskogo filiala SO AN SSSR, 1977, p.3-45, In Russian. 10 refs. Polymers, Plastics, Cold weather performance.

36-1348

Weather resistance of glued laminated glass. [Atmosferostotkosť kleevykh soedinenií organicheskogo

Karateev, L.P., Fizicheskie osnovy nadezhnosti poli-mernykh materialov v usloviiakh kholodnogo klimata (Physical basis for the stability of polymer materials in cold climates) edited by A.G. Kozlov, Yakutsk, Izde-IAkutskogo filiala SO AN SSSR, 1977, p.67-70, In Russian. 1 ref.

Buildings, Windows, Laminated glass, Composite materials, Cold weather performance, Construction materials.

36-1349

New structure-colored epoxy resins are promising polymers for use at low temperatures. [Novye strukturnookrashennye epoksidnye smoly - perspektivnye polimernye materialy, primeniaemye v uslovijakh niz-

kikh temperaturi, Ivanov, V.N., et al. Fizicheskie osnovy nadezhnosti polimernykh materialov v uslovijakh kholodnogo klimata (Physical basis for the stability of polymer materials in cold climates) edited by A.G. Kozlov, Yakutsk, Izd-e IAkutskogo filiala SO AN SSSR, 1977, p.71-76, in Russian. 5 rcfs.
Polymers, Resins, Construction materials, Cold

weather performance.

Application aspects of studying weather resistance of polymers. (O nekotorykh prikladnykh aspektakh izucheniia atmosferostotkosti polimerov₁.

Cherskii, I.N., Fizicheskie osnovy nadezhnosti poli-mernykh materialov v uslovijakh kholodnogo klimata (Physical basis for the stability of polymer materials in cold climates) edited by A.G. Kozlov, Yakutsk, Izde-IAkutskogo filiala SO AN SSSR, 1977, p.84-90, In Russian. 6 refs.

Polymers, Plastics, Construction materials, Cold weather performance.

Control of hanging walls in mine shafts of permafrost areas (northeastern mines taken as an example). [Upravlenie krovlet na shakhtakh oblasti mnogoletnet merzloty (na primere shakht Severo-Vostoka)1, Sleptsov, A.E., et al, Novosibirsk, Nauka, 1981, 117p. In Russian with English table of contents enclosed

Skuba, V.N., Andreev, V.S., Rozenbaum, M.A. Mining, Mine shafts, Roofs, Frozen rock strength, Supports, Permafrost physics, Models.

Growth of concrete strength in load-bearing wall panels of large-panel buildings under winter conditions of Moscow, ¡Rost prochnosti betona nesushchikh steno-vykh panelei v krupnopanel nykh domakh v zimnikh usloviiakh g. Moskvyj. Manasian, V.S., et al, Issledovanija nesushchikli beton-

nykh i zhelezobetonnykh konstruktsii sbornykh mnogoetazhnykh zdanu (Studies of load-bearing concrete and reinforced concrete elements of sectional many-storied buildings) edited by G.N. L'vov and IU.M. Strugatskii, Moscow, 1980, p.133-139, In Russian. 5 refs

Morozkin, V.P., Nesterova, L.N.
Large panel buildings, Walls, Panels, Prefabrication,
Concrete aggregates, Cements, Concrete strength, Concrete freezing.

New way of stabilizing roadbed slopes. [Novyi sposob ukrepleniia otkosov zemlianogo polotnaj. Gadilev, E.O., et al, Transportnoe stroitel stvo. Nov.

1981, No.11, p.6-7, in Russian.
Sobolev, G.L., Pinchuk, V.P.
Roadbeds, Soil erosion, Slope stability, Cold weather construction, Prefabrication, Peat, Plates.

Using ripper-bulldozers in roadbed construction. [Ispol'zovanie bul'dozerov-rykhlitelei pri sooruzhenii zemlianogo polotna₁,

Pristupa, R.A., Transportnoe stroitel'stvo, Nov. 1981, No.11, p.7-9. In Russian.

Roads, Roadbeds, Earthwork, Permafrost beneath structures, Swamps, Peat, Excavation.

36-1355

Depth of permafrost thawing beneath embankments. [O glubine protaivaniia vechnomerzlykh gruntov v osnovanii nasypen.

Marenkov, N.D., Transportnoe stroitel'stvo. Nov. 1981, No.11, p.9-10, In Russian. 1 ref.

Railroads, Embankments, Permafrost beneath structures. Thaw depth.

Bridge crossing the Sukhona River. (Mostovoi perckhod cherez r. Sukhonuj. Shuvalov, E.A., et al. Transportnoe stroitel stvo. Nov.

1981, No.11, p.10-13, In Russian. 3 refs. Shapiro, L.B., Romichev, V.B.

Bridges, Icebound rivers, Ice jams, Ice loads, Piers,

Nondestructive control techniques used in Johannto. ries of the Main Administration of the Baykal Amur Railroad Construction. [Nerazrushaiushchii kontrol' v stroitel'nykh laboratoriiakh Glavbamstroia,

Baranovskaia, N.I.A., et al. *Transportnoe stroitel stvo*. Nov. 1981, No.11, p.26-27, In Russian. Chekmazov, N.E., Sotnikov, V.P.

Concrete structures, Measuring instruments, Reinforced concretes, Concrete freezing, Quality control, Baykal Amur railroad.

36-1358

Latticed roller for compacting hard ground. [Reshetchatyi katok dlia uplotneniia tverdykh gruntovj. Kostel'ov, M.P., et al, Transportnoe stroitel stvo, Nov. 1981, No.11, p.28-29, In Russian. Rumiantsev, R.A., Ban'ko, V.N.

Earthwork, Soil compaction, Construction equipment, Baykal Amur railroad, Frozen ground.

Mobile structures for weather protection of construction equipment, (Inventarnye sredstva zashchity tekhniki ot nepogodyj, Taits, V.G., Transi

Transportnoe stroitel'stvo, Nov. 1981, io.11, p.29-30, In Russian

Storage, Construction equipment, Tents, Baykal Amur railroad.

Economic advantage of the outpost method in building new railroads, rEkonomicheskaja tselesoobraznosť vakhtovogo metoda na zheleznodorozhnykh

novostroikakhj. Sobehenko, M.S., et al. *Transportnoe stroitel'stvo*. Nov. 1981, No.11, p.38-40. In Russian.

Khabibulin, K.I.

Cold weather construction, Economic analysis, Transportation, Work time standards, Houses, Baykal Amur railroad

Design of temporary railroad bypasses. ¿K voprosu proektirovaniia vremennykh zheleznodorozhnykh obkhodovi.

Vukolov, L.A., et al, Transportnoe stroitel'stvo, Nov, 1981, No.11, p.42-43, In Russian. 1 ref.

Sakovich, L.A.

Mountains, Brakes (motion arresters), Railroad equipment, Baykal Amur railroad.

36-1362

Methods of road construction on oil fields of western Siberia. ¡K metodike obosnovaniia stroitel'stva avsmoetin. Ik metodike obosnovania stronestva avtomobil'nykh dorog pri osvoenii neftianykh mestorozhdenii Zapadnoi Sibirij, Purtov, P.G., et al, Neftepromyslovoe stroitel'stvo.

1981, No.9, p.2-5, In Russian. Rybakov, V.A.

Petroleum industry, Roads, Permafrost beneath structures.

36-1363

Evaluating the methods and means of land transportation of large structural units to West Siberian oil fields. (Otsenka sposobov i sredstv dostavki superblokov po sushe na neftianye mestorozhdenija Zapadnoi Sibirii.

Biachkov. A.L. et al. Neftepromyslovoe stroitel'stvo. 1981, No.9, p.9-12, In Russian. 1 ref.

Salov, V.J.

Petroleum industry, Roads, Permafrost beneath structures, Snow roads, Ice roads, All terrain vehi-cles, Air cushion vehicles.

36-1364

Calculating thermal interaction between "communication corridors" (simultaneously built parallel roads and pipelines) and frozen ground. ¡Raschet teplovogo vzaimodeſstviia koridorov kommunikatsiī s merzlymi

Anitskii, P.A., Neftepromyslovoe stroitel'stvo, 1981,

No.9, p.13-15, in Russian. 2 refs. Petroleum industry, Roads, Pipelines, Embankments, Permafrost beneath structures, Permafrost thermal properties, Heat transfer.

36-1365

Optimizing pipeline anchoring processes. [Optimizatsiia zakrepleniia truboprovodov ankernymi ustroist-

Arabskii, A.K., et al, Nestepromyslovoe stroitel'stvo. 1981, No.9, p.19-22, In Russian. 5 refs. Postnikov, V.V.

Pipelines, Anchors, Permafrost beneath structures.

Natural brines for preventing winter slipperiness. (Prirodnye rassoly dlia bor'by s zimnei skol'zkost'iu), Filippov, I.V., Avtomobil'nye dorogi. Sep. 1981, No.9. p.3. In Russian. Roads, Pavements, Road Icing, Chemical Ice preven-

tion. Brines.

36-1367

Lowering corrosive properties of the ice-prevention reagent KhKF. (Snizhenie korrozionnol aktivnosti antigololednogo reagenta KhKF₁,

Tsyganenko, A.I.A., et al, Avtomobil'nye dorogi, Sep. 1981, No.9, p.3-4, In Russian.
Khukhrianskii, V.G., Izotov, D.I.

Roads, Pavements, Corrosion, Road icing, Chemical ice prevention.

36-1368

Construction and maintenance of winter roads in Yakutia. (Prokladka i soderzhanie avtozimnikov v lAkutiij.

Loginov, A.I., Avtomobil'nye dorogi. Sep. 1981, No.9, In Russian

Roads, Ice roads, Snow roads, Winter maintenance.

Quaternary glacial and marine stratigraphy of the Qivitu Peninsula, northern Cumberland Peninsula, Beffin Island. Canada.

Nelson, A.R., Geological Society of America tin, Aug. 19 p.1251-1261. 1981, Vol.92, pt.2, p.1143-1261, Refs.

Glacial deposits, Marine deposits, Stratigraphy, Quaternary deposits, Glaciation, Paleoclimatology.

Supplementary components and operation of the U.S. Supplementary components and operation of a Geological Survey gas-flow heating/freezing stage. Woods, T.L., et al. U.S. Geological Survey. Open-file report, 1981, No.81-954, 13p. + figs., 3 refs. woods, 1.L., et al. U.S. Geological Survey. Open Incorport, 1981, No.81-954, 13p. + figs., 3 refs.
Bethke, P.M., Bodnar, R.J., Werre, R.W., Jr.
Gases, Freezing, Heating, Flow measurement, Heat

36-1371

Walls, windows and roofs for the Canadian climate; a summary of the current basis for selection and design with subject index).

(With subject index). Latta, J.K., National Research Council, Canada Division of Building Research. Special technical pub-lication, Oct. 1973, No.1, 94p. + figs., Refs. passim Reprinted Dec. 1979.

Construction materials, Buildings, Ice lenses, Temperature gradients, Walls, Windows, Roofs, Thermal insulation, Heat flux, Wind pressure, Solar radiation.

Systematic ice retreat in New England.

Koteff, C., et al., U.S. Geological Survey. Professional paper, 1981, No.1179, 20p., 64 refs. Pessl, F., Jr.

Glacier oscillation, Ice mechanics, Glacier flow, Ice surface, Sedimentation, Glacial deposits, Glaciation.

Lead contamination of urban snow.

Grandstaff, D.E., et al, Archives of environmental health, July-Aug. 1979, 34(4), p.222-223, 9 refs. Myer G.H.

Snow composition, Pollution, Metals, Environmental impact. Lead (metal).

Vegetation and environmental gradients of the Prudhoe Bay region, Alaska. Volume 1. Walker, D.A., Boulder, University of Colorado, 1981.

484p., Ph.D. thesis. Refs. p.282-311.

Vegetation, Environmental impact, Tundra. Classifications, Soil composition, Animals, Distribution, United States—Alaska—Prudhoe Bay.

36-1375

Proceedings. Technology Transfer Workshop Modelling Activities Related to Flood Damage Reduction, Hull, Quebec. May 23-25, 1979, Canada. Inland Waters Director-Technical workshop series, 1980, No.2, 473p., Refs. passim. For selected papers see 36-1376 through 36-1378.

Flood forecasting, River flow, River ice, Ice jams, Ice melting, Mapping.

36-1376

Ice jamming concerns and operational solutions. Langley, E., Canada. Inland Waters Directorate. Technical workshop series, 1980, No.2, p.198-210, 4

Ice jams, Ice breakup, Flooding, River flow, Water level, Mapping.

36-1377

Hydraulic aspects of ice jamming.
Tsang, G., Canada. Inland Waters Directorate. Technical workshop series, 1980, No.2, p.211-227, 7

Ice jams, River ice, River flow, Hydraulics, Water level. Drift. Analysis (mathematics).

36-1378

od forecasting in the Saint John River basin; mathematical modelling activities.
Smith, D.A., Canada. Inland Waters Directorate

Technical workshop series, 1980, No.2, p.277-311. 11

Flood forecasting, River flow, Ice jams, Snowmelt, Rain. Mathematical models.

36-1379

Sediment compaction below iceberg furrows.

Green, H.P., et al, Oceans 81 IEEE International Conference on Engineering in the Ocean Environments. Boston, Mass., Sep. 16-18, 1981. Proceedings, New York, Institute of Electrical and Electronics Engineers, 1981, p.223-227, 7 refs. Chari, T.R.

Icebergs, Ice scoring, Ice pressure, Soil compaction, Ocean bottom, Bottom sediment, Underground pipelines, Offshore structures, Experimentation.

Hydrological basins in West Greenland.

Weidick, A., et al. Denmark. Gronlands geologisk undersogelse. Rapport, 1980, No.94, 51p. + maps. undersogelse. Refs. p.23-25. Olesen, O.B.

Glacial hydrology, Glacier ablation, Meltwater, Glalakes, Glacier oscillation, Precipitation (meteorology), Greenland.

36-1381

Airborne measurements of ice-forming nuclei upwind and downwind.

Crys. R.R., et al. Conference on Inadvertent and Planned Weather Modification, 7th, Bantl, Alberta. Oct 8-12, 1979 Proceedings, Boston, Mass , American Meteorological Society, [1980], p.24-25, 2 refs

Ice crystal nuclei, Ice nuclei, Wind direction, Airborne equipment.

36-1382

Investigations of snow cover in the Stevns IHD-representative basin, winter 1977-78.

Allerup, P., et al. Denmark Meteorologisk Institut Klimatologiske meddelelser, 1980, No 6, 23p., 5 tels. Hasholt, B., Madsen, H.

Snow water equivalent, Snow depth, Precipitation (meteorology), Meteorological factors. 36-1383

Sediments, structures and processes. Studies at the

Osterdalsisen glacier-dammed lake, 1970. Theakstone, W.H., Aarhus, Denmark, Universitet, Laboratoriet for fysisk geografi – Skrifter, 1970, No.2.

11p. + figs., 15 refs Glacial lakes, Periglacial processes, Limnology, Sediment transport, Structural analysis, Ice dams, Subglacial drainage.

36-1384

Water equivalent in snow cover of left Odra River basin. (Zapasy wody w pokrywie snieżnej lewego dorzecza Odry). Sadowski, M., Warsaw Panstwowy Institut Hy-

Sadowski, M., Warsaw Panstwowy Institut Hy-drologiczno-Meteorologiczni Prace, 1971, No.103, p.25-55. In Polish with Russian and English summar-38 refs

Snow water equivalent, Snow depth, Statistical analysis, Air temperature, Humidity, Snowfall.

Alpine streamflow response to variable snowpack thickness and extent.

Woo, M., et al, Geografiska annaler, Sci.A. 1975, 57(3-4), p.201-212, 13 refs.

Slaymaker, H.O. Stream flow, Snowmelt, Snow death, Snow cover distribution, Runoff, Meltwater, Mountains.

Impact force of snow

Perla, R., et al. Canada. Inland Waters Directorate. Scientific series, 1978, No.97, 8p., With French summary. 1 ref.

Beck, T., Banner, J.

Snow loads, Impact strength, Snow density, Snow mechanics, Avalanche mechanics, Analysis (mathematics), Tests.

36-1387 Nearshore ice conditions and hazards in the Beaufort, Chukchi, and Bering Seas.

Chuken, and Bering Seas. Stringer, W.J., et al. Fairbanks, Alaska, University, Geophysical Institute, May 1980, 96p. + figs., 16 refs. Barrett, S.A., Schreurs, L.K.

Fast ice, Ice conditions, Sea ice distribution, Ice mechanics, Ice islands, Ice melting, Freezeup, Seasonal variations, Mapping, Offshore drilling.

36-1388 Snow-covering effects on the power output of solar photovoltaic arrays.

Brench, B1, Lexington, M11 Lincoln Laboratory, Dec. 1979, 24p. 4 rets Snow cover effect, Photography, Snowmelt, Heat

loss, Solar radiation, Snow density, Panels, Experimentation, Measuring instruments. 36-1389

Annual report number 11.

Martin, S., et al. Scattle, University of Washington, Dept. of Atmospheric Sciences, 1979, 37p. ADA-079

Maykut, G Research projects. Sea icc.

36-1390

Proceedings of the International Society for Terrain-Vehicle Systems Workshop on Snow Traction Mechanics, Alta, Utah, Jan. 29-Feb. 2, 1979. Harrison, W.L., ed. U.S. Army Cold Regions Research

and Engineering Laboratory. July 1981, SR 81-16, 71p. ADA-106-972, Rets passim For individual pa-pers see 36-1391 through 36-1397 Snow mechanics, Snow compression, Traction, Traffi-

cability, Vehicle wheels, Tracked vehicles, Meetings, Mathematical models.

This report reviews the state or the art of snow traction mechan-ics and presents the results of a limited field exercise that al-lowed participants to observe and practice current snow meas-urement processes and schield test procedures. The prime

recommendations of the workshop attendees were 1) the use of parameters basic to the laws of physics for the classification of snow strength, and 2) the use of instrumented tracked and wheeled vehicles for snow strength measurements.

36-1391

Snow traction mechanics. Yong, R.N., U.S Army Cold Regions Research and

Yong, K.N., C.S. Army Cold Regions Research and Engineering Laboratory. Special report, July, 1981, No.81-16, p.3-12. ADA-106 972.

Snow mechanics, Snow compression, Traction, Trafficability, Snow deformation, Vehicles, Metamorphism (snow), Loads (forces), Rubber snow friction, Snow compaction.

36-1392

Snow measurements in relation to vehicle performance.

Harrison, W.L., U.S. Army Cold Regions Research and Engineering Laboratory. Special report, July, 1981, No.81-16, MP 1473, p.13-24, ADA-106 972, 2 refs.

Snow compression, Vehicles, Traction, Snow depth, Snow drift, Snow crystal structure, Snow density, Snow cover effect.

36-1393

Application of energetics to vehicle trafficability problems

Brown, R.L., U.S. Army Cold Regions Research and Engineering Laboratory. Special report, July, 1981, No.81-16, MP 1474, p.25-38, ADA-106 972, 8 refs. Snow cover effect, Traction, Vehicles, Trafficability, Snow density, Snow compaction.

36-1394

Prediction methods

Harrison, W.L., U.S. Army Cold Regions Research and Engineering Laboratory. Special report, July, 1981, No.81-16, MP 1475, p.39-46. ADA-106 972. Snow cover effect, Traction, Vehicles, Trafficability, Snow strength, Forecasting, Mathematical models, Snow depth, Vehicle wheels, Tracked vehicles.

36-1395

Field investigations.

Harrison, W.L., U.S. Army Cold Regions Research and Engineering Laboratory. Special report. July, 1981, No.81-16, MP 1476, p.47-48. ADA-106 972. Snow cover effect, Traction, Vehicles, Trafficability, Tests.

36-1396

Analysis of vehicle tests and performance predictions. Berger, R.H., et al, U.S. Army Cold Regions Research and Engineering Laboratory. Special report, July, 1981, No.81-16, MP 1477, p.51-67. ADA-106 972. Brown, R.L., Harrison, W.L., Irwin, G.S. Snow strength, Vehicles, Traction, Shear stress,

Loads (forces), Snow compaction, Tests, Snow depth, Forecasting, Analysis (mathematics).

36-1397

Shallow snow test results.

Harrison, W.L., U.S. Army Cold Regions Research and Engineering Laboratory. Special report, July, 1981, No.81-16, MP 1478, p.69-71. ADA-106 972. Snow depth, Snow cover effect, Vehicles, Traction, Trafficability, Shear stress, Tests.

36-1398

Frost heave test being expanded. Pipeline and gas journal. March 1981, 208(3), p.71-72. Frost heave, Pipeline insulation.

36-1399

Theory of the dielectric constant of ice

Adams, D.J., *Nature*, Oct. 8-14, 1981, 293(5832), p.447-449, 19 refs.

Ice electrical properties. Dielectric properties, Ice

Ice age aerosol content from East Antarctic ice core

samples and past wind strength.
Petit. J.R. et al, Nature. Oct. 1-7, 1981, 293(5831),
p.391-394, 55 refs.
Briat. M., Royer, A.

Aerosols, Ice. Impurities, Isotope analysis, Ice composition, Antarctica—East Antarctica.

position, Antarctics—East Antarctica.

Isotopic analysis of antarctic deep cores provides valuable information on the earth's past climate. Past atmospheric trace element contents of continental, volcanic, marine or other origins can also be reconstructed assuming that the chemical concentrations in the air and in the snow are well correlated. These atmospheric trace element contents as well as atmospheric gas contents, are important for climate reconstruction models because they influence the earth's radiation balance. The possible light between contents and times which was investigated. ble link between aerosol content and climate which was investible link between aerosol content and climate which was investi-gated from the 905 deep Dome C ice core (East Antarctica) spanning some 32,000 yr is considered. No evidence of major global or local volcanic activity was found; however, large ma-rine and continental inputs (respectively S and 20 times higher than present) were observed at the end of the last glacial stage.

They reflect glacial age climate with stronger atmospheric circulation, enhanced aridity and faster aerosol transport towards the antarctic continent. (Auth.)

36-1401

Ice-sheet initiation and climatic influences of exwilliams, L.D., Quaternary research, Sep. 1978, 10(2), p.141-149, 42 refs.

DLC QE696.Q35

Ice formation, Ice sheets, Snow cover effect, Climatic changes.

36-1402

Under ice reflectivities at frequencies below 1 kHz. Yang, T.C., et al, Acoustical Society of America Journal, Sep. 1981, 70(3), p.841-851, 15 refs. Votaw, C.W.

Ice acoustics, Reflectivity, Subglacial observations. 36-1403

Humidity required for ice nucleation from the vanor onto silver iodide and lead iodide aerosols over the temperature range -6 to -67C.

Detwiler, A.G., et al, Journal of applied meteorology. Sep. 1981, 20(9), p.1006-1012, 24 refs.

Vonnegut, B.

Ice formation, Ice sublimation, Humidity, Nucleation. Silver iodide.

36-1404

Aerosol measurements over and near the south Pacific Ocean and Ross Sea.

Hogan, A.W., Journal of applied meteorology. Oct. 1981, 20(10), p.1111-1118, 26 refs. Impurities, Aerosols, Sea ice, Atmospheric composi-

tion, Antarctica-Ross Sea.

Acrosol concentrations were measured at sea along the interna-tional date line from 40 to 75 S and over pack ice, fast ice and unvegetated land surfaces in a 100 km circle immediately south of the Ross Sea. Surface aerosol concentrations measured were similar to oceanic concentrations measured in the Northern Hemisphere in westerly and northwesterly winds, but lower concentrations were observed in the polar easterlies. Turbidity concentrations were observed in the polar easterlies. Turbidity measurements indicated a relatively greater total aerosol burden in the vicinity of the antarctic convergence than near New Zealand or over the Ross Sea. Similar turbidity measurements showed a progressively smaller relative aerosol burden over fast ice, Ross Island, and the Antarctic continent. Comparison of these turbidity measurements with those made 13 and 31 years previously show no systematic change in turbidity. Surface aerosol measurements in the dry valleys of Victoria Land indicated higher concentrations that may result from natural production mechanism. (Auth.) mechanism. (Auth.)

36-1405

Growth kinetics of ice from the vapor phase and its growth forms.

Kuroda, T., et al, Journal of crystal growth, Jan. 1982, 56(1), p.189-205, 69 refs. Lacmann, R.

Ice physics, Ice growth, Ice sublimation.

Detailed study of glacier beds using radio-echo tech-

Walford, M.E.R., et al, *Geophysical journal*, Nov. 1981, 67(2), p.487-514, 19 refs. Harper, M.F.L.

Radio echo soundings, Glacier beds, Ice acoustics. 36-1407 Viscosity of high-pressure ice VI and evolution and

dynamics of Ganymede. Poirier, J.P., et al, Nature, July 16, 1981, 292(5820),

p.225-227, 11 refs. Sotin, C., Peyronneau, J.

Viscosity, High pressure ice, Extraterrestrial ice, Planets.

36-140R

Ice layer in Uranus and Neptune-diamonds in the sky.

Ross, M., Nature. July 30, 1981, 292(5822), p.435-436, 10 refs.

Extraterrestrial ice, Planets.

36-1409

Radio-echo layering in polar ice sheets and past volcanic activity Millar, D.H.M., Nature, July 30, 1981, 292(5822).

p.441-443, 18 refs.

Ice sheets, Layers, Radio echo soundings, Volcanic

It has been suggested that layers of acidic ice in polar ice sheets It has been suggested that layers of acidic ice in polar ice sheets may be detected by airborne radio-echo sounding (RES) techniques as stratification echoes. Explosive volcanic cruptions eject large amounts of SO2 into the stratosphere where it forms an H2SO4 aerosol. Studies show that this material can be deposited in layers of large areal extent on polar ice sheets. Calculations based on observations of these slightly acidic layers show that they should give rise to radar reflections of similar magnitude to those observed for stratification echoes. New RES data from the Antarctic enables the present comparison to be made between observed layer power reflection coefficients (PRCs), and calculated values for reflections from acidic ice

layers and from layers of ice of changed density. A gap in layering has been identified which seems to coincide with a similar gap reported in Greenland at Crête, profiles of layer PRC against age show a common pattern for many sites on the Antarctic ice sheet. This PRC age profile may provide a record of explosive volcanic activity for the Southern Hemisphere over the past 150,000 yr. (Auth. mod.)

36-1410

Foundations of structures in polar waters.

Chamberlain, E.J., U.S. Army Cold Regions Research and Engineering Laboratory, Oct. 1981, SR 81-25, ADA-108 344, 29 refs

Offshore structures, Foundations, Hydraulic struc-Subsea permafrost, Sea ice, Seasonal freeze thaw, Pile structures, Site surveys, Beaufort Sea.

Pile structures, Site surveys, Beaufort Sea. Artificial siands and gravity- and pile-founded towers used for the exploration and production of petroleum resources in the Alaskan Beaufort Sea will be affected by conditions not found in more temperate waters. The force of sea ice, the thawing of subsea permatrost, and seasonal freezing and thawing all may cause failure of the foundations of these structures. To ensure the stability of foundations and fill structures, special precautions must be taken in selecting sites and evaluating the engineering properties of sea bed and fill materials.

Evidence for a late Wisconsin glaciation of the Weddell Sea.

Elverhoi, A., Nature, Oct. 22, 1981, 293(5834), p.641-642, 13 refs

Ice sheets, Paleoclimatology, Antarctica-Weddell Sea.

The huge ice shelves in West Antarctica—the Ross and File-The huge ice shelves in West Antarctica—the Ross and Filchner/Ronne lee Shelves—have probably extended out on the continental shelf during the late Wisconsin. Previous discussions, which have focused on the Ross Sea, have suggested (1) that the ice extended across the whole continental shelf or (2) that there was only a minor expansion. The authors present sedimetological data from the the Weddell Sea which suggest that a late Wisconsin grounded ice sheet extend to the shelf edge. The evidence includes a recent thicker ice in Ellsworth Mountains at the head of the Filchner/Ronne Ice Shelf. This thickening would lead to an expansion of the inland ice sheet over the continental shelf, filling up the Weddell sea embayment. ment.

Ice conditions for navigation in antarctic waters and fast ice conditions at unloading areas. [Ledovye usloviia plavaniia sudov v antarkticheskikh vodakh i sostoianie pripainogo l'da v raionakh vygruzkij. Botnikov, V.N., Sovetskaia antarkticheskaia ekspedit-

siia. Trudy, 1980, Vol.70, p.36-49, In Russian. Sea ice, Loading, Ice breaking, Antarctica—Molo-

dezhnaya Station.

Features of ice conditions along the route of all expedition vessels and fast ice conditions in unloading areas at Molodezh-

Summer pack ice structure, salinity and density near Mirnyy Observatory. ¡Struktura, solenost' i prochnost' l'da v pripae letom v raione observatorii Mirnyii. Kozlovskii, A.M., Sovetskaia antarkticheskaia ekspeditsiia. Trudy. 1980, Vol.70, p.50-54.

Sea ice, Pack ice, Ice deformation, Ice salinity, Ice density, Ice deterioration, Antarctica-Mirnyy Sta-

Results of structural, salinity and density studies of fast ice are presented. The effect of underwater ice formation on vertical distribution of density and salinity and the connection between ice density and ice deformation in the layer undergoing destruction and short-term temperature variations are cons

36-1414

Reproduction and nest-site selection by white-tailed

Ptarmigan in Colorado. Giesen, K.M., et al. Wilson bulletin, 1980, 92(2), p.188-199, 40 refs. Braun, C.E., May, T.A.

Ecology, Alpine landscapes, Animals, Slope orientation, Birds.

36-1415

Offshore structure for use in waters containing large moving ice masses.

Baardsen, P., U.S. Patent Office Patent. Aug. 5.

1980, 8 col. USP-4,215,952

Offshore structures, Protection, Icebergs, Ice mechanics, Ice pressure, Impact strength, Countermeasures.

Containment and recovery techniques for cold weather, inland oil spills.

Allen, A.A., Oil Spill Conference, 1979 Proceedings, American Petroleum Institute, [1980], p.345-

Oil spills, Cold weather operation, Countermeasures, Maintenance, Ice cover, Snow cover, Water pollution,

Thawing frozen services and mains.

Bowen, R., Water engineering and management, 1981, p.(R)96-(R)97.

Water pipelines, Thawing, Pipeline freezing, Mainte

36-1418

Ice pressure sensor inclusion factors.

Chen, A.C.T., Journal of energy resources technology, Mar. 1981, 103(1), p.82-86, 7 refs.

Ice pressure, Sea ice, Ice sheets, Measuring instruments.

36-1419

Analysis for an embedded ice pressure sensor. Templeton, J.S., III. Journal of energy resources technology, Mar. 1981, 103(1), p.87-95, 15 refs. Ice pressure, Ice elasticity, Floating ice, Ice strength,

Measuring instruments.

36-1420

Experimental study on moving loads on a floating sea ice road.

Haspel, R.A., et al. Journal of energy resources technology, Mar. 1981, 103(1), p.96-105, 11 refs. Masterson, D.M., Goff, R.J., Potter, R.F.

Ice pressure, Ice strength, Ice roads, Sea ice, Ex-namic loads, Floating ice, Stress strain diagrams, Ice elasticity, Flexural strength, Static loads. 36-1421

General report session 2: mechanical properties Ladanyi, B., et al, Engineering geology, 1979, Vol.13, p.7-18, 5 refs.
Sayles, F.H.

Frozen ground mechanics, Frozen ground strength, Construction materials, Artificial freezing, Ice lenses, Ground ice, Temperature gradients, Design, Permafrost.

36-1422

Thermal energy and the environment.
Crosby, R.L., et al. MP 1480, Hanover, N.H., U.S.
Army Cold Regions Research and Engineering
Laboratory, Nov. 1975, Jp. + 2p. figs., Presented at
Energy and Environment Conference, Dallas, Texas.

Aamot, H.W.C., Wright, E.A. Heat sources, Heat loss, Thermal effects, Thermal pollution, Environmental impact, Cold weather construction. Polar regions.

36-1423

Further studies of heterogeneous nucleation of ice at the liquid-liquid interface.

Rosinski, J., et al. *Journal of physical chemistry*, Oct. 1, 1981, 85(20), p.2993-2997.

ecinski, A.

Heterogeneous nucleation, Ice nuclei, Liquid phases, Interfaces, Supercooling.

36-1424

Formation of stacking faults in pure ice single crystals

by cooling. Hondoh, T., et al, *Japanese journal of applied physics*, Oct. 1981, 20(10), p.L737-L740, 9 refs. Itoh, T., Higashi, A.

Ice crystal structure, Doped ice, Cooling, X ray diffractio

36-1425

Superplasticized concretes for rehabilitation of bridge decks and highway pavements.

Ramakrishnan, V., et al. L.S. Department of Transpor-

tation. Research and Special Programs Administra-tion. Reports. Jan. 1981. DOT/RSPA/DPB-50/81/3, 262p., PB81-153 447, Refs. passim. Coyle, W V

Pavements, Concrete durability, Plastic properties, Concrete strength, Freeze thaw tests, Bridges, Roads, Concrete retarders, Statistical analysis.

36-1426

Study of the in-situ indirect freezing process.

Cheng, C.Y., U.S. Office of Water Research and Technology. Final report, July 1979, Vol.1, NE-71(79)OWRT-476-1, 88p., 26 refs.

Freeze thaw cycles, Solid phases, Solutions.

36-1427 Experiences with surface dressings in Norway.

Arnevik, A., et al, U.S. Army Cold Regions Research and Engineering Laboratory, Dec. 1980, TL 755, 18p., ADA 095 909, Translated from Norway, Veglaboratoriet, Meddelelse, No.52, June 1980. Levik, K

Roads, Construction materials, Pavements, Dynamic loads, Temperature effects, Gravel, Roadbeds, Viscosity.

There are many conditions contributing to the success of a surface treatment. During the actual laying phase, three factors are important, namely the equipment, the quality of work, and the climate (weather conditions). Later damages may be

due to erroneous dosage of quantities of binder and aggregate, too heavy traffic load and the geometric and physical surface of the roadbed. This paper deals with the various dressings and application methods and resulting successes and failures

36-1428

Erosion and sedimentation in the Kenai River, Alaska

Scott, K.M., U.S. Geological Survey. Open-file re-

port. 1981. No.81-219, 116p. Refs. p.112-116.
River basins, Meltwater, Erosion, Sedimentation,
Channels (waterways), Banks (waterways), Floods. Glacier melting, Glacial lakes, River flow, United States-Alaska-Kenai River.

36-1429

Technology review of Arctic offshore oil/gas operations.

Energy Interface Associates, Inc., Contract No.DAAG 39-78-C-0091, U.S. Geological Survey, Harry Diamond Laboratories, Sep. 1979, Var.p., 18p. of refs. Exploration, Offshore drilling, Sea ice, Oceanography, Marine geology, Artificial islands, Ice islands, Subsea permafrost, Logistics, Natural resources, Environmental impact, Marine transportation.

36-1430

Inlet current measured with Seasat-1 synthetic aperure radar.

Shemdin, O.H., et al, Shore and beach, Oct. 1980, 48(4), MP 1481, p.35-37, 4 refs. Jain, A., Hsiao, S.V., Gatto, L.W.

Water intakes, Ocean currents, Remote sensing, Airborne radar. Microwaves.

Ice uplift on piles: progress report of water temperature and ice-pile adhesion investigations on the Upper Great Lakes

Muschell, J.E., et al, East Lansing, Michigan State University, Marine Advisory Service, Feb. 1980, 81p.,

Lawrence, R.G.

Ice adhesion, Ice formation, Pile extraction, Water level, Ice solid interface, Water temperature, Piles, Lake ice, Ice deformation, Loads (forces), Ice density.

36-1432

Regularities of the development of synoptic processes forming strong winds at subzero temperatures over Arctic seas and their use in forecasts. [Zakonomernosti razvitiia sinopticheskikh protsessov formiruiushchikh sil'nye vetry pri otritsatel noi temperature v ark-ticheskikh moriakh i ikh ispol'zovanie v prognozakh₁, Kuznets v, A.V., Leningrad. Arkticheskh i antarkti-cheskh nauchno-issledovatel'skh institut. Trudy. 1981, Vol.373, p.55-61, In Russian. 11 refs. Weather forecasting, Atmospheric disturbances, Air

temperature, Ice navigation, Arctic Ocean.

36-1433

Three day forecasts of mean diurnal air temperature for the Ob'-Yenisey and Taymyr areas. [Sposob prognoza srednej sutochnoj temperatury vozdukha na troe sutok dlia Obsko-Eniseiskogo i Taimyrskogo raionovj. Evseev, M.P., Leningrad Arkticheskii i antarkticheskii nauchno-issledovatel skii institut. Trudy, 1981, Vol.373, p.71-75, In Russian. 3 refs.
Polar regions, Weather forecasting, Air temperature,

Atmospheric circulation, Wind factors.

Structural peculiarities of G.IA. Vangengeim's E+C epoch (1949-1978) and their role in the formation of long-range trends in the variations of hydrometeorological conditions. Nekotorye strukturnye osobennosti epokhi E+C (1949-1978 gg.) i ikh rol' v formirovanii dlitel'nykh tendentsii izmenenii gi-drometeorologicheskikh kharakteristik, Vinogradov, N.D. Leningrad Arkticheskii i antark-ticheskii nauchno-issledovatel'skii institut. Trudy,

ticheskii nauchno-issledovatel'skii institut. Trudy. 1981, Vol.373, p.102-109, In Russian. 9 refs. Ice conditions, Ice forecasting, Air water interac-

tions, Air temperature, Atmospheric circulation, Ice formation, Ice growth, Ice deterioration. Arctic

Synoptic-statistical scheme for forecasting mean monthly winter sir temperatures over the Kara Sea. [Sinoptiko-statisticheskaia skhema prognoza srednemesiachnykh temperatur vozdukha zimoj v Kar-

skom morej. Ivanov, V.V., Leningrad. Arkticheskii i antarkticheskn nauchno-issledovateľskň institut. Trudy. 1981.

Vol 373, p 148-153, In Russian. 12 refs. Ice conditions, Ice navigation, Air temperature, Air water interactions, Water temperature, Arctic Ocean.

36-1436

Development of metodological bases for regional engineering geology. [K razvitiiu metodologicheskikh

ganeering geology. K. davidtu incoologicheskin osnov regional not inzhenerno geologia. Mel'nikov. E.S.. Inzhenernaia geologia, Nov.-Dec. 1981, No.6, p.3-16. In Russian. 49 refs. Engineering geology, Landscape types, Classifications, Mapping, Tundra, Swamps, Permafrost thickness, Marpings, Tundra, Swamps, Permafrost thickness, Parafrost doubt Covening cells exist series. ness, Permafrost depth, Cryogenic soils, Soil erosion,

36-1437

Engineering and geological provisions for economicindustrial development of oil and gas bearing areas in western Siberia. (Problemy inzhenerno-geologiches-kogo obespecheniia promyshlenno-khoziaistvennogo osvoenila neftegazonosnykh raionov Zapadnoi Sibirij. Zakharov, IU.F., *Inzhenernia geologiia*, Nov.-Dec. 1981, No.6, p.17-24, In Russian. 5 refs.

Petroleum industry, Engineering geology, Transportation, Maps, Permafrost beneath structures, Industrial buildings, Foundations, Permafrost physics, Earthwork.

Stripping-induced thixotropy of rocks in excavation walls of the Stoylenskiy mine of the Kursk Magnetic Anomaly area, [Izuchenie tiksotropii vskryshnykh porod pribortovogo uchastka Stoilenskogo mestorozh-

deniia KMA₁ Vakhtanova, A.N., et al, *Inzhenernaia geologiia*, Nov.-Dec. 1981, No.6, p.37-46, In Russian. 10 refs.

Kosinova, I.I.

Earthwork, Thixotropy, Fines, Mining, Clays, Transportation, Marls.

36-1439

Moisture migration and ice segregation in frozen rocks induced by the shear stress gradient. [Migratsiia vlagi i segregatsionnoe l'dovydelenie v merzlykh porodakh pod delstviem gradienta napriazhenii pri sdvigej. Ershov, E.D., et al. *Inzhenernaia geologiia*. Nov.-Dec. 1981, No.6, p.104-112, In Russian. 7 refs. Lebedenko, IU.P.. Ershov, V.D., Kondakova, O.A.

Soil freezing, Frost penetration, Shear stress, Ice for mation, Ground ice, Soil water migration, Frozen rock strength, Unfrozen water content.

36-1440

Influence of natural and artificial changes in heat transfer conditions on the seasonal freeze-thaw of grounds in the Nadym-Kazym interfluve area. (Vlifanie estestvennykh i iskusstvennykh izmenenii uslovil teploobmena na dinamiku sezonnogo promerzanija i protaivaniia gruntov Nadym-Kazymskogo mezhdurech'iaj.

Shamanova I.I., et al, Inzhenernaia geologiia, Nov. Dec. 1981, No.6, p.113-120, in Russian. 3 refs. Patsekin, A P.

Permafrost distribution, Discontinuous permafrost, Frozen rock temperature, Permafrost thermal properties, Active layer, Heat transfer.

X-ray structure investigation methods in engineering geology. ¡Rentgenostrukturnye metody issledovaniia v

inzhenernoi geologii₁, Ponomarev, V.V., Moscow, Nedra, 1981, 194p., In Russian with English table of contents enclosed.

Clays, Clay minerals, Frozen fines, Ground ice, Frost penetration. Frost heave. X ray analysis, Ice crystals, Landslides.

Neves and neve systems in the low and middle mountain areas of the USSR. (Snezhniki i snezhnikovyc sistemy nizko- i srednegornykh raionov SSSR₃. Osokin, N.I., Moseow, Nauka, 1981, 72p., In Russian with English abstract and table of contents. Refs. p 66-

Nivation, Mountains, Landscape types, Nival relief, Snow cover distribution, Snow surveys, Spaceborne photography. Classifications, Terminology.

Forest soils of the Altai-Sayan region. (Lesnyc pochyy Altae-Saianskoi oblasti), Korsunos, V.M., ed. Krasnoyarsk, 1977, 173p., In Russian. For selected papers see 36-1444 through 36-1450. Refs. passim. DI C SD390.3.A37L47

Alpine landscapes, Taiga, Alpine tundra, Cryogenic soils, Soil formation, Soil microbiology, Soil composition, Soil chemistry, Soil profiles.

Mountain taiga humus soils of cedar forests in the cyclonic province of eastern Sayan. [Gorno-taezhnye peregnolnye pochvy kedrovykh lesov tsiklonicheskol

provintsii Vostochnogo Saiana, Gorbachev, V.N., Lesnye pochvy Altae-Saianskof oblasti (Forest soils of the Altai-Sayan region) edited by V.M. Korsunov, Krasnoyarsk, 1977, p.15-29, In

DLC SD390.3.A37L47

Taiga, Mountains, Cryogenic soils, Soil profiles, Soil chemistry, Soil formation.

Interrelations between soil and vegetation in the central part of eastern Sayan. (Nekotorye aspekty vzaimosviazi pochv i rastitel'nosti v tsentral'noi chasti

Vostochnogo Saianaj, Gorbachev, V.N., et al, Lesnye pochvy Altae-Saianskol oblasti (Forest soils of the Altai-Sayan region) edited by V.M. Korsunov, Krasnoyarsk, 1977, p. 30-35, In Russian. 14 refs.

Cheredníkova, IU.S. DLC SD390.3.A37L47

Alpine landscapes, Taign, Alpine tundra, Cryogenic soils, Soil temperature, Vegetation factors.

Soils of fir forests in the Upper Sisim River area of eastern Sayan. [Pochvy pikhtovykh lesov Vostoch-

nogo Saiana (verkhov'ia r. Sisim),
Molokov, V.A., et al, Lesnye pochvy Altae-Saianskoi
oblasti (Forest soils of the Altai-Sayan region) edited
by V.M. Korsunov, Krasnoyarsk, 1977, p.35-47, In Russian. 5 refs.

Molokova, N.I. DLC SD390.3.A37L47

Alpine landscapes, Landscape types, Taiga, Cryo-genic soils, Snow cover effect, Vegetation factors, Soil temperature.

36-1447

Peculiarities of the humus profile in gray, deeply pod-zolized soils of the Salair Range. (Osobennosti gumusovogo profilia serykh lesnykh pochv Salair-

skogo Kriazhaj, Korsunova, T.M., et al, Lesnye pochvy Altae-Saian skoi oblasti (Forest soils of the Altai-Sayan region) edited by V.M. Korsunov, Krasnoyarsk, 1977, p.48-56, In Russian. 11 refs. Korsunov, V.M.

DLC SD390.3.A37L47 Mountains, Forest soils, Podsol, Soil formation, Soil composition, Soil profiles, Seasonal freeze thaw.

36-1448

Migration of water-soluble organic substances in forest soils of western Sayan. Migratsiia vodorast-vorimykh organicheskikh soedinenii v lesnykh pochvakh Zapadnogo Saianaj, Chagina, E.G., et al, Lesnye pochvy Altae-Saianskoï

oblasti (Forest soils of the Altai-Sayan region) edited by V.M. Korsunov, Krasnoyarsk, 1977, p.80-92, In

Gorbacheva, S.M. DLC SD390.3.A37L47

Mountains, Taiga, Cryogenic soils, Soil water migration, Water chemistry.

Influence of vertical zonality on microflora of mountain soils in western Sayan. [Vliianie vertikal'noī zonal'nosti na mikrofloru gornykh pochv Zapadnogo

Per'ianova, O.V., Lesnye pochvy Altae-Saianskoi oblasti (Forest soils of the Altai-Sayan region) edited by V.M. Korsunov, Krasnoyarsk, 1977, p.120-131, In

Russian. 15 refs. DLC SD390.3.A37L47

Alpine landscapes, Landscape types, Cryogenic soils, Soil microbiology.

Biologic activity of mountain taigs soils in the anticyclonic province of western Sayan. Biologicheskaia akgorno-taezhnykh pochv antitsiklonicheskol

trynost gorno-taeznnykh pochv antitiskionicieski provintsii Zapadnogo Saiana; Safonova, K.M., Lesnye pochvy Altae-Saianskoi oblasti (Forest soils of the Altai-Sayan region) edited by V.M. Korsunov, Krasnoyarsk, 1977, p.152-156, In Russian. 5 refs.

DLC SD390.3.A37L47

Alpine landscapes, Landscape types, Taign, Cryo-genic soils, Soil microbiology.

Talus icing effect on rock temperature regime of bald peaks, rVlijanje gol'tsovogo l'doobrazovanjia na temperaturnyl rezhim gornykh porod₃, Kalinin, A.N., et al, *Moscow. Universitet.*

Seriia 4 Geologiia, Sep.-Oct. 1981, No.5, p.59-72, In Russian 10 refs

Melamed, V.G., Romanovskii, N.N.

Alpine landscapes, Rock streams, Talus, Icing, Frozen rock temperature, Permafrost depth, Snow cover effect.

Probable changes in landscapes induced by the Lower Irtysh channel. [Veroiatnye izmeneniia landshaftov pod vliianiem nizhneirtyshskogo kanala], Timashev, I.E., Moscow. Universitet. Vestnik.

Seriia 5 Geografiia, Nov.-Dec. 1981, No.6, p.50-55, In Russian. 7 refs.

River diversion, Landscape types, Taiga, Cryogenic

soils, Swamps, Peat. 36-1453

Lakes in the Baykal section of the BAM zone, rOzera

Pribalkal'skogo uchastka zony BAM₁, Galazit, G.I., ed, Novosibirsk, Nauka, 1981, 244p., In Russian. For selected papers see 36-1453 through 36-1462. Refs. passim.

Bogdanov, V.T., ed.

River basins, Slope processes, Bottom sediment, Permafrost distribution, Algae, Landscape types, Bacteria, Alpine tundra, Taiga, Thermokarst, Icebound rivers, Icebound lakes, Shore erosion, Flood plains, Baykal Amur railroad, USSR—Baykal Lake. 36-1454

Brief physiographic review of lakes in the Upper Angara River basin. ¡Kratkii fiziko-geograficheskii ocherk ozer Verkhneangarskoi vpadiny],

Geta, R.I., Ozera Pribaikal skogo uchastka zony BAM (Lakes in the Baykal section of the Baykal Amur rail-road zone) edited by G.I. Galazii and V.T. Bogdanov, Novosibirsk, Nauka, 1981, p.5-16, In Russian. refs.

River basins, Swamps, Permafrost distribution, Snow depth, Ground ice, Thermokarst, Permafrost beneath rivers, Icebound lakes, Ice conditions.

36-1455

Climatic regions. [Klimaticheskie ratony]. Ladeïshchikov, N.P., Ozera Pribaïkal'skogo uchastka zony BAM (Lakes in the Baykal section of the Baykal Amur railroad zone) edited by G.I. Galazii and V.T. Bogdanov, Novosibirsk, Nauka, 1981, p.35-38, In

Snow cover distribution, Snow depth, Baykal Amur railroad, Topographic effects.

36-1456

Background characteristics of lake shore erosion in the Baykal Amur railroad area. (Fonovye erozionnye kharakteristiki poberezh'ia Balkala v zone vlijanija

Vlasova, L.K., Ozera Pribaškal'skogo uchastka zony BAM (Lakes in the Baykal section of the Baykal Amur railroad zone) edited by G.I. Galazii and V.T. Bog-danov, Novosibirsk, Nauka, 1981, p.47-67, In Russian.

Slope processes, Mudflows, Frost weathering, Alpine tundra, Rock streams, Taiga, Cryogenic soils, Lake water. Water pollution, Shore erosion. 36-1457

Ecologo-geodynamic landscape analysis of the northern Lake Baykal area. ¡Ekologo-geodinamicheskii analiz priozernykh prirodnykh kompleksov Severnogo Pribaikal'ia_],

Molozhnikov, V.N., et al, Ozera Pribaikal'skogo uchastka zony BAM (Lakes in the Baykal section the Baykal Amur railroad zone) edited by G.I. Galazii and V.T. Bogdanov, Novosibirsk, Nauka, 1981, p.68-79. In Russian. 17 refs.

Agafonov, B.P. Tunnels, Landscape types, Alpine tundra, Alpine landscapes, Rock streams, Avalanches, Taiga, Swamps, Baykal Amur railroad, Vegetation, Biomass, Economic development.

36-1458

Origin, bathymetry and lithology of lake bottom deposits in the Upper Angara basin. [Proiskhozhdenie, batimetrija i litologija donnykh otlozbenij ozer

Verkhneangarskol vpadiny).
Kochetkov, V.K., Ozera Pribatkal'skogo uchastka zony BAM (Lakes in the Baykal section of the Baykal Amur railroad zone) edited by G.I. Galazii and V.T Bogdanov, Novosibirsk, Nauka, 1981, p.80-97. In 4 refs

Permafrost beneath lakes, Lacustrine deposits, Bottom sediment, Thermokarst lakes.

Microbiologic characteristics of rivers and lakes in the Upper Angara basin. (Mikrobiologicheskaia kha-rakteristika rek i ozer Verkhneangarskol kotloviny). Nechesov, I.A. Ozera Pribaikal'skogo uchastka zony BAM (Lakes in the Baykal section of the Baykal Amur railroad zone) edited by G.I. Galazii and V.T. Bogdanov, Novosibirsk, Nauka, 1981, p.107-123, In Russian. 19 refs.

Icebound rivers. Thermokarst lakes, Icebound lakes, Water temperature, Microbiology, Bacteria, Seasonal variations, Baykal Amur railroad.

Lake algae in the Upper Angara basin. [Al'goflora ozer Verkhneangarskoi kotlovinyj, Pomazkina, G.V., Ozera Pribaikal skogo uchastka

zony BAM (Lakes in the Baykal section of the Baykal Amur railroad zone) edited by G.I. Galazii and V.T. Bogdanov, Novosibirsk, Nauka, 1981, p.139-145, In-Russian. 6 refs.

Thermokarst lakes, Icebound lakes, Permafrost beneath lakes, Algae, Biomass.

General factors of lake vegetation distribution in the Kichera-Angara interfluve area. [Nekotorye obshchie faktory raspredelenija ozernoj rastitel nosti v mezhdurech'e Kichery i Verkhnei Angary],

Gagarin, P.K., Ozera Pribaikal'skogo uchastka zony BAM (Lakes in the Baykal section of the Baykal Amur railroad zone) edited by G.I. Galazii and V.T. Bogdanov, Novosibirsk, Nauka, 1981, p.161-168, In Rus-

Thermokarst lakes, Permafrost hydrology, Algae, Plant ecology, Bottom sediment.

Transpiration intensity and water consumption by vegetation of the Angara-Kichera delta. [Intensivnost] transpiratsii i raskhod vody rastitel'nost'iu Angaro-

Kicherskoi del'ty₃, Kas'ianova, L.N., et al, Ozera Pribaikal'skogo uchastka zony BAM (Lakes in the Baykal section of the Baykal Amur railroad zone) edited by G.I. Galazii and V.T. Bogdanov, Novosibirsk, Nauka, 1981, p.174-180, In Russian. 3 refs. Pogodaeva, N.N.

Estuaries, Deltas, Permafrost distribution, Cryogenic soils, Vegetation, Plant physiology.

Recurrence of strong frosts and thaws in the European USSR and western Siberia. [Povtoriaemost' ottepelej i sil'nykh morozov na evropejskoj territorii SSSR i v Zapadnoi Sibirij, Aleshina, A.M., Leningrad.

Gidrometeorologichesnauchno-issledovateľ skii tsentr SSSR. 1981, Vol.237, p.80-92, In Russian. 9 refs. Freeze thaw cycles, Soil freezing, Snow cover effect,

Meteorological data, Meteorological charts.

Comparison of snow-load estimation methods. (Sravnenie metodov rascheta snegovykh nagruzok), Karapet'iants, E.M., et al, Leningrad. Glavnai geofizicheskaia observatoriia. Trudy. 1981, Vol.460, p.24-30, In Russian. 4 refs. Lipovskaia, V.I.

Snowfall, Snow loads, Roofs, Buildings, Snow water equivalent, Analysis (mathematics).

Calculating ice loads on tall structures. ¡K raschetu gololednykh nagruzok na vysotnye sooruzheniia). Mytarev, M.N., Leningrad. Glavnaia geofizicheskaia observatoriia. Trudy, 1981, Vol.460, p.44-48, ln Rus-

Ice loads, Buildings, Roofs, Towers, Icing, Hoarfrost, Design.

Peculiarities of time-distribution of ice and hoarfrost deposits in the European USSR. (Osobennosti vremennogo raspredeleniia gololedno-izmorozevykh ot-lozhenii na Evropelskoi territorii SSSR₁.

Guliaev, IU.N., Leningrad Glavnaia geofizicheskaia observatoriia. Trudy, 1981, Vol. 460, p. 49-53, In Rus-

Ice accretion, Power line icing, Hoarfrost, Ice forma-tion, Ice loads, Topographic effects, Meteorological factors, Meteorological charts, Meteorological data.

Calculating winter runoff losses for the formation of river ice and naleds in the northeastern USSR. [Otsenka poter' zimnego stoka na obrazovanie rechnogo I'da i naledel rechnykh vod (na primere rek Severo-Vostoka SSSR)₁,

Sokolov, B.L., et al, Leningrad. Gosudarstvennyi gidrologicheskii institut. Trudy, 1981, Vol.272, p.37-62, In Russian. 18 refs.

Chernaia, F.F.

Naleds, River ice, Ice formation, Ice (water storage).

Computerized analysis of water yield hydrographs for naleds. [Raschet i analiz gidrografov vodootdachi naledei na EVM₃,
Roo, S.S., et al, Leningrad. Gosudarstvennyi

drologicheskii institut. Trudy, 1981, Vol.272, p.63-

Lifshits, F.A

Permafrost hydrology, Naleds, Ice (water storage). Meltwater, Hydrography.

36-1469

Role of land glaciation in the water and ice budget of the Arctic.

Kotliakov, V.M., et al, *Polar geography and geology*, Apr.-June 1981, 5(2), p.82-95, For Russian original see 35-1565. 20 refs. Krenke, A.N.

Glacial hydrology, Land ice, Snow cover distribution, Ice (water storage), Snow water equivalent, Glacier ice. Polar regions, Alimentation, Ablation, Climatic factors, Meteorological charts.

Relief-forming activity of the Ross and McMurdo ice

shelves, Antarctica.
Miagkov, S.M., Polar geography and geology, Aprunc 1981, 5(2), p.108-115, For Russian original see 35-951 or E-24130. 18 refs.

Ice shelves, Ice scoring, Ice rafting, Sediment transport, Glacier beds, Moraines, Geomorphology, Antarctica—Ross Ice Shelf, Antarctica—McMurdo Sound.

For abstract see 35-951 or E-24130

36-1471

Saow watch 1980; Proceedings.
Workshop on Snow Watch 1980, Washington, D.C.,
Oct. 1-2, 1980, Glaciological data, Oct. 1981, GD-11,
148p., Refs. passim. For individual papers see 36-1472 through 36-1490.

Kukla, G., ed. Hecht, A., ed. Wiesnet, D., ed. Snow cover distribution, Snow depth, Snow surveys, Glaciology, Sea ice distribution, Climate, Meetings, Models, Seasonal variations,

36.1472

Snow in climate diagnosis and modeling introduction Kukla, G., et al, Glaciological data, Oct. 1981, GD-11, p.11-12, 14 refs. Hecht, A., Wiesnet, D

Snow surveys, Climatic factors, Charts, Models.

Snow covers in climate and long-range forecasting. Namias, J., Glaciological data, Oct. 1981, GD-11, p.13-26, 6 refs

Snow cover effect, Climate, Long range forecasting,

Snow covers and climate.

Kukla, G., Glaciological data, Oct. 1981, GD-11, p.27-39, Refs. p.36-39.

Snow cover effect, Snow optics, Radiation, Reflectivity, Thermal conductivity, Water vapor, Pressure, Snow heat flux. Snow cover.

36-1475

Use of snow and ice data in energy balance climate modeling.

Robock, A., Glaciological data, Oct. 1981, GD-11, p.41-43, 9 refs.

Snow cover, Snow depth, Sea ice, Ice cover thickness, Climate, Heat balance, Albedo, Remote sensing, Models.

Summary requirements of GCMs for observed snow and ice cover data.

Hahn, D.G., Glaciological data, Oct. 1981, GD-11, p.45-53, 4 refs.

now cover distribution. Ice cover, Climate, Ice conditions, Forecasting, Seasonal variations, Models, Computer applications, Ice conditions.

Linear and nonlinear aspects of snow albedo feedbacks in atmospheric models.

Roads, J.O., Glaciological data, Oct. 1981, GD-11, p.55-56, 9 refs.

Snow optics, Albedo, Atmospheric circulation, Climate. Snow cover effect. Models.

36-1478

Hemisphere snow and ice charts of Vorthern NOAA/NESS

Smigielski, F., Glaciological data, Oct. 1981, GD-11.

Snow cover distribution, Ice conditions, Charts Remote sensing, Snow optics, Ice optics, Radiometry, Reflectivity.

36-1479

U.S. Air Force snow cover charts.

Woronicz, R.C., Glaciological data, Oct. 1981, GD-11, p.63-69, 2 refs.

cover distribution, Snow depth, Remote sensing, Cloud cover, Age determination.

36-1480

Sea ice charts of the Navy/NOAA Joint Ice Center. Godin, R.H., Glaciological data, Oct. 1981, GD-11,

Sea ice distribution, Ice forecasting, Charts, Climate, Remote sensing.

nce 1973, the Naval Polar Oceanography Center has reported global sea ice conditions. The Joint Ice Center produces weekly Arctic and Antarctic ice analyses and forecasts. The Antarctic Sea Ice Chart is produced almost exclusively from satellite information. Data sources for ice reports are antarctic shore stations, ship reports and aerial ice reconnaissance. Analysis tools and methodology of ice charting are described.

Antarctic sea ice cover from satellite passive microwave.

Zwally, H.J., et al, Glaciological data, Oct. 1981, GD-11, p.79-85.

ice distribution, Ice conditions, Remote sensing, Microwaves, Radiometry, Maps, Seasonal variations. The Nimbus-5 satellite was launched in Nov. 1972 with the Electrically Scanning Microwave Radiometer (ESMR) on board to distinguish ice-covered from ice-free ocean. As a result, a complete map of the Antarctic sea ice distribution has been produced for most 3-day intervals during 1973-1976. These ESMR sea ice data will be presented in an upcoming atlas by the same authors: by the same authors.

Lamont climatic snow charts.

Kukia, G., et al, Glaciological data, Oct. 1981, GD-11, 87-91. 8 refs.

Robinson, D., Brown, J. Snow cover distribution, Radiometry, Remote sensing, Snow optics, Albedo, Climate, Reflectivity, Accuracy. Charts.

36-1483

Snow and ice mapping in Canada.

Goodison, B., Glaciological data, Oct. 1981, GD-11, p.93-95, 3 refs.

Ice conditions, Snow cover distribution, Climate, Mapping, Ice cover, Ice forecasting, Models, Charts.

36-1484

Study of the sea ice distribution in the North Pole regions.

Haupt, I., Glaciological data, Oct. 1981, GD-11, p.97-102. 4 refs

Sea ice distribution, Remote sensing, Atmospheric circulation, Charts, Polar regions.

36-1485

Climatic value of operational snow and ice charts Kukla, G., et al, Glaciological data, Oct. 1981, GD-11, p.103-119, 31 refs. Robinson, D.

Snow cover distribution, Sea ice distribution, Climate, Albedo, Snow depth, Charts.

Digitization of the NOAA/NESS continental snow cover data base.

Matson, M., et al, *Glaciological data*, Oct. 1981, GD-11, p.123-127, 1 ref.

Varnadore, M.S. Snow cover distribution, Remote sensing. Data transmission. Charts.

Snow cover digital products.

Dewey, K.F., Glaciological data, Oct. 1981, GD-11, p.129-133, 1 ref.

Snow cover distribution, Remote sensing, Data transmission. Charts.

36-1488

Maximum snow area density digital product.

Kukla, G., et al. Glaciological data, Oct. 1981, GD-11, p.135-138, 6 refs Robinson, D.

Snow cover distribution, Albedo, Snow optics, sensing, Vegetation factors, Topographic effects. Data transmission.

36-1489

Snow and ice data sets.

Walsh, J.E., Glaciological data, Oct 1981, GD-11, p.139-144, 30 refs

Snow cover distribution, Sea ice distribution. Ice conditions, Remote sensing, Climate, Charts.

Data sets on the variability of sea ice and snow in the Arctic and Antarctic are summarized. The Arctic grids of the Max Planck data set are digitizations of the monthly charts compiled by the British Meteorological Office. Similarly, the Antarctic grids of the Max Planck set were digitized directly from the Navy NOAA Antarctic ice charts.

36-1490

Snow and ice indices.

Kukla, G., et al. Glaciological data, Oct. 1981, GD-11, p. 145-148, 4 refs. Gavin, J.

Snow cover distribution, Sea ice distribution, Albedo, Remote sensing, Pack ice, Climate.

Several indices, generated on a weekly basis to investigate the impact of recent seasonal and interannual variation of snow and ice cover in the Arctic and Antarctic are described. A total of 70 geographic segments in both hemispheres are assessed. mendional divisions of the segments were designed so as to approach boundaries of major climatic provinces. The data are obtained by analyzing charts produced primarily by the Navy and NOAA.

36.1491

Mobility bibliography.
Liston, N., comp. U.S. Army Cold Regions Research and Engineering Laboratory, Nov. 1981, SR 81-29. 313p. ADA-108 228. Hutt, M., comp. White, L., comp.

Trafficability, Vehicles, Bibliographies, Transportation, Snow vehicles, Air cushion vehicles, Tracked vehicles, Snow strength, Soil strength.

vehicles, Snow strength, Soil strength.

This bibliography is an international compilation of literature relating to terrain vehicles, amphibious vehicles, snow vehicles, and off-road vehicles. It also covers the related subjects of rolling resistance, traction, snow strength measurement, soil strength measurement, terrain analogs, vehicle models, and the overall topic of vehicle mobility. It is not comprehensive but begins at about 1970 and ends in 1980. The European coverage is lacking because much of this material is not accessible by computerized literature sections, which were the formatter of the strength of puterized literature searching, which was the mechanism for compiling this bibliography.

36-1492

Malfunction of hydrofoil and air-cushion vessels ¡Avarii sudov na vozdushnoi podushke i podvodnykh

kryl'iakhj. Korotkin, I.M., Leningrad, Sudostroenic, 1981, 215p., In Russian with English table of contents enclosed. 79 refs.

Ice navigation, Ship icing, Air cushion vehicles, Hydrofoil craft.

36-1493

Foundations of power line supports under com plicated ground conditions. [Fundamenty oper linit elektroperedachi v slozhnykh gruntovykh usloviiakh, Gabliia, IU.A., Moscow, Energoizdat, 1981, 191p., In Russian with English table of contents enclosed.

Power line supports, Foundations, Frost heave, Permafrost beneath structures, Mountains.

36.1494

Climate and the reliability of machine performance. (Klimat i nadezhnost' mashin).

Kokh, P.I., Moscow, Mashinostroenie, 1981, 175n (pertinent p.47-48, 60-94). In Russian with English

table of contents enclosed. 111 refs.

Motor vehicles, Tracked vehicles, Construction equipment, Cold weather performance, Meteorological data, Charts, Mining, Earthwork, Rock excava-

36-1495

Method for determining water reserves in snow and soil moisture content from cosmic rays. [Metod opredeleniia vlagozapasov v snege i vlazhnosti pochv po kosmicheskim luchamj.

Kolomeets, E.V., et al. Leningrad, Gidrometeoizdat, 1981, 160p., In Russian with English table of contents enclosed. 97 refs. Fridman, Sh.D.

Z

Snow surveys, Snow water equivalent, Soil water, Measuring instruments, Telemetering equipment, Airborne equipment.

Physico-chemical bases of the formation of cement stone structure. Fiziko-khimicheskie osnovy formirovaniia struktury tsementnogo kamniaj.

Shpynova, L.G., et al, L'vov, Vishcha shkola, 1981. 158p., In Russian with English table of contents en-154 refs.

Concretes, Cements, Winter concreting, Concrete aggregates, Concrete freezing, Concrete hardening, Cement admixtures.

36-1497

Maintenance and repairs of earthwork equipment. (Obsluzhivanie i remont zemleroinoi tekhniki), Bardyshev, O.A., et al, Moscow, Transport, 1981, 110p., In Russian with English table of contents enclosed.

Rozanov, I.S., Cherevko, V.I., Berkut, I.A. Industrial buildings, Modular construction, Earth-work, Construction equipment, Winter maintenance, Cold weather construction. Permafrost beneath struc-

tures, Baykal Amur railroad.

Geographic distribution of algae. [O geograficheskom raspredelenii vodorosleij, Muzafarov, A.M., Tashkent, Fan, 1981, 239p., In Rus

sian with English table of contents enclosed. Refs.

Polar regions, Algae, Plankton, Geography, Classifications.

Geographic distribution of algae in continental water bodies and of marine plankton and benthic species are described and the regularities governing their development, ecology and associa-tions discussed. The Antarctic flora is compared to the Arctic and European assemblies.

36-1499

Aerial landscape indication methods in regional engi-Aerias issuescepe issuescribe metrios in regional engineering-geological investigations. [Aerolandshaftno-indikatsionnye metody pri regional nykh inzhenernogeologicheskikh issledovanijakh, Viktorov, S.V., et al. Moscow, Nedra, 1981, 203p., In Russian with English table of contents enclosed. 50

Aerial surveys, Radar photography, Spaceborne photography, Engineering geology, Landscape types, Alpine landscapes, Deserts, Tundra, Meadows, Taiga, Swamps, Slope processes, Human factors.

36-1500

Volcano-ice interactions on the Earth and Mars. Volcano-ice interactions on the Earth and Mars. Allen, C.C., Tucson, University of Arizona, 1979, 145p., University Microfilms order No. 7917333, Ph.D. thesis. For abstract see Dissertation abstracts international, Sec. B, Aug. 1979, p.642. Glacier melting, Volcanoes, Ice solid interface, Floods, Landforms, Meltwater, Stream flow, Heat sources, Mountains, Mars (planet), Subglacial observations.

Electrical properties of permafrost. Olhoeft, G.R., Toronto, University, 1975, n.p., PB 649 650, Ph.D. thesis. For abstract see Dissertation abstracts international, Sec. B, Aug. 1979, p.649-650. Microfilm copy available from the National Library of Canada.

Permafrost physics, Electrical resistivity, Permafrost thermal properties, Freezing, Dielectric properties.

First glaciological studies on the James Ross Island ice cap, Antarctic Peninsula.

Aristarain, A.J., et al, Journal of glaciology, 1981, 27(97), p.371-379, 25 refs. In English with French and German summaries.

Delmas, R.

Ice cores, Drill core analysis, Chemical analysis, Age determination, Climatic changes, Antarctica-James Ross Island.

A 10 m deep core and a 2 m pit were achieved in Dec. 1977 on the James Ross Island ice cap, at an altitude of 1,500 m. The 10 m temperature was -14 2C. The core was cut into 106 sam-nles which have been used for density, total beta radioactivity, electroconductivity, and deuterium content measurements. The age at the bottom of the bore hole is estimated at 1,965 yr. The age at the bottom of the bore hole is estimated at 1,905 yr. and a mean annual *now accumulation rate for the last 13 years is calculated at 37.7 g/sq cm/a. The climate of upper James Rosa Island seems to follow the regime of the western coast. Snow impurities appear to be mainly sea salf derived. A clearly defined conductivity peak at the end of 1967 could be linked with the volcanic eruption of Deception Island in Dec. 1947. (Auth mod.)

On glacier energy balance, ablation, and air temperature.

Braithwaite, R.J., Journal of glaciology, 1981, 27(97). p.381-391, 28 refs., In English with French and German summaries

Glacier heat balance, Glacier ablation, Air temperature, Solar radiation, Analysis (mathematics). 36-1504

Creep slump in glacier reservoirs-theory and experiment.

Shoemaker, E.M., Journal of glaciology, 1981, 27(97), p.393-406, 15 refs., In English with French and German summaries.

Glacier ice, Ice mechanics, Glacier surges, Mathematical models, Glacier flow.

36-1505

Effect of the subglacial water pressure on the sliding velocity of a glacier in an idealized numerical model. Iken, A., Journal of glaciology, 1981, 27(97), p.407-421, 17 refs., In English with French and German summaries.

Water pressure, Subglacial observations, Glacier flow, Mathematical models.

36-1506

Micro-morphology of the snow surface at the Quelccaya Ice Cap. Peru. Hastenrath, S., et al, Journal of glaciology. 1981.

27(97), p.243-428, 6 refs. In English with French and German summaries.

Snow morphology, Snow cover structure, Peru-Quelccaya Ice Cap.

Bottom melting under George VI Ice Shelf, Antarc-

Bishop, J.F., et al. *Journal of glaciology*. 1981, 27(97), p.429-447, 15 refs., In English with French and German summaries.

Walton, J.L.W Ice shelves, Ice bottom surface, Ice melting, Ice phy-

Bottom melting rates have been calculated for a large number of sites on George VI Ice Shelf from measurements of its kinematic behaviour. No simple explanation for the melt-rate pattern was found in terms of ice-shelf parameters, assuming steady-state conditions. Values of apparent melt rates varied from 1 to 8 m/a of ice. Along different flow lines the melt rate from 1 to 8 m/a of ice. Along different flow lines the melt rate would sometimes increase with distance from the grounding line and sometimes the melt rate would decrease with distance. Large melt rates were found both where ice flowed off Palmer Land and where the ice shelf butted against Alexander Island. Although oceanographic conditions probably control bottom melting rates the complex pattern with large spatial variation seems to indicate that some areas of ice shelf are changing in thickness. (Auth.)

Interaction among controls of cirque development: Sangre de Cristo Mountains, Colorado, USA.

Olyphant, G.A., Journal of glaciology, 1981, 27(97), p.449-458, 25 refs., In English with French and German summaries.

Cirque glaciers, Topography, Climate.

36-1509

Systems for measuring thickness of temperate and

polar ice from ground or from the air.

Watts, R.D., et al, *Journal of glaciology*, 1981, 27(97), p.459-469, 7 refs. In English with French and German summaries. Wright, D.L.

Ice cover thickness, Radio echo soundings, Airborne equipment. Electronic equipment.

36-1510

Stress-wave generator for snow and ice studies

Bowles, D., et al. Journal of glaciology, 1981, 27(97), p.470-475, 6 refs. In English with French and German summaries. Brown, R.L.

Measuring instruments, Shock waves, Ice mechanics, Snow mechanics.

Visible and near-infrared scanning photometer for field measurements of spectral albedo and irradiance under polar conditions.

Grenfell, T.C., Journal of glaciology, 1981, 27(97). p.476-481, 6 refs., In English with French and Ger-

Photometers, Solar radiation, Low temperature tests.

Tracing particle paths in the antarctic ice sheet. Doake, C.S.M., Journal of glaciology, 1981, 27(97), p.483-486, 5 refs. In English with French and Ger-

Ice sheets, Echo sounding, Particles, Models,

layer of moraine within the Antarctic ice sheet has been detected in the course of airborne radar ice soundings moraine was injected at the margin of the ice and can serve as a cracer to pick out a particle path winthin the ice. When combined with surface measurements, the ability to trace particle paths should allow detailed modelling of the dynamic behaviour in limited areas. (Auth.)

Evidence for a former large ice sheet in the Orville Coast-Ronne Ice Shelf area, Antarctica. Carrara, P., Journal of glaciology, 1981, 27(97), p. 487-

491, 9 refs., In English with French and German

Ice sheets, Ice scoring, Paleoclimatology, Antarctica
—Orville Coast, Antarctica—Ronne Ice Shelf.

The Orville Coast area of the Antarctic Peninsula was extensively glacierized in the past. Striations, polished rock surfaces, and erratics on nunatak summits indicate that this area saces, and effation on fundata summits indicate that this area was covered by a broad regional ice sheet whose grounded ice margin was on the continental shelf, in the present-day Ronne lee Shelf area. If the glacial history of Antarctica has been controlled by eustatic sea-level changes, the destruction of this ice sheet would have been contemporaneous with that of the Ross. Sea ice sheet due to the world-wide rise of custatic sea-level at the and of the Wisconsin playing in Applications. the end of the Wisconsin glaciation

Periglacial features on the margins of a receding pla-

teau ice cap, Lyngen, north Norway. Whalley, W.B., et al. Journal of glaciology, 1981, 27(97), p.492-496, 9 refs. In English with French and German summaries

Gordon, J.E., Thompson, D.I.

Ice sheets, Periglacial processes, Norway,

36-1515

Till texture in drumlins.

Karrow, P.F., Journal of glaciology, 1981, 27(97), p.497-502, 29 refs.. In English with French and Ger-

Glacial till. Terminology. Sands

36-1516

Conjectures, hypotheses, and theories of drumlin for-

Smalley, I.J., Journal of glaciology, 1981, 27(97), p.503-505, 10 refs... In English with French and German summaries

Glacial till, Shear strength, Geomorphology.

Ice segregation as an origin for lenses of non-glacial

ice in "ice-cemented" rock glaciers. Wayne, W.J., Journal of glaciology, 1981, 27(97), p.506-510, 22 refs... In English with French and German summaries

Rock glaciers, Ice lenses, Glacier flow.

36-1518

Cirque-glacier chronology based on emergent lichens and mosses.

Calkin, P.E., et al. Journal of glaciology, 1981, 27(97), p.511-515, 24 refs. In English with French and German summaries FIBS. J.M.

Cirque glaciers, Geochronology, Lichens, Mosses.

On the grain-size dependence of secondary creep. Jones, S.J., et al, *Journal of glaenology*, 1981, 27(97), p.517-518, 2 refs. Chew. H.A.M

Ice crystals, Ice creep, Strains.

Hughes, T.J., Journal of glaciology, 1981, 27(97), p.518-525, 12 refs Weak underbelly of the West Antarctic ice sheet.

Glacier surges, Ice sheets, Ice deterioration, Antarctica-West Antarctica, Antarctica-Thwaites Glacier, Antarctica-Pine Island Glacier.

cier, Antarctica—Pine Island Glacier.

Neither Thwaites nor Pine Island Glacier, which empty into Pine Island Bay, is butterssed, nor are they confined by large ice shelves as are the glaciers which empty into the Ross and Weddell Sea areas. Because they are unhowled, it is proposed that warming resulting from increasing CO2 in the atmosphere will cause these two glaciers to surge. Ten conditions are listed as being favorable to the surging of the two glaciers and the subsequent collapse of the west antarctic ice sheet.

36-1521

Distributive features of permafrost near the Kuixian Daban in the Tianshan Mountains.

Daban in the Tianshan Stountains.

Qui, G., et al. Academia Sinica - Fanchou Estitute of Glaciology and Cryopedology - Memoris, 1981. No. 2, p.1-16. In Chinese 4 rets

Permafrost distribution, Permafrost thermal properties. Frozen ground temperature. Temperature distribution. Mountains.

Experimental formula for determination of natural permafrost table from altitude and latitude.

Xu, X., et al. Academia Sinica. Lanchou Institute of Glaciology and Cryopedology. Memoirs. 1981, No.2, p.17-25. In Chinese. Fu. L. Zhu, L.

Permafrost distribution, Permafrost indicators, Altitude, Mathematical models.

36-1523

Application of the DC vertical electrical resistivity sounding to permafrost surveys. Huang, Y., et al. Academia Sinica. Lanchou Institute

of Glaciology and Cryopedology. No.2, p.26-39, In Chinese. 6 refs. Go. Z., Zeng, Z., Wang, S. Memoirs, 1981,

Permafrost physics, Electrical resistivity, Permafrost thermal properties. Temperature distribution.

36-1524

Formula for calculation of the thickness of the in-sulating layer of the subgrade determined by onedimensional subgrade model experiments.

Ding, D., et al. Academia Sinica. Lanchou Institute of Glaciology and Cryopedology. Memoirs, 1981, No. 2, p. 40-47. In Chinese, M., X., Luo, X.

Subgrades, Thermal insulation, Mathematical models, Experimentation.

36-1525

Observational study about the thermal regime in the subgrade under the heating building and mechanical stability of foundation, Muli District, Qilian Mountain.

Chen, X., Academia Sinica. Lanchou Institute Chaciology and Cryopedology, No. 2, p.48-54, In Chinese. Memoirs, 1981,

Subgrades. Thermal regime, Permafrost beneath structures, Foundations, Frozen ground mechanics, Soil mechanics, Soil strength.

36-1526

Thermal properties of typical thawed and frozen soils, Xu. X., et al. Academia Sinica. Lanchou Institute of Glaciology and Cryopedology. No 2, p.55-71, In Chinese, Tao, Z., Fu, S. Memoirs, 1981,

Ground thawing, Frozen ground temperature, Permafrost thermal properties, Analysis (mathematics), Soil temperature.

36-1527

Frost heave of the seasonal active layer, Muli District, Qilian Mountain.

Chen, X., Academia Sinica. Lanchou Institute of Glaciology and Cryopedology, No. 2, p.72-81, In Chinese, Memoirs, 1981.

Frost heave, Active layer, Frozen ground mechanics, Permafrost physics, Seasonal variations, Mountains.

36-1528

Laboratorial study of frost heave of soils.

Wu, Z., et al. Academia Sinica. Lanchou Institute of Olachdegs and Cryopedology. Memoirs, 1981, No. 2, p. 82-96. In Chinese. Zhang, J., Wang, Y., Shen, Z.

Frost heave, Frozen ground mechanics. Temperature effects. Analysis (mathematics).

36-1529

30-1329 Characteristics of thaw consolidation of permafrost, Muli District, Qilian Mountain. Academia Sinica. Lun, how Institute of Glaciology and Cryopedology Memors, 1981, No.2, p.97-103. In Chinese 2 refs. Permafrost physics, Active layer, Ground thawing, Soil mechanics, Soil stabilization, Mountains, Con-militation. solidation.

36-1530

Preliminary study of thaw settlement of frozen soils. Wu, Z. Ccal, Academia Simea. Lanchou Institute of Olicitology. and Cryopedology. Memoirs, 1981, No. 2, p. 104-112. In Chinese Zhang, J., Wang, Y., Shen, Z.

Frozen ground settling, Ground thawing, Settlement (structural).

36-1531

.

Laboratorial study of the tangential frost-heave force against the foundation during soil freezing.

Wu, Z. et al. Academia Sinica - Lanchou Institute Chacology and Cryopedology. No 2, p.113-128, In Chinese Memoirs, 1981.

Shen, Z. Zhang, J., Wang, Y Frost heave, Loads (forces), Foundations, Soil freezing, Experimentation.

Laboratorial study of adfreezing strength between the foundation and frozen soil.

Wu, Z., et al. Academia Sinica. Lanchou Institute of Memoirs, 1981, Glaciology and Cryopedology. No.2, p.129-141, In Chinese. Wang, Y., Shen, Z., Zhang, J.

Frozen ground physics, Frozen ground strength, Foundations, Adhesion, Temperature effects, Experimentation.

Characters on the maximum snow depth and its probabilistic distribution in Akita district. Ito, T., Seppyo, Sep. 1981, 43(3), p.137-146, In Japanese with English summary. 24 refs. Snow depth, Snow cover distribution, Statistical analysis, Mapping.

Study of heat balance on the Yukikabe snow patch in the Daisetsu Mountains.

Takahashi, S., et al, Seppyo, Sep. 1981, 43(3), p.147-154, In Japanese with English summary. 17 refs.

Sato, A., Naruse, R. Snow thermal properties, Heat balance, Ablation, Air temperature, Radiation, Latent heat, Temperature effects. Mountains.

36-1535

Digital analyses on the seasonal change of the remnant snowpack of Mt. Chokai based on the data of

Tsuchiya, I., Seppyo, Sep. 1981, 43(3), p.155-161, In Japanese with English summary. 8 refs.
Snow cover distribution. Snow depth, Snowmelt.

Remote sensing, Computer applications, LANDSAI. Snow optics, Seasonal variations, Mountains.

Car noise test on snow-covered roads. Shimoda, S., et al, Seppio, Sep. 1981, 43(3), p.163-172. In Japanese with English summary. 4 refs Ishibashi, T., Oshima, M.

Snow roads, Vehicles, Noise (sound), Tests.

Electric-heater-immersed ca'orimeter for the determination of liquid water. Murayama, M., et al, Seppvo, Sep. 1981, 43(3), p.173-

174, In Japanese. 2 refs

Snow water content, Calorimeters.

36-1538

Canadian field activities in ice engineering. Nakawo, M., Seppyo, Sep. 1981, 43(3), p.175-180. In Japanese. 2 refs. Sea ice, Ice strength, Ice navigation, Offshore struc-

tures. Ice surveys, Ice loads, Ice jams, Canada

Last-decennary activities of the avalanche research group in Japan (2). Nitta, R., Seppyo, Sep. 1981, 43(3), p.181-184, In

Avalanche formation, Avalanche forecasting, Countermeasures, Japan.

Arctic Project bulletin, No.33. Fairbanks, Alaska, Outer Continental Shelf Environmental Assessment Program, Apr. 15, 1981, 17p., Refs. passim

Ocean currents, Meteorology, Sea ice distribution, Ice mechanics, Shores, Marine biology, Meetings. United States-Alaska.

Status of the Neoglacial in western Greenland. Kelly, M. Denmark. Gronlands geologiske under-sogelse Rapport, 1980, No 96, 24p. Refs. p 22-24. Glaciology, Glacier oscillation, Moraines, Paleoecology.

36.1542

Problems of modelling a high mountainous drainage basin with predominant snow yields.

Charbonneau, R., et al, Hydrological sciences bulletin, Dec. 1981, 26(4), p.345-361, With French summary 14 refs

Lardeau, J.P., Obled, C.

Snowmelt, Drainage, Hydrology, Mountains, Snow water equivalent, Meteorological factors, Models, Al-

Elevation: a major influence on the hydrology of New Hampshire and Vermont, USA.

Dingman, S.L., Hydrological sciences bulletin, Dec 1981, 26(4), p.399-413, With French summary.

Hydrology, Snowmelt, Runoff, Snow water equivalent, Snow depth, Altitude, Air temperature, Evapotranspiration, Floods, Slope orientation.

Regional modelling of ablation in West Greenland. Braithwaite, R.J. Denmark Gronlands geologiske undersögelse Rapport, 1980, No. 98, 20p., 25 refs. Glacier ablation, Glacial hydrology, Runoff, Water eserves, Air temperature, Models, Weather stations, Greenland.

36-1545

Glaciological investigations at Qamanárssup sermia. West Greenland.

Olesen, O.B., Denmark Grönlands geologiske undersögelse. Rapport. 1981, No.105, p.60-61.
Glacier ablation, Glacier mass balance, Temperature effects, Meteorological factors, Greenland.

36-1546

Glaciological investigations in Johan Dahl Land 1980, South Greenland.

Clement, P., Denmark Gronlands geologiske under-Rapport, 1981, No.105, p.62-64, 3 refs Glacier mass balance, Glacier ablation, Glacial lakes, Glacial hydrology. Seasonal variations, Altitude, Greenland.

Modelling glacier hydrology in West Greenland. Braithwaite, R.J., Denmark. J., Denmark. Grönlands geologiske Rapport, 1981, No.105, p.64-66. undersogelse.

Glacial hydrology, Runoff, Precipitation (meteorology), Temperature effects, Evaporation, Glacier mass balance, Models.

Status of the West Greenland glacier inventory 1980. Weidick, A., Denmark Gronlands geologiske under-sögelse. Rapport, 1981, No.105, p.66-67, 4 refs. Glacial hydrology, Glacier mass balance, Drainage, Runoff, Glacier ablation, Mapping.

36-1549

Comparison of thermal observations of Mount St. Helens before and during the first week of the initial 1980 eruption.

St. Lawrence, W., et al. *Science*, Sep. 26, 1980, Vol.209, MP 1482, p.1526-1527, 11 refs.

Qamar, A., Moore, J., Kendrick, G. Thermal regime, Volcanoes, Temperature measure-

ment, Infrared reconnaissance, Mountains, Volcanic ash, United States-Washington-Mount Saint Helens.

36-1550

Petrology of the ultramafic and gabbroic rocks of the Brady Glacier nickel-copper deposit, Fairweather Range, southeastern Alaska.

Himmelberg, G.R., et al. U.S. Geological Survey Professional paper, 1981, No.1195, 26p., Refs. p.24-

Loney, R.A.

Glacial deposits, Rocks, Chemical composition.

Ethnobotany of the eskimos of Nelson Island, Alaska. Ager, T.A., et al. Arctic anthropology, 1980, 17(1), p.27-48, 30 refs. Ager, L.P.

Vegetation, Plants (botany), Agriculture, Polar regions, Survival, United States-Alaska-Nelson Is-

36-1552

Where would warm Willard Scott be without a Canadian cold front. Canada today d'amourd'hiii. Aug. 1980, 11(7), 15p.

Weather observations, Sea ice, Ecology, Offshore drilling. Air temperature, Wind factors, Icebergs,

36-1553

Simple mechanical model for rockslides and ava-Pariscau, W.G., Engineering geology, 1980, 16(1-2),

p 111-123, 5 rets Landslides, Rock mechanics, Slope processes, Math-

Melt season changes in arctic ice. Wen, T., et al. Ocean 80 IEEE International Forum on ocan recean Ocean 80 (EEE International Forum on Ocean Engineering in the 80s, Seattle, Washington, Sept. 8-10, 1980. Proceedings, New York, Institute of Ficcincal and Electronics Engineers, 1979, p.114-122.7 rets

Garrison, G.R., Francois, R.E.

Sea ice, Ice temperature, Ice acoustics, Ice melting, Seasonal ablation, Ice bottom surface, Temperature effects, Ice cores, Ice heat flux.

Arctic seafloor structure and tectonic evolution. Sweeney J.F., Paleoreconstruction of the continents. Geodynamics series, 1981, Vol.2, p.55-64, Refs. p.62-

Ocean bottom Structural analysis, Pack ice, Continental drift, Marine geology, Profiles, Tectonics.

Underwater acoustics in the Canadian Archipelago. A chall, R. ind., 6p. 24 figs., Paper to be presented at Acoustical Society of America Meeting, Ottawa, May 18-22, 1981. For abstract see Acoustical Society of America. Journal, Spring, 1981, Vol.69. Suppl 1, p S18

Underwater acoustics, Sea ice, Subglacial observations. Ice bottom surface.

36-1557

Out-of-phase Holocene climatic trends in the maritime and continental sectors of the Alaska-Canada Boundary Range.

Miller, M.M. et al. Quaternary environments. Proceedings of Symposium on Quaternary Research. Geographical monographs, No.5, Toronto, Canada, York University, 1974, p.33-58, 27 refs. Anderson, J.H

Climatic changes, Glaciology, Glaciers, Palynology, Paleoclimatology.

36-1558

Thermal response of Lake Ohrid, Yugoslavia to

meteorological conditions.
Ontcalt, S.L., et al. Archiv für Hydrobiologic, May 1981, 91(2), p.181-191, 17 refs. Allen, H.I.

Thermal regime, Lake water, Snowmelt, Runoff, Meteorological data, Mountains, Yugoslavia-Ohrid Lake.

36-1559

Criteria for selecting optimal transportation routes for Siberian gas, ¡Kriterii dlia vybora optimal'nykh

apraylem transporta sibirskogo gazaj.
 Destsakian, A.K., et al. Strone/Sivo truboprovodos.
 Og. 1981, No. 10, p.5-6. In Russian
 No. 10, p. 10

Gas pipelines, Permafrost beneath structures, Engineering geology. Frozen rock temperature, Snow depth.

Lemporary roads with interlayers of nonwoven synthetic materials. A remembye dorogi s proslotkoi iz

(3) anogo sinteri, heskogo materialaj.
Zie evich, A.M., et al. Strontelstvo truboprovodov.
O. (1981) No 10, p.9-11. In Russian
Sittarov, J.Kh., Entorianskii, V.A., Pakhomov, A.I.

Pipelines, Swamps, Roads, Roadbeds, Embankments,

36-1561

Hydraulic recovery of deep-seated sands for foundation and road construction. (Gidronamys glubinnogo non-index road construction, Creationally gradinogo-nistic pro-social mean cosmovating density, Criphysis, N. 17. (c) at Strong Syro traboprovodes, O : 1981 No. 10. p. 1814, In Russian Pipelines, Roads, Foundations, Embandments,

Swamps, Hydraulic fill, Sands, Clays.

Influence of thermal insulation on metal corrosion in panels of large-component structures. (Vinanic uteplica korrozuc metallos v paneliakh blochno-kom-

n Cett velt ustroisty). 8. cha (F. B.T. & Lat. *Straite/Sixo traboprovodo*). Oct (98) (No. 10) n. 15. In Russian 8. cha (S.E. I. Voyceva, I.A.).

Petroleum industry, Large panel buildings, Panels, Metals, Thermal insulation, Plastics,

36-1563

Thermosiphon anchors in pipeline construction, ${}_{I}P(i)$ menenic termosifonos dha zakreplenia trabo-

Kamenskii, R.N., et al. Stroitel'sivo truboprovodov Oct. 1981, No.10, p.16-17, In Russian 1 ret Mel'tser, M.S., Shabanov, P.P., Doroshenko, I.G.

Pipelines, Permafrost beneath structures, Active layer, Swamps, Anchors, Thermopiles, Permafrost control.

36-1564

Increasing the effectiveness of the "Sever-1" assemblies. (Povysit' effektivnost' ispol'zovanija komplek-

sov Sever-1₁, Agapkin, V.M. Stroitel'stvo truboprovodov. Oct 1981, No.10, p.24-25, In Russian.

Pipelines, Joints (junctions), Permafrost beneath structures, Welding, Cold weather construction.

36-1565

Analysis of pneumatic transportation systems with air-cushion containers. (Analiz pneymotransportnykh konteinernykh sistem s aerostatieheski vzveshennymi

podvizhnymi sostavamij. Zaverukha, P.P., et al. *Stroitel stvo truboprovodov*. Oet. 1981, No.10, p.29-32. In Russian. Lemak, E.V.

Pipelines. Air cushion vehicles. Transportation. Pneumatic lines.

Controlling pipline sagging in weak and thawing grounds. ¡Upravlenie osadkami truboprovodov na slabykh i ottaivaiushchikh gruntakh₁.

Klement'ev, A.F., Stroite/stvo truboprovodov, Oct 1981, No.10, p.33, In Russian.

Petroleum industry, Pipelines, Embankments, Settle-ment (structural), Permafrost beneath structures, Frozen ground settling, Ground thawing.

Cleaning of pipelines under field conditions, (Ochistka polosti trub v trassovykh uslovitakh). Cheskidov, V.B., et al. Stroitel stvo truboprovodov, Oct. 1981, No.10, p.37, In Russian. Skorniakov, S.V., Bykova, N.S.

Petroleum industry, Pipelines, Snow removal.

36-1568

Modular residential houses for outposts and expeditions. (Vakhtovye i ekspeditsionnye zhilye kompleksy iz ob"emnykh blokovy

Malofeeva, L.I., Stroite/stvo truboprovodov, Oct. 1981, No.10, p.40-41, In Russian. Modular construction, Residential buildings, Perma-

frost beneath structures, Design.

Mobile supports for floodlights, [Mobilinaia os-

vetitelinaia oporaj. Gutnik, V.A., et al, *Stronel'stvo truboprovodov*, Oct. 1981, No 10, p.42, In Russian Roshal', A.A

Supports, Construction, Site accessibility, Illuminating, Floodlights.

36-1570

Design of pipelines for liquefied gases. [Procktirovanie truboprovodov dlia transportirovki szhizhennogo prirodnogo gazaj.

Zusman, E.S., et al. Stroitel stvo-truboprovodov, Oct 1981, No.10, p.45-47, In Russian Krepkova, E.L.

Liquefied gases, Pipelines.

Calculating temperature field of pipes in a plate under third order boundary conditions. [Raschet temperaturnogo polia trub y plite pri granichnykh usloviiakh tiet ego roday, Likhtenshtein, E.L., Russia – Ministerstvo vysshego

sechiego spetsial nogo obrazovania – Levestiia vys sliikh iichebiiykh zavedenii – Stroitel/stvo i arkhitek-tura, 1981, No.10, p.101-107, In Russian – 8 rets

Prefabrication, Panels, Pipes (tubes), Refrigeration. Heating, Defrosting, Ice prevention, Pavements, Buildings, Walls, Heat transfer.

Pollen viability and pollination of Arctic plants. (Zhiznesposobnosť pyřtsy i opylenie arkticheskikh rastening.

Tikhmeney, F.A., Ekologia, Sep.-Oct. 1981. No 5 p 25-31. In Russian - 25 rets

Arctic landscapes, Plant ecology, Plant physiology, Pollen.

Seasonal and daily root increment of pine depending on soil temperature. (Sezioto y ... sidochny) prinost korne, sosia obyktoriet (sid v ...) sim ost, od tempera tary poehyy. Prokushkin, 8 G., I kowyma, 8ep (O.), 1981. No.8

32.39 In Russia

Taiga, Cryogenic soils, Plant physiology, Roots, Soil freezing. Soil temperature. Frost penetration, Active layer.

Analyzing deformations of buildings and structures Analyzing deformations of northern Caucasus, phadizzasca vienie prichin deformatsa zdanii soorazhenii viene prichin deformatsa zdanii soorazhenii viene gional nykh inkovitakli Severingo Kaya (zaj. Kolomeitse). V. L. et. al. Nettepromyslovoe strostefstro. 1981. Ni D., p. 19-23. In Russian - Life Golovchenko, V. L., Basov, F. D.

Buildings, Pipelines, Foundations, Loess, Settlement (structural), C'ny soils, Wettability.

Stability of pile foundations of overhead-line supports on permafrost, (Ustoichivost' scainy) h fundamentos oper VI. na vechnomerzlykh grantakh; Seliann, A.I. Energetischeskae sitiedersive. Oct. 1981, No.10, p.62-64, in Russian. 1 ref. Power line supports, Foundations, Piles, Permafrost

beneath structures.

36-1576

Influence of polimerization regime on properties of polymer concretes. (Vlaume rezhina propitki polimerizatsionnoi sredy i polimerizatsii na nekotorye svoistva betonnopolimerovj.

Burchuladze, Sh.V. et al. Energeticheskoe strontel/stvo. Oct. 1981, No.10, p.64-66, In Rassam in

Donin, M.A., Bilanishvili, I. G.

Concretes, Polymers, Concrete freezing, Frost resistance.

36-1577

Effectiveness of surface ramming, (Effektivnost) po-

verkhnostnogo trambovanna). Galitskii, V.G., et. al. Mekhanizatsia stroite/stva. Nov. 1981, No.11, p.11-13, In Rassian Lychko, IU. M.

Earthwork, Soil compaction, Loess, Clay soils, Earth fills, Sands, Earth dams.

Soil compaction with hydraulic hammers. (Uplottic-

Soil compaction with sign and manners, je produc-ing grantov gult-onologamy. Saibel', E.I.V., et al. Mekhamzatsna stroner stva, Nov-1981, No H. p. 18-14. Ir. Russam Grandspon, I.V., Hantov, K.K. Earthwork, Soil compaction, Earth fills, Construction

equipment, Frozen ground.

36-1579

Hardened surfacing of road wheels of high-power bulldozers designed for the Far North, (Napulyku 8 ob-Temnor variation opening the hathory moshehave his bud-dozenov, rubutanash, but his lash makin Kramego Sev-

Corp.

Ermolaev, S.V., et al. Mekharazasna shontefstva.

Dec. 1981. No.12, p.5.6, b. Passiar.

Suslov, A.V.

Earthwork, Construction equipment, Tracked vehicles, Excavation, Permatrost.

Display pavilion "Construction and road building equipment", A ci sportso p. diona (Strotte'i ye dorozhoy, mashoy)

Volkova – VII. – Mekham atsaa stronte/srea – Dec 1981, No. 2, p. 2027, In Russian

Construction equipment, Roads, Earthwork, Cranes (hoists), Tractors, Drills, Frozen ground.

Physical properties of chemically impure ice sheets. Inneo, G.W. et al. National R search Coursell Canada Division of Mechanical Engineering Laboratory technical report Leb (1980) 1 IR-L1-11 S Top > 20 f.28 (16 s.)8 Martin R A

Ice physics, Doped ice, Ice composition, Ice sheets, Flexural strength, Strains, Ice models, Solutions, Freezing, Impurities, Experimentation

New considerations on one dimensional thermal expansion coefficient of asphalt. [Neue Uberlegungen zum eindimensionalen thermischen Ausdehnungsko-

effizenten von Asphalty. Löffler, M., Bitumen, Sep.-Oct. 1981, 43(5), p.159-163. In German. 4 refs.

Bitumens, Thermal expansion, Temperature effects, Concrete admixtures.

36-1583

Heavy metal enrichment in antarctic precipitation

and near surface snow.
Warburton, J.A., et al. Pure and applied geophysics.
1980, Vol.118, p.1130-1144, 24 refs.
Molenar, J.V., Owens, M.S., Anderson, A.

Snow composition, Snow mechanics, Precipitation (meteorology), Snow impurities.

Snow composition, Snow mechanics, Precipitation (meteorology), Snow impurities.

Ion exchange and flameless atomic absorption spectrophotometry methods were used to measure the concentrations of sodium, manganese, iron and silver in snow accumulating at several sites on the Antarctic continent. The results show that the ratio of Mn/Fe is consistently close to the crustal values at all sites. The silver concentrations observed suggest a different origin, probably oceanic. When referenced to sodium, the degrees of enrichment of silver, manganese and iron increase by factors of 8, 2 and 2 respectively over a distance of 500 km from the ocean, after changes in sodium are accounted. Investigation of the heavy metal content of fresh falling precipitation occurring on the Ross Ice Shelf, has shown that more enhanced enrichments of silver, manganese and iron occur in this fresh precipitation by factors up to 100, than in samples of snow and fim collected from shallow (up to 2 meters depth) pits at the same locations. Because occurrences of these precipitation types vary temporally and geographically it seems apparent that the shear stress conditions in the near surface boundary layer need to be considered in studies of snow and ice chemistry, particularly in polar regions where the chemical composition of permanent snow and ice fields is often investigated for evidence of climatic change, of glaciological behavior and of origins of chemical constituents. (Auth.)

Studies of the glacial cover and periglacial areas of Studies of the glacus cover and periodical sections as Severnaya Zemlya. (Issledovaniia lednikovogo pokrova i perigliatsiala Severnoi Zemlij, Korotkevich, E.S., ed, Leningrad. Arkticheskii i an-

Korotkevich, E.S., ed. Leningrad. Arkticheskii i antarkticheskii nauchno-issledovatel skii institut.
Trudy. 1981, Vol.367, 170p., In Russian. For individual papers see 36-1585 through 36-1603. Refs.

passim. Semenov, I.V., ed. Govorukha, L.S., ed.

Glaciology, Geomorphology, Research projects, Glaciers, Ice sheets, Deserts, River basins, Geocryology, Cryogenic soils, Glacial hydrology, Geophysical surveys, Thermal drills, Periglacial processes, USSR— Severnaya Zemlya.

Studies of the Severnaya Zemlya Glaciological Re-search Station. [Issledovaniia Severozemel'skogo

search Station. [Issicuovamus gliatsiologicheskogo statsionara, Govorukha, L.S., Leningrad. Arkticheskh i antarkti-cheskh nauchno-issicuovatel skh institut. Trudy. 1 ref. 1 ref

Cheskii nauchno-issecovaterskii missiati. 1181. Vol.367, p.5-8, in Russian. 1 ref. Glaciology, Research projects, Deserts, Ice sheets, Glaciers, Glacial hydrology, Geophysical surveys, Thermal drills, Geomorphology, Mass balance, Heat

Morphology of Severnaya Zemlya glaciers. Mor-

fologija lednikov Severnoi Zemlij. Seinenov, I.V., Leningrad, Arkticheskii i antarkti-cheskii nauchno-issledovatel skii institut. Trudy.

1981, Vol. 367, p. 9-20, In Russian. 18 refs. Glaciers, Ice sheets, Snow cover distribution, Geo-morphology. Snow surveys, Glacier surveys.

Space regularities governing glaciation development in Severnaya Zemlya. (Prostranstvennye zakonomer-

nosti razvitila oledenenila Severnol Zemlij. Semenov, I.V., Leningrad, Arkticheskii i antarkti-cheskii nauchno-isededovateľskii institut. Trudy. 1981, Vol. 367, p. 21-30, In Russian. 21 refs.

Ice cover, Distribution, Altitude, Mountain glaciers, Ice cover thickness, Ice shelves, Shores.

Budget of the external mass transfer of Severnaya Zemlya glaciers. (Biudzhet vneshnego massorbmena oledeneniia Severnoi Zemli v 1974-1976 gg.). Govorukha, L.S., Leningrad. Arkticheskii i antarkticheskii nauchno-issledovatel/skii institut. Trudy. 1981. Vol. 367, p. 31-37. In Russian. 7 refs. Glaciers, Ice sheets, Ice shelves, Glacial hydrology.

36-1589

Glaciologic and climatic characteristics of the Vavilov dome during ablation. (Gliatsioklimaticheskaia kharakteristika kupola Vavilova v period abliatsii). Briazgin, N.N., Leningrad, Arkticheskii i antarkti cheskii nauchno-issledovatel'skii institut Trudy. 1981, Vol.367, p.38-53, In Russian 5 refs

Glacier ablation, Snow melting, Meteorological factors, Water vapor, Mass balance, Condensation, Sub-

Temperature regime of the Vavilov dome to the depth of 11 m. (O temperaturnom sostoiann lednikovo) tolshchi kupola Vavilova do glubiny 11 mj. Barbash, V.R., et al. Leningrad Arkticheskii rantark-ticheskii nauchno-issledovatel skii institut Trudy, 1981, Vol.367, p.54-57, In Russian 3 refs Govorukha, L.S., Zotikov, I.A.

Glacier surveys, Glacier thickness, Ice temperature, Glacier flow, Glacial hydrology.

Results of radar-gliaciological investigations on Severnaya Zemlya. (Nekotorye rezul'taty radiogliatsi-ologicheskikh issledovanii na Severnoi Zemle). Bojarskii, V.I., et al, Leningrad. Arkticheskii i antarkticheskii nauchno-issledovatel skii institut. Truds. 1981, Vol.367, p.58-63, In Russian. 1 ref. Govorukha, L.S., Fedorov, B.A.

Glacier ice, Ice (water storage), Glacier surveys, Radio echo soundings, Ice cover thickness, Subglacial observations, Bottom topography, Radar echoes, Airborne radar.

Using AANII thermodrills in experimental drilling of cold ice sheets. (Eksperimental'nye raboty po bureniiu kholodnykh pokrovnykh lednikov termoburovymi snariadami AANII₁,

Morev, V.A., et al. Leningrad. Arkticheskii i antarkticheskii nauchno-issledovatel skii institut. Trudy. 1981, Vol.367, p.64-68, In Russian. Pukhov, V.A.

Glacier ice, Thermal drills, Ice sheets, Ice coring drills, Ice drills.

Oxygen-isotope studies of surface layers of the Vavilov ice dome. [Rezul'taty izotopno-kislorodnykh issledovanii poverkhnostnykh sloev lednikovogo kupola

Gordienko, F.G., et al, Leningrad. Arkticheskii i antarkticheskii nauchno-issledovatel skii institut. tarkticheskii nauchno-issledovatel'skii institut. Trudy, 1981, Vol.367, p.69-74, In Russian. 7 refs. Barbash, V.R., Klement'ev, O.L.

Glacier ice, Snow cover, Firn stratification, Isotope analysis, Oxygen isotopes.

Microtexture of ice in the central part of the Vavilov dome. ¡Mikrostruktura l'da tsentral'noi chasti kupola

Vavilova₁, Portnov, V.G., et al. Leningrad. Arkticheskii i antarkticheskii nauchno-issledovateľskii institu Trudy, 1981, Vol.367, p.75-80, In Russian. 9 refs. Tarasov, L.S., Klement'ev, O.L.

Drill core analysis, Ice cores, Microscope slides, Microstructure, Ice crystal size, Recrystallization.

Regularities governing transformations of air inclusion forms in the Vavilov dome ice. [Nekotoryc zakonomernosti preobrazovaniia formy vozdushnykh vkliuchenii vo l'du (na primere kupola Vaviloval). Portnov, V.G., Leningrad, Arkticheskii i antarkticheskii nauchno-issledovatel'skii institut. Trudy. 1981, Vol.367, p.81-85, In Russian 5 refs. Glacier ice, Snow cover, Firn stratification, Impurities, Gas inclusions.

36-1596

Discharge and water balance of rivers on Oktyabr'skaya Revolyutsiya Island (Severnaya Zemlya), (Stok i vodnyi balans rek o. Oktiabr'skoi Revoliutsii Severnaia Zemlia),

Mordvinov, A.A., Leningrad. Arkticheskii i antarkticheskii nauchno-issledovateľskii institut 1981, Vol 367, p.86-102, In Russian. - 8 refs.

Glacial hydrology, Runoff, Glacial rivers, Hydrography. Alimentation, Discharge.

36-1597

Lakes on Oktyabr'skaya Revolyutsiya Island. (Oscia

Mordy moc, A. V. Leningrad — Arkine teskier antari ti-cheskie maichnors slediovatel skie institut — Tridy 1981, Vol. 367, p. 105-110, In Russian — Sees.

Glacial hydrology, Glacial lakes, Ice conditions, Classifications, Thermal regime, Water temperature, Gases, Alimentation.

36-1598

Geomorphologic investigations performed by the Severnaya Zemlya expedition of the AANII Island of Oktyabr'skaya Revolyutsiya during 1974-76 Istand of Oktyabr Skaya Revolyutsiya during 1974-76 (short review), [Geomo fologicheskie isskedox anna Severozemel'skor ekspeditsi AANII o Oktiabr'skor Revolutsii v 1974-1976 gg. (fratkii obzorti). Makeex, V M. [Tempirad Witcheskii rantakti-cheskii nauchno-issledivatel'skii aistitat Trudy. 1981, Vol.367, p.111-119, In Russian 9 refs Expeditions, Quaternary deposits, Geomorphology,

Glaciology, Glacial lakes, Bottom sediment, Drill core analysis, River basins, Valleys, Mapping. 36-1599

Valley structure of the Ushakov and Knizhnava rivers (Oktyabr'skaya Revolyutsiya Island). (O stroenii dolin rek Ushakova i Knizhnoi o. Oktiabi skoj Revolud-

Makeev, V.M., et al. Leningrad. Arkticheskii ran-tarkticheskii nauchrostssiedovatel skii institut. Tridy. 1981, Vol 36°, p. 120-128. In Russian in ret Malakhovskii, D.B., Makhov, V.A. River basins, Valleys, Geomorphology, Glaciation, Glacial erosion, Glacial deposits, Moraines.

36-1600

Studies of permafrost phenomena on Oktyabr'skaya Revolyutsiya Island. Nekotorye rezulitaty izucheniia merzlotnykh javleni na o Oktabi skot Revolutsiji. Otlov, A.V. Leningiat – Arkti, beski i antarkti, bes kli mauchnojistedovateľ skli vistitat – Frady. [98] Vol.367. p.126-131. In Russiae – S tels

Geocryology, Periglacial processes, Glacial erosion, Permafrost depth, Active layer, Ground ice, Ice structure. Continuous permafrost. Slope processes, Solifluction.

Soil formation in Arctic deserts of Oktyahr'skaya Revolyutsiya Island (Severnaya Zemlya). [O pochvoobrazovanii v usloviiakh arkticheskikh pultyn o Oktiabr'skoi revoliutsii (Severnaia Zemlia);.

Govorenkov, B.F., Leningrad Arkticheskii i antarkticheskii nauchno-issledovateľskii institut 1981, Vol.367, p.132-141. In Russian 10 rets Polar regions, Deserts, Cryogenic soils, Soil formation, Vegetation factors.

36-1602

Flora of Oktyabr'skaya Revolyutsiya Island. [Flora o Oktiabr'skoi Revolutsin. Safronova, I.N., Leningrad — Arktichesko i antaikti-

Satronova, A.S., Cennigrad, Arkheneskin Fantarkti-cheskli, nanchno-issledovateľski, institut – Trudy, 1981, Vol 367, p. 142-150, In Russian – 3 rets Polar regions, Landscape types, Plant ecology, Eco-

systems.

36-1603

First results of studying the structure of periglacial geosystems on Oktyabr'skaya Revolvutsiya Island. (Pervye rezul'taty izuchenia struktury penghatsial-nykh geosistem o Oktiabr'skoi Revoliutsii).

Simonov, I.M., et al. Leningrad Arkticheskii i antarkticheskii nauchno-issledovateľskii institut Trudy, 1981, Vol. 367, p. 151-170, In Russian 10 refs tL nak. R t

Periglacial processes, Mountains, Plains, Shores, Landscape types, Mapping, Charts.

36-1604

Observational and numerical study of the atmospheric boundary layer overlying the east antarctic

Neff, W.D., U.S. National Oceanic and Atmospheric Administration — Technical memorindian, Feb. 1981 NOAA TM FRI-WPL-67, 272p, Refs. p. 204-213. This NOAA TM is essentially a copy of Neff's Pb. D dissertation approved by the University of Colorado June 1980

Ice sheets, Atmospheric composition, Boundary layer, Mathematical models.

This thesis presents an observational and numerical study of the Inis thesis presents an observational and numerical study of the lowest few hundred meters of the atmosphere overlying the East Antarctic tee sheet. In the past, the harsh environment of Antarctica limited any detailed studies of the boundary layer to the lowest few tens of meters. In particular, full use could not be made of the research site at Amundsen-Scott station which is characterized by a remarkable surface uniformity and slope, the lack of an insolation cycle, and an almost continuous loss of heat through radiation to space. Acoustic remote s ing devices overcame these limitations, providing added insight into the structure and evolution of this stable atmospheric into the structure and evolution of this state satisfactory.

boundary layer. The study falls into two parts. The first deals with obtaining and interpreting new observations. The second consists of testing and determining the limits of a simplified second-order turbulence closure model when applied to these new data. (Auth. mod.)

36.1605

Mechanical properties of LiCl-doped model ice. Timeo, G.W., National Research Council, Canada Division of Mechanical Engineering, Hydraulies Laboratory, Technical report, May 1980, LTR-HY-

Laboratory. Tel. 79, 29p., 17 refs.

Ice mechanics. Doped ice, Ice physics, Ice growth, Ice structure, Flexural strength, Shear strain, Sea ice.

36-1606

Freshwater ice thickness observations using passive microwave sensors

Hall, D.K., et al. IEEE transactions on geos remote sensing. Oct. 1981, GE-19(4), p.189-193, 11 refs.

Tester, J.L., Chang, A.T.C., Rango, A. Ice cover thickness, Microwaves, Radiometry, Remote sensing, Lake ice, Snow cover effect, Snow

36-1607

HF radio wave transmission over sea ice and remote sensing possibilities.

Hill, D.A., et al. IEEE transactions on geoscience remote sensing. Oct. 1981, GE-19(4), p.204-209, 17

Wait, J.R.

Sea ice, Ice cover thickness, Radio waves, Wave propagation, Ice cover thickness, Attenuation, Analysis (mathematics).

36.1608

HF ground wave propagation over mixed land, sea, ea-ice paths

Hill, D.A., et al. IEEE transactions on geoscience and remote sensing. Oct. 1981, GE-19(4), p.210-216, 23

Wait, J.R

Sea ice, Land ice, Sea water, Wave propagation, Attenuation, Remote sensing, Analysis (mathematics).

Ice conditions in the eastern Bering Sea from NOAA and LANDSAT imagery: winter conditions 1974, 1976, 1977, 1979.

McNutt, L., U.S. National Oceanic and Atmospheric Administration NOAA technical memorandum, [1980]. ERL PMEL-24, 179p., 8 refs.

Ice conditions, Sea ice distribution, Remote sensing, IANDSAT, Statistical analysis, Maps, Charts, Polynyas, Winter.

36-1610

Glacial landforms: Des Moines drift sheet, Iowa.

Palmquist, R. et al. Association of American Geogra-Annals, 1978, Vol.68, p.166-179. Connor, K.

Landforms, Moraines, Landscape types, Topographic features, Glacial processes, Soil formation.

Soil formation in northeastern Canada

Moore, T.R., Association of American Geographers, Annals, 1978, Vol.68, p.518-534, 28 refs. Soil formation, Soil profiles, Decomposition, Canada.

Protection of vegetation in Siberia. (Okhrana rastitel'nogo mira Sibirij. Malyshev, L.L., ed. Novosibirsk, Nauka, 1981, 224p.

Malysine For seice Refs. passim. Taig For selected papers see 36-1613 through

Alpine landscapes, Taiga, Paludification, Landscape types, Cryogenic soils, Saline soils, Human factors, Environmental protection.

Changes in the Baraba Plain vegetation due to human activities. [Izmenenie rastitel'nogo pokrova Barabinskot nizmennosti pod vlijamem khoziajstvennoj dejatel nosti chelovekar.

Vagina, T.A., Okhrana rastitel'nogo mira Sibiri (Protection of vegetation in Siberia) edited by L.I. Malyshev, Novosibirsk, Nauka, 1981, p.54-59. In Russian

Taiga, Cryogenic soils, Paludification, Saline soils, Human factors. Environmental protection.

36-1614

Structural changes in steppe phytocenoses of Tuva induced by human activities, [Izmenenie struktury stepnykh fitotsenozov Tuvy pod vlijaniem an-

tropogennykh faktoroy; Gorshkova, A.A., et al. Okhrana rastitel'nogo mra Sibiri (Protection of vegetation in Siberia) edited by L.I. Malyshev, Novosibirsk, Nauka, 1981, p.59-72, in Russian. 15 refs.

Shushueva, M.G.

Steppes, Grasses, Cryogenic soils, Plant ecology, Ecosystems, Human factors, Environmental protection.

36-1615

Preservation of initial vegetation sections in the Salair Range taiga. ¡O sokhranenii etalonnykh uchast-kov chernevoi taigi na Salairskom kriazhej. Lashchinskii, N.N., Okhrana rastitel nogo mira Sibiri

(Protection of vegetation in Siberia) edited by L.I. Malyshev, Novosibirsk, Nauka, 1981, p.106-110, In Russian. 10 refs. Russian.

Taiga, Cryogenic soils, Landscape types, Environmental protection.

36-1616

Scientific bases for protection of forest vegetation. [Nauchnye osnovy okhrany lesnot rastitel nosti], Popov, L.V., Okhrana rastitel nogo mira Sibiri (Protection of vegetation in Siberia) edited by L.I. Malyshev Novosibirsk, Nauka, 1981, p.127-138, In Russian. 45

Forest land, Forest soils, Cryogenic soils, Human factors, Environmental protection.

Introduction of nemorose relicts from the Siberianpine mountain taiga in Kuznetskiy Alatau to an a tificially created community of taiga vegetation. [Introduktsiia nemoral nykh reliktov chernevoi taigi Kuznetskogo Alatau v iskusstvenno sozdavaemyi fitotsenozj.

Lubiagina, N.P., Okhrana rastitel'nogo mira Sibiri (Protection of vegetation in Siberia) edited by L.I. Malyshev, Novosibirsk, Nauka, 1981, p.160-166. In Russian 16 refs.

Introduced plants, Taiga, Landscape types, Plant ecology, Ecosystems, Snow cover effect. Human factors.

Reliable foundation for the Baykal Amur railroad tracks. [Zheleznodorozhnomu puti BAMa nadezhnoe osnovanie_i,

Merenkov, N.D., et al. *Transportnoe stroitel'stvo*. Dec. 1981, No.12, p.8-10. In Russian.

Tsyclodub, B.I.

Embankments, Roadbeds, Foundations, Permafrost beneath structures, Active layer, Baykal Amur rail-road, Settlement (structural).

Determining actual steepness of excavation slopes. Opredelenie fakticheskogo znacheniia krutizny otkosa vyemkij. Vizirov, IU.V., et al, Transportnoe stroitel stvo. Dec.

1981, No.12, p.10-11, In Russian, Sokolov-Barkov, O.V.

Earthwork, Permafrost beneath structures, Excavation, Embankments, Slopes, Seasonal freeze thaw, Baykal Amur railroad.

36-1620

Improving the quality and performance of road-construction equipment. [Povysit kachestvo i nadezhnost' putevoi tekhnikij.

Shvadronov, V.A., Transportnoe stronel stvo. Dec 1981, No 12, p.24-25, In Russian

Embankments, Permafrost beneath structures, Cold weather construction, Construction equipment, Baykal Amur railroad.

36-1621

On antarctic glaciology: ice sheets and ice cores Weertman, J., et al. *Nature*, Nov. 19, 1981, 294(5838), p.210-212 Peel D A

Meetings, Paleoclimatology, Ice composition, Ice

General brief accounts of papers presented at the Third International Symposium on Antarctic Glaciology held at Ohio State University, Sept. 1981 are given. One author (IW) reports the major themes of these papers dealing with toe sheets the stability of West Antarctica, the effect of increased atmospheric stability of west Antactica, the effect of increased almospheric CO2, and computer modeling of the neckerg callying process. The other author (D.A.P.) gives the gist of those papers treating interpretation of one cores obtained from the many drilling programs in progress in Antactica. Core chemistry, particularly with regard to sulphate and nitrates in snow and i.e., constitutes the major point of discussion

Karst of Siberia and the Far East, [Karst Dallnego

Vostoka i Sibirij. Demin, E.V., ed. Vladivostok, 1980. 166p., In Russian For selected papers see 36-1623 through 36-1625 Refs. passen

Krasnov, E.V., ed. Tsykin, R.A., ed.

Karst, Ice caves, Icing, Ice formation, Naleds, Lake Ground ice, Permafrost distribution, Thermokarst, Permafrost hydrology,

Karst in Primor've, Khabarovsk and Amur regions, įKarst Primorskogo, Khabarovskogo kraev i Amurskor oblastų,

Demin, L.V., et al. Karst Dal'nego Vostoka i Sibiri (Karst of Siberia and the Far East) edited by L.V. Demin, E.V. Krasnov and R.A. Tsykin, Vladivostok, 1980, p.5-54, In Russian. 56 refs. Berseney, H. L. Tatarnikov, V.A.

Karst, Ice caves, Microclimatology, Ice formation, Naleds, Lake ice, Ground ice, Permafrost distribution, Ice crystals.

36-1624

Karst of the Mar-Kyuel' plateau. [Karst plato Mar-

Berseney, IU.L. Karst Dal'nego Vostoka i Sibiri (Karst of Siberia and the Far East) edited by L.V. Demin. E.V. Krasnov and R.A. Tsykin, Vladivostok, 1980, p.105-109. In Russian

Thermokarst, Ground ice, Permafrost hydrology, Thermokarst lakes.

Icing of caves as a part of Earth's glaciosphere, (Oledenenie peshcher kak chast' gliatsiosfery Zemlij. Dmitriev, V.E., Karst Dal'nego Vostoka i Sibiri (Karst of Siberia and the Far East) edited by L.V. Demin, E.V. Krasnov and R.A. Tsykin, Vladivostok, 1980, p.130-145. In Russian. 27 refs.

Ice caves, Karst, Icing, Ground ice, Terminology, Theories.

36-1626

Complex geographic studies of economically developing regions in Siberia. (Kompleksnye geograficheskie issledovanija osvajvaemykh rajonov Sibiriy.

Belov, A.V., ed. Irkutsk. 1980, 156p., In Russian. For selected papers see 36-1627 through 36-1632. Refs.

Alpine tundra, Taiga, River basins, Plains, Naleds, Ground ice, Permafrost hydrology, Cryogenic soils. Biomass, Ecosystems, Environmental protection.

36-1627

Small erosional forms of relief in Transbaikal steppes Malye erozionnye tormy rel'eta stepnogo Zahar-

Liubtsova, E.M., Kompleksnye geograficheskie issledovanija osvajvacinykh taionov Sibiri (Complex geographic investigations of economically developing regions in Siberia) edited by A.V. Belov, Irkutsk, 1980. p.14-23. In Russian Trets Steppes, Cryogenic soils, Slope processes, Ground

ice, Soil erosion, Frozen fines, Fracturing, Wind erosion, Vegetation factors.

Snow cover formation and distribution in the taiga zone of western Siberia. (Nekotorye osobennosti for-mirovanna i raspredelenna snezhnogo poktova v taezhnor zone Zapadnor Sibirij.

likitin, S.P., et al. Kompleksnye geograficheskie issledovannia osvarvacnykh raionov Sibiri (Complex geographic investigations of economically developing regions in Siberia) edited by A.V. Belov, Irkutsk, 1980, p. 24-46. In Russian 21 refs Antipov, A.N., Spiriacy,

Taiga, Snow cover distribution, Snow surveys, Snow water equivalent.

Injected ice formed on naled plains of the Upper Chara River basin. In tektstoninge I'dy na nalednykh polianakh Verkhnecharskoi kotlovinyj

Sannikov S.A., Kompleksnye geograficheskie is-sledovimne o vinxiemykh raionov Sibiri (Complex sledovania, o v traciny ir fatigues, confirmation and geographic in very gations of economically developing regions in Sibetian edited by AV. Belov, likutsk, 1980, p.57-63. In Rossian, 3 rets.

River basins, Plains, Naleds, Permafrost hydrology,

Frost heave, Frost mounds

Protection of vegetational cover in the area east of Lake Baykal under conditions of chemical air pollu-tion. (K voprosu ob okhrane rastitel'nogo pokrova Predbalkal'ia v uslovijakh khimicheskogo zagriaz-

neniia atmosfery). Vyrkina, L.A., Kompleksnye geograficheskie is-sledovaniia osvaivaemykh rajonov Sibiri (Complex geographic investigations of economically developing regions in Siberia) edited by A.V. Belov, Irkutsk, 1980, p.93-101, In Russian 17 refs.

Cryogenic soils, Forest soils, Vegetation, Biomass,

Ecosystems, Air pollution, Environmental protection.

Changes in vegetational cover of the Kodar Range due to economic development of the Upper Chara River basin. ¡Nekotorye voprosy antropogennykh izmenenii rastitel nogo pokrova Kodarskogo khrebta v sviazi s khoziaistvennym osvoeniem Verkhnecharskoi kot-

loviny₁, Medvedev, A.L., Kompleksnye geograficheskie is sledovaniia osvaivaemykh raionov Sibiri (Complex geographic investigations of economically developing

regions in Siberia) edited by A.V. Belov, Irkutsk, 1980, p.102-110, In Russian. 9 refs. Alpine landscapes, Landscape types, Taiga, Alpine landscapes, Tandscape types, Taiga, Alpine tundra, Soil erosion, Forest fires, Cryogenic soils, Permafrost thermal properties, Environmental protection.

36-1632

Vegetation of naled plains in the Upper Chara basin. (Rastitel'nost' nalednykh polian Verkhnecharskoï kotloviny_],

Dneprovskaja, V.N., Kompleksnye geograficheskie is-sledovanija osvajvaemykh rajonov Sibiri (Complex geographic investigations of economically developing regions in Siberia) edited by A.V. Belov, Irkutsk, 1980,

p. 111-118, In Russian. 9 refs. River basins, Plains, Naleds, Plant ecology, Ecosystems, Landscape types, Vegetation patterns, Environmental protection.

36-1633

Subsurface mining of placer deposits in Yakutia. (Podzemnaia razrabotka rossypnykh mestorozhdenii

Sherstov, V.A., et al, Yakutsk, IAkutskoe knizhnoe izd-vo. 1981, 186p., In Russian with English table of contents enclosed. 120 refs. Skuba, V.N., Lubii, K.I., Kostromitinov, K.N.

Placer mining, Mine shafts, Shaft sinking, Blasting, Permafrost physics, Permafrost thermal properties, Permafrost structure.

Peculiarities of lakes in the bald mountain zone of the Kodar Range. ¡Osobennosti ozer gol'tsovogo poiasa khrebta Kodar (sever Vostochnogo Zabaikal'ia)]. Ivanov, A.V., Geograficheskoe obshchestvo SSSR. Izvestiia, Sep.-Oct. 1981, 113(5), p.423-429, In Rus-

Mountain glaciers, Moraines, Glacial hydrology, Glacial lakes, Icebound lakes, Thermal regime, Snow cover effect.

36-1635

New data on evolution of the lake at the end of the Petrov glacier (Tien Shan). (Novyc dannyc ob evoliutsii vysokogornogo ozera u kontsa lednika Petrova (Tian'-Shan'), Sevast'ianov, D.V., et al., Geograficheskoe obshekstvo SSSR. Izvestiia. Sep.-Oct. 1981, 113(5), p.430-435, In Russian. 14 refs.

Funtikov, A.B.

Mountain glaciers, Moraines, Glacial hydrology, Glacial lakes, Alimentation, Glacier oscillation, Glacier ablation.

36-1636

Radar sounding of glaciers near Molodezhnaya (Antarctica).

tarctica).
Trepos, G.V., et al. Polar geography and geology. Jul.-Sep. 1981. 5(3). p. 150-153. For Russian original see 34-1827 or 11F-22652. I ref.
Sheremet'ey, A.N., Stepanos, V.K.
Glacier Ice, Glacier flow, Radar echoes, Antarctica—

Molodezhnaya Station.

A radar sounding technique for measuring ice velocity was developed in 1976 during a tractor-sled traverse by the 21st Soviet Antarctic Expedition in the Molodezhnaya area, and compared well with previous velocity data obtained by East German scientists in 1972 by geodetic measurements. Ice thickness measurements and barometric leveling during the 1976 traverse were also used to construct an ice profile. (Auth.)

36-1637

Temperature regime of antarctic fast ice.

Nazintsev, IU.L., Polar geography and geology, Jul.-Sep. 1981, 5(3), p.166-170, For Russian original see 34-1829 or 11F-22656. 4 refs.

Fast ice, Ice temperature, Thermal regime, Antarctica-Alasheyev Bight.

Direct measurements of fast-ice temperatures in Alasheyev Bight demonstrate the strong effect of snow cover on temperature amplitude. A change from cyclonic weather to drainage wind with low air temperature is accompanied by removal of part of the snow cover that acts as a thermal insulator, reducing the amplitude of the fast-ice temperatures. The opposite oc-curs with a change from drainage wind to cyclonic weather, associated with warming and snow deposition. (Auth.)

36-1638

Snow measurements on antarctic fast ice.

Kozlovskii, A.M., Polar geography and geology, Jul. Sep. 1981, 5(3), p.171-174, For Russian original see 34-1830 or 11F-22657. 8 refs.

Fast ice, Snow depth, Snow accumulation.

Fast ice, Snow depth, Snow accumulation.

Snow stakes have generally been the common technique for direct measurements of snow depths. However, on Antarctic fast ice such observations, especially for budget computations, must be adjusted for the presence of snow-water infiltration-congelation ice that is formed through the upward infiltration of seawarer through cracks in the fast ice. Investigations in 1970 and 1971 showed that actual snow accumulation on fast ice is two to three times the snow depth that can be directly measured with a stake. (Auth.) measured with a stake. (Auth.)

36-1639

Properties of diamond dust type ice crystals observed in summer season at Amundsen-Scott South Pole Station. Antarctica.

Kikuchi, K., et al, Meteorological Society of Japan. Journal (Nihon kishogakki). Apr. 1979, 57(2), p.180-190, 25 refs.

Hogan, A.W Snow crystals, Snow crystal growth, Snow crystal structure, Antarctica-Amundsen-Scott Station.

structure, Antarctica—Amundsen-Scott Station. The properties of diamond dust type ice crystals were studied from replicas obtained during the 1975 austral summer at South Pole Station. Columnar type crystals prevailed, but occasionally more than half the number of ice crystals were plate types, including hexagonal, scalene hexagonal, pentagonal, rhombic, trapezoidal and triangular plates. A time variation of two hour periodicity was found in concentration of columnar and plate type crystals. When concentration of columnar type crystals decreased, the length of the c-axis of columnar type crystals also decreased. There was sufficient water vapor to grow these ice crystals in a supersaturation layer several tens to several hundred meters above the surface. Plate type crystals prevailed occasionally at an air temperature of -35C, at which the sheath, hollow and solid prism (column) usually prevail. (Auth. mod.)

36-1640

Shear fracture precipitated by strain softening as a

mechanism of dry slab avalanche release.

McClung, D.M., Journal of geophysical research, July
10, 1979, 84(B7), p.3519-3526, 24 refs.

Avalanche mechanics, Avalanche formation, Snow
stratigraphy, Shear strength, Fracturing, Shear
strain, Shear stress, Mathematical models.

Effects of experimental crude oil spills on subarctic boreal forest vegetation near Norman Wells, N.W.T., Canada.

Hutchinson, T.C., et al. Canadian journal of botany. Oct. 1, 1978, 56(19), p.2-24-2433, 21 refs. Freedman, W.

Oil spills, Forest land, Vegetation. Environmental impact, Seasonal variations. Subpolar regions, Ex-

36-1642

Root growth in a polar semidesert environment. Bell, K.L., et al. Canadian journal of botany, Oct. 15, 1978, 56(20), p.2470-2490. With French summary 37 refs. Bliss, L.C

Roots, Growth, Desert soils, Polar regions.

36-1643

Effects of highway deicing agents on Thuja occiden-

talis in a greenhouse.
Foster, A.C., et al. Canadian journal of botany, Nov. 1, 1978, 56(21), p.2760-2766. With French summary

Maun. M.A. Trees (plants), Damage, Chemical ice prevention, Vegetation, Salting, Roots, Soil pollution, Experimentation.

36-1644

Site investigations and submarine soil mechanics in polar regions. Chamberlain, E.J., U.S. Army Cold Regions Research

and Engineering Laboratory, Oct. 1981, SR 81-24, 18p., ADA-108 269, 44 refs.

Subsea permafrost, Soil mechanics, Frozen ground mechanics, Ocean bottom, Offshore drilling, Offshore structures, Site surveys, Polar regions, Beaufort Sea. Placing oil exploration and production structures offshore in the Alaskan Beaufort Sea will require careful site investigation and evaluation of submarine soil mechanics. Ice-bounded perma-frost occurs widely under the Beaufort Sea floor. Its engineerfrost occurs widely under the Beaufort Sea floor. Its engineer-ing properties are important to the design of offshore structures. Highly overconsolidated clays also occur widely and interfere with access to gravels for constructing artificial islands. Sites should be selected to avoid ice-rich permafrost. Laboratory tests may need to be conducted to determine the potential hazards of thaw consolidation and weakening

Regional peculiarities of efficiency promotion in the utilization of natural resources and environmental protection. (Regional'nye osobennosti ratsionalizatsii

prirodopol zovania i okhrany sredy, Ishmuratov, B.M., ed, Irkutk, 1980, 178p., In Russian. For selected papers see 36-1646 through 36-1650. Refs. passim.

Taiga, Mountains, Swamps, Earthquakes, Permafrost distribution, Permafrost hydrology, Rai, roads, Buildings, Foundations, Permafrost beneath structures. Environmental protection.

36-1646

Landscape-geographic problems in optimizing utilization of natural resources and environmental protec-tion. (Landshaftno-geograficheskie problemy optimizatsii prirodopol'zovaniia i okhrany okruzhaiushchei sredy),

Ishmuratov, B.M., Regional'nye osobennosti ratsionalizatsii prirodopol'zovaniia i okhrany sredy (Regional peculiarities of efficiency promotion in the utilization of natural resources and environmental protection) edited by B.M. Ishmuratov, Irkutsk, 1980, p.5-19. In Russian. 13 refs. Economic development, Environmental protection,

Landscape types.

Hydroclimatic evaluation of water regime formation in rivers and lakes for economic development of the BAM area. [Gidroklimaticheskaia otsenka uslovii formirovaniia vodnogo rezhima rek i ozer v sviazi s osvo-

eniem zony BAM₁ Naprasnikov, A.T., et al, Regional'nye osobennosti atsionalizatsii prirodopol'zovaniia i okhrany sredy (Regional peculiarities of efficiency promotion in the utilization of natural resources and environmental protection) edited by B.M. Ishmuratov, Irkutsk. 1980, p.107-122. In Russian. 17 refs.

Dmitrieva, V.T. Alpine landscapes, Taiga, Economic development, Environmental protection, Baykal Amur railroad, Hydrology, Rivers, Lakes.

Economic and geographic problems of utilizing natural resources in the western part of the BAM zone. [Ekonomiko-geograficheskie voprosy prirodopol'-

zovaniia v zapadnoi chasti zony BAMaj, IUlinov, V.L., Regional'nye osobennosti ratsionalizat-sii prirodopol'zovaniia i okhrany sredy (Regional peculiarities of efficiency promotion in the utilization of natural resources and environmental protection) edited by B.M. Ishmuratov, Irkutsk. 1980, p.123-132, In Russian. 8 refs.

Railroads, Mountains, Taiga, Economic development, Environmental protection.

Distinguishing and evaluating territorial combinations of natural conditions limiting economic development of the Amur region. ¿Opyt vydeleniia i otsenki territorial'nykh sochetanu prirodnykh uslovii limitiruiischeikh promyshlenne osvoenie Amurskoi oblastij. Krivoborskaia, A.L. Regional'nye osobennosti rat-sionalizatsii prirodopol'zovaniia i okhrany sredy (Re-gional peculiarities of efficiency promotion in the utili-zation of natural resources and environmental protec-tion edited by B.M. Ishmuratov, Irkutsk, 1980, p.133-

H45. In Russian 17 refs.

Buildings, Foundations, Permafrost beneath structures, Permafrost distribution, Permafrost hydrology, Earthquakes, Swamps, Taiga, Baykal Amur railroad, Geocryology.

Geographic aspects of evaluating avalanche danger in the Kodar-Udokan area for economic development. (Geograficheskie aspekty otsenki lavinnoi opasnosti Kodaro-Udokanskogo rajona v sviazi s promyshlennym osvoeniem₁, Kirichenko, A.V., Regional'nye osobennosti rat-

sionalizatsii prirodopol'zovaniia i okhrany sredy (Regional peculiarities of efficiency promotion in the utili-zation of natural resources and environmental protection) edited by B.M. Ishmuratov, Irkutsk, 1980, p.146-

163, In Russian. 16 rcfs.

Mountains, Snow cover distribution, Snow density, Snow depth, Snow surveys, Avalanche forecasting.

36-1651

Natural and economic factors in the formation of KATEK (Kama-Atchinsk fuel and power production complex. Prirodnye i ekonomicheskie faktory formirovanija KATEKas.

Vorob'ev, V.V., ed, Irkutsk, 1980, 161p., In Russian. For selected papers see 36-1652 through 36-1654. Refs. passim.

Fuels, Electric power, Metals, Cryogenic soils, Hy-drothermal processes, Soil pollution, Water pollution. Snow cover effect.

36-1652

Present state of soils in the western part of the Kama-Atchinsk complex. (Pochvy zapadnogo uchastka KATEKa i ikh sovremennoe sostoianie).

Martynov, A.V., Prirodnye i ekonomicheskie faktory formirovaniia KATEKa (Natural and economic factors in the formation of KATEK (Kama-Atchinsk fuel and power production complex)) edited by V.V. Vorob'ev and L.M. Korytnyi, Irkutsk, 1980, p.4-9. In 9 refs. Russian.

Fuels, Electric power, Cryogenic soils, Soil erosion, Hydrothermal processes, Human factors.

Influence of the Nazarov State Regional Electric Power Plant on geosystems. [Izuchenie vozdeistviia

Nazarovskoi GRES na geosistemy.
Davydova, N.D., Prirodnye i ekonomicheskie faktory formirovaniia KATEKa (Natural and economic factors in the formation of KATEK (Kama-Atchinsk fuel and power production cor. lex)) edited by V.V. Vorob'ev and L.M. Korytnyf, trkutsk, 1980, p.27-35. 20 refs.

Fuels, Electric power, Metals, Soil pollution, Cryogenic soils, Snow cover effect, Environmental protec-

36-1654

Variations in ice and thermal regimes of water bodies induced by the Kama-Atchinsk plant. Otsenka iz-menenii i termicheskogo rezhima vodnykh ob"ektov Zapadnogo uchastka KATEKaj.

Znamenskii, V.A., et al, Prirodnye i ekonomicheskie faktory formirovaniia KATEKa (Natural and eco-nomic factors in the formation of KATEK (Kama-Atchinsk fuel and power production complex)) edited by V.V. Vorob'ev and L.M. Korytnyi, Irkutsk, 1980 p.82-88, In Russian. 7 refs. Filippov, A.M., Fuksova, T.V.

Fuels, Electric power, Water pollution, Rivers, Lakes, Ice conditions, Thermal regime.

36-1655

Problems of the North; a current bibliography. [Problemy Severa; tekushchii ukazatel literaturyj, Akademiia nauk SSSR. Sibirskoe otdelenie. Gosu-

darstvennaia publichnaia nauchno-tekhnicheskaia biblioteka, Novosibirsk, 1979, 6 issues, Nos. 1, 2, 3, 4, 5,

Bibliographies, Climate, Soils, Permafrost, Natural resources, Economic development, Mining, Petroleum industry, Transportation, Construction, Urban planning, Agriculture.

Problems of the North; a current bibliography [Problemy Severa: tekushchii ukazatel' lis-raturyj.

Akademija nauk SSSR. Sibirskoe otdelenie. darstvennaia publichnaia nauchno-tekhnicheskaia biblioteka, Novosibirsk, 1980, 4 issues, Nos. 2, 3, 4, 5 In Russian

Bibliographies, Climate, Soils, Permafrost, Natural resources, Economic development, Mining. Petroleum industry, Transportation, Construction, Urban planning, Agriculture.

36-1657

Problems of the North; a current bibliography. (Problemy Severa; tekushchii ukazatel' literatury;. Akademija nauk SSSR. Sibirskoe otdelenie Gosu-

darstvennaia publichnaia nauchno-tekhnicheskaia biblioteka, Novosibirsk, 1981, 4 issues, Nos. 1, 2, 3, 6 In Russian.

Bibliographies, Climate, Soils, Permafrost, Natural resources, Economic development, Mining, Petroleum industry, Transportation, Construction, Urban planning, Agriculture,

36-1658

Chemical constituents of the Arctic Ocean in the Svalbard Sea.

Dyrssen, L.A.D., Oceanologica acta, 1981, 4(3), p.305-312. With French summary. 22 refs. Sea water, Chemical composition, Water temperature. Water surfaces, Water chemistry, Arctic Ocean.

Winter operation of Mi-2 helicopters.

Khrapkovskii, B., L.S. Army Foreign Science and Technology Center. Technical translation, Mar. 24, 1981, FSTC-HT-959-80, 4p., Translation from Kryl'ia rodiny, 1978, 12(10).

Helicopters, Winter maintenance, Cold weather oper-

36-1660

Design criteria for avalanche control structures in the runout zone.

Mears, A.I., U.S. Rocky Mountain Forest and Range Experiment Station, Fort Collins, Colorado. U.S. Forest Service general technical report, June 1981, RM-84, 28p., 18 refs.

Avalanche engineering, Avalanche mechanics, Coun termeasures, Structures, Impact strength, Design criteria, Protection, Walls, Avalanche tracks, Moun-

36-1661

Carbon dioxide warming and coastline flooding: physical factors and climatic impact.

Schneider, S.H., et al. Annual review of energy, 1980, Vol.5, p.107-140, 131 refs. Chen, R.S.

DLC TJ163.2.A55

Ice sheets, Glacier melting, Sea level, Carbon dioxide. Climatic changes, Atmospheric composition, Melting, Antarctica—West Antarctica.

Methods of estimating the increase in atmospheric CO2 due to the burning of fossil fuels and tropical forest denudation, the climatic changes due to such increase, the effect of such changes on the West Antarctic ice sheet, and the resultant sea level rises are reviewed. Demographic, economic, social and political im pacts, and various policy options are considered.

Nature and classification of palsa bogs.

Novikov, S.M., et al, Soviet hydrology: selected papers, 1979, 18(2), p.109-113, 14 refs. For Russian original see 34-826. Usova, L.I.

Swamps, Microrelief, Frost mounds, Permafrost distribution. Classifications.

Hydrologic role of the forest in the Komi ASSR. Brattsev, S.A., Soviet hydrology: selected papers, 1979, 18(2), p.127-133, 11 refs. Translated from Akademila nauk SSSR. Seriia geograficheskaia. 1979, No.6, p.45-56.

Forest land, Forest soils, Cryogenic soils, Rivers,

Runoff, Water balance.

Reclamation of tundra lowlands on the Chukchi Peninsula.

Skorodumov, I.N., Soviet hydrology: selected papers 1979, 18(2), p.146-149, For Russian original see 33-1195

Arctic landscapes, Tundra, Swamps, Land reclamation.

36-1665

Distribution of the water equivalents of snow in the

northeastern regions of the European USSR. Vershinma, L.K., et al. Soviet F. drology selected papers, 1979, 18(3), p.171-176. 5 rets. For Russian original see 34-1079. Volchenko, V N

Snow surveys. Snow water equivalent, Snow cover distribution, Landscape types, Forest land, Swamps.

36-1666

Assessment of the possibility of determining the water equivalent of snow from aircraft by the gamma method in regions with an unstable snow cover.

Vershinina, I.K., Soviet hydrology: selected papers, 1979, 18(3), p.177-180, 5 rets. For Russian original

Snow surveys, Airborne equipment, Gamma irradiation, Snow water equivalent.

36-1667

Estimation of evaporation from the forest in early spring.

Krestovskii, O.1., et al. Soviet hydrology: selected papers. 1979, 18(3), p.181-186. 16 refs. Translated from Leningrad Gosudarstvennyi gidrologicheskii institut. Trudy, 1979, Vol.259, p.76-86 Postnikov, A.N., Sergeeya, A.G.

Snow melting, Runoff, Forest soils, Meadow soils, Evaporation.

36-1668

Estimation of the Errors of determination of snow cover characteristics in the northeastern regions of the European USSR.

Vershinina, L.K., et al, Soviet hydrology: selected papers, 1979, 18(3), p.198-202, 3 refs. original see 34-1082. For Russian

Belova, L.B. Snow surveys, Snow density, Snow depth, Snow cover distribution, Snow water equivalent

36-1669

Evaluation of the error in the determination of soil freezing depth at observation points.

Sokolova, N.V., Soviet hydrology, selected papers, 1979, 18(3), p.203-206, 7 rets. For Russian original see 34-1083

Forest soils, Steppes, Soil water, Soil freezing, Frost penetration.

36-1670

Model of the formation of direct runoff for wooded drainage basins.

Bellehikov, V.A., et al. Societ hydrology selected pa-pers, 1979, 18(3), p.207-216, 14 refs. Translated from Leningrad. G frometeorologicheskii tsentr SSSR. Trudy, 1979, Vol.218, p.3-21. Koren', V L

Forest land, Forest soils, Soil freezing, Freeze thaw cycles, Meltwater, Runoff, Seepage, Soil water. Mathematical models.

36-1671

Simulation of meltwater losses through infiltration into soil.

Motovilov, IU G., Soviet hydrology, selected papers, 1979, 18(3), p.217-221, Translated from Leningrad Gidrometeorologichesk i tsenti USSR. Trudy, 1979, Vol.218, p.22-3

Soil freezing, Meltwater, Soil water, Seepage, Runoff, Frozen ground. Mathematical models

36-1672

Achievements and problems in the study of avalanches and mudflows by the geographers of Moscow State University.

Miagkov, S.M., et al. Soviet hydrology: selected pipers, 1979, 18(3), p.235-237. For Russian original see 34-1639

Treshkina, E.S.

Slope processes, Mudflows, Avalanche formation. Mapping, Avalanche forecasting, Meteorological fac-

Land reclamation in Yakutia.

Schverstov, A.P., Soviet hydrology selected papers, 1979, 18(3), p.238-239. Translated from Gidrotekhnika i mehoratsia, 1979, No.11, p.17-18

Land reclamation, Permafrost distribution, Meadow soils, Cryogenic soils, Irrigation.

36-1674

Cosmogenie 10Be concentrations in antarctic ice dur-

ing the past 30,000 years.

Raisbeck, G.M., et al. Nature, Aug. 27, 1981, 292(5826), p.825-826, 21 tels.

Ice cores, Drill core analysis, Isotope analysis, Age.

determination.

determination.

The first significant measurements in a programme to determine the Be-10 concentration profile over a mire length of a 906-in Antarctic tee core are reported some significant in the significant production of Be-10 during to. Manufer minimum, a period of apparently low solar activity lasting from 1645 to 1715. More surprisingly, a substantially increased Be-10 concentration in snow deposited during the last ice age was also found. While the interpretation of the latter effect is not yet clear, it will almost certainly have important publications. return while interpretation of missing effects in sections, clear, it will almost certainly have important implications for climatology studies. If production variations are indeed insolved, there are also important implications for solar-terrestrial relationships and radiocarbon dating. (Auth mod.)

Natural concentrations of lead in ancient arctic and antarctic ice.

ig. A., et al. Geochimica et cosmochimica acta. Nov. 1981, 45(11), p.2109-2121, 52 refs.

Patterson, C.

Ice cores, Impurities, Air pollution.

The authors, analyzing samples from the same Greenland and antarctic ice cores which had given samples for earlier analyses, refute the claims of the previous investigators that excess Pb in the atmosphere comes from natural sources. It is claimed that 99% of the excess Pb can be traced to industrial emissions into the atmosphere. the atmosphere

36-1676

Flow of metals into the global atmosphere.

Jaworowski, Z., et al, Geochimica et cosmochimica acta. Nov. 1918, 45(11), p.2185-2199, Refs. p.2197-2199

Bysick, M., Kownacka, I

Ice sheets, Impurities, Ice composition, Metals, Antarctica—King George Island.

tarctica—King George Island.

Concentrations of 137 CS, 210 Pb, 226 Ra, U, V, Pb, Cd and Hg have been measured in firn and ice deposited during the past three decades in accumulation zones of glaciers and also in pre-industrial glacier ice collected in Spitsbergen, Northern Norway, Alaska, Southern Norway, Alps, Himalayas, Ruwenzori, Peruvian Andes, and at King George Island in Antarctica. No evidence was found of changes in rate of metal deposition during the last three decades, as compared with pre-industrial seried migrating from the exposed surface of old parts of glass. period, migrating from the exposed surface of old parts of glaciers into the deeper ice layers. (Auth. mod.)

36-1677

Active layer slope movement in a continuous permafrost environment, Garry Island, Northwest Territories. Canada.

Mackay, J.R., Canadian journal of earth sciences, Nov. 1981, 18(11), p.1666-1680, With French summary.

Slope processes, Active layer, Continuous permafrost, Soil mechanics, Ice wedges, Ground ice, Soil creep, Hummocks, Ice lenses, Soil temperature.

36-1678

Proceedings: Closing comments; Chairmen's reports and discussions.

International Symposium on Ground Freezing, 2nd, Trondheim, Norway, June 24-26, 1980, Trondheim, Norway, University, [1981], 150p., Refs. passim. For individual papers see 36-1679 through 36-1681. Contains late papers, reports from the session chairmen, discussions from all sessions, and a list of participants. For the preprint volumes see 36-1 through 36-

Soil freezing, Frozen ground physics, Heat transfer, Artificial freezing, Frost action, Meetings, Rheology, Pipelines.

36-1679

Proposed method for reference tests on frozen soil. 16. 1980. Proceedings. Trondheim, University, Ebel, W. Jessberger, H.L., et al. International Symposium on

Frozen ground physics, Frozen ground mechanics, Soil creep, Compressive properties, Rheology, Tests. 16-1680

Optimization of the freeze pipe arrangement and the necessary refrigeration plant capacity by a FEMcomputer program.

Jessberger, H.L., et al, International Symposium on Ground Freezing, 2nd, Trondheim, Norway, June 24-16, 1980. Proceedings, Trondheim, University, [1981], p.43-59, 25 refs.

Makowski, E.

Soil freezing, Artificial freezing, Heat transfer, Phase transformations, Temperature distribution, Thermal conductivity, Soil temperature, Latent heat, Pipes (tubes), Computer programs.

36-1681

Successful application of an unusual ground freezing

method to secure tunnel excavation.

Valk, J. International Symposium on Ground Freezing, 2nd, Trondheim, Norway, June 24-16, 1980.

Proceedings, Trondheim, University, (1981), p.79-93. Artificial freezing, Soil freezing, Tunneling (excavation), Drilling, Pipes (tubes).

36-1682

Pipeline design methodology for the Arctic environ-

Beheshti, M., International Symposium on Ground Freezing, 2nd, Trondheim, Norway, June 24-16, 1980. Proceedings, Trondheim, University, [1981], p.94-

Gas pipelines, Thermal insulation, Frost heave. Permafrost preservation. Underground pipelines, Forecasting, Frost action, Design.

36-1683

Patterned ground and permafrost in southern Abitibi.

Quebec. (Géliformes et sols cryiques dans le sud de l'Abitibi, Québec; Brown, J.L., et al, Géographie physique et quaternaire. 1980. 34(2), p.137-158, In French with English and German summaries. 30 refs

Gangloff, P.

Patterned ground, Discontinuous permafrost, Cryoturbation, Geocryology, Canada—Quebec—Abitibi.

36-1684

Shore ice dynamics at Point d'Argentenay, Orleans Island, Quebec. Dynamique glacielle à la Pointe d'Argentenay, île d'Orléans. Québec].

Allard, M., et al, Géographie physique et quaternaire, 1980, 34(2), p.159-174, In French with English and German summaries. 66 refs.

Champagne, P. Fast ice, Ice formation, Ice accretion, Ice rafting, Ice breakup.

36-1685

Peatlands of the southern James Bay area, Quebec. (Les tourbières du sud de la Jamésie, Québec), Grondin, P., et al, Géographie physique et quaternaire, 1980, 34(3), p.267-299, In French with English and German summaries. 50 refs.

Peat, Classifications, Canada-Quebec-James Bay.

Contemporary pollen spectra in the James Bay lowland, Canada, and comparison with other forest-tundra assemblages.

Farley-Gill, L.D. Géographie physique et quaternaire. 1980, 34(3), p.321-334, In English with French and German summaries. 57 refs.

Pollen, Forest tundra, Classifications.

36-1687

Illustrated terminology of minor glacial erosion forms. (Terminologie illustrée des formes mineures

d'étosion glaciaire, Laverdière, C., et al, Géographie physique et quater-naire, 1980, 34(3), p.363-377, In French with English summary. 45 refs. Guimont, P

Glacial erosion. Terminology.

36-1688

Proceedings

International Symposium on Renewable Resources and the Economy of the North, 1st. Banff, Alberta. May 1981, Ottawa, ACUNS, 1981, 268p., Refs. passim. For selected papers see 36-1689 through 36-1691

Freeman, M.M.R., ed.

Ecosystems, Tundra, Landforms, Forest land, Ecology, Environmental protection.

36-1689

Land use -North: research on land use conflicts in northern Sweden.

Abrahamsson, K.V., International Symposium on Renewable Resources and the Economy of the North. 1st, Banff, Alberta, May 1981. Proceedings, Ottawa, ACUNS, 1981, p.131-132

Landforms, Ecosystems, Forest land, Animals, Electric power, Sweden.

Renewable resources of north-east Siberia.

Bogdanov, I.E., International Symposium on Renewable Resources and the Economy of the North, 1st. Banff, Alberta, May 1981. Proceedings, Ottawa, ACUNS, 1981, p.133-137.

Ecosystems, Forest land, Environmental protection, Animals, Preserving, USSR-Siberia.

Is there potential for Canadian northern agriculture? A justification for research on northern native plants as potential foodcrops.

Romer, M.J., et al. International Symposium on

Renewable Resources and the Economy of the North. 1st. Banff. Alberta, May 1981. Proceedings, Ottawa. ACUNS. 1981, p.161-165, 22 refs. Cummins, W.R., Svoboda, J.

Tundra, Agriculture, Vegetation, Animals, Canada.

Canadian High North: resource of renewal.

Svoboda, J., International Symposium on Renewable Resources and the Economy of the North, 1st. Banft, Alberta, May 1981. Proceedings, Ottawa, ACUNS, 1981, p.183-189, 14 refs.

Ecology, Tundra, Ecosystems, Canada.

36-1693

Proposed international networks for co-operation in

northern science. Harrison, J.M., et al. International Symposium on Renewable Resources and the Economy of the North, 1st, Banff, Alberta, May 1981 Proceedings, Ottawa, ACUNS, 1981, p.239-248.

Carter, E.

Ecosystems, Tundra, Taiga, Forest land, International cooperation, Mountains, Marine biology, Environmental protection. Polar regions.

36-1694

Road icing on different pavement structures.

Gustafson, K., Sweden, Statens vag- och trafikin-situt. Rapport, 1981, No.216A, 158p. + 5 appends., Refs. p.156-158.

Road icing, Pavements, Surface properties, Ice solid interface, Rubber ice friction, Thermal insulation, Ice formation, Heat transfer, Surface temperature, Thermal conductivity, Climatic factors, Tests.

Soil temperatures under urban trees and asphalt. Halverson, H.G., et al. U.S. Forest Service. Research paper. 1981, NE-481, 6p., 10 refs. Heisler, G.M.

Soil temperature, Bitumens, Trees (plants), Heat balance, Heat transfer, Soil water.

Deformation behaviour of ice-like materials in engi-

neering applications.
Sinha, N.K., National Research Council, Canada. Division of Building Research. DBR paper No.992, International Symposium on the Mechanical Behaviour of Structured Media. Ottawa, Canada, May 18-21. 1981. Proceedings, 1981, p.419-430, With French summary. 15 refs

Ice creep, Ice crystal structure. Ice deformation, Construction materials, Stress strain diagrams, Ice mechanics, Rheology, Grain size, Engineering, Analysis (mathematics).

Microwave measurements of snowpack properties. Stiles, W.H., et al. Nordic hydrology, 1981, Vol.12, p.143-166, Refs. p.164-166. Ulaby, F.T., Rango, A.

water equivalent, Snow water content, Microwaves, Remote sensing, Radiometry, Backscattering, Snowmelt, Runoff forecasting.

36-1698

Brine channel enlargement in sea ice during spring

Cox, J.C., et al. American Society of Mechanical Engineers. Heat Transfer Division. Publication, 1980. No.80-WA/HT-18, 4p., Presented at the ASME Winter Annual Meeting, Chicago, Ill., Nov. 16-21, 1980. 6 refs.

Schultz, L.A.

Sea ice, Ice melting, Brines, Ice v ater interface, Ice deterioration, Thermal conductivity, Channels (waterways), Oil spills, Ice cover thickness, Ice density, Porosity, Analysis (mathematics).

Radar measurements of thickness of "warm" glaciers. Czajkowski, R., Polish polar research, 1980, 1(4), p.21-41 10 refs

Glacier thickness, Radar echoes, Crevasses, Norway -Spitsbergen

36-1700

Operation of airplanes and helicopters under difficult flight conditions. (Ekspluatatsiia samoletov i ver-toletov v uslozhnennykh prirodnykh uslovijakh). Volodko, A.M., Moscow, Transport, 1981, 158p., In-Russian with abridged English table of contents enclosed. 50 refs.

Aircraft icing, Hail, Atmospheric disturbances, Airplanes. Helicopters, Cold weather performance.

Residential microregion under severe climatic conditions. (Zhiloi mikroraion v uslovijakh surovogo-

klimataj.
Blinov, V.A. Novoc v zhizmi, nauke, tekhnike Seriia stroitel'siyo i arkhitektura, No 4, Moscow, Znanie, 1978, 63p. In Russian with English table of contents enclosed 9 rc/s

Urban planning, Residential buildings, Permafrost beneath structures, Snowdrifts, Microclimatology, Ventilation, Heating, Humidity, Wind factors, Solar radiation, Air temperature

Long range forecasting of water-cooling rate to freezing temperature in the Barents and Baltic seas. [Dolgosrochnyi prognoz skorosti okhlazhdenija vody do temperatury zamerzanija na Barentsevom, Belom i

Leningrad. drometeorologicheskii nauchno-issledovateľskii tsentr SSSR. Trudy, 1981, Vol.241, p.84-93, in Rus-11 refs.

Sea ice, Ice formation, Ice forecasting, Sea water freezing, Freezing rate, Long range forecasting.

Use of entropic ratio in estimating reliability of predictors in prognostic equations. (Primenenie entropicheskogo sootnosheniia dlia otsenki nadezhnosti prediktorov prognosticheskikh uravneniij.

Kutsuruba, A.I., Leningrad. Gidrometeorologiches-kii nauchno-issledovatel'skii tsentr SSSR. Trudy. 1981, Vol.241, p.94-98, In Russian. 8 refs. Sea ice, Ice conditions, Ice melting, Ice forecasting,

Analysis (mathematics).

Allowing for astronomic and geophysical data in longrange forecasting of ice conditions on the Baltic Sea-(Opyt ucheta astronomicheskikh i geofizicheskikh dannykh pri dolgosrochnom prognozirovanii ledovykh

dannyk pri dagostochnom prognoziovania ledovyki uslovit na Baltiiskom morej. Nikolaev, S.G., Leningrad. Gidrometeorologicheskii nauchno-issledovatel skii tsentr SSSR. Trudy, 1981, Vol. 241, p.99-105, In Russian. 7 refs.

Sea ice. Ice formation. Ice forecasting, Ice conditions,

36-1705

Structure and thermal regime of frozen rocks. [Stroe-

nie i teplovoi rezhim merzłykh porodj, Katasonova, E.G., ed, Novosibirsk, Nauka, 1981, 89p. In Russian For individual papers see 36-1706 through 36-1721

Paviov, A.V., ed. Permafrost distribution, Permafrost structure, Permafrost thermal properties, Seasonal freeze thaw, Subsea permafrost, Active layer, Soil freezing, Earth dams, Thermal regime, Mining, Lakes, Shores.

36-1706

Cryolithologic peculiarities of small river deposits in Central Yakutia. ¡Kriolitologicheskie osobennosti ot-łozhenii malykh rek v Tsentral'noi IAkutii₁.

Katasonova, E.G., et al, Stroenie i teplovoi rezhim merzlykh porod (Structure and thermal regime of frozen rocks) edited by E.G. Katasonova and A.V. Payloy, Novosibirsk, Nauka, 1981, p.3-14, In Russian. Zigert, Kh.G

Rivers, Sediments, Alluvium, Permafrost beneath rivers, Ground ice, Frozen fines, Cryogenic structures.

36-1707

Mineral formation in permafrost areas, [Mineraloobrazovanie v oblasti vechnoi merzlotyj. Zigert, Kh.G., Stroenie i teplovoi rezhim merzlykh po

rod (Structure and thermal regime of frozen rocks) edited by E.G. Katasonova and A.V. Pavlov, Novosibirsk, Nauka, 1981, p.14-21, In Pussian, 20 refs.

Permafrost origin, Sediments, Ground water, Geo-

chemistry, Frost penetration, Minerals, Frozen temperature. Landscape types. River basins, Flood plains, Deltas, Frozen fines, Ground ice, Clay miner-

36.1708

BOXES WINDSHIP WINDLINGS WORKS

Cryogenic structure of slope deposits in the north of the Central Siberian Plateau. [Kriogennoe stroenie sklonovykh otlozhenii na severe Srednesibirskogo ploskogor'iaj, Kunitskii, V.V., Stroenie i teplovoi rezhim merzlykh

porod (Structure and thermal regime of frozen rocks) edited by E.G. Katasonova and A.V. Pavlov, Novosi-birsk, Nauka, 1981, p.21-25, In Russian, 8 refs. Slope processes, Sediments, Fines, Gravel, Alluvium, Frost penetration, Cryogenic structures, Ground ice.

36-1709

Pereletoks and basic types of seasonally frozen rocks. (Pereletki i osnovnye tipy sezonnomerzlykh porod). Vtiurina, E.A., Stroenie i teplovoi rezhim merzlykh porod (Structure and thermal regime of frozen rocks) edited by E.G. Katasonova and A.V. Pavlov, Novosi-birsk, Nauka, 1981, p. 26-35. In Russian 14 refs Geocryology, Terminology, Pereletoks, Permafrost thickness, Permafrost depth, Frozen ground, Frozen rock temperature. Classifications.

36-1710

Peculiarities of coastal and shelf cryolithozone, (Osobennosti pribrezhno-shel fovoi kriolitozony), Fartyshey, A.I., Stroenie i teplovoi rezhim merziykh porod (Structure and thermal regime of frozen rocks) edited by E.G. Katasonova and A.V. Pavlov, Novosibirsk, Nauka, 1981, p.35-38, In Russian. 17 refs. Subsea permafrost, Permafrost origin, Permafrost distribution, Permafrost transformation.

36-1711

Subzero temperature extremes in the active laver rocks of Central Yakutia over a long period of years. (Mnogoletnie ekstremum) otritsateľ noi temperatury gruntov sezonnoprotaivajushchego sloja v Tsentral noi IAkutiij.

Solov'ey, P.A., et al. Stroenie i teplovoi rezhim merzlykh porod (Structure and thermal regime of trozen rocks) edited by E.G. Katasonova and A.V. Paylov. Novosibirsk, Nauka, 1981, p.39-46, In Russian, Golubykh, L.P.

Active layer, Frozen rock temperature. Air temperature, Heat transfer.

36-1712

Intensity of seasonal frost penetration into soil and grounds of Zailiyskiy Alatau. [Intensivnost' sezonnogo promerzaniia pochvogruntov v Zailiiskom Alatauj,

Severskii, E.V., et al. Stroenie i teplovoi rezhim merzlykh porod (Structure and thermal regime of frozen rocks) edited by E.G. Katasonova and A.V. Pavlov. Novosibirsk, Nauka, 1981, p.46-50, In Russian.

Ponos M V

Mountains, Slope orientation, Soil freezing, Frost penetration.

36-1713

Thermal conductivity of coarse clastic grounds in northern Tien Shan. [Teploprovodnost krupnoo-blomochnykh gruntov v gorakh severnogo Tian'-Shania₁.

Mandarov, A.A., Stroenie i teplovoi rezhim merzlykh porod (Structure and thermal regime of frozen rocks) edited by E.G. Katasonova and A.V. Pavlov, Novosibirsk, Nauka, 1981, p.50-53, In Russian. 5 refs.

Mountains, Slope processes, Slope orientation, Seasonal freeze thaw, Soil profiles, Soil temperature, Heat transfer.

36-1714

Heat balance of a large lake and adjacent territories in Central Yakutia. ¡Teplovoi balans krupnogo ozera i prilegaiushchei territorii v Tsentral'noi l'Akutin. Payloy, A.V., et al. Stroenic i teployor rezhim mer-zlykh porod (Structure and thermal regime of frozen rocks) edited by E.G. Katasonova and A.V. Pavlov. Novosibirsk, Nauka, 1981, p.53-63. In Russian.

Tishin, M.I.

Lake water, Water temperature, Permafrost beneath lakes, Heat balance, Seasonal variations.

36-1715

Geothermal parameters of the Urengoy deposit. [Geotermicheskie parametry Urengoiskogo

torozhdeniaj. Levchenko, A.L. Stroenie i teplovoi rezhim merzlykh porod (Structure and thermal regime of frozen rocks) edited by E.G. Katasonova and A.V. Paylov, Novosi-birsk, Nauka, 1981, p.63-66, In Russian. 7 refs

Petroleum industry, Drilling, Permafrost thickness, Frozen rock temperature, Temperature measurement, USSR-Tyumen'.

36-1716

Thermophysical properties of perennially frozen rocks in the Mastakh gas field. [Teplotizicheskie svoistva mnogoletnemerzlykh porod Mastal bskogo mestorozhdenija gazaj, Kolushev, N.R., et al. Stroenie i teplovoj rezhim mer-

zlykh porod (Structure and thermal regime of trozen-rocks) edited by E.G. Katasonova and VV. Paver. Novosibirsk, Nauka, 1981, p.66-70, In Russian refs

Balobaes, V.T., Gasrilles, R.I.

Petroleum industry, Gas wells, Permafrost thermal properties, Permafrost physics.

36-1717

Temperature and the SP field near the lower boundary of perennially frozen terrigenous deposits. (O nekotorykh osobennostiakh povedenna temperatur-nogo i elektricheskogo polia PS yblizi nizhnei granitsy

merzloty v terrigennykh tolsh hakhj. Volod'ko, BV. Stroeme i tepiosor fezhim merzlykh porod (Structure and thermal regime of trozen rocks) edited by E.G. Katasonova and A.V. Paslov, Novosi-birsk, Nauka, 1981, p.70-76, In Russiar - 17 rets

Permafrost thermal properties. Permafrost physics, Electrical properties, Electrical logging, Frozen rock temperature. Temperature variations

Thermal properties of enclosing rocks in the "Mir" quarry of western Yakutia. (Geotermia sineshchai-ushchikh porod karleia "Mii" (Zapadraoa l'Alvaturi) Deviatkiu, V.N., et al. Stroesse i tepiocorrezhini merzlykh porod (Structure and the man region; of trozen rocky) edited by E.G. Katasonova and A.V. Parine (Novosibirs), Nadja (1981), p.765%, In Rossian (1981), p.765%.

tets Gavrilley, R.I.

Mining, Permafrost thermal properties, Quarries, Frozen fines, Rock salt, Limestones,

36-1719

Geothermal conditions of the Kurung-Hiriakh and Khatat river basin (Western Yakutia), ¡Greotermi-cheskig usiowna bassen a fer Kurdog-IU mach) Khatat (Zapadnaia IA) utna),

Deviatkin, V.N., Structure a teploco, rezhim merziyah porod (Structure and thermal regime of trozen rocks) edited by E.G. Katasonova and A.V. Pavlov, Novosi-birsk, Nauka, 1981, p.78-80. b. Russian - b.rets

River basins, Quaternary deposits, Permafrost distribution, Frozen rock temperature, Geothermometry, 36-1720

Thermal balance of irrigated grass fields in Central Yakutia. (Teplovoi baians oroshaemykh posevov kormovykh kul'tur v Isentral'nor fAkutuj.

Skriabin, P.N., et al. Stroenie i teplovoi rezhim merzłykh porod (Structure and thermal regime of frozen rocks) edited by E.G. Katasonova and A.V. Paylov, Novosibirsk, Nauka, 1981, p.80-83, In Russian

Alekseeva, O.L.

Grasses, Cryogenic soils, Irrigation, Soil water, Heat balance, Soil temperature, Heat flux.

Calculating frost penetration into earth dams and their foundations, [Raschet promerzanita namyvior nasypi i ee osnovanita].

Votiakova, N.I., Stroctic r teplovor rezhim merzhykh porod (Structure and thermal regime of frozen locks) edited by T.G. Katasonova and A.V. Paylov, Novosibirsk, Nouka, 1981, p.84-86, Ir. Russian

Earth dons. Earth fills, Frost penetration, Mathematical models.

36-1722

Snow and avalanches in the Swiss Alps, winter 1979, 80. (Schnee and Lawine) in den Schweizer Alpen, Winter 1979, 80).

Atjen, Winter 19, 9, 803.

Dayos, Switzerland - Endgenossisches Institut für Schriege und Lawyerforschung, Its Winterberichte, No. 44, 1981, Dayos, Switzerland, 1981, 132p., In German - For Selected papers Sec. 36-1723, through 36-

Snow surveys, Avalanches, Snow accumulation, Snow depth. Mountains, Damage, Accidents, Switzerland Alps.

36-1723

Snow and avalanches in the Davos area, pseudocared Lawinen in der Region Davos; Fohn, P., et al. Davos, Switzerland - Fidgenossisches

Institut für 8. imees and Lawmentorschang - Winger-berichte, 1981, No.44 (p.29-4). In German

Snow accumulation, Snow depth, Avalanche formation, Snow mechanics. Temperature effects, Seasonal variations, Climatic factors, Switzerland Davos

Snow and avalanche conditions in the Swiss Alps (Schnees and Lawrence halfs see in schwer ensem Mpergehicts

Schild, M., et a. Dosos, Switzerand. Faigenesses ches. Institute of Schilder, and Tawnertoscopies. ches Institute (1) Services and Law restriction With the area (8) No +4 (94,992) At October

Snow accumulation, Snow depth, Snow water equivalent, Avalanche formation, Snow mechanics, Mountains, Seasonal variations. Statistical analysis, Switzerland

Accidents and damage due to avalanches, (Durch Lawinen verursachte Unfälle and Schäden; Schild, M., et al. Davos, Switzerland. Eidgenössis-

thes Institut für Schnee- und Lawinenforschung. Winterberichte, 1981, No.44, p.93-132, In German. Etter, H.J., Gliott, S.

Avalanches, Accidents, Damage, Switzerland.

36-1726

Experimental study of the indentation of a floating ice sheet of the S2 type in the fragile range. (Etude sperimentale de l'indentation d'une plaque de glace flottante de type \$2 dans le domaine fragile, Blanchet, D., et al. Quebec (City) Université Laval, Département de génie civil, Laboratoire de mé-

chanique des glaces, Nov. 1981, 345p., In French. refs

Floating ice, Ice strength, Ice cracks, Piles, Ice loads. Ice pressure, Cracking (fracturing), Experimentation

Sterols and fatty acids of an antarctic sea ice diatom, Stauroneis amphioxys.

Gillan, F.T., et al. *Phytochemistry*, 1981, 20(8), p.1935-1937, 24 refs. McFadden, G.L. Wetherbee, R., Johns, R.B.

Cryobiology, Sea ice.

36-1728

Frost action and risk assessment in soil mechanics. Transportation research record, 1981, No.809, 86p., Reports presented at the 60th annual meeting of the Transportation Research Board. Refs. passim. For selected papers see 36-1729 through 36-1735. Frost action, Soil mechanics, Frozen ground mechan-

ics. Freeze thaw tests, Soil freezing, Ground thawing, Soil temperature, Frost heave,

36-1729

Results from a mathematical model of frost heave Guymon, G.L., et al, Transportation research record, 1981, No.809, MP 1483, p.2-6, 13 refs.

Berg. R.L., Johnson, T.C., Hromadka, T.V., II. Frost heave, Heat transfer, Soil water migration, Frost penetration, Temperature effects, Mathemati-

cal models.

A one-dimensional model for simulation of frost heave in a vertical soil column is presented. The model is based on simultaneous computation of heat and moisture transport in a freezing or thawing soil. Thermal processes at the freezing front are approximated by a lumped isothermal approach. The model approximated by a lumped isothermal approach. The model accurately simulates frost heave, soil pore-water pressures, and temperatures when compared with a laboratory freezing column; however, to achieve adequate correlation certain m umn; nowever, to achieve adequate correlation certain model parameters must be determined by calibration. Because the model, like the frost-heave process itself, is highly sensitive to convironmental and soil parameters that are variable in both time and space, purely deterministic simulations will not provide sufficiently accurate predictions. Consequently, further devel-opment of the model is required in order to include a statistical-curabilities in process for sensionizing foot heave within the statisticalprobabilistic approach for estimating frost heave within specified confidence limits.

Evaluation of a self-refrigerated unit for frost-heave testing.

To may K.J., et al. Transportation research record. 1981, No.809, p.6-13, 18 refs. Jones, R.H.

Frost heave, Measuring instruments, Soil freezing, Temperature effects, Refrigeration, Cold chambers, Time factor, Tests.

Effect of variable-drainage freeze-thaw tests on postthaw shear strength.

Mkirc, B.D., Transportation research record, 1981, No 809, p. 13-18, 8 refs. Freeze thaw tests, Drainage, Shear strength, Soil

freezing, Ground thawing, Water content, Temperature effects.

36-1732

Effect of freezing and thawing on resilient modulus of a granular soil exhibiting nonlinear behavior.

Cosc. D.M., et al. Transportation research record. 1981. No 809, MP 1484, p.19-26, 15 refs. Issue, I. H., Johnson, T.C.

I reeze thaw cycles. Subgrade soils. Soil strength, Soil freezing, Ground thawing, Elastic properties, Stresses, Density (mass/volume), Soil temperature. Freeze-thaw cycles experienced in areas of seasonal frost can cause wide variations in the supporting capacity of subgrade materials. The L.S. Army Cold Regions Research and Engineering Laboratory is currently engaged in a program to assess these variations in a number of soils used in roadway and airfield construction. The complete testing and analysis procedure for one of these test soils is presented.

36-1733

Frost-susceptibility ratings and pavement structure performance.

Esch, D.C., et al, Transportation research record, 1981, No.809, p.27-34, 9 refs.

McHattic, R.L., Connor, B. Frost heave, Frost resistance, Pavements, Roadbeds, Particles, Soil freezing, Structural analysis, Flexural strength. Tests.

Simulating frost action by using an instrumented soil column.

Ingersoll, J., et al. *Transportation research record*, 1981, No.809, MP 1485, p.34-42, 6 refs.

Frost action, Frozen ground mechanics, Freeze thaw tests, Soil water, Soil temperature, Water content, Mathematical models.

The use of an instrumented soil column in tests to develop a The use of an instrumented soil column in tests to develop a mathematical model of the frost-heave process is described. Tensiometers, heat-flow meters, thermocouples, and electrical resistivity gages were installed throughout a soil column filled with Fairbarks silt, Chena Hot Springs silt, or West Lebanon gravel. The column was 100 cm long and about 14 cm in diameter. An open system was used and absorption was monitored during the freezing process. Tests were conducted by using a constant rate of frost penetration, a constant heat-flow rate, or three sequentially lower temperature step changes at the soil surface. The soil column has provided critical data for verification of a one-dimensional mathematical model for estimating frost heave. As more soils are tested, this equipment will assist frost heave. As more soils are tested, this equipment will assist in improving and developing algorithms for the mathematical model and the most critical parameters that affect frost heave in a given soil-e.g. surcharge, free water level, and hydraulic conductivity. A procedure is also presented for determining the saturated and unsaturated hydraulic conductivity and mois ture-retention characteristics of a soil.

Comparative evaluation of frost-susceptibility tests. Chamberlain, E.J., Transportation research record, 1981, No.809, MP 1486, p.42-52, 89 refs.

Soil freezing, Soil water, Frost resistance, Frost heave, Ground ice, Freeze thaw tests, Frost action, Grain size, Particle size distribution.

Grain size, Particle size distribution.

Methods of determining the frost susceptibility of soils are identified and presented. More than 100 criteria were found; the most common were based on particle-size characteristics. These particle size criteria are frequently augmented by information such as grain-size distribution, uniformity coefficients, and Atterberg limits. Other types of information, such as permeability, mineralogy, and soil classification, have also been required. More complex methods that require tests based on pore-size distribution, moisture tension, hydraulic conductivity, heave stress, and frost heave have also been proposed. However, none has proved to be a universal test for determining the frost susceptibility of soils. Based on this survey, four methods are proposed for further study; the U.S. Army Corps of Engineers Frost-susceptibility Classification Systems, the moisture tension/hydraulic-conductivity test, a new frost-heave test, and the California bearing ratio after-thaw test.

Analysis of a heavy snowfall in the Peking area.

Beijing Shi Qi-xiang-tai (Peking Weather Station). Qi xiang: Meteorological monthly. Oct. 1975, p.16-18. In

Snowfall, Meteorological data, China—Peking.

Preliminary investigation of the special characteristics of the periglacial on Qinghai-Xizang Plateau. Cui, Z., Kevue tongbao ¡Scientia₂, June, 1980, 25(11), p.509-512, In Chinese. 7 refs.

Periglacial processes, Rock glaciers, Geomorphology, China—Qinghai-Xizang Plateau.

Batura Glacier of the Karakoram Mountains and its

Batura Glacier Research Group, Scientia sinica, Dec 1978, No.6, p.657-670, In Chinese 17 refs. Glacier oscillation, China-Batura Glacier.

Contamination of firn layers with radioactive fission products in the Alpine glaciers. (Zur Kontamination von Firnschichten auf Alpengletschern durch radioak-

von Firmseniemen auf Appengiessen in dinen domain twe Spattproduktej.
Ambach, W. Medizinische Welt. 1981, 32(42).
p.1574-1577, In German. 13 refs.
Fallout, Firn. Pollution, Ice composition, Glacier ice.

36-1740

Natural resources, Oil and gas jour-nal, Nov. 23, 1981, 79(47), p.68-70 Natural resources, Oil recovery, Ice conditions, Cost

analysis. United States-Alaska.

Proposal for transportation of Prudhoe Bay natural gas to market updated.

Dubetz, P.T. et al. Oil and gas journal, Nov. 23, 1981, 79(47), p.124-126, 8 refs.

Natural gas, Fuel transport, Transportation, United States-Alaska-Prudhoe Bay.

36.1742

Conserving resources remains the key to successful engineering in the rigorous Arctic.

Arnold, C.L., Oil and gas journal, Nov. 23, 1981, 79(47), p.133-143, 10 refs.

Natural resources, Cold weather construction, Engineering, Permafrost distribution, Patterned ground, Temperature effects, Wind chill, Active layer, Cold weather survival.

Soviet norms for driving tanks in winter. Baxter, W.P., Mittary review, Sep. 1980, 60(9), p.2-8 Military operation, Tanks (combat vehicles), Cold weather operation, Military equipment.

Winter desiccation of conifer needles simulated by artificial freezing.

Wardle, P., Arche and alpine research, Nov. 1981, 13(4), p.419-423, 8 refs.

Trees (plants), Freezing, Damage, Plant physiology.

Hydrochemical balance of an alpine watershed in southeast Alaska.

Stednick, J.D., Arctic and alpine research, Nov. 1981, 13(4), p.431-438, 21 refs.

Alpine landscapes, Watersheds, Water chemistry, Stream flow, Precipitation (meteorology), United States-Alaska

36-1746

Numerical experiments on ice age climates.

Adem. J., Climatic change, 1981, Vol.3, p 155-171, 43

Ice age theory, Paleoclimatology, Glaciation, Climatic changes. Ice conditions, Snow cover distribution, Mathematical models.

36-1747

On the role of failure criterion of ice in determining

ice loads. Riska, K., Finland Technical Research Control Ship Laboratory. Report. Mat. 1980, No.7, 31p., 29

Ice loads, Ice cover strength, Sea ice, Stresses, Ships, Ice crystal structure, Models, Analysis (mathematics).

Mapping of water-saturated firn layers on Kesselwandferner using the EMR method. [Kartterung von wassergesättigten Firnschichten auf dem Kesselwandf-erner mit dem EMR-Verfahren;

Thyssen, F., et al. Polarforschung, 1980, 50(1-2), p.9-

16. In German with English summary 24 ressessor, H., Blindow, N., Ambach, W. Firn, Glacial hydrology, Mapping, Electromagnetic prospecting, Water balance, Mountains, Water table.

Identifying and determining halocarbons in water us-

ing gas chromatography. Leggett, D.C. J. S. Army Cold Regions Research and Engineering Laboratory, Oct. 1981, SR 81-26, 13p., ADA-108-345, 50 rets.

Wastes, Water chemistry, Hydrocarbons, Chemical analysis.

Since the discovery that chloroform and other haloforms are Since the discovery that chloroform and other haloforms are produced during water chlorination, methods have been needed for their routine analysis. This report describes application of the multiple equilibration headspace technique for the determination of halocarbons in water. This method has certain advantages over solvent extraction and direct injection techniques, including greater sensitivity because of the favorable gas liquid distribution ratios. It is simpler and faster than purge and trap and resin sorption methods and gives more information about communic distribution when the headspace analysis. mation about compound identity than single headspace analysis mation about compound identity than single headspace analysis because gas liquid distribution ratios are determined experimentally. The method is absolute, unlike solvent extraction, resin sorption, purge and trap, and conventional headspace analysis, which require standard additions to correct for incomplete recovery. The use of the technique to analyze chlorinated water samples for haloforms revealed a potential problem in their analysis. Haloforms continued to form for 24 hours, even after destruction of chlorine residuals with thissilfate. Maximum haloform concentrations were observed in undershormation symples which their additional contents. chlorinated samples only after a 48-hour aging period

Ship ice accretion.
Palanakorn, N., Fanbanks, University of Alaska,
Dept of Civil Engineering, 1980, 83p., M.S. thesis.

Ship icing, Ice accretion, Ice solid interface, Ice adhesion. Ocean waves. Wind factors, Ice growth, Ice removal, Mathematical models.

Effects of volcanism on the glaciers of Mount St. Hel-

Brugman, M.M., et al, L.S. Geological Survey. Circular, 1981, No.850-D, 11p. Post. A.

Glacial erosion, Glacier melting, Glacier flow, Volcanoes, Floods, Snow melting, Mudflows, Glacier mass balance, United States—Washington—Mount Saint Helens.

Methods of forecasting river drainage and ice regime. Metody prognozov rechnogo stoka i ledovogo rez-Fimaj. Afanas'ev. A.L. ed. Lemngrad.

Gidrometeorologi theskii nauchno-issledo-atel/skii tsentr SSSR Findy, 1981, Vol.236, 113p., In Russian For se-acted papers see 36-1753 through 36-1761. Refs.

River basins, Landscape types, Taiga, Tundra, Runoff, Takes, Alimentation, Snow hydrology, Snow water equivalent, Icebound lakes, Icebound rivers, Ice forecasting, Ice breakup, Flood forecasting.

Forecasting the decade water-inflow into the Kama reservoir from hydrometric data, allowing for snow-melt and precipitation. [Prognoz dekadnogo pritoka vody v Kamskoe vodokhranilishche po gidrometricheskim dannym's uchetom snegotajanjia i osadkovj. Sapozhnikov, V.I., et al. Leningrad, Gi-drometeorologicheskii nauchno-issledovateľskii tsc/tr/SSSR. Trudy, 1981, Vol.236, p.13-25, In Russian 7 refs. Rubisava Z I

Lakes, Alimentation, Snowmelt, Runoff, Snow water equivalent, Snow hydrology. Mathematical models.

Long range forecasting of water inflow into the Vilvuv reservoir during spring flooding. (Dolgosrochny) p ognoz pritoka vody v Vihuiskoe vodokhranilishche a period vesennego polovod iaj.

Joningrad, Gidrometeorologi-

Popov, F.G., et al. Leningrad. Gidrometeorologi-cheskii nauchno-issledovatefskii tse tr. SSSR. Lendy, 1981, Vol.236, p.26-50, In Russian. 12 refs. Kharchenko, P.H.

River basins, Landscape types, Permafrost beneath rivers, Taiga, Tundra, Permafrost hydrology, Permafrost structure, Ice breakup, Floods.

36-1755

Long range forecasting of flood-water volume of the Don River, (Dolgosrochny) prognoz ob"ema polo-

Rachmanov, V.V., Leningrad, Gidiometeorologi-cheskii nauchno-issledovateľskii tsentr SSSR, Fridy, 1981, Vol 236, p.51-63, In Russian, 4 refs River basins, Snow depth, Snow density, Snow water equivalent, Soil freezing, Frost penetration, Snowmelt, Runoff.

Long range forecasting of flood volume of small rivers (the I sna River taken as an example), (Dolgosrochus) pregnoz objema polovod ja neboljskikh rek tna pri-

Rashmanov, VV. Leningrad, Gidrometeorologi-Cheskii ninchioossledovatel skii Isentr SSSR Trinti, 1981, Vol 236, p.64-71, In Russian. 4 rets Snow depth, Snow density, Snow water equivalent, Soil freezing, Frost penetration, Snow melting, Run-

36-1757

Natural components of river freezing and ice breakup time fields. Estestyennye sostaylianishchie polei sro-For zamerzanna i vskrytna rekj.

Grazburg, B.M., Leningrad, Gidrometeorologiches-kii maichnosissledovatel skii tsenti SSSR Trudy. Vol. 236, p. 72-82. In Russian 9 refs

River ice. Ice formation, Icebound rivers, Ice conditions, Ice breakup, Ice forecasting.

36-1758

Long range forecasting of the strength of melting ice cover on Gor'kiy and Kuybyshev reservoirs in the spring, (Metod dolgosrochnogo prognoza prochnosti tainshchego ledianogo pokrova vesnoi na Gorkovskom i Kuibyshevskom vodokhraniishchakhj. Poliakova, K.N., Leningrad, Gidrometorologiches-kli nauchno-issledovateľskii tsent SSSR Trudy, 1981, Vol 236, p.85-90, In Russian. 7 rets Icebound lakes, Ice melting, Ice cover strength.

Short range forecasting of the freezeap of large rivers crossing the Baykal Amur railroad. [Metodika kratkosrochnogo prognoza zamerzaniia krupnykh rek peresekaiushchikh Baikalo-Amurskuiu magistral'j. Efremova, N.D., Leningrad, Gidrometeorologiches-kii nauchno-issledovatel skii tsentr SSSR - Trudy, 1981, Vol 236, p.91-100, In Russian 6 refs. River ice, Ice formation, Icebound rivers, Ice forecasting. Ice cover thickness.

36-1760

Calculating thickness of snow ice on the Bukhtarma reservoir. (Raschety tolshehiny snezhnogo l'da na Bukhtarminskom vodokhranilishchej.

Konovalova, G.M., Leningrad, Gidrometeorologi-cheski nauchno-issledovateľski tsentr SSSR Trudy, 1981, Vol.236, p.101-106, In Russian, 7 rets Lake ice, Ice navigation, Ice conditions, Ice structure. Ice cover thickness.

Computer plotting of snow cover maps, ¡K metodike mashinnogo postroeniia kart snezhnogo pokrova₁, Popov, E.G., et al. Leningrad. Gidrometeorologicheskii nauchno-issledovateľskii tsentr SSŠR Trudy, 1981, Vol.236, p.107-112, In Russian. 4 refs. cheskii Kharchenko, P.IU.

River basins, Snow cover distribution, Snow water equivalent, Snow surveys, Maps, Computer applica-

36-1762

Satellite techniques of studying water resources and their pollution. ¡Aerokosmicheskie metody pri is-sledovanii vodnykh resursov i ikh zagriazneniiaj. Kuprijanov, V.V., ed. Leningrad, Gidrometeoizdat, 1981, 140p., In Russian. For selected papers see 36-1763 through 36-1772. Usachev, V.F., ed.

Spaceborne photography, Snow surveys, Photointerpretation, Water supply, Snow cover distribution, Pollution, Dust, Snow water equivalent, Permafrost hydrology, Taliks, Naleds, Snow density, Albedo, Snow melting, Snow evaporation.

Possibilities of microwave remote sensing in studying water resources and their pollution. (Vozmozhnosti mikrovolnovoi distantsioniio ioconiio, vodnykh resursov i ikh zagriazneniiaj.

o al Teningrad Gosudarstveniio ioconii ioconii

rudy, 1981, Vol.285, nyi gidrologicheskii institut. Tu p.5-12, In Russian 7 refs. Rabinovich, IU.L. Shul'gina, E.M.

Remote sensing, Microwaves, Mapping, Sea ice, Land ice, Pollution

36-1764

Determining characteristics of hydrologic objects by remote sensing techniques. (Opredelenie kharakteristik gidrologicheskikh objektov distantsionnym metodomj.

Tovizi, G., Leningrad. Gosudarstvennyi gidrologi-Trudy, 1981, Vol 285, p 25-28, Incheskii institut.

Remote sensing, Aerial surveys, Spaceborne photography. Sea ice, Land ice, Mapping, Snow cover distribution.

Using satellite information in estimating and forecasting meltwater runoff in mountain basins, (Ptimenenie sputnikovoi informatsii dlia rascheta i prognoza talogo stoka v gornom basseinej. Vostriakova, N.V. Leningrad – Gosudarstventyv

drologicheskii mstitut - Trudy, 1981, Vol 285, p 29-37, In Russian - 9 refs

Alpine landscapes, Snow cover distribution, Glacial hydrology, Meltwater, Runoff, Spacehorne photography, Radar photography.

36-1766

Snow cover dynamics in mountain basis areas of the Aral Sea according to satellite photographs. Dinamika snezhnogo pokrova v gornykh raional h bassema Aral'skogo mona po sputnikovym sminkan., Sitnikova, M.V., et al. Lemmarat Gosudarstvenia. gidrologicheskii institut - Trady, 1981. Vol 285, p. 58-44. In Russian - 8 rets Tsarey, B.K., Chernoy, V.IU

Snow cover distribution, Snow surveys, Aerial surveys, Spaceborne photography, Snow line, Snow water equivalent.

36-1767

Studying snow cover dynamics by remote sounding of the Earth, ¡Izacheme amamil : snezhnogo poktova pri pomoshchi distantsionnogo zondirovanna Zemlij. Gosudarstvennyr gidri Kvitt, E. Leningrad cheskii institut - Trisly, 1981, Vol 285, p 45-46. In

Photointerpretation. Spaceborne photography. Remote sensing. Snow cover distribution, Snow accumulation, Mapping, Radiation balance.

Possibility of determining snow melting front in Kazakhstan from multizonal information of the "Meteor" satellite. (O vozmozhnosti opredelenia fronta snegotajamia po innogozonal noi informatsii s ISZ "Metcor" (na primere Kazakhstana),

Pankratova, F.L. Leningrad Gosudarstvennyr gr drologicheskir institut — Trudy, 1981, Vol 285, p.47 55. In Russian 5 rets

Steppes, Snow surveys, Spaceborne photography, Snow cover distribution, Snow melting, Snow evaporation, Snow depth, Snow line.

Evaluating snow pollution in industrial areas from spaceborne TV images, (Otsenka zagnaznennosti snezhnogo poktova promyyhlennykh tatonov po sput-

nikovym TV izobrazheniiang. Vasilenko, V.N., et al. Leningrad Gosudarstvennyr gidrologicheskii institut - Trudy, 1981, Vol 285, p.56-63. In Russian. 4 refs. Prokacheva, V.G., Fridman, Sh D.

Spaceborne photography, Snow depth, Pollution, Dust, Albedo, Snow density, Sampling,

36-1770

Albedo and brightness coefficients of snow covers. tOb al'bedo i koeffitsientakh iarkosti si ezhnogo pok-

Usachev, V.F., et al. Levingrad Gosudarstveni v. godrologicheski: institut — Frady, 1981, Voi 285, p.64-69, In Russan — 4 rets Mikhailov, V. V. Prokacheva, V.G.

Spaceborne photography, Snow physics, Albedo, Brightness, Measuring instruments.

Hydrologic investigations of the Lake Baykal area and Mongolia from spaceborne photographs, (Ispoil-zovame, kosmicheskikh smmkov dia gidrogeologicheskikh issledovano taiones. Pribaikal'ia i Mongoliy Objedkov, H. I. Tennigalar Gosularstvenayi ja drologicheskii institut. T. ov. 1981. Vol. 285, p.85. 96, In Russiai. — 1970s.

Spacehorne photography, Snow cover, Ice cover, Water supply. Permafrost hydrology, Thermokarst, Taliks, Ground icc. Naleds, Mapping.

Analog computers for interpreting spaceborne photographs when studying water resources, ¿ Vicilogovas, ustroistva. From shiphother and resources in his solid. The resources Resp.

istrostica. Lee obranease in
brazheren pilonieta el obrazheren pilonieta el obrazheren eren eta el obrazheren pilonieta el obrazheren eren eren el obrazheren eren el obrazheren eren el obrazheren eren el obrazheren el o

Spaceborne photography, Photointerpretation, Computerized simulation, Watersheds, Snow cover distribution, Snow water equivalent, Pollution

Crystallization kinetics of supercooled water droplets suspended in air. (O) thictive Unistally also perceich lazhdennykh vodi a vi holany onak hodrishi michsia v

kazhdennyen voda a li vozdashnor ste kej Shlykov A V. et a Teorograd - Gravita a geotici cheskan absor at li Torre 1987 Vol 430 p.29 38. In Russia - S. et

Cloud seeding, Supercooled clouds, Cloud droplets, Phase transformations, Ice nuclei, Ice formation

- 2

Chemical composition and electric charging of drop-lets during phase transformations. [Khimicheskii sostaw i zariazhenie kapel' pri fazovykh perekhodakhj. Nikandrov, V.I.A., et al. Leningrad. Glavnaia geofizi-cheskaia observatoriia. Trudy. 1981, Vol.439, p.49-54 In Russian 6 refs Svistov, P.F., Burchuladze, N.N., Turkin, IU.I.

Hailstones, Snowflakes, Hailstone electrification, Chemical composition, Electric charge.

36-1775

Shattering of freezing droplets. [K voprosu o razru-

shenii kapel pri zamerzanii, Bashkirova, G.M., et al, Leningrad. Glavnaia geofizi-cheskaia observatoriia. Trudy. 1981, Vol.439, p.55-68, In Russian. 20 refs. Molotkova, I.A.

Cloud droplets, Phase transformations, Ice nuclei, Ice crystals, Ice deterioration.

36-1776

Methods and preliminary results of field experiments with convective cloud seeding with crystallizing aerosols from An-2 airplanes. Metodika i predvaritel'nye rezul'taty naturnykh eksperimentov po vyzyvaniju osadkov iz konvektivnykh oblakov pri vozdelstvii kristallizuiushchimi reagentami s samoletov An-21.

Kudashkin, G.D., et al, Leningrad. Glavnaia geofizicheskaia observatoriia. Trudy, 1981, Vol.439, p.74-

Egorov, V.V., Vasil'ev, S.L.
Cloud seeding, Smoke generators, Aerosols, Nucleating agents, Freezing nuclei.

36-1777

Chemical composition of rain and hailstones obtained by cloud seeding for hall prevention. [O khimicheskom sostave dozhdia i grada vypavshikh iz oblakov pri kom sostave dozndia i grada vypavsniki iz oblakov pri provedenii vozdetstvii s tsel'iu gradozashchity, Gromova, T.N., et al, Leningrad. Glavnaia geofizi-cheskaia observatoriia. Trudy. 1981, Vol.439, p.84-92, In Russian. 5 refs. Skorodenok, I.A., Toropova, N.V., Ungerman, T.M.

Cloud seeding, Nucleating agents, Aerosols, Lead iodide, Hail prevention, Hailstones, Ice composition.

Forecasting dates of a stable air temperature transition through zero and plus-minus 5 C in spring periods. Prognoz dat ustoichivogo vesennego perekhoda temperatury vozdukha cherez 0 i plius-minus 5 C₃, Chuvashina, I.E., *Leningrad. Glavnaia geofiziches-kaia observatoriia. Trudy.* 1981, Vol.446, p.47-51, In Russian. 10 refs.
Air temperature, Temperature variations, Frost fore-

cesting.

36-1779

Allowing for sea ice evolution in simplified climatic models. (K voprosu ob uchete evoliutsii morskogo l'da v uproshchennykh klimaticheskikh modeliakh, Liapin. S.E., Leningrad. Glavnaia geofizicheskaia observatoriia. Trudy. 1981. p.99-108, In Russian. 6 refs.

Sea ice, Ice conditions, Ice forecasting, Climatic factors, Mathematical models.

36-1780

Non-linear theory of stabilized ice drift. [K nelineinoi tcorii ustanovivshegosia dreffa l'dov₁.

Ponomarev, V.I., Leningrad. Glavnaia geofiziches-kaia observatoriia. Trudy, 1981, Vol.446, p.109-115, In Russian. 11 refs. Sea ice, Pack ice, Drift, Seasonal variations, Math-

ematical models.

Liquid water in depths of the North. [Zhivaia voda v

nedrakh Severaj. Shvetsov, P.F., Moscow, Nauka, 1981, 86p., In Rus-Permafrost hydrology, Unfrozen water content, Frozen rock temperature, Permafrost distribution, Taliks, Subpermafrost ground water, Suprapermafrost ground water.

Ice crown of the Planet. [Planety ledianoi venets] Markin, V.A., Leningrad, Gidrometeoizdat, 1981, 120p., In Russian with English table of contents en-

Glaciation, Expeditions, Polar regions, Geophysical surveys, Ice surveys, Snow surveys, Mapping, Geography, Climatology, Meteorology, USSR-Franz Josef Land.

36-1783

Studying foundations of petroleum industry struc-tures in the Ob' River area. [Issledovanic osnovanii neftepromyslovykh sooruzhenii v Priob'e₂. Shiriaev, V.F., Leningrad, Stroitzdat, 1981, 121p., in Russian with English table of contents enclosed. 110

Petroleum industry, Industrial buildings, Residential buildings, Soil freezing, Frost penetration, Foundations, Frost heave, Seasonal freeze thaw, Cryogenic Ground ice, Taiga, Swamps, Soil erosion, Human factors, Test equipment, Models.

36-1784

New materials in the architecture of the North. (Novye materialy v arkhitekture Severa). Tankaian, V.G., Leningrad, Stroiizdat, 1981, 128p., In

Russian with English table of contents enclosed.

Polar regions, Residential buildings, Permafrost beneath structures, Foundations, Construction materials.

Engineering-geological aspects of rational utilization and protection of geological media. [Inzhenerno-geologicheskie aspekty ratsional'nogo ispol'zovaniia i

okhrany gcologicheskol sredyj, Sergeev, E.M., ed, Moscow, Nauka, 1981, 240p., In Russian with English table of contents enclosed.

Foundations, Environmental protection, Cryogenic soils, Vegetation, Soil erosion, Permafrost beneath structures, Industrial buildings, Hydraulic structures, Residential buildings, Urban planning, Mining, Land reclamation, Transportation.

Swamps of the West Siberian Plain. [Bolota Zapadno-

Sibirskoi ravniny, Liss, O.L., et al, Moscow, Universitet, 1981, 206p., In Russian with English table of contents enclosed. Refs. p.196-205.

Berezina, N.A. Swamps, Taiga, Paludification, Peat, Cryogenic soils, Permafrost depth, Discontinuous permafrost, Seasonal freeze thaw, Frost penetration, Plant ecology, Landscape types, Ecosystems, Mosses, Lichens, Bi-

Roads and dangerous natural phenomena. [Doroga i groznye iavleniia prirodyj, Bialobzheskii, G.V., Moscow, Transport, 1981, 143p.,

In Russian with English table of contents enclosed Roads, Snowdrifts, Avalanches, Ice jams, Floods, Road icing, Naleds, Landslides, Mudflows.

36-1788

Soil sequence of Late Pleistocene glacial outwash terraces from Spokane floods in the Idaho Panhandle. Parsons, R.B., et al, Soil Science Society of America. Journal. Sep.-Oct. 1981, 45(5), p.925-930, 20 refs.

Weisel, C.J., Logan, G.H., Nettleton, W.D. Outwash, Terraces, Glacial lakes, Pleistocene, Soil formation, Soil mechanics, Floods, Geomorphology, Climatic changes.

Mineralogy and chemistry of arctic desert soils on Ellef Ringnes Island, Arctic Canada.

Foscolos, A.E., et al, Soil Science Society of America Journal, Sep.-Oct. 1981, 45(5), p.987-993, 32 refs. Kodama, H.

Soil chemistry, Deserts, Geomorphology, Soil composition, Weathering, Paleoclimatology, Canada— Northwest Territories—Ellef Ringnes Island.

Icing, hoarfrost and glaze formed on ships and marine structures. (Huurteen, kuuran ja iljanteen muodostruksesta merelläi

Makkonen, L., Helsinki, Merentutkimuslaitos. 1979. 108p. + 14p. graphs, In Finnish. M.S. thesis. Unpublished manuscript. Refs. p.97-108.

Sea spray, Icing rate, Ice accretion, Ice adhesion. Ship icing, Offshore structures, Dew point, Protective coatings, Air temperature, Wind velocity, Ice prevention, Computer applications.

36-1791

Studies of slipperiness on roads, (Studies as halka pa

Lindqvist, S., Goteborg, Sweden Universitet Rapport, 19 Naturgeografiska institutionen No.12, 46p., In Swedish with English summary 18

Humidity, Road icing, Vehicles, Sliding, Rubber ice friction, Countermeasures, Surface temperature, Air temperature, Road maintenance, Forecasting, Climatic factors. 36-1792

Phenological and physiographical observations carried out during the first wintering at the Arktowski

Station in 1977.
Prester, P., Polskie archiwam hydrobiologii, 1980. 27(2), p.245-252, 8 refs. In English with Polish sum-

Ecology, Phenology, Sea ice distribution, Antarctica -Arctowski Station.

The temperature of the coastal zone of the ocean ranged from +2.5 C to -2 C. A close ice coat covered Admiralty Bay from July to October. Water temperature in shallow fresh water reservoirs near the station ranged from 0 to 10.2 C. Freezing Freezing and complete freezing to the very bottom of fresh water reservoirs was observed from June to November. 15 species of birds were found, including 10 nestling species, and 5 species of seals. The composition of avifauna and mammals and also their number were changing significantly during a year (Auth.)

36-1793

Major ice floods in the Leaf River (New Quebec): a dendrochronological analysis. (Les grandes crues gla-cielles de la riviere aux Feuilles (Nouveau-Quebec):

une analyse dendrochronologique, Payette, S., Naturaliste canadien, 1980, Vol 107, p.215-225, In French with English summary 18 refs. River ice, Drift, Age determination, Ice melting, Snowmelt, Paleoclimatology, Permafrost hydrology, Soil erosion, Ice scoring, Vegetation, Damage, Canada—Quebec—Leaf River.

36-1794

Periglacial forms and processes in the Chambevron Range, Alps of Haute-Provence. (Observations sur quelques formes et processus périglaciaires dans le Massif du Chambeyron (Alpes de Haute-Provence), Centre de Géomorphologie C.N.R.S.-Caen, Institut de Géographie d'Aix-en-Provence, Revue de géographie alpine, 1980, 68(4), p.349-382, In French with English summary. 19 refs.

Periglacial processes, Patterned ground, Steppes, Frost action, Freeze thaw cycles, Slope processes, Solifluction, Hummocks, France—Alps.

Mean characteristics of asymmetric flows: application to flow below ice jams.

Gogus, M., et al. Canadian journal of civil engineering. Sep. 1981, 8(3), p.342-350, With French summary. 13 refs

Tatinclaux, J.C.

Ice jams, Floating ice, Water flow, Subsurface investigations, Surface roughness, Shear stress, River ice, Hydraulics, Analysis (mathematics), Tests.

Backwater curves under ice cover of the La Grande River. (Courbes de remous sous les couverts de glace de La Grande Riviere).

Michel, B., et al. Canadian journal of civil engineering Sep. 1981, 8(3), p.351-363, In French with English summary. 10 refs. Drouin, M.

Water flow, Ice cover effect, Hydraulics, Surface roughness, Ice cover thickness, Ice dams, Ice formation, River ice.

36-1797

Snow and ice control and the transport environment. Jones, P.H., Environmental conservation, Sprig 1981, 8(1), p.33-38, 20 refs.

Ice control, Snow removal, Salting, Environmental impact, Road icing, Water pollution, Winter mainte-nance, Road maintenance, Ground water.

36-1798

Freezing and thawing and scaling resistance tests of concrete with or without salt de-icers.

Hughes, B.P. International journal of coment composites, May 1980, 2(2), p.77-84, 13 refs. Concrete freezing, Freeze thaw tests, Salting, Con-

crete aggregates, Air entrainment, Elastic properties. 36.1799

Arctic research for the 1980s, an expose of problems Sweeney, J.F., Geoscience Canada, Dec. 1981, 8(4), p.162-166, 17 refs.
Research projects, Geomorphology, Polar regions,

Canada.

36.1800

Sweden's suffocating success.

A., Consulting engineer, Nov. 1981, 45(11), 0.45-46

Buildings, Sealing, Joints (junctions), Air leakage, Countermeasures. Cold weather construction.

Water resources data for Alaska, U.S. Geological Survey. Water-data report, 1981, AK-80-1, 373p. Water reserves, Hydrology, Ground water, Surface waters, Flow rate, Water chemistry, Streams, Lakes, Vells, Sediments, Water temperature, Water level, Statistical analysis, United States-Alaska.

36-1802

Compatibility of Canadian snowfall and snow cover data.

Goodison, B.E., Water resources research, Aug. 1981, 17(4), p.893-900, 17 refs.

Snowfall, Snow cover distribution, Snow depth, Snow water equivalent, Snow surveys, Wind velocity.

Effect of grain size and snowpack water equivalence on visible and near-infrared satellite observations of

Dozier, J., et al. Water resources research. Aug. 1981. 17(4), p.1213-1221, 24 refs.

Schneider, S.R., McGinnis, D.F., Jr.
Snow crystal structure, Grain size, Snow water equivalent, Remote sensing, Infrared spectroscopy, Albedo.

36-1804

Oceanographic atlas of the Bering Sea basin.

Sayles, M.A., et al, Seattle, University of Washington Press, 1979, 158p., 29 refs.

Nagaard, K., Coachman, L.K.

Oceanography, Maps, Dynamic properties, Volume, Water temperature, Salinity, Seasonal variations, Bering Sea

36-1805

Forest fires as a factor in structural transformations, revegetation and biogeocenotic evolution. [Lesnye pozhary kak faktor preobrazovanija struktury, vozob-

Namikov, S.N., Ekologia, Nov.-Dec. 1981, No.6, p.23-33, In Russian. 59 refs. Taiga, Cryogenic soils. Forest fires, Revegetation.

36-1806

Biologic cycle of Alpine tundras on the northern coast of Okhotsk Sea. ¡Biologicheskii krugovorot v gornykh tundrakh severnogo poberezh ia Okhotskogo moriaj, Ignatenko, I.V., et al. Ekologiia, Nov.-Dec. 1981, so.6, p.82-85, In Russian. 8 refs. Pugachev, A.A.

Alpine tundra, Landscape types, Plant ecology, Plant physiology, Biomass.

36-1807

Using satellite photographs for mapping tundra land-[Ispol'zovanie aerokosmicheskikh scapes. fotomaterialov pri kartografirovanii tundrovykh landshaftovi.

Riabchikova, V.I., Geograficheskoe obshchestvo SSSR. Izvestua, Mar.-Apr. 1981, 113(2), p.114-121. 10 refs.

Tundra, Mapping, Spaceborne photography, Charts.

Forms of iron and aluminum in temporarily excessively wet soils of the taiga zone.

Matinian, N.N., et al. Soviet soil science, July-Aug. 1980, No.4, p.399-405, Translated from Pochvovede-13 refs

Tolchel'nikov, IU.S., Khitrov, N.V.

Taiga, Paludification, Forest soils, Soil profiles. Podsol. Soil chemistry.

36-1809

New design of foundations for gas-compressor plants. ¿Fundamenty novoi konstruktsii pod gazokompressornye agregatyj. Chizhevsku, M.V., et al. Stroitel'stvo truboprovodov.

Dec. 1981, No 12, p 13-14, In Russian Kostoglodov, V.V., Paylov, V.I.

Petroleum industry, Gases, Compressors, Foundations, Piles, Permafrost beneath structures.

36-1810

Main pipelines for liquefied natural gases. [Magistral'nye truboprovody dha transporta szhizhennogo

prirodnogo gazaj.
Polozov. A.E. Stroitel'stvo truboprovodov. Dec Polozov, A.E., Stroitel'stvo tru 1981, No 12, p 22-23, In Russian

Liquefied gases, Transportation, Pipelines, Thermal insulation. Foundations, Supports.

36-1811

Selecting design safety factors for the linear part of main pipeline. (Vybor strukturnot skhemy nadezhnosti linemoi chasti magistral'nogo truboprovodas. Siniukov, A.M., et al. Stronel sivo truboprovodov, Dec. 1981, No 12, p.25-26. In Russian. Bochenov, E.E., Serdii, L.A., Pekin, S.S.

Petroleum industry, Pipelines, Permafrost beneath structures, Swamps, Slope processes.

Improving the search for pipeline routes in the North. tUluchshit' izyskaniia trass na Severej. Prosvirnin, V.N., Stroitel'stvo truboprovodov, Dec.

1981, No.12, p.34, In Russian.

Petroleum industry, Transportation, Pipelines, Permafrost beneath structures, Route surveys.

Experimental checking of stability of underground

pedestrian crossings on heaving soils. Abzhalimov, R Sh., Soil mechanics and foundation engineering, May-June 1981, 18(3), p.88-92, Translated from Osnovaniia, fundamenty i mekhanika gruntov

Underground facilities, Tunnels, Soil freezing, Frost heave. Seasonal freeze thaw.

Icy cloddy soils and their use as bases.

Fedorovich, D.L. et al, Soil mechanics and foundation engineering, May-June 1981, 18(3), p.101-103, Translated from Osnovaniia, fundamenty i mekhanika grun-

Zhukov, V.F., Petrenko, V.B.

Permafrost bases, Ground thawing, Foundations. Compressive properties.

More precise definition of parameters for the design of piles driven in clayey soils of the Krasnoyarsk terri-

Kozakov, IU.N., et al, Soil mechanics and foundation engineering, May-June 1981, 18(3), p.109-111. Translated from Osnovanija, fundamenty i mekhanika grun-

Shishkanov, G.F., Bulankin, N.F.

Cryogenic soils, Clay soils, Soil water, Foundations, Piles, Settlement (structural).

Calculation of the state of thermal stress and strain of earth dams by the finite-element method.

Kronik, IA.A., et al. *Hydrotechnical construction*, Mar. 1981, 15(3), p.168-174. Translated from Gidrotekhnicheskoe stroitel'stvo 11 refs. Demin. 11.

Earth dams, Permafrost beneath structures, Thermal

Change in the phase composition of water and kinetics of heat generation of concrete hardening at a negative temperature.

Mironov S.A., et al. Hydrotechnical construction. 1981, 15(4), p.223-231, Translated from Gidrotekhnicheskoe stroitel'stvo. 6 refs. Pariiskii, A.A., Barabanshchikov, H. G

Hydraulic structures, Winter concreting, Concrete hardening, Concrete placing, Permafrost beneath

36-1818

Climatic factors in the performance of mining equipment. (Vlijanie klimaticheskikh jislovij na pokazateli raboty gornogo oborudovanii ij.

Talalaev, S.M., et al. Gornvi zharnal, Aug. 1981, No.8. p.44-46. In Russian

Ovodenko, B.K., Kaitmazov, V.A., Bochkova, Z.I. Quarries, Frozen rock strength, Excavation, Equipment, Cold weather performance.

36.1819

Drilling and blasting of perennially frozen rocks. (Burovzryvnye raboty v mnogoletnemerzlykh gornykh.

porodakh). Golovko, I.S., et al. *Gornyi zhumal*. Aug. 1981, No.8. p. 62-63. In Russian Mining, Boreholes, Drilling, Blasting, Permafrost.

36-1820

Small caliber projectile penetration in frozen soil. Richmond, P.W., Journal of ballistics, July 1980, 4(3) MP 1490, p.801-823, 11 refs

Projectile penetration, Frozen ground strength, Impact strength.

36.1821

Synoptic meteorology during the SNOW-ONE field experiment. Bilello, M.A., U.S. Army Cold Regions Research and

Engineering Laboratory, Nov. 1981, SR 81-27, 55p. ADA-109 080, 3 refs.

Synoptic meteorology, Meteorological data, Snowfall, Measuring instruments, Mapping.

The daily atmospheric pressure systems and weather fronts that traversed the northeastern United States during the SNOW-ONE Field Experiment from 11 January through 20 February 1981 are summarized. This experiment is the first in a planned series of measurements to study the influence of atmospheric obscurants on electro-optical system performance. The analysis of the large-scale synoptic patterns that developed during the field test period constitutes a critical component of the research program. The weather during the measurement period included nine new daily high temperature records January was one of the driest and February was one of the wettest ever observed. These conditions were caused in part by two high pressure cells and two major low pressure systems that crossed the region. One of these lows brought warm ar and heavy ran to New England, and the other produced significant snowfall in northern Vermont.

36-1822

Kinetic study of the conversion of presolvated to solvated silver atoms in polycrystalline ice: activation energy of water molecule rotation with D-defect an-

Li, A.S.W., et al. Journal of chemical physics, Dec. 15. 1981, 75(12), p.5968-5969, 20 refs. Keyan, L

Ice crystal structure, Ice physics, Chemical properties, Ions, Metals.

36-1823

Wilkes ice cap project, 1966. Pfitzner, M.L., Australian National Antarctic Research Expeditions. Scientific reports, Ser A(IV) Glaciology, 1980, No.127, 133p., M.Sc. thesis. 35 refs.

Ice mechanics, Ice creep, Strains, Mass balance, Ice accretion, Height finding, Antarctica-Law Dome.

This report represents the 1966 contribution to the long-term Wilkes ice cap project. Quantities resulting directly from the survey measurement such as strain-rates, surface velocities, acsurvey measurement such as strain-rates, surface velocities, accumulation rate, surface elevations and slope are included in order to present the latest determinations of the movement, climatology and topology of the area and for the reference of future workers in this region. The various measured quantities are used to make preliminary estimates of mass balance conditions, flow law parameters and particle paths. In deriving these estimates certain assumptions are necessary pending the availability of additional data on transverse velocities and strain-rates and of the first borchole measurements of vertical temperature and velocity profiles in the Wilkes ice cap area. The preliminary mass balance estimates indicate an average rate of surface nary mass balance estimates indicate an average rate of surface nary mass balance estimates indicate an average rate of surface lowering of 0.2 metres per year and the generalized flow law parameters derived from basal shear stress and strain-rate conditions show good agreement with the results of other workers at the estimated basal temperatures. Finally, recommendations are made whereby the accuracy of the current field techniques. niques may be improved, and certain alternative methods are suggested. (Auth.)

Glacial lichens, ¡Ledianye lishaij.

Gernet, E.S. Moscow, Nauka, 1981, 145p., With comments by O.P. Chizho. In Russian with English table of contents enclosed 9 refs.
Paleoclimatology, Theories, Glacial geology, Geo-

morphology, Tectonics, Glacier ice, Glacier formation, Glacier surges.

History of the Earth during the Quaternary was characterized by climatic changes related to fluctuations in glaciation condi-tions—lice sheets of Pleistocene dimensions presently exist tions—Tee sheets of Phenocene dimensions presering system only in Antarctica and Greenland—Causes of the paleochimatic changes are discussed and a new glaciation theory, based on self-excited oscillations of climate and glaciation, is outlined

Effect of stress path geometry on soil brittleness. Law, K.T. Georgelingue, Jans. 1981, 31(2), p.279-287, With French summary – 18 rets. Soil strength, Brittleness, Stress strain diagrams.

Shear stress. Analysis (mathematics).

36-1826

Crystallographic analysis of Arctic ice in the Macken-

Michel, B. Quebec (City) Université Livil. Les Mebames Laboratory Report, May 1970, T-15, 37p.

Ice crystal structure, Ice cores, Ice pressure, River ice. Canada River Delta Northwest Territories-Mackenzie

Estimates of iceberg scour depths.

Chari, T.R., et al, St. John's, Newfoundland, 1981, 11p., Presented at the Symposium on Production and Transportation Systems for the Hibernia Discovery St. John's, Newfoundland, Feb. 16-18, 1981. Peters, G.R.

Icebergs, Ocean currents, Ice volume, Ice scoring, Bottom sediment, Drift, Hydrodynamics, Ice me-

36-1828

Ice force math model investigations.

Nawwar, A., et al, Transport Canada Research and Development Centre. Report, Feb. 20, 1980, TP 2596, 57p., With French summary. Noble, P

Ice floes, Ships, Ice pressure, Ice loads, Ice solid interface, Impact strength, Velocity, Sea ice, Mathematical models.

36-1829

Grain boundary model of hexagonal crystals—with special reference to the grain boundary properties in

Hondoh, T., et al. Crystallographic Society of Japan. Journal. 1980, 22(3), p.270-281, In Japanese with English summary. 35 refs.

Ice crystal structure, Ice physics, Grain size, Models, Grain boundaries

36-1830

Growth rates and growth forms of ice crystals grown from the vapor phase.
Gonda, T., et al, Journal of crystal growth, Jan. 1982,

56(2), p.259-264, 7 refs. Koike, T.

Ice crystal growth, Vapor transfer, Phase transformations, Supersaturation, Grain size, Temperature effects.

36-1831

Assessing frost heave in road structures. [Routimisnousum arviointi tierakenteissas.

Orama, R., Tie ja liikenne, Sep. 1981, No.9, p.374-378,

In Finnish with English summary, p.372.
Frost heave, Frost penetration, Ground water, Water
level, Soll composition, Embankments, Grain size,
Moraines, Climatic factors.

Small hydropower study and environmental assessment, Scammon Bay, Alaska. Anchorage, Alaska District, Corps of Engineers, Nov. 1981, 55p. + figs. Electric power, Permafrost, Dams, Cost analysis, Wind power generation, United States—Alaska—Scammon Bay Scammon Bay.

36-1833

Microwave systems for detecting oil slicks in ice-infested waters: Phase 1—literature review and feasibility study.

Memorial University of Newfoundland.

Centre for Cold Ocean Resources Engineering, Canada. Environmental Protection Service. Report, Sep. 1981, EPS 3-EC-81-3, 356p., With French summary. For Pts. 2 and 3 see 35-2106. Refs. passim.
Oil spills, Microwaves, Ice conditions, Radiometry,

Sea ice, Remote sensing, Water pollution.

36.1834

Failure characteristics of alpine snow in slow defor-

McClung, D.M., International Symposium on the Mechanical Behaviour of Structured Media, Ottawa, Canada, May 18-21, 1981. Proceedings, Amsterdam, Elsevier, 1981, p.409-418, With French summary. refs

Snow deformation, Snow strength, Snow plasticity, Stress strain diagrams, Snow compression, Snow hardness, Shear strain, Tensile properties, Microstructure, Mountains.

Rate sensitivity of compressive strength of columnar-

grained ice.
Sinha, N.K., Experimental mechanics, June 1981, 21(6), p.209-218, 15 refs.

Ice strength, Compressive properties, Ice crystal structure, Stress strain diagrams, Microstructure, Analysis (mathematics).

36-1836

aboratory and theoretical study of the boundary layer adjacent to a vertical melting ice wall in salt

Josberger, E.G., et al, Journal of fluid mechanics, 1981, Vol.111, p.439-473, 23 refs.

Ice melting, Boundary layer, Ice edge, Water flow, Salt water, Water temperature, Salinity, Turbulent flow. Mathematical mod.is, Buoyancy

Changes in soil properties and vegetation following disturbance of Alaskan Arctic tundra.

Chapin, F.S., III, et al, Journal of applied ecology, 1981, Vol.18, p.605-617, 36 refs. Shaver, G.R.

Tundra, Soil water, Vegetation, Damage, Active layer, Soil chemistry, Soil temperature, Environmental impact, Tracked vehicles, Nutrient cycle.

36-1838

Consolidation of sensitive clays.

Poorooshasb, H.B., et al. International Conference on Mechanics and Foundation Engineering, 10th, kholm. June 15-19, 1981. Proceedings, Rotter-Stockholm, June 15-19, 1981. Proceedings, Rotter-dam, A.A. Balkema, 1981, p.219-223, With French summary. 8 refs. Law, K.T., Bozozuk, M., Eden, W.J.

Clay soils, Settlement (structural), Stresses, Soil structure, Strain tests, Mathematical models.

36.1839

Initial gradient in a dense glacial till.

Law, K.T., et al, International Conference on Soil Mechanics and Foundation Engineering, 10th, Stock-holm, June 15-19, 1981. Proceedings, Rotterdam, A.A. Balkema, 1981, p.441-446, With French summary. 4 refs. Lee, C.F.

Glacial deposits, Subsurface drainage, Hydrogeology, Geochemistry, Ground water, Permeability, Water flow, Radioactive wastes, Soil chemistry

Permafrost. National Research Council. Technical translation, 1981, NRC/CNR TT-2006, 146p. + figs., Translated from Chinese, 1975. Academia Sinica, Lanchou, China, Research Institute of Glaciology, Cryopedology and Desert Research. Permafrost distribution, Permafrost origin, Frost

heave, Damage, Countermeasures, Frozen ground me-chanics, Frozen ground settling, Seasonal freeze thaw, Pingos, Road icing, Ground water, Frost action,

36-1841

Labrador ice dynamics experiment.

Labrador Ice Dynamics Experiment Workshop, St. John's, Newfoundland, Mar. 6-8, 1980, St. John's, Memorial University of Newfoundland, 1980, Refs. passim. For selected papers see 36-1842 through 36-1848.

Ice mechanics, Ice conditions, Ice forecasting, Sea Drift, Ocean currents, Remote sensing, Offshore drilling, Offshore structures, Marine transportation, Labrador Sea.

36-1842

Oil and gas.
Denner, W.W., Labrador Ice Dynamics Experiment
Workshop, St. John's, Newfoundland, Mar. 6-8, 1980.
Report, St. John's, Memorial University of Newfoundland, 1980, p.19-30.

Offshore structures, Offshore drilling, Ice mechanics, Ice loads, Drift, Ice conditions, Natural gas, Petroleum industry, Ice navigation, Ice pressure, Ice

36-1843

Ice conditions affecting offshore hydrocarbon production in the Labrador Sea.
Wright, B., et al, Labrador Ice Dynamics Experiment

Workshop, St. John's, Newfoundland, Mar. 6-8, 1980 Report, St. John's, Memorial University of Newfoundland, 1980, p.50-62, 14 refs.

Berenger, D.

Ice conditions, Sea ice, Hydrocarbons, Petroleum industry, Offshore structures, Ice mechanics, Offshore drilling, Ice physics, Drift, Icebergs, Design criteria.

Ice conditions on Labrador coast.

Markham, W.E., Labrador Ice Dynamics Experiment Workshop, St. John's, Newfoundland, Mar. 6-8, 1980. Report, St. John's, Memorial University of Newfoundland, 1980, p.63-66.

Ice conditions, Fast ice, Sea ice distribution, Remote sensing, Labrador Sea.

Labrador Sea-meteorological perspective.

O'Neill, A.D.J., Labrador Ice Dynamics Experiment Workshop, St. John's, Newfoundland, Mar. 6-8, 1980. Report, St. John's, Memorial University of Newfound-land, 1980, p.67-81, 2 refs.

Precipitation (meteorology), Snow accumulation,

Meteorological data, Statistical analysis, Ship icing, Visibility, Air temperature, Wind factors.

36-1846

Panel on oceanography.

Lazier, J.R.N., Labrador Ice Dynamics Experiment Workshop, St. John's, Newfoundland, Mar. 6-8, 1980. Report, St. John's, Memorial University of Newfoundland, 1980, p.82-85.

Oceanography, Sea ice, Ocean currents, Ice conditions.

36-1847

Review of ice dynamics models for application to the Labrador Sea ice.

Venkatesh, S., Labrador Ice Dynamics Experiment Workshop, St. John's, Newfoundland, Mar. 6-8, 1980. Report, St. John's, Memorial University of Newfoundland, 1980, p.86-105, 13 refs.

Ice conditions, Ice mechanics, Drift, Sea ice, Oil spills, Models, Natural resources, Ocean currents, Labrador Sea.

36-1848

Remote sensing. Labrador Ice Dynamics Experiment Workshop, St. John's, Newfoundland, Mar. 6-8, 1980. Report, St. John's, Memorial University of Newfoundland, 1980, p.196-142.

Remote sensing, Ice conditions, Ice forecasting, Spacecraft.

36-1849

Annual report, June 1, 1978-May 31, 1979, Rapport

annuel 1er juin 1978-31 mai 1979₁, Ladanyi, B., Montréal. Université. Ecole polytechnique. Centre d'ingénierie nordique. Publication. 1979, No.1/79, 40p., In French. Refs. p.34-37. Engineering, Research projects, Ecology, Polar re-

gions, Canada-Quebec.

36-1850

Weekly median and extreme ice edges for eastern

Canadian seaboard and Hudson Bay.
Sowden, W.J., et al. Ottawa, Ontario, Canada, Atmospheric Environment Service. Ice Climatology and Applications Division, Jan. 1980, c45p., In French and English.

Geddes, F.E.

Ice conditions, Ice edge, Sea ice, Charts, Seasonal variations, Canada

36-1851

Ice summary and analysis, 1971, eastern Canadian seaboard.

Department of the Environment. Forecasting Central, Ottawa, Ontario, Atmospheric Environment Service, 1981, 61p., 11 refs.

Ice conditions, Ice formation, Ice breakup, Drift. Meteorological charts, Wind velocity, Air temperature, Oceanography, Seasonal variations, Forecasting, Canada. 36-1852

Ice summary and analysis, 1973, Eastern Canadian seaboard.

Atmospheric Environment Service. Ice Branch, Ottawa, Ontario, 1981, 50p., 11 refs

Ice conditions, Ice formation, Ice breakup, Meteorological charts, Oceanography, Drift, Wind velocity, Air temperature, Seasonal variations, Forecasting, Canada

36-1853

Site selection methodology for the land treatment of wastewater. Ryan, J.R., et al, L.S. Army Cold Regions Research

and Engineering Laboratory, Nov. 1981, SR 81-28, 74p., ADA-108 636, Refs. p.46-49. Loehr, R.C.

Waste disposal. Water treatment, Land reclamation, Site accessibility.

Site accessibility.

A methodology is presented that covers facets of site selection from preliminary screening to field data acquisition for the preparation of a final design for a land treatment system. The basic assumption underlying he methodology is an approach to site selection in which the entire study area is investigated for potential sites while considering the whole spectrum of land treatment processes. Due to the extensive nature of such a study, several iterations are required to determine the most feasible site and land treatment alternatives. The methodology is presented in three parts. Level I defines the technical feasibility of implementing land treatment for a particular wastewanter problem. The boundaries of the study area are defined and available land areas are rated for their suitability for land treatment based on topography, land use, hydrogeology and soil

characteristics. A preliminary design for each suitable level I site candidate is prepared in the level II site analysis. The design is based on an evaluation of soil/waste interactions that considers responses to limiting soil conditions. A cost-effectiveness evaluation of waste treatment alternatives and site candidates is developed in level 11. The most cost-effective site candidate is then selected for intensive level III field investigations. Data acquired in the level III field investigations will de-termine the design requirements of the land treatment system.

36-1854

American research in Greenland. [Amerikansk forskning i Grönlandy,

Taagholt, J., Forskning/tusaut i Grönland, 1981, No.1-2, p.24-35, In Greenlandic and Danish.

Glacier surveys, Research projects, Geomorphology, Ecology, Remote sensing, Geology, Mapping, Atmospheric physics, Greenland.

36-1855

Physiography of the Far East. (Fizicheskaia geografiia Dal'nego Vostokaj, Nikol'skaia, V.V., Moscow, Vysshaia shkola, 1981,

165p., In Russian with English table of contents enclosed. 18 refs.

Alpine landscapes, Taiga, Tundra, Forest tundra, Vegetation, Cryogenic soils, Alpine tundra, Glacia-tion, Nivation, Slope processes, Geocryology, Maps. 36-1856

Light regime of the Soviet Arctic. [Svetovoi rezhim

Sovetskoi Arktiki, Timerev, A.A., Leningrad. Gidrometeoizdat, 1981, 101p., In Russian with English table of contents enclosed. 40 refs.

Polar regions, Illuminating, Light (visible radiation), Charts.

36-1857

Sea ice of China.

Jin, T., Ke xue shi yan ¡Scientific experiment]. 1981, No.8, p.7, In Chinese.

Ice formation, Sea ice distribution, Oceanography, China Sea.

36-1858

Theoretical basis for thermal model experiments on frozen soils.

Ding, D., et al, *Kexue tongbao*. April. 1979, 24(8), p.360-364, In Chinese. 1 ref.

Frozen ground thermodynamics, Frozen ground mechanics, Thermal properties.

36-1859

Basic characteristics of periglacial landforms of the Qinghai-Xizang Plateau

Cui, Z., Scientia sinica, June, 1981, No.6, p.724-733, In Chinese. 15 refs.

Periglacial processes, Glacial geology, Geomor-

phology, China-Qinghai-Xizang Plateau.

Cold region water storage practice.

Alter, A.J., et al, Public works magazine, Oct. 1969, n.p., 10 refs. Cohen, J.B.

Water storage, Storage tanks, Insulation, Ice prevention. Heating. Temperature effects.

36-1861

Climatic background factors for testing an ice-surveillance system.

Lindqvist, S., et al. Göteborg, Sweden. Universitet. Naturgeografiska institutionen. No.13, 35p., 18 refs. Mattsson, J.O. Rapport. 1979,

Road icing, Warning systems, Ice accretion, Ice for-mation, Hoarfrost, Sliding, Stations.

36.1862

Model for the migration of moisture during the freez-

gincers. AlChe symposium series, 1971, 69(31), p.192-198, 17 refs.

Churchill, S.W. Frozen sand, Soil water migration, Heat transfer, Diffusion, Temperature effects, Soil physics, Mathemati-

36-1863

One-dimensional transport from a highly concen-

trated, transfer type source.

O'Neill, K., International journal of heat and mass transfer, 1982, 25(1), MP 1489, p.27-36, With French, 27 refs. German and Russian summaries.

Heat transfer, Mass transfer, Flow rate. Analysis (mathematics).

In both heat and mass transfer, situations arise in which an entity considered as a source/sink has strength which can only be expressed in terms of an unknown rate of source—flow field This occurs when transfer between the source and

medium is driven by a dependent variable difference which is unknown, because the responding medium value is unknown. Manifold mathematical complexities arise when in addition the source is highly concentrated spatially relative to the size of the overall domain. A 1-dim convective-diffusive transport equation suitable for this cause may be solved by simultaneous use of the Fourier transform and its inverse in the same equation. together with other transformation and manipulation together with other transformation and manipulation. From the solution obtained for the case of constant source intensity, one may construct a general expression for the solution when source intensity varies arbitrarily in time. Explicit expressions are obtained for solution of the fundamental case of temporally soidal source intensity.

36-1864

Distortion of model subsurface radar pulses in complex dielectrics.

Arcone, S.A., Radio science, Sep.-Oct. 1981, 16(5), MP 1472, p.855-864, 19 refs.

Sea ice, Ground ice, Ice electrical properties, Radar echoes, Subsurface investigations, Wave propagation, Electric fields, Mathematical models, Dielectric

properties.

The propagation of subsurface radar pulses in complex dielectric media is studied numerically. The model waveform is a 10-ns sinusoidal cycle, and the media properties are similar to those of moist ground or sea ice. When the real part of the dielectric permittivity is frequency independent and the imaginary part is dominated by the dc resistivity, amplitudes of the positive and negative half cycles unbalance, and the sinusoidal zero crossing is delayed from its normal position. In these cases, if reflector depth is known, the dielectric constant can be measured from the time delay of the leading edge of the signal and reflector depth is known, the dielectric constant can be mea-sured from the time delay of the leading edge of the signal, and the dc resistivity can be estimated from a comparison of the input and output pulse power spectrs. When dielectric permit-tivity is frequency dependent through a simple relaxation pro-ess, waveform distortion depends on relaxation frequency. In addition, if reflector depth is known, the dielectric relaxation parameters may be estimated when the medium relaxation frequency lies above and below the major portion of the pulse bandwidth, respectively.

36-1865

Rigid-plastic analysis of floating ice sheets under impact loads.

Kennedy, J.B., et al, Canadian journal of civil engineering, Dec. 1981, 8(4), p.409-415, With French 14 refs.

summary. Iyengar, K.J

Ice cover strength, Floating ice, Impact strength, Ice loads. Ice deformation, Stresses. Tensile properties. Ice sheets, Analysis (mathematics), Loads (forces).

Tests of frazil collector lines to assist ice cover forma-

Perham, R.E., Canadian journal of civil engineering, Dec. 1981, 8(4), MP 1488, p.442-448, With French summary. l ref.

Frazil ice, Ice formation, Ice accretion, Ice growth, Water flow, Ice cover strength, River ice, Nuclating agents, Ice booms.

A preliminary investigation was made of the effect of frazil ice on arrays of lines positioned in flowing water under winter conditions. It was found that the lines would provide a stable basis for forming an ice cover on many stream reaches that would normally remain open because of high velocity and shallow depths. Tests were conducted in a refrigerated flume and iow deputs. Teas were conducted in a transparent uniterant in small mountain rivers. Flume depths varied from 2-22 cm and river depths varied from 33-50 cm. Average flow velocities had a range of 0.08-0.04 m/s in the flume and a range of 0.6-0.8 m/s in the rivers. Frazil ice would grow on a line quite rapidly achieving a diameter of 32 mm in 15 min, on a 3.2 mm fill like in the flume. dia. line in the flume. In the river, overnight accumulations reached 20 cm in depth. A few drag force measurements were made which yielded an average shear drag coefficient of 0.16. The results suggest methods of increasing our control over ice.

Flow law for polycrystalline ice in glaciers: comparison of theoretical predictions, laboratory data, and field measurements.

Hooke, R.L., Reviews of geophysics and space physics, Nov. 1981, 19(4), p.664-672, 55 refs. Glacier ice, Ice crystals, Ice mechanics, Ice creep.

Ice drift model for the Baltic Sea.

Lepparanta, M., Tellus, Dec. 1981, 33(6), p.583-596. In English with Russian summary. 27 refs.

ice, Drift, Wind factors, Ice cover thickness. Mathematical models, Baltic Sea.

On the rate of ice formation in water cooled by a more saline sub laver.

Stigebrandt, A., Tellus, Dec. 1981, 33(6), p.604-609, 8

Ice formation, Salt water, Heat transfer, Ice growth.

Updated position and ice velocity for the AIDJEX manned camps, Volume 1, 11 April 1975 to 17 Octoher 1975.

Thorndike, A.S., et al. Columbia University mont-Dishorty Geological Observatory Technical report, Feb. 1980, CU-2-80, 347p., ADA-082 211, 7

Manley, T.O.

Sea ice distribution. Ice mechanics, Drift, Velocity, Beaufort Sea.

Freezing around two cooled pipes in Darcy flow Okada, M., Retrigeration, Nov. 1979, 54(625), p.891-898, In Japanese with English summary. 9 refs. Water flow, Pipes (tubes), Freezing, Heat balance, Porosity, Water temperature.

36-1872

Heat transfer by natural convection with simultaneous frosting on horizontal cylinders in a vertical ar-

Katsuta, K., et al. Refrigeration, Nov. 1979, 54(625). p.899-905. In Japanese with English summary. . Ishihara, I.

Hoarfrost, Heat transfer, Mass transfer, Convection, Frost.

People and glaciers of the Hunza Valley, Karakorum. Pakistan, ¡Hommes et glaciers de la vallée de la Hunza (Karakorum-Pakistan)

Charles, C., Revue de geographie alpine, 1981, 69(4). p.607-615. In French. 15 refs. Glacier oscillation, Glacial hydrology, Channels (wa-

terways), Pakistan-Hunza Valley,

36-1874

Subglacial river in Spitsbergen, (Une rivière sous-

glaciaire au Spitsberg₁.

Griselin, M., Revue de geographie alpine, 1981, 69(4). p.617-625, In French.
Subglacial drainage, Glacial rivers, Ice temperature.

Water temperature, Glacier surfaces.

36-1875

Soil types and their distribution in the area of the forest limit at the northwestern edge of Finnmarksvidda. Norway. ¡Bodentypen und ihre Verbreitung im Bereich der Waldgrenze am NW-rand der Finnmarks

vidda, Norwegen; Mosimann, T., Norsk geografisk tidsskrift, Dec. 1981, 35(4), p.209-226. In German with English summary.

Soil formation, Forest lines, Podsol, Altitude, Humiditv.

Cold weather construction costs and accidents.

Koehn, E., et al. American Society of Civil Engineer Construction Division Journal, Dec. 107(CO4), p.585-595, 25 refs. Meilhede, D

Cold weather construction, Cost analysis, Accidents,

36-1877

Kineto-stratigraphic evaluation and presentation of glacial-stratigraphic data, with examples from northern Samsö. Denmark.

Houmark-Nielsen, M., et al, Boreas, Dec. 1981, 10(4), p.411-422, 39 refs. Berthelsen, A.

Glacial deposits, Stratigraphy, Paleoclimatology, Runoff, Meltwater, Glacier flow.

Prediction of minimum age for the Weichselian maximum glaciation in North Iceland.

Norddahl, H., Boreas, Dec. 1981, 10(4), p.471-476, 19 refs

Glaciation, Paleoclimatology, Age determination, Glacial lakes, Ice dams, Ice cover distribution, Ice-

36-1879

Acid rain and gray snow.

Hendrey, G.R., Natural history, Feb. 1982, 90(2),

p.58-64 Meltwater, Water pollution, Water chemistry, Environmental impact, Snowmelt, Rain, Lakes, Streams, Chemical properties.

36-1880

Aklisuktuk (growing fast) pingo, Tuktovaktuk Peninsula, Northwest Territories, Canada.

Mackay, J.R., Arctic, Sep. 1981, 34(3), p.270-273, With French summary 6 refs

Pingos, Growth, Origin, Permafrost physics, Soil mechanics.

New approach to the stability analysis of thawing

Vallejo, L.E., Canadian geotechnical journal, Nov. 1980, 17(4), p.607-612, With French summary. 27

Slope stability, Ground thawing, Active layer, Soil water, Soil structure, Mass movements (geology), Soil mechanics.

36-1882

Constraints on the development of coal mining in Arctic Alaska based on review of Eurasian Arctic practices.

Lynch, D.F., et al, Fairbanks, University of Alaska, Mineral Industry Research Laboratory, June 30, 1976, 219p., Refs. p.177-201. Johansen, N.L. Lambert, C., Jr., Wolff, E.N. DI. TN23.U44 1978-41

Coal, Mining. Permafrost, Cold weather perform ance. Rock excavation, Environmental impact, Viability, United States-Alaska.

Development of cosmic-ray snow gauge (2). Kodama, M., et al, *Institute of Physical and Chemical* Research, Tokyo, Reports (Rikagaku kenkyujo), 1976, No.52, p.175-184, In Japanese with English

Kawasaki, S., Wada, M. Precipitation gages.

36-1884

On the mechanics of the fast ice in the North Water

Ito, H., Zurcher geographische Schriften, 1981, No.2, 93p. + 66p. of appends., With German summary. Refs. p.88-90.

Fast ice, Ice mechanics, Ice deformation, Ocean currents, Wind factors, Shear stress, Strains, Channels (waterways), Ice cover thickness, Ice salinity, Ice temperature, Water temperature, Statistical analysis, Computer applications.

36-1885

Bethel small boat harbor report.

U.S. Army Corps of Engineers. Alaska District, Anchorage, Alaska, 1981, 47p. + appends. Detailed project report and final environmental impact statement, Bethel, Alaska. 29 refs.

Ports, Construction, Environmental protection, Cost analysis, United States-Alaska-Bethel.

Remote sensing of water quality using an airborne spectroradiometer.
McKim, H.L., et al, MP 1491, International Sym-

posium on Remote Sensing of the Environment, 14th, San Jose, Costa Rica, Apr. 23-30, 1980. Proceedings, [1980], p.1353-1362, 6 refs. Merry, C.J., Layman, R.W.

Water chemistry, Remote sensing, Suspended sediments, Spectroscopy, Radiometry, Airborne equipment.

An airborne spectroradiometer with 500 parallel channels has been used to monitor water quality in various water environ-ments. Field experiments were run to test and evaluate the in-strument's response to various amounts of suspended materials in water. Procedures were evaluated in the laboratory to sepa-rate the various components from the total reflected radiance and to correlate the spectral distribution of the subsurface reflectance to the organic/inorganic materials in the water. was concluded that qualitative and quantitative measurement of turbidity within a water body is possible using the airborne spectroradiometer. The accuracy of the quantitative measure-ment is still under investigation, but suspended sediment concentration of less than 5 ppm can be detected. Organic and inorganic constituents can be qualitatively differentiated.

36-1887

Simulation of the enrichment of atmospheric pollutants in snow cover runoff.
Colbeck, S.C., Water resources research, Oct. 1981,

17(5), MP 1487, p.1383-1388, 17 refs.

Air pollution, Snow impurities, Runoff, Meltwater, Water pollution, Snow melting, Freeze thaw cycles, Solubility, Snow depth.

The soluble impurities contained in a snow cover can be concentrated as much as five fold in the first fractions of snowmelt runoff. In addition, daily impurity surges are possible. Meltifreeze cycles concentrate the impurities in the lower portion of the snow cover, hence preparing the impurities for rapid re-moval. Environmental damage can occur due to the concen-tration and rapid release of atmospheric pollutants from the snow, especially in areas of acid precipitation. The enrich-ment of the soluble impurities is explained and the results of laboratory experiments are given.

36-1888

Electrical resistivity-hydraulic conductivity relationships in glacial outwash aquifers.

Urish, D.W., Water resources research, Oct. 1981, 17(5), p.1401-1408, 34 refs.

Glacial deposits, Outwash, Electrical resistivity, Soil physics, Porosity, Grain size, Permeability, Hydraulics, Mathematical models.

Areal distribution of snow water equivalent evaluated by snow cover monitoring.

Martinec, J., et al, *Water resources research*. Oct. 1981, 17(5), p.1480-1488, 13 refs. Rango, A.

LANDSAT, Snow water equivalent, Snow cover distribution, Snowmelt, Remote sensing, Runoff fore-casting, Seasonal variations, Mountains.

Development and present state of German periglacial research in the polar, subpolar and alpine environ-

Karte, J., National Research Council, Canada. Technical translation. 1981, NRC/CNR TT-1983, 64p., Translated from Entwicklung und gegenwärtiger Stand der deutschen Periglaziärforschung im polaren, subpolaren und alpinen Milieu, 1979. Refs. p.54-64. Periglacial processes, Geocryology, Permafrost distribution, Climatic factors, Research projects, Polar regions, Subpolar regions, Alpine landscapes, Ger-

36-1891

Western section of the Baykal Amur railroad, the Ust'-Kut-Kunerma line, is under construction. [Zapadnyi uchastok BAMa Ust'-Kut-Kunerma stroiu!1

Gotgel'f, A.K., Transportnoe stroitel'stvo, Jan. 1982. No.1. p.5-7. In Russian.

Embankments, Railroad tracks, Permafrost beneath structures, Residential buildings, Large panel buildings. Baykal Amur railroad.

36-1892

Construction of municipal road tunnels under difficult geological conditions. ¡Sooruzhenie gorodskogo avtodorozhnogo tonnelia v slozhnykh geologicheskikh usloviiakh₁, Trupak, N.G., Transportnoe stroitel'stvo, Jan. 1982.

No.1, p.50-51, In Russian.

Urban planning, Roads, Tunnels, Earthwork, Artificial freezing.

36-1893

Mechanical denudation of mountains in the Subarctic and temperate zones (according to suspended load analysis). (Mekhanicheskaia denudatsiia gor Subarktiki i umerennogo poiasa (po dannym analiza stoka vzveshennykh nanosov)],

Dedkov, A.P., et al, Geomorfologiia, Apr.-June 1981, No.2, p.14-22, In Russian. 14 refs. Mozzherin, V.I.

Subarctic landscapes, Mountains, Erosion, Streams, Suspended sediments.

Geomorphological conditions of accumulation and reworking of the Edoma series in northern Yakutia. Geomorfologicheskie uslovija nakoplenija i pererabotki edomnoi tolshchi na severe IAkutiin

Gravis, G.F., et al, Geomorfologiia, Apr.-June 1981, No.2, p.39-46, In Russian. 27 refs. Sukhodrovskii, V.L.

Frozen fines, Loess, Clays, Ground ice, Permafrost structure, Slope processes, Solifluction, Geomorphology, Geocryology.

Peculiarities of frozen rock strength. [Ob osobennostiakh prochnosti merzlykh porodj. Frolov, A.D., Russia. Ministerstvo vysshego i sred-

takn procenosu merzykn porocj. Frolov, A.D., Russia. Ministerstvo vysshego i srednego spetsial nogo obrazovaniia. Izvestiia vysshikh uchebnykh zavedeni. Geologiia i razvedka. Dec. 1981, No. 12, p. 135-137. In Russian. 9 refs. Frozen ground strength. Mechanical properties,

Ground ice, Cryogenic structures, Ice melting, Regelation. Frozen fines, Clavs, Salt ice.

36-1896

Avalanche erosion in the northern Lake Baykal area compared to other regions of the USSR. [Lavinnaia denudatsiia v Severnom Pribaikal'e v sravnenii s

drugimi raionami SSSR₃,
Agafonov, B.P., et al, Geomorfologiia, July-Sep. 1981, No.3, p.42-48, In Russian. 11 refs.

Makarov, S.A.

Slope processes, Snow accumulation, Avalanche formation, Avalanche triggering, Avalanche erosion, Avalanche deposits.

36-1897

Formation of relief under periglacial conditions and climatic changes (central chernozem regions taken as an example). [Formirovanic rel'efa pod vliianiem izmenenii klimata v perigliatsial nykh usloviiakh (na primere tsentral nochernozemnykh oblastei)1.

Khrutskii, S.V., et al, Geomorfologiia, July-Sep. 1981, No.3, p.92-97, In Russian. 13 refs. Kostsova, E.V

Paleoclimatology, Climatic changes, Periglacial processes, Geocryology, Glacial erosion, Solifluction.

Exogenic process called nivation. [Ob ekzogennom protsesse nazyvaemom nivatsieij. Shvetsov, P.F., et al, *Geomorfologiia*, Oct.-Dec.1981, No.4, p.24-30, In Russian. 12 refs.

Koreisha, M.M. Nivation, Snow accumulation, Frost weathering, Freeze thaw cycles, Nival relief.

36-1899

Combined method of soil preparation for winter trenching. (Kombinirovannyi sposob podgotovki grunta dlia razrabotki transhei zimoj. Filippov. G.S., Gidrotekhnika i melioratsiia, Aug. 1981, No.8, p.24-25, In Russian. 2 refs.

Soil freezing, Earthwork, Freet protection, Clay soils, Thermal insulation, Cellular plastics, Trenching, Cold weather construction.

36-1900

Reclamation work in winter. Meliorativnye raboty v

zimnee vremiaj. Chebotarev. A.I., Gidrotekhnika i melioratsija. Oct. 1981, No.10, p.19-21, In Russian.

Swamps, Land reclamation, Soil freezing, Earthwork, Trenching, Embankments, Snow roads, Ice roads.

36-1901

Depth of pipeline laying into deeply freezing frost heaving soils. [Glubina zalozheniia truboprovodov v puchinistykh gruntakh pri glubokom promerzaniij. Alekseev, S.I., Gidrotekhnika i melioratsiia, Oct. 1981, No.10, p.25-27, In Russian. 3 refs.
Pipelines, Soil freezing, Pipe laying, Frost penetra-

tion, Frost heave.

36-1902

Diatom algae from the Mayorskoe Lake (Anadyr area). Diatomovye vodorosli ozera Majorskogo

(Anadyrskii raion)₁, Kharitonov. V.G., *Botanicheskii zhurnal*, Apr. 1981, 66(4), p.542-549, In Russian, 15 refs. Tundra, Thermokarst lakes, Algae, Permafrost

beneath lakes, Plant ecology, Ecosystems.

Flora of the southeastern part of the Byrranga mountains (Taymyr). ¡K flore iugo-vostochnoi chasti gor Byrranga (Taimyr)₃. Rapota, V.V., et al. *Botanicheskii zhurnal*, Apr. 1981,

66(4), p.549-555, In Russian. 3 refs. Kozhevnikov, IU.P.

Tundra, Swamps, Mountains, Flood plains, Lakes, Plant ecology, Ecosystems.

36-1904

Open plant communities in polar deserts of the Alexandra Land Island (Franz Josef Land) and their classification, (Otkrytye rastitel nye gruppirovki poliarno) pustyni ostrova Zemlia Aleksandry (Zemlia Frantsa-

losifa) i ikh klassifikatsiiaj. Aleksandrova, V.D., Botanicheskii zhurnal, May 1981, 66(5), p.636-649. In Russian with English sum-15 refs

Arctic landscapes, Deserts, Vegetation, Plant ecology, Ecosystems, Plant physiology.

Flora of the right bank of the Kolyma River near its estuary. ¡K flore pravoberezh ia reki Kolymy bliz ee

Petrovskii, V V et al. Botanicheskii zhurnal, May 1981, 66(5), p.662-673. In Russian with English summary. 7 refs

Zaslavskaja (Koroleva), T.M. Plant ecology. Arctic landscapes, Ecosystems, Tundra, Mosses, Grasses, Lichens, Rivers, Estuaries.

36-1906

Hepatics among lichens growing on the Tulay-Kiryak Plateau (northeastern Taymyr). [Pechenochnye mkhi sredi lishamikov plato Tulai-Kiriaka (severo-vostochnyi Taimyr)i.

Zhukova, A.L., Botamcheski 66(5), p.684-694, In Russian A.L., Botamcheskii zhurnal, May 1981, 13 refs

Tundra, Cryogenic soils, Mosses, Lichens, Plant ecology, Ecosystems.

Distribution of diatom algae in the northern Magadan area. Ob osobennostiakh v raspredelenii diatomovykh

vodoroslei na severe Magadanskoi oblastij. Kharitonov, V.G., *Botanicheskii zhurnal*, May 1981, 66(5), p.731-734, In Russian. 9 refs.

Tundra, Lakes, Rivers, Algae, Plant ecology, Ecosystems.

Studies of N.A. Maksimov and present trends in the physiology of plant resistance to frost. [Issledovaniia N.A. Maksimova i sovremennye napravlenija fiziologij

morozostoikosti rasteniij. Tiurina, M.M. Botanicheskii zhurnal, June 1981. 66(6), p.777-791, In Russian with English summary. Refs. p.789-791.

Plant physiology, Theories, Frost resistance, Plant ecology, Cryogenic soils, Soil freezing.

36-1909

Flora of the Severnoye Lake basin in the southwestern Putorana Mountains (north central Siberia). ¡Flora basseina ozera Severnoe na iugo-zapade goi

Putorana (sever srednei Sibiri), Kuvaev, V.B., et al, *Botanicheskii zhurnal*. July 1981. 66(7), p.943-956, In Russian with English summary 15 refs.

Tundra, Lakes, Taiga, Mountains, Cryogenic soils, Plant ecology, Ecosystems.

Vegetational cover in the mammoth-find area of Tay-myr (Bol'shaya Lesnaya Rassokha River, southeastern Taymyr). (Rastitel'nyi pokrov raiona nakhodki taunyrskogo mamonta (jugo-vostochnyi Taimyr, r.

Bol'shaia Lesnaia Rassokhajı, Lkraintseva, V.V., et al. *Botanicheskii zhurnal*. July 1981, 66(7), p.987-992. In Russian. 6 refs.

Kozhevnikov, IU.P. Tundra, Swamps, Vegetation patterns, Plant ecology,

36-1911

Sustained strength of polycrystalline ice. [Dlitel'naia prochnost' polikristallicheskogo l'daj.
Beilin, A.U., et al. Fiziko-tekhnicheskie problemy

razrabotki poleznykh iskopacmykh, Jan.-Feb. 1981, No.1, p.94-96, In Russian. 17 refs. IAkovley, S.

Ice crystals, Grain size, Ice strength, Static loads.

36-1912

Use of space imagery in mapping soils in the Lake Baykal area and northern Transbaikal. (Opyt ispolzovanija kosmicheskikh materialov pri kartirovaniji pochy Pribatkal'ia i Severnogo Zabatkal'iaj.

Kuz'min, V.A., Issledovanic Zemli iz kosmosa, Mar.-Apr. 1981, No.2, p.31-35, In Russian with English

Alpine landscapes, Taiga, Swamps, Cryogenic soils, Meadow soils, Mapping, Spaceborne photography.

Marine environment and structural design. Gaythwaite, J., New York, Van Nostrand Reinhold Company, 1981, 313p. (Pertinent p.236-258), 47

Ocean environments, Ocean currents, Ocean waves, Wind (meteorology), Sea ice distribution, Ice pressure, Ice conditions, Ice loads, Water level, Environmental impact, Design.

36-1914

Conductance of alkali metal ions in supercooled wa

.. et al. Journal of physical chemistry. Takisawa. Nov. 26, 1981, 85(24), p.3582-3585, 22 refs. Osugi, J., Nakahara, M.

Supercooling, Water chemistry, Metals, Ions, Solutions, Conduction, Temperature effects.

36-1915

EPR investigation of the nonfreezing water/free wa-

ter ratio in disperse systems.

Britggeller, P., et al, *Journal of physical chemistry*, Dec. 24, 1981, 85(26), p.4135-4139. Mayer, E.

Unfrozen water content, Ice crystal structure. Dispersions, Solutions, Freezing, Electron paramagnetic resonance, Temperature effects, Emulsions.

ment.

Make plans before snow falls. American city and county. Dec. 1981, 96(12), p.17-20 Snow removal, Winter maintenance, Snowfall, Equip-

When snowstorms hit, this airport is ready. American city and county, Nov. 1981, 96(11), p.33-34.

Airports, Snow removal, Winter maintenance, Road maintenance, Snowstorms, Snow accumulation. 36-1918

Ferroelectric phase transition and anisotropy of dielectric constant in ice Ih.

Minagawa, L. Physical Society of Japan. Journal, iov. 1981, 50(11), p.3669-3676, 19 refs

Ice crystal structure, Ice electrical properties, Phase transformations, Anisotropy, Dielectric properties. 36-1919

Some effects of tension on static wire fatigue in New England.

Richardson, A.S., et al, IEEE transactions on power apparatus and systems, Feb. 1981, PAS-100(2), p 646-652, 34 refs. Smith E.S.

Power line icing, Ice accretion, Fatigue (materials), Stresses, Tensile properties, Transmission lines, Temperature effects.

36.1920

Conductor galloping, Part 1: Den Hartog mechanism. Nigol, O., et al, IEEE transactions on power apparatus and systems. Feb. 1981, PAS-100(2), p.699-707, 3

Buchan, P.G.

Wind tunnels, Ice growth, Ice accretion, Ice cover thickness, Wind velocity, Transmission lines, Analysis (mathematics), Dynamic properties, Damping, Conductors

36-1921

Conductor galloping, Part 2: torsional mechanics. Nigol. O., et al. IEEE transactions on power apparatus

and systems, Feb. 1981, PAS-100(2), p.708-720, Includes discussions. 2 refs. Buchan, P.G.

Wind tunnels, Ice accretion, Ice cover thickness, Transmission lines, Wind velocity, Air flow, Damping, Stresses, Conductors, Torsion.

36-1922

German polar research and supply ship, Das deutsche Polar-Forschungs- und Versorgungsschiff, Hansa, Sep. 1981, 118(17), p. 1217-1220, In German. Icebreakers, Ships, Research projects.

The history of the planning and construction of this ship is briefly traced including contacts with SCAR representatives. The factor having the greatest impact in the pre-construction phases was the requirement that the vessel function well at very phases was the requirement that the vessel function well at very low temperatures, -30 to -50C. The vital statistics of length, breadth, keel depth, tonnage, power plants, and crew and scientific personnel capacities are given. Working space for scientists in any of 11 disciplines, navigation and ice breaking capabilities are mentioned. Special equipment and facilities for working in cold environments are pointed out. The ship is expected to be a major element in carrying out the GFR antarctic research program.

Development of new propulsion options for icebreakers. [Entwicklung neuer Antriebskonzepte für eisbrechende Schiffej. Meier-Peter, H., Hansa, Sep. 1981, 118(17), p.1222-

1225, In German. 4 refs Ships, Icebreakers, Propellers.

36-1924

Ice jams on the Dnestr and some proposals to prevent flooding caused by them. Karnovich, V.N., et al. Joint Publications Research

Service. Meteorology and hydrology, May 1973, No.5, p.78-87, JPRS-59580, N73-30620 (N73-30612). For Russian original see 29-325 Sinotin VI

Ice jams, River ice. Ice control, Hydraulic structures.

36-1925

Wind-wave spectrum at the edge of the ice.

Wind-wave Spectrum at the edge of the Islands Zubakin, G.K., Joint Publications Research Service Meteorology and hydrology, May 1973, No.5, p.88-92, JPRS-59580, N73-30621 (N73-30612), For Russian original see 28-326 Ocean waves, Wind factors, Sea ice, Ice edge.

36-1926

Staggered antarctic ice sheet formation supported. Kerr, R.A., Science, July 24, 1981, 213(4506), p.427-428

Ice sheets, Glaciology, Climatic changes, Antarctica -West Antarctica.

The results of an investigation by a group from the University of Georgia are discussed. The theory is proposed that, an-chored by the Ross and Filchner ice shelves to prevent lateral slippage, the West Antarctic ice sheet formed about 9 my: Arguments in support of this theory are presented. The rela-tive merits and faults of drill coring vs piston coring are identi-

fied and a newer piece of boring equipment, the hydraulic pistor corer is highly regarded. A link to the West Antarche ice sheet of a 50 m drop in sea level about 5.5 mya is disclaimed.

36-1927

Rise of global mean sea level as an indication of climate change.

Etkins, R., et al. Science, Jan. 15, 1982, 2-5(45)00, p.287(289, 8) rets.

Epstein, F.S.

Sea level, Climatic changes, Ice sheets, Ice melting, Calculations indicate that thermal expansion cannot be the soic factor responsible for the observed rise in sea level over the last 40 years; significant discharges of polar ice must also be occur ring. Global warming, due in some degree presumably to in-creasing atmospheric carbon dioxide, has been opposed by the extraction of heat necessary to melt the discharged ice. During the past 40 years more than 50,000 cubic kilometers of ice has the past 40 years more than 50,000 cubic kilometers of ice has been discharged and has melted, reducing the surface warming that might otherwise have occurred by as much as a factor of 2. The transfer of mass from the polar regions to a thin spherical shell covering all the oceans should have increased the earth's moment of inertia and correspondingly reduced the speed of rotation by about 1.5 parts in 100 million. This accounts for about three quarters of the observed fractional reduction in the earth's angular velocity since 1940. (Auth.)

Essential features of the development of glacial landforms on Qinghai-Xizang plateau.

Cut, Z., Acta geographica sinica, June 1980, 55(2), p.137-147, 15 (cfs.) In Chinese with English sum-mary. 15 refs

Glaciation, Landforms, Glacial erosion.

Recent variations in the glacial termini along the Karakorum Highway.

Zhang, X., Acta geographica simea, June 1980, 35(2). p.149-160, 24 rets. In Chinese with English sum-24 rets

Glaciation, Glaciers, Glaciology, China-Kunlun Mountains.

Researches on snow and ice in Japan-a visit. Shi, Y., et al. Acta geographica sinica, June 1980, 35(2), p.185. In Chinese

Snow, Research projects, Ice, Japan.

36-1931

Laboratory testing of frozen soils by the ball stamp technique, [Grunty. Metod laboratornogo is-pytaniia merzlykh gruntov sharikovym shtampom₁. Russia. Gosudarstvennyi konntet po delam stro tel'stva, Gosudarstvennyi standard SSSR, GOS 21048-75 (State standard of the USSR, GOST 2104) GOST 75), Moscow, Izdatel'stvo standartov, 1975, 7p., In-

Frozen ground, Frozen fines, Sands, Clays, Cohesion, Laboratory techniques, Tests.

36-1932

Preparation of frozen soil samples for laboratory tests, (Grunty Podgotovka k laboratornym is-pytaniiam obraztsov merzlykh gruntovą,

Russia. Gosudarstvennyi komitet po delam stroi-tel'stva. Gosudarstvennyi standard SSSR. GOST 20885-75 (State standard of the USSR, GOST 20885-75), Moscow, Izdateľstvo standartov, 1975, 5p., In

Tests, Soil freezing, Frozen ground, Laboratory techniques, Sampling, Frozen fines, Sands, Clays, Mechanical properties.

36-1933

Soils. Field test method by dynamic penetration. Grunty Metod polevogo ispytanija dinamicheslam zondirovanicm).

Russia. Gosudarstvernyi komitet po delam stroitel'stva, Gosudarstverny: standard SSSR, GOS 19912-74 (State standard of the USSR, GOST 1992) 4). Moscow, Izdaterstvo stardartov, 1974, 8p., In-

Frozen fines, Sands, Clays, Tests, Laboratory techniques.

Soils. Laboratory technique of determining thawing and compressibility coefficients of frozen soils, (Grunty Metod laboratorio, or opiederemen koeffitsientov othuvarina i szhunaemosti pri ottawanii incizłykh gruntosy,

ziykh guntov). Russia Gosiadarstyciaryi Fornitet po delam strontel'stya, Gosiadarstyciaryi strodard SSSR. GOST 19706-74 (State standard of the USSR, GOST 19706-74), Moscow, Izdate's — tradictov 1974, 6p. 16

Frozen fines, Sands, Class. Ground thawing, Labora-

Very strong rhomboidal piles stable in frost heaving ground. (Zabivnye rombovidnye svai povyshennoi ne sushcher sposobnosti ustorchivve protiv

Evanga? Nauchno-issledovateľskii institut novami i podzemnykh sooruzhenii. Tyumen', 1975, 56. In Russian

Foundations, Piles, Pile driving, Boreholes, Frost

36-1936

Ecologic-biologic peculiarities, productiveness and protection of phytocenoses in the western BAM zone. (Liologo-biologicheskie osobennosti, produktivnosť i okhrana fitotsenozov zapadnogo uchastka zony

Kolesnichenko, V.T., ed. Irkutsk, 1979, 95p., In Russian. For selected papers see 36-1937 through 36-

DLC OK375 E38

River basins, Estuaries, Deltas, Permafrost distribution. Cryogenic soils, Swamps, Peat, Plant ecology, Ecosystems, Alpine tundra.

General features of vegetation in the Angara-Kichera delta. ¡Obshchaia kharakteristika rastitel'nosti Angaro-Kicherskoi del'tyj.

Gramna, G.T. Ekologo-biologicheskie osobennosti, produktivnost i okhrana fitotsenozov zapadnogo uchastka zony BAM (Ecologic-biologic peculiarities, productiveness and protection of phytocenoses in the western BAM zone) edited by V.T. Kolesnichenko, Irkutsk. 1979, p.15-17, In Russian. DLC QK375 E38

Deltas, Cryogenic soils, Permafrost distribution, Swamps, Vegetation patterns, Plant ecology, Ecosystems, Rivers, Estuaries,

Microclimatic regionalization of the western BAM zone. (Mikroklimaticheskoe raionirovanie v zone apadnogo uchastka BAMj,

Ciontar, VI, et al. Ekologo-biologicheskie osoben-nosti, produktivnost i okhrana fitotsenozov zapad-rogo uchastka zony BAM (Ecologic-biologic peculiarities, productiveness and protection of phytocenoses in the western BAM zone edited by Kolesnichenko, Irkutsk, 1979, p.62-64. In Rus-

Lostik, N.I.

DLC: OK375 E38

River basins, Valleys, Permafrost distribution, Microclimatology.

Interrelations between soils and vegetation in the western BAM zone. O vzaimosviazi rastitel'nogo pokrova i pochvogruntov na territorii zapadnogo ochastka $B\Delta M_{\rm D}$.

Osipova, O.A., et al. Ekologo-biologicheskie osobennosti, produktivnosť i okhrana fitotsenozov zapadnogo uchastka zony BAM (Ecologic-biologic peculiarities, productiveness and protection of phytocenness in the western BAM zone) edited by VT Kolesnichenko, Irkutsk, 1979, p.91-94, In Rus-

Frolova, M. DI C QK375 E38

Landscape types, Alpine tundra, Swamps, Peat, Cryogenic soils, Plant ecology, Mapping.

Subglacial eroding velocities of streams in channels. (K voprosu o razmyvajushchikh skorostiakh v kanalakh pri nalichii ledianogo pokrovaj,

Ros., U.S., et al. Krasnodar. Kubanskii sefskok-bo nustvennyi mstitut - Trudy. 1976, Vyp 122, p.67-75. In Russian - 7 refs

Suptsm, V.P. DLC S13 K78

Land reclamation, Channels (waterways), Icebound rivers. Ice water interface, Ice friction, Flow rate, Water erosion.

Variations of snow properties. (Ob izmenchivosti

svoisty snegaj. Kanacy, L.A., Sredneaziatskii nauchno-issledovatel'skii gidrometeorologicheskii institut - Trudy, 1969, Vol 44. p 25-42. In Russian - 37 refs

Avalanch formation, Slope processes, Snow depth, Snow density, Snow cover stability, Snow strength, Avalanche triggering, Avalanche mechanics.

36-1942

Calculating the runoff of glacial rivers. [O raschete

stoka rek s lednikovym pitaniemj. Kamalov, B.A., Sredneaziatskii nauchno-issledovatelisků gidrometeorologichesků institut. Trudy, 1969, Vol.44, p.66-80, In Russian. 15 refs.

Glacial hydrology, Glacial rivers, Alimentation, Run-

Some problems of the mechanics of glacier movements. (Nekotorye voprosy mekhaniki dvizheniia led-

nikov_j. Litosh, V.A., Sredneaziatskij nauchno-issledovateľ skij gidrometeorologicheskii institut. Trudy. 1969. Vol.44, p.89-98, In Russian. 18 refs Mountain glaciers, Glacier flow, Glacier ice.

Rheology.

Classification and space variations of albedo of a homogeneous glacier surface during ablation. [Problema klassifikatsii i prostranstvennaja izmenchivosti al'bedo odnorodnoi poverkhnosti lednikov v period abliatsin.

Sredneaziatskii Konovalov, V.G., Sredneaziatskii nauchno-issledovateľskii gidrometeorologicheskii institut. Trudy, 1969, Vol.44, p.102-107, In Russian. 5 refs. Glacier ablation, Glacier surfaces, Albedo.

Nonoptical method of revealing and recording the crystalline structure of ice. Neopticheskii metod vyiavleniia i siksirovaniia kristallicheskoi struktury

issledovateľsků gid Trudy 1940 sstedovateľskii gidrometeorologicheskii mstitut. Trudy, 1969, Vol.44, p.108-113, In Russian. Ice crystal structure, Ice sampline

Laboratory techniques, Equipment.

History of large lakes in the Central Subarctic. [Is-

toriia bol shikh ozer Tsentral noi Subarktikij. Vykhristiuk, L.A., et al. Novosibirsk, Nauka, 1981. 137p., In Russian with English table of contents en-150 refs.

Subpolar regions, Lakes, Lacustrine deposits, Soil formation, Bottom sediment, Algae, Permafrost beneath lakes, Cryogenic soils, Subarctic landscapes. Slope processes, Geocryology.

36-1947

Arctic ice and recent natural processes. [1 dy Arktiki i sovremennye prirodnye protsessyj. Zakharov, V.F., Leningrad, Gidrometeoizdat, 1981.

136p., In Russia with English table of contents enclosed. 150 refs.

Pack ice. Polar regions, Icebergs, Arctic landscapes, Sea ice. Ice formation, Land ice, Ice salinity, Ice volume. Glacier ice, Permafrost, Arctic Ocean.

Engineering and geological investigations for tunnel construction. [Inzhenerno-geologicheskie sledovanija pri stroitel stve tunnelei]. construction.

Pashkin, E.M., Moscow, Nedra, 1981, 135p., In Russian with English table of contents enclosed. 88 refs. State with Engine 1able of contents enclosed. 88 refs. Tunneling (excavation), Linings, Anchors, Supports, Steel structures, Concrete structures, Hydraulic structures, Drains, Railroads, Roads, Engineering geology, USSR—Far East, USSR—Caucasus, USSR—Control Aria

Pile construction on permafrost. [Proizvodstvo svainykh rabot na vechnomerzlykh gruntakhi,

Goncharov, IU.M., et al, Leningrad, Stronzdat, 1981. 160p., In Russian with English table of contents en-40 refs

Targulian, H. O., Vartanov, S.Kh.

Foundations, Piles. Permafrost bases, Drilling, Permafrost control, Artificial thawing, Pile driving.

Mechanics of glaciers, snow avalanches and soils (Mckhanika lednikov, snezhnyku lavin i gruntov). Grigorian, S.S., ed. Moscow. Institut mckhaniki Nauchnye trudy. 1975. No.42, 113p., In Russian For selected papers see 36-1951 through 36-1955. Refs passim

Glaciology. Glacier formation. Glacier flow, Glacier oscillation, Glacier surfaces, Snow cover distribution, Glacier alimentation, Ice mechanics, Ice crystal structure. Ice creep, Ice plasticity. Rheology, Avalanche formation. Avalanche triggering, Avalanche mechanics. Avalanche wind, Models, Simulation.

Problems and methods of studying glacier oscillations, ¿Zadachi i metody izuchenia kolebanii lednikovj. Shumskii, P.A.

Moscon Institut mekhaniki Nauchnye trudy, 1975, No 42, p 5-11, In Russian 13 refs

Glaciology, Theories, Glacier formation, Glacier oscillation, Glacier surveys, Glacier alimentation, Glacier mass balance, Glacier heat balance, Meteorological factors, Models, Simulation.

Studying regimes of glaciers from surface observations. [Izuchenie rezhima lednikov s pomosheh'iu na-

bliudenii na poverkhnostij. Shumskii. P.A., Moscow Institut mekhaniki Nauchnye trudy. 1975. No.42, p.12-42, In Russian

Glacier surfaces, Glacier surveys, Snow cover distribution, Firn stratification, Glacier flow, Flow rate, Glacial hydrology.

Simple mathematical model of a three-dimensional nonstationary glacier. [Prostershaia matematicheskara model' trekhmernogo nestatsionarnogo lednikaj. Grigorian, S.S., et al. Moscow. Institut mekhaniki Nauchnye tiudy. 1975. No 42, p.43-53, In Russian.

Glaciology, Mathematical models, Glacier oscilla-

36-1954

Law governing the flow of polycrystalline ice. (O /a-

kone techeniia polikiistallicheskogo l'daj. Shumskii, P.A. Moscow Institut mekhaniki. Nauchnye trudy. 1975. No 42, p 54-68. In Russian.

Ice crystals, Ice mechanics, Flow rate, Ice crystal structure, Ice creep, Ice plasticity, Rheology, Temperature effects. Theories

36-1955

Nature of avalanche wind. [O prirode lavinnoi voz-

dushnot volnyj.
Grigorian, S.S., et al. Moscow Institut mekhaniki. Nauchnye trudy, 1975, No.42, p.74-82, In Russian. 13 refs.

Urumbaev, N.A. Avalanche formation, Avalanche triggering, Avalanche mechanics, Avalanche wind, Impact strength.

Frost resistance of subalpine Eucaliptus species. Experiments using the resistance index method of damage assessment.

Harwood, C.E., Australian journal of botany, 1981, 29(2), p.209-218, 14 refs. Frost resistance, Vegetation, Damage, Subpolar re-

gions, Experimentation.

36-1957

Wet and dry deposition of trace elements onto the Greenland ice sheet.

Greeniana ice sneet.

Davidson, C.I., et al. Atmospheric environment, 1981, 15(8), p. 1429-1437, 54 rets.

Chu, L., Grimm, T.C., Nasta, M.A., Qamoos, M.P.

Snow composition, Precipitation (meteorology), Air

pollution, Snowfall, Ice sheets, Chemical composition, Greenland.

36-1958

Scale of avalanche danger, ¿Une échelle du risque d'avalanches). Marbouty, D. Neige et avalanches, Oct. 1981, No 27.

p.30-39. In French Avalanche formation. cidents, Safety, Avalanche

36-1959

Laser, snow and avalanches, if e faser, la neige et les avalanches₁.

Granier, D. et al. Neige et avaianches, Oct. 1981, No.27, p 40-48, In French 11 rets

Gramer, R., Coulon, R. Avalanche formation, Snow optics, Ice optics, Lasers,

Insulation retrofitting—a case history. Strelka, C.S., et al. National Research Connect Canada Building practice note, Sep. 1981, No.21. 9p. + figs , 5 rets

Burn, K N Thermal insulation, Residential buildings, Houses,

Urea formaldehyde foam insulation: problem identification and remedial measures for wood-frame construction.

Bowen, R.P., et al, National Research Council, Canada Building practice note, Aug. 1981, No.23, 34p + appends. 6 refs. Shirtlitte, C.J., Chown, G.A. Thermal insulation, Wooden structures, Houses,

Urea, Safety, Buildings,

Use of ice-liquid water potential temperature as a thermodynamic variable in deep atmospheric models. Tripoli, G.J., et al, *Monthly weather review*, May 1981, 109(5), p.1094-1102, 11 refs. Cotton, W.R.

Ice water interface, Thermodynamics, Phase transformations, Compressive properties, Mathematical models, Temperature variations.

36-1963

Traffic, roads and the community.

IRF (International Road Federation) World Meeting. IRF (International Road Federation) World Meeting. 9th. Stockholm, June 1-5, 1981, Sweden, Statens vag-och trafikinstitut, 1981, 84p., Abstracts of the papers Road maintenance, Winter maintenance, Engineer-ing, Trafficability, Noise (sound), Safety, Surface roughness, Meetings.

Small landslide types and controls in glacial deposits: lower Skagit River drainage, northern Cascade Range, Washington.

Heller, P.1., Environmental geology, 1981, 3(4), p.221-128, 19 refs

Landslides, Slope processes, Glacial deposits.

36-1965

Tests of effective pair potentials for water: predicted ice structures.

Morse, M.D., et al. *Journal of chemical physics*, Jan. 1, 1982, 76(1), p.650-660, 50 refs.

Rice, S.A. Ice structure. High pressure ice, Ions, Water structure, Ice density, Tests.

Subsurface currents in the Arctic Ocean, ¡Podpoverkhnostnyc techenija v Severnom Ledovitom okcanej. Beliakov, 1 N., et al. *Problemy Arktiki i Antarktiki:* sbernik stater, 1981, Vol.56, p.12-19, In Russian. 16

Volkov, V.A.

Ocean currents, Drift stations.

Sea ice regelation conditions in the Arctic. [Usloviia rezhehatsii morskogo l'da v Arktikej,

Corbinov, Il. A., et al. Problemy Arktiki i Antarktiki: sheinik statei. 1981. Vol.56, p.23-28. In Russian. 2

Petroy, LG

Sea ice. Regelation, Ice temperature, Ice density, Water temperature, Freezing.

Temperature shifts, stress and strain in fast ice. (O terinicheskikh peremesheheniiakh, deformatsiiakh i

napriazheniakh pripaiaj. Kulakov, M.H., et al. *Problemy Arktiki i Antarktiki:* sbernik stater. 1981. Vol 56. p 29-38. In Russian. 10

Legenikov AP

Fast ice, Thermal stresses, Strains, Ice deformation.

Rheological model of ice pressure ridge formation. Reologicheskata model toroshenija ledianogo pok-

Kolcov, S.A. Problemy, Arktiki i Antaiktiki, shoimk stater, 1981, Vol.56, p.39-45, In Russian 12 refs Pressure ridges, Rheology, Mathematical models. Sea ice. Fast ice.

36-1970

Morphological features of the upper and lower surof fast ice. Nekotorye osobennosti morfologii ishner i verkhner poverkhnoster pripainykh Edovi Chilingarov, A.N., et al. Problemy Arkliki i Antaik-tik : Sorink states, 1981. Vol 56, p 46-50. In Russian adachigos, G.A.

East ice. Pressure ridges. Ice surface, Ice bottom surface. Ice water interface. Ice cover thickness.

Measuring ice cover thickness in the Ob-Taz Bay. (K metodike izmerenii tolshchin ledianogo pokrova v Ob-

sko-Tazovskoi gubej. Klimovich, V.M., et al, *Problemy Arktiki i Antarktiki:* sbornik statei. 1981, Vol.56, p.51-54, In Russian. 3 refs

Chilingarov, A.N

Sea ice, Ice cover thickness.

Relationship of seasonal pressure variations in high latitudes of the northern and southern hemispheres. (Vzaimosviaz' sezonnykh kolebanii davleniia v vysokikh shirotakh severnogo i iuzhnogo polusharin. Lutsenko, E.L. Problemy Arktiki i Antarktiki: sbornik statei, 1981, Vol.56, p.78-82, In Russian 11 refs.

Atmospheric pressure, Synoptic meteorology. Atmospheric pressure, Synoptic meteorology. Analysis of semiannual changes in 500-mb geopotential shows that in the mid-troposphere, as at sea level, maximum amplitude peaks of six-month variations occur in the same regions of the northern and southern hemispheres. Thus it appears that localization of maximum amplitude areas in the conjugate areas of the Laptev Sea and East Antarctics is the characteristic feature of semiannual wave formation at both levels of the atmosphere. Comparison of maps of 6-month pressure variations with geomagnetic activity maps shows that areas of maximum simplitude correspond to conjugate cases of reseat teconomic. amplitude correspond to conjugate zones of greatest geomagnetic activity

36-1973

Variability in temperature and depth of Pacific Ocean waters. [Ob izmenchivosti temperatury i glubiny zaleganija tikhookeanskikh voda

Blinov, N.I., et al, Problemy Arktiki i Antarktiki; sbornik stater. 1981, Vol.56, p.109-113, In Russian. refs

Vorob'ev. V.N.

Ocean currents, Oceanography, Drift stations.

Increase of atmospheric CO2 concentration and climatic changes: a possible effect on the Greenland ice sheet. [Anstieg der CO2-Konzentration in der Atmos-

phäre und Klimaänderung: Mögliche Auswirkungen auf den Grönländischen Eisschild, Ambach. W. Wetter und Leben. 1980. Vol.32. p.135-142. In German with English summary. 17 refs. Carbon dioxide, Ice sheets, Atmospheric composition. Heat balance, Glacier mass balance, Climatic changes, Glacier ablation, Air temperature, Green-

land.

Climate of planets, (Klimat planet), Borisenkov, E.P., ed, Leningrad, Gidrometeoizdat,

1981, 96p., In Russian with English table of contents enclosed. 136 refs.

Kondrat'ev, K.IA., ed.

Extraterrestrial ice, Ice fog, Atmospheric composi-tion, Water vapor, Mars (planet), Planetary environments.

36-1976

Glacial geomorphology of mountains (Siberia and the Far East taken as examples). (Gliatsial naia geomorfologiia gor (na primere Sibiri i Dal nego Vostoka)]. Ivanovskii, L.N., Novosibirsk, Nauka, 1981, 173p., In Russian with English table of contents enclosed Refs. p 157-171.

Glaciation, Geomorphology, Theories, Rock glaciers, Mountain glaciers, Glacial hydrology, Glacial erosion, Glacial deposits, Moraines, Topographic fea-

36-1977

Processes and products of soil formation in dark conifer forests, (Protsessy) i produkty pochvoobrazovaniia v teinnokhvoinykh lesakh), Kovalev, R.V., et al. Novosibirsk, Nauka, 1981, 119p.

In Russian with English table of cor-ts enclosed Refs p 113-119

Korsunov, V.M., Shoba, V.N.

Taiga, Cryogenic soils, Soil microbiology, Mountain soils, Forest soils, Podsol, Soil formation, Soil pro-files, Soil composition, Soil chemistry.

Polarization of scattered and proper radio emissions of terrestrial covers. [Poliarizatsna rasseiannogosobstvennogo radioizluchenija zemnykh pokrovovi Bogorodskii, V.V., et al. Leningrad, Gidrometeoizdat, 1981, 279p. In Russian with English table of contents enclosed 165 refs Kanarcikin, D.B., Kozlov, A.I.

Radar echoes, Radio echo soundings, Sea ice, Land ice, Sea water, Landforms, Surface properties, Radio waves, Polarization (waves), Scattering.

36-1979

Cryogenic arid steppe soils. (Stepnye krioaridnye

Volkovintser, V.L. Novosibirsk, Nauka, 1978, 208p., In Russian with English table of contents enclosed.

DLC \$599.45 \$5V64

Steppes, Cryogenic soils, Soil formation, Permafrost distribution, Active layer, Soil composition, Soil microbiology, Classifications.

Road design for western Siberian towns with about one million population. ¡Voprosy proektirovaniia avtomobil'nykh dorog v gorodakh Zapadnoi Sibiri s nascleniem okolo milliona cheloveki,

Mironov, M.S., Omsk. Zapadno-Sibitskoe kinzinise izd-vo. 1977, 84p. In Russian with English table of contents enclosed 30 refs. contents enclosed 30 refs.
DLC TE110.S52M57
Urban = 10.

Urban planning, Roads, Pavements, Design, Cost

36-1981

Temporary instructions for grouting seams and joints of large panel residential buildings without heating. rVremennaja instruktsija po bezobogrevnomu vypolneniju shvov i stykov v krupnopanel nykh zhilykh zda-

Russia. Gosudarstvennyi komitet po grazhdanskomu Moseow Stroiizdat, 1977, stroitel'stvu i arkhitekture, Moscow, Stroitzdat, 1977, 31p., In Russian with English table of contents enclosed.

Samoshkin, IU.S., ed. Smelik, V.D., ed

DLC TH1098.R88
Large panel buildings, Residential buildings, Panels, Joints (junctions), Grouting, Mortars, Cement admixtures. Winter concreting.

Algae in cryoconite holes on Canada Glacier in south-ern Victoria Land, Antarctica.

Wharton, R.A., Jr., et al. Phycologia, June 1981, 20(2).

p.208-211, 14 refs. Vinyard, W.C., Parker, B.C., Simmons, G.M., Jr., Seaburg, K.G.

Cryobiology, Algae, Glacier ice, Wind factors, Antarctica-Canada Glacier.

Algae species from Canada Glacier in southern Victoria Land are identified and discussed. These species are found in small are identified and discussed. These species are found in small water filled depressions which form as heat, absorbed by wind-blown sediment, melts the underlying ice. Algal mats found in these holes are also carried onto the glacier by strong prevailing winds

Surveys for the International Antarctic Glaciological Project, Wilkes Land 1975-76.

Kros, M., Australia. Department of National Development and Energy. Division of National Mapping. opment and Energy. Division of National Technical report, 1980, No.28, c40 leaves.

Expeditions, Geophysical surveys, Glaciers, Antarc--Wilkes Land.

A narrative account is given of organizing, equipping, training, transporting, and executing the planned survey. Details are given of sledge caravan operation, procedures for gathering survey data, tellurometer measurements, navigation, field station locations; 19 photographs record the survey in various stages of operation and 15 annexes contain raw data accumulated during operation and it

36-1984

Development and prospects in polar research. [Osnovnye etapy i perspektivy izucheniia poliarnykh oblastei Zemlij.

Treshnikov, A.F. Problemy Arktiki i Antarktiki; sbor-nik stater. 1981. Vol.57, p.7-22. In Russian.

Research projects.

Soviet polar research is reviewed. In 1956 Soviet antarctic research began and in 1958 the AANII took over responsibility for antarctic and southern ocean investigations. A concise summary of results of research in glaciology, oceanography. meteorology, medicine and other fields is given

36-1985

Sea ice research issues. (Problemy issledovanna morskikh Edovj.

Gudkovich, Z.M., et al, *Problemy Arktikes Antarktike* sbornik state., 1981. Vol.57, p.52-59, In Russian Zakharov, V.E., Kinilov, X.A., Krutskikh, B.A. Sea ice, Research projects, Ice forecasting

Large-scale sea-air interactions. [Problemy krupnomasolitabi ogo vzami destvira oferira i atmosfery. Nikolaev II. V., et a. Problem, Arktiki i Vitarktiki shornik stater, 1983. Voi 57. p.6064. Ir. Russlati Smithov, N.P.

Air water interactions, Climatology, Sea ice, Research projects. Heat balance.

Current methods and results in ice physics and physical oceanography. (Sovremennye metody i rezul'taty issledovanii fiziki l'da i okeana). Bogorodskii, V.V., *Problemy Arktiki i Antarktiki: sbornik statci*. 1981, Vol.57, p.65-78, In Russian.

refs

Ice physics. Ice cover thickness. Sea ice. Rheology.

Radar and radio methods and their use in measuring ice thick-Radar and radio methods and their use in measuring ice thickness and flow velocity, internal structure of glaciers and sea surface temperature in the Arctic are discussed. Results of new techniques for studying drifting ice dynamics are evaluated. Assessments are also given of results of water and snow-ice optics in the arctic basin and of new findings on microand mesoscale space-time variability in geophysical fields. A new pressure measuring method for determining rheological characteristics of ice is evaluated.

36-1988

Designing icebreakers and merchant ships for polar waters. ¡Obespechenie ledovykh kachestv ledokolov i transportnykh sudov ledovogo plavanijaj.

Maksutov, D.D., Problemy Arktiki i Antarktiki; sbornik statei, 1981, Vol.57, p.112-115, In Russian. Icebreakers, Ships.

36-1989

Freezing of a semi-infinite medium with linear initial temperature distribution.

Mikhailov, V.A., et al, Akademiia nauk SSSR. Izvestiya. Physics of the solid earth, 1980, 16(1), p.84-86, Translated from Its Izvestiia. Fizika Zemli. Permiakov, P.P.

Stefan problem, Frost penetration, Frozen rock temperature, Temperature gradients, Permafrost thermal properties, Phase transformations.

36,1000

Proceedings

Symposium/Research on Environmental Fate and Effects of Drilling Fluids and Cuttings, Lake Buena Vista, Florida, Jan. 21-24, 1980, Washington, D.C., [1980], 1122p., Refs. passim. For selected papers see 36-1991 through 36-1996.

Drilling fluids, Offshore drilling, Waste disposal, Permafrost, Sea ice, Drilling, Environmental impact, Meetings.

36-1991

Drilling fluids and disposal methods employed by ESSO Resources Canada Limited to drill in the Canadian Arctic.

Friesen, G., Symposium/Research on Environmental rricsen, G., Symposium/Research on Environmental Fate and Effects of Drilling Fluids and Cuttings, Lake Buena Vista, Florida, Jan. 21-24, 1980. Proceedings, Washington, D.C., (1980), p.53-69, 10 refs. Drilling fluids, Waste disposal, Offshore drilling, Subsea permafrost, Permafrost preservation, Artificial Metals Research Sec.

cial islands, Beaufort Sea

36-1992

Geothermal disturbance resulting from sump construction and use in permafrost terrain, Arctic

French, H.M., et al. Symposium/Research on Environmental Fate and Effects of Drilling Fluids and Cuttings, Lake Buena Vista, Florida, Jan. 21-24, 1980. Proceedings, Washington, D.C., [1980], p.139-165, 15 Smith, M.W.

Permafrost thermal properties, Geothermy, Drilling fluids, Waste disposal, Wells, Freeze thaw cycles, Soil temperature, Pits (excavations).

36-1993

Plant and soil changes resulting from exploratory oil and gas drilling in the Canadian high Arctic.

Smith, D.W., et al. Symposium: Research on Environmental Fate and Effects of Drilling Fluids and Cuttings, Lake Buena Vista, Florida, Jan. 21-24, 1980. Proceedings, Washington, D.C., [1980], p.166-190, 17 refs.

James, T.D.W

Drilling fluids, Environmental impact, Plants (botany), Soil pollution, Slope processes, Snowmelt, Waste disposal, Damage, Soil chemistry, Wells, Vegetation.

36-1994

Surface and subsurface water quality implications of waste drilling fluid sump abandonment in permafrost regions.

Hrudey, S.E., Symposium/Research on Environmental Fate and Effects of Drilling Fluids and Cuttings, Lake Buena Vista, Florida, Jan. 21-24, 1980. Proceedings, Washington, D.C. (1980), p.191-222, 6 refs. Drilling fluids, Waste disposal. Permafrost, Wells, Ground water, Surface waters, Suprapermafrost ground water, Water pollution.

36-1995

Physical aspects of disposal of drilling mud and cuttings in shallow ice covered Arctic seas.

Miller, R.C., et al, Symposium Research on Environmental Fate and Effects of Drilling Fluids and Cuttings, Lake Buena Vista, Florida, Jan. 21-24, 1980. edings, Washington, D.C., [1980], p.670-690, 4 refs

Britch, R.P., Shafer, R.V.

Drilling fluids, Waste disposal, Sea ice. Ocean bottom, Ice bottom surface, Ice surface, Offshore drilling. Analysis (mathematics).

36-1996

Toxicity of drilling fluids to marine organisms in the Beaufort Sea, Alaska. Tornberg, L.D., et al, Symposium/Research on Envi-

ronmental Fate and Effects of Drilling Fluids and Cut-tings. Lake Buena Vista, Florida, Jan. 21-24, 1980. Proceedings, Washington, D.C., [1980], p.997-1016.

Thielk, E.D., Nakatani, R.E., Miller, R.C., Hillman,

Drilling fluids, Marine biology, Damage, Subglacial observations, Toxicity.

Proceedings.

Symposium on Production and Transportation Systems for the Hibernia Discovery, St. John's, New-foundland, Feb. 16-18, 1981, St. John's, Newfound-land, 1981, 522p., Includes discussions, p.393-508. Refs. passim. For selected papers see 36-1998 through 36-2019.

Offshore drilling, Offshore structures, Sea ice distribution, Icebergs, Ice scoring, Impact strength, Floating structures, Artificial islands, Hydrodynamics, Drift, Petroleum industry, Petroleum transportation. Ice pressure, Meetings, Canada-Newfoundland.

Prestressed concrete fixed drilling and production platform for the Hibernia oil field development.

Jarlan, G.E., Symposium on Production and Transpor-

tation Systems for the Hibernia Discovery, St. John's. Newfoundland, Feb. 16-18, 1981. Proceedings, St. John's, Newfoundland, 1981, p.18-26. Offshore structures, Offshore drilling, Hydrodynam-

ics, Icebergs, Drift, Impact strength, Concrete structures, Artificial islands, Ice pressure, Oil recovery, Canada-Newfoundland.

Potential concrete structures for Hibernia.

Lundrigan, H., et al, Symposium on Production and Transportation Systems for the Hibernia Discovery, St. John's, Newfoundland, Feb. 16-18, 1981. Proceedings, St. John's, Newfoundland, 1981, p.27-38. Lindgren, J.

Offshore structures, Offshore drilling, Concrete structures, Ice pressure, Icebergs, Drift, Sea ice, Design, Canada—Newfoundland.

Application of fixed platforms for the Hibernia devel-

Lee, G.C., et al, Symposium on Production and Transportation Systems for the Hibernia Discovery, St. John's, Newfoundland, Feb. 16-18, 1981. Proceedings, St. John's, Newfoundland, 1981, p.39-51, 1 ref Bankston, C.L.

Offshore structures, Artificial islands. Icebergs, Drift, Ice pressure, Ice loads, Ocean waves, Pack ice, Canada—Newfoundland.

Environmental forces on a fixed platform and the ability of the platform to resist them.

McIntyre, N.F., Symposium on Production and Transportation Systems for the Hibernia Discovery. St John's, Newfoundland, Feb. 16-18, 1981 Proceedings, St. John's, Newfoundland, 1981, p.52-68
Offshore structures, Bearing strength, Icebergs, Drift, Impact strength, Environmental impact.

Semi-submersible operating experience: rough seas and occasional icebergs.

Hammett, D.S., Symposium on Production and Transportation Systems for the Hibernia Discovery, St John's, Newfoundland, Feb. 16-18, 1981. Prings, St. John's, Newfoundland, 1981. p.70-90. Offshore drilling, Hydrodynamics, Icebergs, Drift.

Ocean waves, Ice conditions, Ocean currents, Sea ice

36-2003

Tanker based oil production and storage system for the Hibernia field.

Borseth, K., et al. Symposium on Production and Transportation Systems for the Hiberina Discovery, St. John's, Newtoundland, Feb. 16-18, 1981. Proceedings, St. John's, Newtoundland, 1981, p.91-109, 4

Tanker ships, Oil storage, Petroleum industry, Off-shore structures, Offshore drilling, Icebergs, Impact strength, Ice loads, Drift, Canada-Newfoundland,

36-2004

Performance of shuttle tankers in a hostile environ-

Abramovich, D. Symposium on Production and Transportation Systems for the Hibernia Discovery, St. John's, Newfoundland, Feb. 16-18, 1981. ceedings, St. John's, Newfoundland, 1981, p.110-121,

Tanker ships, Offshore drilling, Petroleum industry, Petroleum transportation, Icebergs, Ice scoring, Drift, Loading, Moorings, Ice floes.

Concrete production floating platforms.

Letourneur, O., Symposium on Production and Transportation Systems for the Hibernia Discovery, St. John's, Newfoundland, Feb. 16-18, 1981. Proceedings, St. John's, Newfoundland, 1981, p.122-133, 2

Floating structures, Concrete structures, Offshore structures, Stability, Floating ice, Impact strength,

Ability of floating platforms and tankers to operate in the Hibernia environment.

McIntyre, N.F., Symposium on Production and Transportation Systems for the Hibernia Discovery, St. John's, Newfoundland, Feb. 16-18, 1981. Proceedings, St. John's, Newfoundland, 1981, p. 134-144, Floating structures, Offshore structures, Tanker

ships, Icebergs, Impact strength, Ice floes, Ice scoring, Canada—Newfoundland.

36-2007

Geological evidence of iceberg groundings and related seafloor processes

Lewis, C.F.M., et al, Symposium on Production and Transportation Systems for the Hibernia Discovery, St. John's, Newfoundland, Feb. 16-18, 1981. Proceedings, St. John's, Newfoundland, 1981, p.146-177, Refs. p +75-177 Barrie, J.V.

Icebergs, Ice scoring, Ocean bottom, Bottom topography, Sediment transport, Grounded ice, Submarine geology.

Estimates of iceberg scour depths.

Chari, T.R., et al. Symposium on Production and Transportation Systems for the Hiberma Discovery, St. John's, Newfoundland, Feb. 16-18, 1981. Proceedings, St. John's, Newfoundland, 1981, p.178-188, refs

Peters, G.R.

Ice scoring, Bottom topography, Bottom sediment, Icebergs, Ocean bottom, Ocean currents. Sediment transport. Soil strength, Shear strength, Hydrody-

Burial parameters: an integrated approach to limit overdesign. Lewis, J.K.C., et al. Symposium on Production and

Transportation Systems for the Hibernia Discovery St. John's Newtoundland, Feb. 16-18, 1981. Proceedings, St. John's, Newtoundland, 1981, p 189-206.

Benedict C.P.

Icebergs, Impact strength, Ice control, Engineering, Ice conditions, Sea ice, Statistical analysis, Towing,

Nature of iceberg seabed interactions.
Stacy, R. A., Symposium on Production and Transportation Systems for the Hiberina Discovery, St. John's, Newtoundland, Feb. 16-18, 1981. Proceedings, St. John's, Newtoundland, 1981, p.207-210.

Icebergs, Ice scoring, Ocean bottom, Drift, Hydrodynamics. Ice mechanics. Sediment transport, Soil me-

Underwater trench production systems. Gibson, C.E., Symposium on Production and Transportation Systems for the Hibernia Discovery, St. John's, Newfoundland, Feb. 16-18, 1981. Proceedings, St. John's, Newfoundland, 1981, p.223-237. Trenching, Ocean bottom, Engineering, Ice scoring, Protection, Underwater pipelines, Ocean waves, Ocean currents.

36-2012

Design, installation and operation of gathering and

transmission pipelines for the Hibernia field. Timmermans, W.J., Symposium on Production and Transportation Systems for the Hibernia Discovery, St. John's, Newfoundland, Feb. 16-18, 1981. Proceedings, St. John's, Newfoundland, 1981, p.238-252,

Icebergs, Ocean bottom, Ice scoring, Underwater pipelines, Hot oil lines, Design, Canada—Newfound-

36-2013

Methods for protecting subsea pipelines and installa-

Rochelle, W.R., et al. Symposium on Production and Transportation Systems for the Hibernia Discovery, St. John's, Newfoundland, Feb. 16-18, 1981. Procccdings, St. John's, Newfoundland, 1981, p.253-269. Simpson, D.M.

Engineering, Ocean bottom, Protection, Icebergs, Ice scoring, Trenching, Underwater pipelines, Human factors.

Ability to protect oil/gas pipelines and subsea installations from icebergs in the Hibernia area.

Weir, F.V., Symposium on Production and Transportation Systems for the Hibernia Discovery, St. John's. Newfoundland, Feb. 16-18, 1981. Proceedings, St. John's, Newfoundland, 1981, p 279-290. Ocean bottom, Hydraulic structures, Protection, Ice-

bergs, Ice scoring, Trenching, Underwater pipelines, Submarine geology, Canada—Newfoundland.

36-2015

Safety evaluations of field development concepts. Fjeld, S., Symposium on Production and Transporta-tion Systems for the Hibernia Discovery, St. John's,

Newfoundland, Feb. 16-18, 1981. Proceedings, St. John's, Newfoundland, 1981, p.292-302. Icebergs, Ships, Impact strength, Safety, Accidents, Offshore structures, Oil spills, Drift, Damage, Design

36-2016

Operational risks in a harsh environment: the human

Sharples, B.P.M., et al, Symposium on Production and Transportation Systems for the Hibernia Discovery, St. John's, Newfoundland, Feb. 16-18, 1981. Proceedings, St. John's, Newfoundland, 1981, p.303-309 Jack, R.L., Miller, B.L.

Icebergs, Impact strength, Offshore structures, Accidents. Human factors.

Functions and experience of a classification society in developing standards for offshore structures.

Hannan, W.M., et al. Symposium on Production and Transportation Systems for the Hibernia Discovery, St. John's, Newfoundland, Feb. 16-18, 1981. Proceedings, St. John's, Newfoundland, 1981, p.310-321, 2 refs

Conton 1 F

Offshore structures, Ice conditions, Standards, Ships, Design criteria, Construction.

36-2018

Strength analysis of semi-submersible production

Bainbridge, C.A., Symposium on Production and Lansportation Systems for the Hibernia Discovery, St. John's, Newfoundland, Feb. 16-18, 1981. Pro-stings, St. John's, Newfoundland, 1981, p.322-336.

re structures. Offshore drilling, Floating structures. Impact strength, Ice pressure, Wind factors, threan waves, Buoyancy, Damage, Accidents, Computer applications.

36-2019

Comparative environmental risks associated with fixed platforms and floating platforms and with tankers and pipelines. Weir, F.V., Symposium on Production and Transpor-

tation Systems for the Hibernia Discovery, St. John's, Newfoundland, Feb. 16-18, 1981 Proceedings, St. John's, Newfoundland, 1981, p.337-355.

Icebergs, Offshore structures, Impact strength, Floating structures, Tanker ships, Ocean bottom, Ice scoring, Underwater pipelines, Protection.

36-2020

Using new profile H-beams in cross-pieces of power line supports. Primenenie dvutavrov novykh profilei pri izgotovlenii travers opor VL1.

Sal'nikov, A.A., et al, Energeticheskoe stroitel'stvo. Dec. 1981, No.12, p.30-34, In Russian. Tumanov, V.L., Karavaev, O.V., Vostretsov, O.K.

Power line supports, Steel structures, Frozen ground.

Prospects for further development of concrete pumping technique in the eleventh five-year plan. (O nekotorykh perspektivakh razvitiia betononasosnogo

transporta v XI piatiletke₁.
Zhadanovskii, B.V., et al. *Energeticheskoe stroitel'stvo*, Dec. 1981. No.12, p.42-44, In Russian.
Funikov, A.G., Chirkov, IU.B.

Winter concreting, Concrete placing, Pumps.

36-2022

Role of power-line supports and foundation design in environmental protection. [Rol' konstruktivnykh re-shenii opor i fundamentov VL v voprosakh okhrany okruzhaiushchei sredyj.

Gabliia, IU.A., Energeticheskoe stroitel'stvo, Dec. 1981, No.12, p.49-54, In Russian.
Foundations, Power line supports, Permafrost

beneath structures, Soil erosion, Environmental pro-

36-2023

Using deep-seated sands as construction material in paluded areas. [Ispol'zovanie glubinnogo peska pri stroitel'stve v zabolochennoi mestnosti].

Shpak, D.N., Neftepro.nyslovoe stroitel'stvo. 1981, No.11, p.2-4, In Russian. 3 refs.

Swamps, Petroleum industry. Peat, Foundations, Pipulines, Roads, Sands.

Regularities governing conditionally instantaneous deformations and consolidation of peat under triaxial compression. (Zakonomernosti uslovno-mgnovennykh deformatsii i osobennosti konsolidatsii tor-

fianykh gruntov pri trekhosnom szhatii, Kukushkin, V.A., Neftepromyslovoe stroitel stvo. 1981, No.11, p.8-12, In Russian.

Swamps, Peat, Soil mechanics, Bearing strength, Sampling, Compressive properties.

36-2025

Using the method of outposts in economic development of the North. [Ispol'zovanie vakhtovogo metoda

pri osvoenii prirodnykh resursov Severaj. Sapozhnikov, P.S., et al, Neftepromyslovoe stroitel'stvo. 1981, No.11, p.18-21, In Russian. Chudnovskii, A.D.

Petroleum industry, Subpolar regions, Economic development, Cost analysis.

Seismic method of studying elastic properties of peat soils, rlzuchenie uprugikh svojsty torfianych gruntov

solis, truchenic uprugikin svoisty toriianykin gruntov selsmicheskim meuodomy, Kim, V.M., et al. Neltepromyslovoe stroitelistvo. 1981, No.12, p.9-10, in Russian Kukvnkin, V.A., Ter-Terian, S.A. Swamps, Peat, Soil physics, Seismic surveys, Soil

strength, Elastic proporties, Petroleum industry.

36-202

Geodetic service for pile construction in the North. ¿Osobennosti geodezicheskogo obespechenia svai-nykh rabot v raionakh Severaj.

Chizhevskii, 1U.F., Neftepromyslovoe stroitel'stvo, 1981, No.12, p.12-14, In Russian.

Foundations, Piles, Drilling, Permafrost beneath structures, Artificial thawing, Permafrost control, Design.

36-2028

Forecasting ruptures of industrial pipelines, Prognozirovanie razryvov promyslovykh truboprovodovj. Metel'kov. V.P. Neftepromyslovoe stroitel'stvo.

1982, No.1, p.6-9, In Russian. 1 ref Petroleum industry, Swamps, Pipelines, Permafrost beneath structures, Ground thawing, Accidents.

Determining the index of technological effectiveness of modular structures. [Opredelenie kompleksnogo pokazatelia tekhnologichnosti blochno-komplektnykh ustroistv₁.

Sannikov, IUV., Neftepromyslovoe stroitel'stvo. 1982. No.1, p.11-13, In Russian. 1 ref.

Petroleum industry, Modular construction, Perma-

frost beneath structures. Swamps, Cost analysis.

36-2030

Economic evaluation of special means used in transportation of modular structures. [Ekonomicheskaia otsenka ispol'zovaniia spetisal'nykh transportnykh sredsty dlia perevozki blochnykh ustroisty. Larkova, E.A., Nefupromyslovoe stroitel'stvo, 1982. No.1, p.21-22. In Russian – 1 ref

Petroleum industry, Modular construction, Swamps, Permafrost beneath structures. Transportation, Cost

36-2031

Determining economic effectiveness of the roadinvestment strategy in western Siberia. [Opredelenie dorozhno-investitsionnor strategii v Zapadnoi Sibiri i otsenka ee ekonomicheskot effektivnostij,

Chudinovskikh, A.G., Nettepromyslovoe stroitel'stvo, 1982, No.1, p.23-28. In Russian.

Petroleum industry, Roads, Earthwork, Snow roads. Ice roads, Mathematical models.

Kinetics of concrete hardening at different temperatures when it contains fast-binding cements. (Kinetika tverdeniia betona na SBTTs pri raznykh temperaturakh). Volzhenskii, A.V., et al. *Beton i zhelezobeton*, Mar

1981, No.3, p.32-33, In Russian

Winter concreting, Concrete freezing, Concrete bardening, Cement admixtures, Concrete strength.

Water-impervious concrete used in freezing weather. [Zimnit napriagatushchit beton].

Mikhailov, V.V., et al. Beton i zhelezobeton, Apr. 1981, No.4, p.13-14, In Russian. 3 refs. Koroleva, G.P., Beilina, M.I., Kuznetsova, T.V. Winter concreting, Concrete hardening, Concrete ad-

mixtures, Concrete freezing, Concrete strength.

Cooling plate for skating rinks built of concrete containing nitrocellulose. [Okhlazhdaiushchaia plita katka iz betona na NTs].

Buts. N.K., et al. Beton i zhelezobeton. Apr. 1981.

No.4, p.22-23, In Russian.

Concrete freezing, Concrete structures, Concr. te admixtures, Skating rinks.

36-2035

Formation of concrete structure during freezing. mekhanizme formirovanija struktury betona pri zan -razhivanii₁. Lagoida, A.V., Beton i zhelezobeton, July 1981, No.7.

p.16-17, In Russian. 3 refs.

Winter concreting, Concrete freezing, Concrete hard-

ening, Concrete strength, Structural changes.

36-2036

Cement for winter concreting, Tsement dia proizodstva betonnykh rabot v zimnikli us'ovijakh). Shpynova, L.G., et al. Beton i chelezobeton, July 1981, No.7, p.18, In Russian

Winter concreting, Concrete aggregates, Cements, Cement admixtures, Concrete hardening, Concrete

Erection of monolith concrete structures on permafrost. (Vozvedenie monolitnykh konstruktsii v vechnomerzlykh gruntakhj. Petrov, A.V., et al. *Beton i zhelezobeton*, July 1981, No.7, p. 27-28. In Russian Lukichev, R.A.

Foundations, Piles, Concrete structures, Permafrost beneath structures. Concrete freezing, Concrete

strength.

Ultimate strains of concretes subjected to cyclic freeze-thaw. [Predel'nye deformatsii betonov podergnutykh tsiklicheskomu zamorazhivaniu i taivaniim.

Pinus, B.L. et al. Beton i zhelezobeton, Oct. 1981, No 10, p 19, In Russian 3 i Semenov, VV., Gazeev, E.A. 3 rets

Concrete freezing, Freeze thaw cycles, Concrete strength, Frost resistance.

Cost of ice melting on 10 ky power lines. (Zatraty na

playku gololeda v setiah n 10 kV₃. Kryzhov, G.P., et al. *Elektricheskie stantsii*. Apr. 1981, No.4, p.53-56, In Russian

Landa, M.L.

Power line icing, Ice melting, Electric heating, Cost analysis.

36-2040

Analyzing the reliability of 35-110 kv overhead lines on wooden supports in southern Yakutia. [Analiz na-dezhnosti VL 35-110 kV na dereviannykh oporakh na iuge IAkutiis. Filippov, O.O., Elektricheskie stantsii. Apr. 1981.

No.4, p.69, In Russian. 3 refs.

Wooden structures, Power line supports, Permafrost

beneath structures, Discontinuous permafrost.

36-2041

Analyzing power line ruptures caused by icing and wind. (Obsiedovanie i analiz gololedno-vetrovykh avarii na vozdushnykh liniiakh elektroperedachij. Landa, M.L., et al, Elektricheskie stantsii, June 1981, No.6, p.44-48, In Russian.

Luk ianenko, IU.D.

Power line icing, Wind factors, Ice loads.

36-2042

Permissible contact voltage in electrical installations of the Far North. [Obespechenie dopustimogo napriazheniia prikosnoveniia v elektroustanovkakh

raionov Krainego Severa₁, Al'tshuler, E.B., *Elektricheskie stantsii*, July 1981, No.7, p.71-73, In Russian. 9 refs.

Electrical grounding, Permafrost beneath structures.

36-2043

Preparation of power systems for winter operation, a most important task of the government. [Podgotovka energosistem k rabote v zimnikh uslovijakh - vazhnelshaia gosudarstvennaia zadachaj.

Borisov, E.I., Elektricheskie stantsii, Aug. 1981, No.8, n 2-5 In Russian.

Electric power, Buildings, Equipment, Power lines, Cold weather operation, Winter maintenance.

36-2044

Dynamics of roof rock thawing in shafts of northern placer mines. (O dinamike protaivaniia porod krovli v rossypnykh shakhtakh Severaj,

Kapitonova, T.A., et al, Fiziko-tekhnicheskie pro-blemy razrabotki poleznykh iskopaemykh. Mar.-Apr. 1981, No.2, p.123-126, In Russian. 3 refs. Sleptsov. A.F.

Mine shafts, Placer mining, Roofs, Frozen rocks,

Mechanical state of frozen rocks during excavation of deep-seated placers by the pillar and cave-in method. [Mekhanicheskoe sostoianie merzlykh porod pri otrabotke glubokopogrebennoi rossypi stolbovoi sis-

temot s obrusheniemj. Senuk, D.P., et al. Fiziko-tekhnicheskie problemy razrabotki poleznykh iskopacinykh, Mar.-Apr. 1981. No.2, p.132-136, ln Russian. 7 refs. Placer mining, Excavation, Frozen ground mechanics, Permafrost physics.

Sustained strength of asphalt concrete in a wide range of temperatures. (O dolgovremennoi prochnosti asfal'tobetona v shirokom diapazone temperaturj. Zolotarev, V.A., et al, Russia. Ministerstvo vysshego

i stednego spetsial nogo obrazovanija. Izvestija vys-shikh uchebnykh zavedenij. Stroitel stvo i arkhitek-tura. 1981, No.11, p.83-87, In Russian. 11 refs

Bituminous concretes, Concrete strength, Concrete freezing. Frost resistance.

Optimizing the underflow drains of seepage water intakes in eastern Siberia and the North. [Optimizatsiia podruslovykh dren (luchei) infil tratsionnykh vod zaborov v uslovitakh Vostochnof Sibiri i Severa. Nesterenko, Z.P., et al. Russia. Ministerstvo vys-shego i srednego spetsial nogo obrazovaniia. Izvestiia vysshikh uchebnykh zavedenii. Stroitel stvo i ark-hitektura, 1981. No.11, p.115-118, In Russian. 5 refs.

Water supply, Water intakes, Drains, Rive s, Perma-frost beneath rivers.

36-2048

Linear electrical heating sources for i : temperature overground pipelines. (Obogrey nizkatem, instance) truboprovodov pri vozdushnot prokladko i i i i--elektricheskimi istochnikami teptaj.

Karpov, V.I., et al. Russia Ministersive vissbegie srednego spetsal/nogo obraziovania. Prost o i si shikh uchebnikh zavedenii. Stroitel sivo i aikh tic tura, 1981, No.11, p.121-123, In Russiai. Sirets

Petroleum industry, Pipeline freezing, Electric heating, Pipeline heating.

Effective design solutions for construction in Siberia rEffektivnye proektnye reshenija dlia strock Sibirij. Kebbel', E.K., Biulleten' stroitel noi tekhniki. July 1981, No.7, p.39-42, In Russian.

Residential buildings, Foundations, Piles, Swamps, Peat, Large panel buildings, Concretes.

Transportation factor in the cost of construction materials in the Far North, (Transporting) faktory smetnykh tsenakh na materialy v raionakh Krainego

Tsirunian, I.G., Ekonomika stroitel'stva, Jan. 1981. No.1, p.62-64. In Russian

Construction materials, Transportation, Cost anal-

36-2051

Development of a construction base in the BAM zone. [Razvitie bazy stroitel'stva v zone BAMa], Rezchikov, A.I., et al, Ekonomika stroitel'stva, Aug.

1981, No.8, p.22-27, In Russian. Shpak, L.V.

Buildings, Construction materials, Construction equipment, Baykal Amur railroad.

Distribution of hydrocarbons in fresh fallen snow and in ice from observations at the "Severnyy polius-22" station during 1977-1978. [Raspredelenie uglevodorodov v svezhevypavshem snege i vo l'du na stantsii "Severnyi polius-22" (po nabliudeniiam 1977-1978 gg.)].
Dmitriev, F.A., et al, Meteorologiia i gidrologiia. May

1981, No.5, p.65-69, In Russian with English summary. 5 refs. Pivovarov, S.V.

Drift stations, Ice surveys, Ice sampling, Snow sureys, Snow samplers, Impurities, Hydrocarbons, Pol-

Solar activity effect on temperature regime of the atmosphere in polar regions. (O viiianii solnechnoi aktivnosti na temperaturnyi rezhim atmosfery v poliarnoi oblastii.

Kokin, G.A., et al, Meteorologiia i gidrologiia, June 1981, No.6, p.105-112, In Russian with English summary. 11 refs.

Riazanova, L.A., Tulinov, G.F.

Polar atmospheres, Air temperature, Solar radiation, Atmospheric disturbances, Turbulence, velocity.

Influence of mountains in the Asiatic USSR on the thickness of glaze and hoarfrost deposits. (Vliianic vozvyshennostei Aziatskoi territorii SSSR na velichinu gololedno-izmorozevykh otlozheni).

Lomilina, L.E., *Meteorologiia i gidrologiia*, Aug. 1981. No.8, p.52-57, In Russian with English summary. 7

Hoarfrost, Glaze, Ice density, Ice cover thickness, Ice loads, Ice accretion, Altitude, Meteorological factors.

Space-time variations of heat and water balance components in the eastern BAM area. (K otsenke prostranstvenno-vremennoi izmenchivosti sostavliaiushchikh teplovogo i vodnogo balansov vostochnot chasti

Critic reprovogo i vodinogo balania vista esta partir trassy BAM₁.

Adamenko, V.N., et al. Meteorologiia i gidrologiia.

Nov. 1981, No.11, p.58-70, In Russian with English summary. 20 refs.

Bogdanov, A.L., Novorotskii, P.V.

Landscape types, Albedo, Mountains, Alpine tundra. Taiga, Swamps, Aerial surveys, Baykal Amur railroad. Heat balance. Radiation balance.

36-2056

New ice forecasting techniques for the northwestern Atlantic Ocean. (No.) cometodiki ledovykh progression po Sociolo Zapathor Miantikej.

Koji B. V. (1) a. M. Constrogar i galiologian. No. No. (1) 7.7 b. Rossian with English sum-

Said 6 Oras NI

Sea ice. Ice conditions, Ice forecasting, Ice edge,

34. 2057

Relationships used in forecasting maximum ice jam ater levels during ice breakup on Siberian rivers. [O zavisimostiakh daa prognoza maksimal'nykh zatoreykh (ledokhodaykh) urovaet vody pri vskrytii sibir-

skikh rekj. Liser, FFA Meteorologija i gidrologija, Nov. 1981. No.11 p.83-87. In Russian with English summary

Icebound rivers, Ice breakup, Ice jams, Water level, Ice forecasting.

Effective foundation structures, Effektivnye konstruktsii fundamentova.

Khazin, V.I., et al. Stroitel'stvo truboprovodov, Jan. 1982, No.1, p.19-20, In Russian.

Kurilo, IU.A., Lange, B.S. Foundations, Piles, Concrete structures, Permafrost beneath structures, Swamps, Reinforced concretes.

Using exhaust gases for cleaning snow and icing from Osing exhaus gases for ceaning and the most the inside of pipelines. (Ispol'zovanie vykhlopnykh gazov dlia ochistki polosti trub ot snega i naledi. Cheskidov. V.B., et al. Stroitel'stvo truboprovodov. Jan. 1982. No.1, p.23-24, In Russian.

Petroleum industry, Pipelines, Ice accretion, Glaze, Pipeline freezing, Snow removal, Pipeline heating,

36, 2060

Special means for large block transportation, Percvozka krupnogabaritnykh blochnykh ustroisty spet-

sial nymi transportnymi sredstvamij. Rastorguev, G.V., et al. Stroitel'stvo truboprovodov. Jan. 1982, No.1, p.24-25. In Russian. Beloglazov, V.D., Osipov, V.N.

Swamps, Petroleum industry, Taiga, Transportation, Motor vehicles, Construction equipment, All terrain vehicles, Research projects.

36-2061

Glued plywood panels for residential houses in outpost settlements. [Kleefanernye paneli dlia zhilykh domov vakhtovykh poselkov].

Permafrost beneath structures.

Jan. 1982, No.1, p.28-29, In Russian.
Torianik, N.N. Wooden structures, Prefabrication, Panels, Houses,

36-2062

Determining the thickness of asphalt concrete pavements according to the resistance to thermal fractur-ing, rOpredelenic tolshchiny asfal'tobetonnykh pokrytii iz usloviia temperaturnoi treshehinostoikost Boguslavskii, A.M., Astomobil'nye dorogi, July 1981, No.7, p.21-22, In Russian. 1 ref

Roads, Pavements, Bituminous concretes, Freeze thaw cycles, Fracturing, Cooling rate, Thermal stresses.

36-2063

Standardizing the process of measuring seasonal frost penetration into roadbeds. (Standartizirovat' izmere-nie glubiny sezonnogo promerzaniia gruntos zemlianogo polotnaj. Korsunskii, M.B., et al. Avtomobil'nye dorogi. Feb.

1981, No.2, p.18, In Russian.

Gaivoronskii, V.N. Roadbeds, Standards, Frost penetration, Frozen ground temperature, Roads, Temperature measure-

Road pavement effect on temperature regime of perennially frozen ground. (O vliianii dorozhnykh pokrytii na temperaturnyi rezhim vechnomerzlykh

gruntov₃, Sychov, V.P., Astomobil'nye dorogi, Feb. 1981, No. 2, p. 19-20, In Russian 2 refs. Roads, Pavements, Permafrost beneath roads, Frozen

rock temperature, Thermal regime.

Mechanized removal of snow banks. [Mekhanizirovannoe udalenie snezhnykh valov₁, Datunashvili, O.S., Avtomobil nye dorogi, Feb. 1981,

No.2, p.25, In Russian.
Roads, Snow removal, Winter maintenance, Airports.

Year-round road construction in western Siberia. rKruglogodichnoe stroitel'stvo dorog v Zapadnoš

Leitland, V.G., et al. Aytomobil nye dorogi, Jan. 1981, Vo.1, p.3-4, In Russian.

Evgen'ev, I.E.

Cold weather construction, Roads, Pavements, Earthwork.

36-2067

Scientific information service on hydrometeorologic and ice conditions for winter navigation in the Arctic. nauchno-operativnogo gidrometeorologiches kogo i ledovogo obespechenija zimnikh plavanij v Arktikej.

Voevodin, V.A., et al, Meteorologiia i gidrologiia, Aug. 1981, No.8, p.115-117, In Russian. 6 refs. Murzin, A.I.

Polar regions, Ice navigation, Ice surveys, Sea ice, Drift, Aerial surveys, Airborne radar, Ice conditions, Ice reporting, Weather forecasting.

36-2068

Evaluation and refinement of sprinkler application rate models used in frost protection.

Perry, K.B., University Park, Pennsylvania State University, May 1979, 104p., University Microfilms order p.86-91 No.79-22327, Ph.D. thesis. Refs. p.86-91.
Frost action, Protection, Plants (botany), Heat bal-

ance, Water temperature, Ice accretion, Heat loss, Models, Vegetation, Latent heat, Sprinkling.

Experimental study of the cracked nozzle problem occurring in pressure vessels.

Peters, W.H., III, Blacksburg, Virginia Polytechnic Institute and State University, Jan. 1978, 56p., University Microfilms order No.78-14043, Ph.D. thesis. 67

Cracking (fracturing), Freezing, Plastic properties, Stresses, Fatigue (materials), Analysis (mathematics), Nozzles, Containers.

36-2070

Measurement of eddy diffusivity and solute transport through the near-sediment boundary layer of ice-cov-ered lakes, using Radon-222.

Colman, J.A., Madison, University of Wisconsin, 1979, 207p., University Microfilms order No.79-27166, Ph.D. thesis. Refs. p.180-186.

Icebound lakes, Bottom sediment, Boundary layer, Liquid solid interfaces, Diffusion, Radioactive isotopes, Water chemistry, Turbulent diffusion, Mathematical models.

36-2071

Mass balance and aspects of the glacier environment. Front Range, Colorado, 1969-1973.

Johnson, J.B., Boulder, University of Colorado, 1979, 287p., University Microfilms order No.80-02987,

Ph.D. thesis. Refs. p.130-137.

Glacier mass balance, Glacier melting, Solar radiation, Mass transfer, Albedo, Seasonal variations,

36-2072

Prediction of civil engineering ... blems in the Arctic by means of dual-channel 1-F. scanning and sero-

chrome infrared photography. LeSchack, L.A., et al. Silver Spring, Md., Development and Resources Transportation Co., Nov. 1971, 38p. + appends., AD-733 751, 18 refs.

Morse, F.H., Brinley, W.R., Jr., Ryan, N.G., Ryan, RR

Permafrost thermal properties, Ground ice, Ice detection [afrared reconnaissance, Subsurface investiga-tions, Remote sensing, Infrared photography, Aerial surveys, Mathematical models.

Deformation of ice under low stresses.

Tog. D.C.C., Edmonton, University of Alberta, Spring 1980, 429p., Canadian theses on microfiche,

No.44813, Ph.D. thesis. Refs. p.351-368. tee crystal structure, Ice creep, Stresses, Ice deformation, Loads (forces), Temperature effects, Strain tests, Analysis (mathematics), Computer applica-tions, Rheology. 36-2074

Satellite monitoring of snow extent and condition in agricultural, transitional, and forested land cover

Lillesand, T.M., et al. Minnesota. University. Insti-Linesaud, J. M., et al. Minnesota. University. Insti-tute of Agriculture, Forestry and Home Economics. Remote Sensing Laboratory. Research report, Dec. 31, 1980, 80-6, 35p., PB81-188-625, 14 refs. Meisner, D.E., Downs, A.L., Deuell, R.L.

Snow cover distribution, Snow depth, Remote sensing, Mapping, Agriculture, Forest land, Computer ap-

36-2075

Proceedings

Ocean 80 IEEE International Forum on Ocean Engineering in the 80s, Seattle, Washington, Sep. 8-10, 1980. New York, Institute of Electrical and Electronics Engineers, 1979, 553p., Refs. passim. lected papers see 36-1554 and 36-2076 through 36-

DLC TC1505.O33192

Oceanography, Sea ice, Ice conditions, Marine meteorology, Oil spills, Meetings, Marine transportation. Ocean environments. Measuring instruments. 36-2076

Oceanographic instruments and deployment systems

Lewis, E.L., Ocean 80 IEEE International Forum on Ocean Engineering in the 80s, Seattle, Washington, Sep. 8-10, 1980. Proceedings, New York, Institute of Electrical and Electronics Engineers, 1979, p.7-13, 12

Oceanography, Measurement, Sea ice, Ice surface, Equipment, Ice crystals.

36-2077

Ice free berths for loading ships in the Arctic.

Sadler, H.E., et al. Ocean 80 IEEE International Forum on Ocean Engineering in the 80s. Seattle. Washington, Sep. 8-10, 1980. Proceedings, New York, Institute of Electrical and Electronics Engineers, 1979, p.102-107, 6 refs. Serson, H.V.

sea ice, Ice control, Ice melting, Ships, Loading, Heat transfer, Heat sources, Docks, Design.

Experimental study of a recirculating water jet ice

Pierson, C.B., Jr., Ocean 80 IEEE International Forum on Ocean Engineering in the 80s, Seattle, Washington, Sep. 8-10, 1980. Proceedings, New York, Institute of Electrical and Electronics Engineers, 1979, p. 108-113,

Ice drills, Hydraulic jets, Heat transfer, Oceanography, Ice melting, Water temperature, Analysis (mathematics), Experimentation.

Upward-looking sonar system to profile ice keels for one year.

Hoare, R.D., et al, Ocean 80 IEEE International Forum on Ocean Engineering in the 80s, Seattle, Washington, Sep. 8-10, 1980. Proceedings, New York, Institute of Electrical and Electronics Engineers, 1979, p.123-126, 6 refs.

Danielewicz, B.W., Pilkington, G.R., O'Rourke, J.C. Wards, R.D.

Sea ice distribution, Ice bottom surface, Drift, Acoustic measurement, Ice mechanics, Ice conditions, Remote sensing.

36-2080

Feasibility of water spray barriers as fireproof oil slick containment devices.

Comfort, G., et al. Ocean 80 IEEE International Forum on Ocean Engineering in the 80s. Seattle, Washington, Sep. 8-10, 1980. Proceedings, New York, Institute of Electrical and Electronics Engineers, 1979, p.422-427, 4 refs.

Menon, B., Purves, W.F. Oil spills, Countermeasures, Ice conditions, Water pollution, Sea ice, Water spray barriers.

36-2081

Full-depth and granular base course design for frost

Eaton, R.A., et al. American Society of Civil Engineers. Transportation engineering journal, Jan. 1982, 108(TE1), MP 1492, p.27-39, 13 refs. Payne, J.O., Jr.

Frost penetration, Subgrade soils, Payements, Bearing strength, Freeze thaw cycles, Frost heave, Soil strength, Soil water, Freezing indexes, Design criteria, Dynamic loads, Deformation.

When properly designed and constructed, the Asphalt Institute full-depth pavement concept can be a viable design alternative

for seasonal frost areas. The Corps of Engineers reduced sub-grade strength frost design proved to be an upper bound or conservative design under these test conditions. For each design, two different thicknesses were studied in test sections sign, two different thicknesses were studied in test sections placed over 12 in. of prepared subgrade and tested under light traffic conditions in Hanover, New Hampshire. After design traffic loading was exceeded, pavement failure occurred as expected in the thinner full-depth section. The thinner reduced subgrade strength section was still in good condition after experiencing twice its design loading. Frost penetrations, pavement in-factors (surface transfer coefficients), Benkelman Beam deflections, and the spring subgrade moisture contents are also compared for the two designs. compared for the two designs

36-2082

Precipitation—the forms and effects of ice and water. Schaefer, V.J., et al. Weatherwise, Dec. 1981, 34(6). p.244-249. Day, J.A.

Ice crystal structure, Snow crystal structure, Ice crystal growth. Snow crystal growth.

36-2083

Depolarization of radio waves by atmospheric hydrometeors in earth-space paths: a review

Cox. D.C., Radio science, Sep. Oct. 1981, 16(5), p.781-812, Refs. p.809-812.

Radio waves, Polarization (waves), Precipitation (meteorology), Ice crystals, Rain.

36-2084

Glaciers of Bouvetoya.

Orheim, O., Oslo. Norsk Polarinstitutt. Skrifter, 1981, No.175, p.79-84, 4 refs.
Climate, Glacier mass balance, Glacier ablation,

Physical properties, Bouvet Island.

Bouvetdya has an area of 50.0 sq km of which 93° is glacter covered. It has polar maritime climate, and the accumulation areas of the glaciers are in the soaked facies. The equilibrium line has an elevation of 200-350 m, and is highest on the north There is considerable mass loss by fronts. The frontal positions of the and west-facing glaciers. There calving from the steep ice fronts. calving from the steep ice fronts. The frontai positions of the glaciers are mostly determined by the topography, and are not very sensitive to climate changes. Nevertheless, a climatic trend is suggested for the past fifty years. Glacier retreat is observed at seven localities, whereas only one glacier has advanced during this interval (Auth.)

Frost susceptibility of cement-stabilized pavements. (Sensibilité au gel des couches stabilisées au ciment), Strasse und Verkehr, Dec. 1981, No.12, p.406-407, In French with German summary. 1 ref.

Roads, Pavements, Frost resistance, Frost action, Cements, Temperature effects.

36-2086

Heat transfer and interface motion during melting and solidification around a finned heat source/sink. Bathelt, A.G., et al. *Journal of heat transfer*, Nov. 1981, 103(4), p.720-726, 19 refs Viskanta, R

Heat transfer, Liquid solid interfaces, Freeze thaw cycles. Phase transformations, Temperature effects. 36-2087

On the prediction of fusion rate of ice by finite element analysis.

Hsu, T.R., et al. Journal of heat transfer, Nov. 1981, 103(4), p. 727-732, 18 refs. Pizey, G

Freeze thaw tests, Ice physics, Heat transfer, Phase transformations, Water chemistry, Crude oil, Analysis (mathematics), Experimentation, Convection.

36-2089

Experimental investigation of ice formation around an isothermally cooled cylinder in crossflow.

Cheng, K.C., et al. Journal of heat transfer, Nov. 1981, p.733-738, 28 refs. Inaba, H., Gilpin, R.R.

Ice formation, Heat transfer, Cooling rate, Ice water interface, Experimentation, Cylinders

36-2089

Installation of a subsea completion in the Canadian Arctic islands.

Hood, G.L., et al. Journal of Canadian petroleum technology, Oct -Dec. 1981, 20(4), p.41-52, 9 rets. Masterson, D.M., Watts, J.S.

Offshore drilling, Offshore structures, Floating structures, Floating ice. Gas pipelines, Exploration. Design criteria.

36-2090

Exploratory drilling: operations capability from Labrador to Lancaster Sound.

Davies, J.F., et al. Journal of Canadian petroleam technology. Oct-Dec. 1981, 20(4), p.111-115 Kljucec, N.M.

Iceberg towing, Offshore drilling, Ice conditions, Exploration, Equipment, Ice control, Icebergs, Logis-

Role of research associations in frontier exploration; Arctic Petroleum Operators' Association (APOA) and Eastcoast Petroleum Operators' Association (EPOA).

Jones, G., Journal of Canadian petroleum technology, Oct.-Dec. 1981, 20(4), p.116-119.

Offshore drilling, Ice conditions, Exploration, Petroleum industry, Pressure ridges, Sea ice. 36-2092

Polar Continental Shelf Project.

Hobson, G.D., Journal of Canadian petroleum technology, Oct.-Dec. 1981, 20(4), p.120-123.

Offshore structures, Research projects, Petroleum industry, Ice conditions, Exploration, Ice floes, Canada. 36-2093

Characteristics of cw signals propagated under the ice in the Arctic.

Mikhalevsky, P.N., Acoustical Society of America. Journal, Dec. 1981, 70(6), p.1717-1722, 7 refs.

Underwater acoustics, Ice cover effect, Wave propagation, Noise (sound), Time factor, Ice breakup. 36-2094

Bond-lengths, bond angles and transition barrier in ice Ih by neutron scattering. Kuhs. W.F., et al, *Nature*. Dec. 3, 1981, 294(5840),

p.432-434, 16 refs. Lehmann, M.S.

Ice crystal structure, Neutron scattering, Hydrogen bonds, Molecular structure, Ice physics, Low temperature research.

36-2095

Forestry in Sweden and Finland; its applicability to interior Alaska.

Gasbarro, A., Agroborealis, Jan. 1982, Vol.14, p.16-24, 35 refs.

Forest land, Forestry, Revegetation, Permafrost, Agriculture, Climatic factors, Economics, Sweden, Finland, United States-Alaska.

36-2096 Getting set for winter—keep fuel flowing in cold weather. World construction. Dec. 1981, 34(12), p.70.

Winter maintenance, Vehicles, Fuels.

Ice-wedge cast network in eastern Berwickshire Greig, D.C., Scottish journal of geology, 1981, 17(2), p.119-121, 5 refs.

Patterned ground, Periglacial processes, Ice wedges,

Gravel, Polygonal topography, Glacial deposits. 36-2098

Experience in operating installations on atomic icebreakers. ¿Opyt ekspluatatsii ustanovok atomnykh

Danilov, L., Morskov flot, 1981, No.10, p.42-46, In

Icebreakers, Nuclear power, Ice navigation. 36-2099

Alternating current propulsion plants for icebreakers. [Dlia ledokolov - GEU peremennogo toka]. Malishevskii, V., et al, Morskoi flot, 1981, No.11, p.44-46, In Russian.

Rovinskii, P., Semenov, M. Ice navigation, Icebreakers, Propellers, Polar regions, Electric power.

Economical concrete on fine-grained sands for north ern regions, (Ekonomichny) beton na melkozernistykh peskakh dlia severnykh raionov₃. Na stroikakh Rossii. July 1981, No.7, p.58-59, In Russian.

Winter concreting, Concrete aggregates, Cements, Sands, Concrete strength, Air entrainment. 36-2101

Steel, low-voltage, heated formwork. [Stal naia nizkovol'tnaia termoaktivnaia opalubkaj,

Minakov, IU., Na strojkakh Rossii, Oct. 1981, No.10. p.46-47, In Russian.

Winter concreting, Formwork (construction) Electric heating, Concrete placing, Concrete hardening. 36-2102

Railroad track performance in the Far North. (Rabota puti na Krainem Severej. Simon, A.A., Put' i putevoe khoziaistvo, 1981, No.9,

p.13-15. In Russian

Railroad tracks, Permafrost beneath structures, Frost heave, Baykal Amur railroad.

Distribution and use of snowplows. (O razmeshchenii i ispol'zovanii snegouborochnykh mashini

Pirin, V.I., Put' i putevoe khoziaistvo, 1981, No.12. p. 19-20. In Russian.

Railroad tracks, Snowdrifts, Snow removal.

36-2104

Heating of drains in tunnels. Obogrev lotkov v tonnele3.

Ivanov, I.I., et al, Put' i putevoe khoziaistvo, 1981, lo.12, p.21, In Russian.

Podgornyi, V.F.
Tunnels, Drains, Ice formation, Baykal Amur railroad, Electric heating.

36-2105

Construction of municipal tunnels under difficult conditions. ¡Stroitel'stvo gorodskikh avtotransportnykh tonnelei v slozhnykh usloviiakh₃, Makovskii, L., Metrostroi, 1981, No.4, p.30-31, In

Russian

Tunneling (excavation), Artificial freezing, Ice formation, Frozen ground strength, Supports, Reinforced concretes.

Basic problems in construction of the Novosibirsk subway. [Osnovnye problemy sooruzheniia novosibir-

Samochernov, IU., Metrostroi, 1981, No.5, p.6, In

Linings, Tunnels, Reinforced concretes, Winter con-Concrete admixtures, Snowdrifts, Glaze, Drains, Electric heating, Construction equipment.

36-2107

Quick artificial freezing of ground. [Skorostnoe zamo-

razhivanie gruntov₁, IAkovlev, V., et al, *Metrostroi*, 1981, No.5, p.18-20, In Russian

Przhedetskii, B.

Tunneling (excavation), Artificial freezing, Equipment, Coolants, Frost penetration, Frozen ground

36-2108

Numerical analysis of the Stefan type problem for multilayered plates. [Chislennoe issledovanie zadachi

tipa Stefana dlia mnogosloinoi plastiny;, Bondar, T.A., et al, Akademiia nauk SSSR. Sibirskoe otdelenie. Vychislitel nyi tsentr. Institut teoreti-cheskoi i prikladnoi mekhaniki. 1980, 11(5), p.5-13, In 5 refs. Russian.

Golovastikov, M.P., Safin, R.I., Litvinov, L.A Stefan problem, Phase transformations, Heat transfer, Materials, Thermal properties.

Heat balance of a pool under low temperature climatic conditions. ¡Osobennosti teplovogo balansa vanny pri svarke v usloviiakh nizkikh klimaticheskikh

Larionov, V.P., et al, Avtomaticheskaia svarka, Oct. 1981, No.10, p.22-24, In Russian, 12 refs. Pavlov, A.R., Ammosov, A.P.

Cold weather construction, Welding.

36-2110

Safety of helicopter flights. ¡Bezopasnost' poletov ver-

toletov₁, Volodko, A.M., Moscow, Transport, 1981, 224p. (pertinent pp.160-186). In Russian with abridged English table of contents enclosed. 21 refs.

Helicopters, Aircraft icing, Accidents, Atmospheric disturbances.

Preparation for sea navigation during fall-winter periods. ¡Podgotovka k plavaniju v osenne-zimnij periodj, Morskoi sbornik, Sep. 1981, No.9, p.3-8, In Russian. Military transportation, Ships, Winter maintenance, Storms, Ice navigation.

Classifying naled areas in the southern cryolithozone for studying them by aerial and satellite methods. (Klassifikatsija nalednykh uchastkov juzhnoj chasti kriolitozony v tseljakh izuchenija naledej aero- i kosmicheskimi metodamij,

Gavrilov, A.V., Moscow. Universitet. Seriia 4 Geologiia, Jan.-Feb. 1981, No.1, p.73-85, In Russian. 10 refs.

Aerial surveys, Spacecraft, Spaceborne photography, Permafrost hydrology, Naleds, Taliks, Photointer-pretation, Classifications, Mapping.

36-2113

New series of soil and geologic areal maps of the Nechernozemnaya zone in the RSFSR. [Novaia seriia obzornykh pochvenno-geologicheskikh kart Nechernozemnoi zony RSFSR₁, Sergeev, E.M., et al. Moscow. Universitet. Vestnik

Seriia 4 Geologiia, May-June 1981, No.3, p.6-14, In Russian.

Tereshkov G.M.

Geological maps, Geocryology, Soil mapping, Cryogenic soils, Permafrost distribution, Permafrost depth, Frozen rock temperature, Active layer, Seasonal freeze thaw, Frost penetration, Engineering

Problem of daily variations in high-precision aeromagnetic studies under Arctic conditions. [Problema sutochnykh variatsii pri provedenii vysokotochnykh aeromagnitnykh issledovanii v usloviiakh Arktikij. Palamarchuk, V.K., et al, Moscow, Universitet. Vestnik, Seriia 4 Geologiia, May-June 1981, No.3,

Polar regions, Geophysical surveys, Magnetic surveys, Airborne equipment, Accuracy.

Avalanches and mudflows in the central BAM zone. ¿Laviny i seli tsentral'nogo uchastka zony osygenija ΒΑΜa_j,

Afanasenko, V.E., et al. Moscow: Universitet. Vestnik. Seriia 4 Geologiia. May-June 1981, No.3, p.75-81, In Russian. 10 refs.

aptev, M.N., Bol'shakova, N.P. Landscape types, Slope processes, Mudflows, Avalanches, Snow accumulation, Avalanche formation, Avalanche triggering, Baykal Amur railroad.

Methods of testing well plugging materials at low temperatures. ¿Metodika ispytaniia tamponazhnykh materialov pri nizkikh temperaturakh₁.

Titkov, N.I., et al. Neftianoe khoziaistvo, June 1981, No.6, p.27-31, In Russian. 7 refs.

Cements, Oil recovery, Permafrost, Drilling fluids, Oil wells, Plugging, Low temperature tests, Test

36-2117

Determining ultimate freezing length of moisture condensing in overground compressed air pipelines. (K opredeleniiu predel'noi dliny zamerzaniia kondensiruiushcheisia vlagi v nadzemnykh truboprovodakh szhatogo vozdukhaj.

Kolbasov, M.G., et al, Promyshlennaia energetika, Oct. 1981, No.10, p.49-50, In Russian. 2 refs. Skutin, N.I., Petrov. M.A.
Pipelines, Water vapor, Condensation, Freezing,

36-2118

Glaciogeomorphological investigations in the Shackleton Range. [Gliatsiogeomorfologicheskie nabli-udeniia v gorakh Sheklton.] Bardin, V.I., Antarktika: doklady komissii, 1981, No.20, p.73-81, In Russian. 6 refs.

Ice sheets, Glacial geology, Antarctica-Shackleton Range.

General features of relief and glaciation of the Shackleton Range are described. Forms of glacial relief (ice shelves, undif-ferentiated continental glacial cover, glaciers in large depres-sions, mountain valley glaciers, intermontane glacial plateaus, snow-free ice areas, etc.) and types of subglacial relief are dis-cussed. An attempt is made to delineate basic stages in relief formation and glacial development for the area.

Holocene changes in antarctic glaciation. [Izmeneniia oledeneniia Antarktidy v golotsenej. Miagkov, S.M., Antarktika, doklady komissii, 1981. No.20, p.82-88. In Russian. 32 refs.

No.20, p.82-88. In Russian. 32 refs.

Ice sheets, Paleoclimatology, Climatic changes.

A review of published findings and materials gathered by the author is done based on hypotheses about the mechanism of the reactions of various elements in antarctic glaciation to late glacial and Holocene changes in climate, sea level and coasts. Holocene variations in the edges of continental ice cover were not great and are now near completion, at the edges of oases and at places along the shelf ice ongoing changes may be quite different. The mountain glaciers around McMurdo are undergoing a gradual (tens of thousands of years) retreat but at least some of them in the last 4-6 thousand years have increased more than in the first half of the Holocene. There is no proof of synchronicity of variations in antarctic mountain glaciers and those

nicity of variations in antarctic mountain glaciers and those of other parts of the world

Dynamics of the coastal ice sheet along a radial profile Mirnyy-100 km. Dinamika kraevoj chasti antarkticheskogo lednikovogo pokrova na radial'nom profile Mirnyi-100 km₁, Shumskii, P.A., Antarktika; doklady komissii. 1981,

No.20, p.93-105. In Russian. 15 refs. Ice sheets, Glacier oscillation, Glacier flow, Ice cover thickness, Ice deformation, Basal sliding, Antarctica

-Mirnyy Station.

Basic results of flow measurements at the ice sheet surface and Basic results of flow measurements at the ice sheet surface and a new analytical method are discussed. Features of stress deformation, ice movement and changes in thickness and form of the ice sheet are considered. Inland ice cover is frozen to the glacial bed and moves at the surface no more than 70 m/yr, but outlet glaciers slide at the base at velocities up to 50 m/yr and have surface velocities of up to 140-200 m/yr. The ice cover is nearly stationary but basins of outlet glaciers retreat as much as 40 m/yr. If conditions do not change, this process would produce a 40 km retreat and would cease after about 800 years. Similar conditions are apparently characteristic of other parts of East Antarctics. years. Similar conditions
parts of East Antarctica.

Role of oxygen and deuterium isotopes in antarctic glaciology. ¡Rol' izotopov kisloroda i deiteriia v gliatsi-ologicheskikh issledovaniiakh Antarktidy;, Gerdienko, F.G., et al, Antarktika: doklady komissii.

1981, No.20, p.106-134, In Russian. 69 refs. Kotliakov, V.M. Isotope analysis, Oxygen isotopes, Radioactive iso-

topes. Deuterium oxide ice, Stratigraphy. Precipitation (meteorology), Permafrost.

tion (meteorology), Permafrost.

Results of both Soviet and foreign studies on stable oxygen and deuterium isotope concentrations in antarctic ice are reviewed. The conclusions are used to verify various models of the evolution of isotope composition of solid precipitation, of range of variations in isotopic concentrations in antarctic ice, of the influence of local factors such as altitude, temperature and wind on isotope distribution, the possibility of isotopic stratification of annual layers and of verifying these, of climatic conditions forming precipitation in the past, and of determining the structure of ice flow and formation.

36-2122

Theoretical analysis and experiments on borehole wall deformation in an ice sheet. [Teoreticheskil analiz i eksperimental'noe issledovanie deformatsii ananz i eksperimental noe issledovanie deformatsii stenok stvola skvazhi y v ledovom massivej. Salamatin, A.N., et al, Antarktika: doklady Lomissii. 1981, No.20, p.135-143, In Russian. 19 refs. Chistiakov, V.K., Dmitriev, D.N., Pashkevich, V.M. Boreholes, Drilling, Ice deformation, Plastic deformation, Phenlogy Antaraptic.

mation, Rheology, Antarctica-Vostok Station.

An overall formulation of the problem of borehole wall deformation is given. The theoretical results are used to analyze and interpret experimental data from a constricted deep borehole near Vostok Station.

Noncontact methods of measuring oceanographic parameters. Proceedings of the 3rd All-Union seminar, Leningrad, Jan. 17-19, 1978. Nekontaktnye metody izmereniia okcanograficheskikh parametrov. Sbornik dokladov na 3-m Vsesoiuznom seminare, Leningrad 17-19 ianvaria, 1978 g.j.

sesoiuznyi seminar po nekontaktnym okeanograficheskim izmereniiam, 3rd, Leningrad, Jan. 17-19, 1978, Moscow, Gidrometeoizdat, 1981, 123p., In Russian. For selected papers see 36-2124 through 36-2127. Refs. passim. Viktorov, S.V., ed.

Remote sensing, Sea ice, Infrared reconnaissance, Ice surveys, Photointerpretation, Ice reporting, Microwaves, Airborne equipment, Radiometry.

36-2124

Experiments with combined use of infrared and microwave radiometers for remote sensing of sea ice characteristics. [Rezul'taty eksperimenta po sovmestnomu ispol zovaniju IK i mikrovolnovogo radiometrov dlia distantsionnogo opredeleniia kharakteristik mor-

skogo l'daj. Bogorodskii, V.V., et al. Nekontaktnye metody izmereniia okeanograficheskikh parametrov (Nonconmerenia okeanograficneskish parametrov (Noncontact methods of measuring oceanographic parameters) edited by S.V. Viktorov, Moscow, Gidrometeoizdat. 1981, p.51-56, In Russian. 3 refs.

Darovskikh, A.N., Martynova, E.A., Spitsyn, V.A.
Sea ice, Microwaves, Infrared radiation, Radiometry, Names of the contact of the contact

Airborne equipment, Ice cover thickness, Snow cover distribution. Remote sensing.

Microwave radiation of sea ice. (O mikrovolnovom izluchenii morskogo l'daj. Nikitin, P.A., Nekontaktnye metody izmereniia

okeanograficheskikh parametrov (Noncontact methods of measuring oceanographic parameters) edited by S.V. Viktorov, Moscow, Gidrometeoizdat, 1981, p.57-60, In Russian. 4 refs. Sea ice, Pack ice, Microwaves, Radiometry, Airborne

equipment, Models.

Using infrared radiometry in studying time-variations of heat transfer between water and atmosphere in seas of the eastern Arctic. [Issledovanic vremennoi izmenchivosti teploobmena morei vostochnoi Arktiki s atmosferoi metodom IK radiometriij.

Paramonos, A.L. Nekontaktnye metody izmerenita okeanograficheskikh parametrov (Noncontact methods of measuring oceanographic parameters) edited by S.V. Viktorov, Moscow, Gidrometeoizdat, 1981, p.61-In Russian.

Polar regions, Sea water, Heat transfer, Infrared reconnaissance, Radiometry, Air water interactions.

Data on movements and drift of ice at the tip of the Gulf of Finland obtained from aerial photographs and applied to hydraulic construction. [O podvizhkakh i dreife I'da v vershine Finskogo zaliva primenitel'no k zadacham gidrostroitel'stva (po materialam aerofotos'-

Drabnin, V.V., et al, Nekontaktnye metody izmereniia okeanograficheskikh parametrov (Noncontact methods of measuring oceanographic parameters) edited by S.V. Viktorov, Moscow, Gidrometeoiz Jat, 1981, p.75-77, In Russian. 1 ref.

Monosov, M.L.

Sea ice, Drift, Ice conditions, Fast ice, Ice surveys, Ice reporting, Ice cover thickness, Hydraulic structures, Ice loads.

36-2128

Remote sensing of taiga landscape structures. Distantsionnaia indikatsiia struktury taezhnykh landshaftovj

Kuzmichev, V.V., ed. Novosibirsk, Nauka, 239p., In Russian. For selected papers see 36-2129 through 36-2138 Refs. passim.

Taiga, Landscape types, Spaceborne photography, Geobotanical interpretation, Forest fires, Revegetation, Human factors, Cryogenic soils, Soil erosion, Swamps, Peat.

36-2129

Studying forest revegetation after fires from satellite [Izuchenie poslepozharnogo

mirovaniia lesov po kosmicheskim snimkamį. Furiaev, V.V., et al. Distantsionnaia indikatsiia struktury taezhnykh landshaftov (Remote sensing of taiga landscape structures) edited by V.V. Kuzmic Novosibirsk, Nauka, 1981, p.5-21, In Russian. refs.

Kireev, D.M.

Taiga, Forest fires, Revegetation, Spaceborne photography.

Revegetation stages of dark coniferous forests after fires and their mapping from aerial photographs.
[Poslepozharnye stadii formirovaniia temnokhvoinykh lesov i ikh kartografirovanie po aerofotosnim-

Furjaev, V.V., et al. Distantsionnaia indikatsiia struklandscape structures) edited by V.V. Kuzinichev. Novosibirsk, Nauka, 1981, p.22-35. In Russian. 22

Zlobina, L.P.

Taiga, Forest fires, Revegetation, Aerial surveys, Photointerpretation.

36-2131

Remote sensing of the revegetation-age dynamics of cedar forests in the central Ob' River area. (Distantsionnaia indikatsiia vosstanovitel'no-vozrastnot dinamiki kedrovykh lesov srednego Priob'iaj.

Sedykh, V.N., Distantsionnaja indikatsija struktūry taseephykh landshaftos (Remote sensing of taiga land-scape structures) edited by V.V. Kuzmichev, Novos-birsk, Nauka, 1981, p.36-49, ln Russian 16 refs

Taiga, Revegetation, Forest fires, Human factors, Aerial surveys. Remote sensing, Spaceborne photography, Photointerpretation.

Studying dynamics of interrelationships between forest and swamp in western Siberia. (Izuchenie dinamiki vzaimootnoshenii lesa i bolota v Zapadnoi

Gleboy, F.Z., et al. Distantsionnaia indikatsiia struktury taezhnykh landshaltov (Remote sensing of taiga landscape structures) edited by VV. Kazmichev, Novosibirsk, Nauka, 1981, p.49-72, In Russian 26 refs

Toleiko, I. S Taiga, Landscape types, Paludification, Swamps, Peat, Revegetation, Spaceborne photography, Geobotanical interpretation, Photointerpretation.

Classification of biogeocenoses in studies of biogeocenotic covers from satellite photographs. (Klassifikutsiia biogeotsenozov pri distantsionnom izuehemi biogeotsenoticheskogo pokrova na osnove aerokosmi-

chest or s''emkij.

Gorozhankina. S.M., Distantsionnaia indikatsiia struktury taezhnykh landshaftov (Remote sensing of taiga landscape structures) edited by V.V. Kuzmichev, Novosibirsk, Nauka, 1981, p.72-98, In Russian 12

Taiga, Spaceborne photography, Geobotanical interpretation, Classifications

36-2134

Using morphogenetic indices of watersheds in forestry and in hydrological investigations. [Ispolizovanie morfogeneticheskikh priznakov vodosborov pri lesogidrologicheskikh issledovannakh),

tesogramogienessian insectivaminati indicatsii a struk-konstantinov, V.D., Distantsionnaia indicatsii a struk-tury taezhnykh landshaftov (Remote sensing of taiga landscape structures) edited by V.V. Kuzmichev, Novosibirsk, Nauka, 1981, p. 99-121, In Russian 5

Taiga, Landscape types, Plant ecology, River basins, Watersheds, Paludification, Mapping, Remote sensing, Photointerpretation.

36-2135

Seasonal development of natural complexes in the landscape of the Kas-Yenisey plain. [Sezonnoc razvitie prirodnykh kompleksov Kas-Enisciskogo ravninnogo landshaftaj.

Elagin, I.N., Distantsionnaia indikatsiia struktury taezhnykh landshaftov (Remote sensing of taiga land-scape str. .tures) edited by V.V. Kuzmichev, Novosi-birsk, Nauka, 1981, p.122-152. In Russian. 29 refs.

Taiga, Aerial surveys, Spaceborne photography, Vegetation, Seasonal variations, Cryogenic soils, Forest fires, Revegetation, Snow cover distribution, Plant ecology, Ecosystems. 36-2136

Forest phenology in the landscape of the central Khamar-Daban Range, ¡Fenologiia lesov srednegornogo landshafta Khamar-Dabana,

Lobanov, A.L. et al. Distantsionnaia indikatsiia struktury taezhnykh landshaftor (Remote sensing of taiga landscape structures) edited by V.V. Kuzmichev, Novosibirsk, Nauka, 1981, p.152-176, In Russian 12 refs

Elagin, 1 N

Alpine landscapes, Forest land, Slope orientation, Snow cover distribution, Taiga, Valleys, Vegetation, Plant ecology, Ecosystems, Cryogenic soils, Acrial surveys, Meteorological effects. Topographic factors.

Using human activity indices in landscape studies of the Lake Baykal basin, [Ispo] zovanic antropogennykh priznakov v Jandshaltnykh issledovaniiakh (na primere bassema ozera Baikali).

Rubtsov, N. I., Distantsionnaia indikatsiia struktury ta-Rubisov, N.T. Distantistormata midikalsia struktury fa-ezhnykh landshattov (Remote sensing of targa fand-scape structures) edited by V. Kuzimichev, Novos-birsk, Nauka, 1981, p.176-200, In Russian. 2 rets Taiga, Vegetation, Forest fires, Cryogenic soils, Hu-

man factors. Spaceborne photography. Photointerpretation. Mapping.

36-2138

Studying the relation of taiga landscapes to geological structures from spaceborne photography, (Distantsionnoe izuchenie syjazi taczbnykh fandshattov s

geologich skum strukturum, Kireev, D.M., et al. Distantaniona malikatsina struk-tury taezhiyan kindshattor (Remote sensing of taiga landscape, struktursy, earled, by A.V. Kuzmiche iovosibirsk, Nama, 1981, p.208-238. bi Russian, te 18

Taiga, Vegetation, Cryogenic soils, Landscape types-Geologic structures. Spaceborne photography. Photointerpretation. Mapping.

Astronomical theory of climatic change on Mars. Toon, O.B., et al. *Jearus*, Dec. 1980, 44(3), p.552-607, Refs. p.604-607.

Pollack, J. B., Ward, W., Burns, J.A., Bilski, K. Climatic changes, Ice sheets, Mars (planet), Seasonal variations, Atmospheric pressure, Theories.

Theoretical predictions of deuterium abundances in the Jovian planets. Hubbard, W.B., et al, *Icarus*, Dec. 1980, 44(3), p.676-

682, 25 refs.

MacFarlane, J.J.

Planctary environments, Ice formation, Extraterre-strial ice, Chemical composition, Hydrogen bonds, Isotopes, Models, Deuterium.

Ground ice on Mars: inventory, distribution and resulting landforms.

Rossbacher, L.A., et al. *learus*, Jan. 1981, 45(1), p.39-59, Refs. p.57-59.

Ground ice, Mars (planet), Permafrost distribution, Landforms, Extraterrestrial ice, Mass balance, Thermokarst, Patterned ground.

36-2142

Ejecta emplacement and modes of formation of Martian fluidized ciecta craters.

Mouginis-Mark, P., Icarus, Jan. 1981, 45(1), p.60-76,

Periglacial processes, Mars (planet), Volcanoes,

36,2143

Measurements of water wapor in Mars' Antarctic Davies, D.W., et al, Icarus, Jan. 1981, 45(1), p.216-·230, 13 refs.

Water vapor, Humidity, Mars (planet), Extraterre-strial ice, Polar regions, Dust.

Weathering of Mars: Antarctic analog studies Berkley, J.L., et al. Icarus. Jan. 1981, 45(1), p.231-249, 12 refs

Drake, M.J. Permafrost weathering, Mars (planet), Ice sheets, Ice

melting, Hydrothermal processes, Polar regions. A report on weathering in Martian environment, an analog of which is Antarctica. Is discussed. Weathering is geologically slow in the absence of liquid water, with zeolites predominating over clays as secondary minerals. On clumetric grounds it appears that hydrothermal alteration of impact melt sheets should be the most important time-averaged weathering mechanism, provided that H2O was present as liquid or frozen. Weathering products of younger subpermafrost or subserially crupted basafts should be subordinate to hydrothermal alteration and gas-solid reactions. It appears that the present Martian regolith contains a major contribution from ancient crust as typified today by the southern cratered highlands. (Auth. mod.) melting. Hydrothermal processes. Polar regions.

Mars and Earth: comparison of cold-climate features. Lucchitta, B.K., Icarus, Feb. 1981, 45(2), p.264-303, Refs. p.301-303.

Periglacial processes, Mars (planet), Geomorphology, Thermokarst development, Glacier flow, Patterned ground, Talus, Volcanoes.

Mars water cycle.

Davies, D.W., Jearus, Feb. 1981, 45(2), p.398-414, 13

Ice sublimation, Water vapor, Ice sheets, Hoarfrost, Mars (planet), Ice accretion, Temperature effects.

Uranian satellites: water ice on Ariel and Umbriel. Crinkshank, D.P., et al. Jearus, Mar. 1981, 45(3). p 607-611, 10 refs

Brown, R.H.

Frost, Extraterrestrial ice, Planetary environments, Infrared spectroscopy, Albedo, Ice, Celestial bodies.

Emission from an inhomogeneous layer with irregular interfaces.

Finig. A.K., et al. *Radio science*, May-June 1981, 16(3), p.289-298, 12 refs. Chen, M.F.

Microwaves, Solar radiation, Snow cover effect, Sea ice. Remote sensing, Interfaces, Surface roughness, Mathematical models

36-2149

Decay in the Karakorum.

Muir Wood, R., New scientist, Mar. 26, 1981, 89(1246), p.820-823.

Ice erosion, Mudflows, Geomorphology, Glacier flow. Glacier melting, Water erosion, Wind factors, Talus, Mountains, Kashmir-Karakorum.

Solar radiation and stability of the undersurface of sea ice governing ice algal proliferation.

Hoshiai, T., Antarctic record, Sep. 1981, No.73, p.23-29. 9 refs.

Algae, Sea ice, Colored ice, Solar radiation, Ice bottom surface, Ice optics, Lake ice.

Coloration of sea ice by algae occurred in austral autumn and spring at Showa Station, and in winter at Toetc in Lake Saroma, Japan. Ice algal proliferation at both localities seemed Saroma, Japan. Lec algal proliferation at both localities seemed to proceed by a similar process and under similar environmental conditions. Solar radiation and stability of the undersurface of sea ice as principal factors were compared between the two localities, particularly during the proliferation period of ice algae. Ordinarily it seemed that the ice algae proliferated between the beginning of March and the end of March at Showa and from the end of January to the end of February at Toetoko. Amount of solar radiation supplied during the algal proliferation period ranged from 1500 to 2500 cal/3c, cm/10 days. No significant difference in the amount of solar radiation was recognized between Showa and Toetoko. The mean air temperature ranged from -6 to -9 C at Showa Station. The sea ice did not ranged from 6 to 9 C at Showa Station. The sea ice did not grow or melt and its undersurface was stable during the algal proliferation period. (Auth. mod.)

Soil respiration in the vicinity of Syowa Station, Antarctica 2. Estimation of carbon dioxide amount evolved from the naked part of West Ongul Island. Ino, Y., et al. *Antarctic record*. Sep. 1981, No.73, p.124-133, 6 refs.
Oshima, Y., Ohyama, Y., Kanda, H., Matsuda, T.

Osinima, 1., Onlyama, T., Randa, H., Matsuda, 1.
Soil chemistry, Antarctica—Ongul Island.
In January and February 1979, 48 samples of surface sandy soil were taken at East and West Ongul Islands. The soil respiration rates, i.e. carbon dioxide evolution rates, of the samples were measured with the infrared gas analyzer. There were positive correlations between the soil respiration rate and the positive correlations between the soil respiration rate and the water contient, the nitrogen content or the organic carbon content. Meshes of 5 mm x 5 mm squares were laid on the contour map of West Ongul Island on the scale of 1:5000. The soil respiration rate in each mesh was estimated from the geographical features. The carbon dioxide evolution amount in West Ongul Island was calculated from Dec. to Feb. and corresponds to 7.7 kg C/ha of the ice-free area without the moss community.

36-2152

Measurement of the velocities of P and S waves propagating in the surface layer of ice sheet at Mizuho Station, East Antarctica.

Ishizawa, K., Antarctic record. Sep. 1981, No.73, p.147-160, 16 refs.

. Ice sheets, Ice density, Seismic refraction, Boreholes, Ice structure, Antarctica-Mizuho Station.

Measurements of P and S wave velocity in the surface layer down to a depth of 80 m were made at Mizuho Station in 1978 by borehole logging and refraction. The variation of the velocity with depth was obtained; velocity was approximately equal to that obtained experimentally in a laboratory using the core samples drilled at Mizuho Station. The data of P wave velocity measured in Antarctica and Greenland are summarized and the relationship between the P wave velocity at depth of 50 m, and the mean annual temperature is calculated. (Auth. mod.)

36-2153

Iceshocks observed at the ice sheet surface near Mizuho Station, East Antarctica. Ishizawa, K., Antarctic record, Sep. 1981, No.73, p.161-177, 13 refs.

Ice surface, Ice sheets, Ice thermal properties, Stresses, Thermal stresses, Strains, Shock waves, Cracking (fracturing), Ice cracks, Crack propagation, Antarctica—Mizuho Station.

Antarctica—Mizuho Station.

The seismological observation of iceshocks was carried out at Mizuho Station from May 1978 to January 1979. The condition of iceshock occurrence was expressed as a function of air emperature and changing rate of the temperature. The iceshock occurrence was explained by the fracture of the surface snow which was assumed to be a Maxwell substance. The focus positions of 45 iceshocks of a swarm were calculated by using the observed velocity of surface wave. Focus positions were concentrated at the glazed surface where snow accumulation did not take place for a long time and fracture cracks were observed. Therefore, iceshocks are defined as a vibration caused by the fracture crack formation a, the glazed surface due to a rapid decrease in the air temperature. (Auth.)

36-2154

On the new icebreaker.

Honda, I., Antarctic record, Sep. 1981, No.73, p.178-188. In Japanese with English summary

Ships, Icebreakers.

In April 1979, the Japanese Government decided to build a new icebreaker to take over the function of the icebreaker Fuji. The

new ship also engages in such operations as the transportation new snip also engages in such operations as the transportation of the personnel and cargo and in the onboard observations. The ship's capabilities are improved. The standard displacement is 11,000 ton, which is twice that of the Fuji, and the propulsion capacity is 30,000 SHP, which is about three times that of the Fuji. The ship's features and research facilities are that of the Fuji. The ship described. (Auth. mod.)

Activities of the wintering party of the 20th Japanese Antarctic Research Expedition in 1979-80.

Yamazaki, M., Antarctic record, Sep. 1981, No.73, p.193-209, In Japanese with English summary. Research projects. Antarctica.

Re-earch projects, Antarctica.

From Feb. 1, 1979 to Jan. 31, 1980, thirty men of the wintering party of the 20th Japanese Antarctic Research Expedition executed the observation and examination in many scientific projects, particularly laying emphasis on "Polar Experiment-South (POLEX-South)" as one of the subprograms of the Global Atmospheric Research Program (GARP) and on geological survey. At Showa Station, in addition to the routine observation of aurora, geomagnetism, ionosphere, meteorology, seismology and ocean tide, reception of data signals from scientific observation stellites and observation of ionospheric disturbance in the polar region by the upper atmosphere section, monitoring of polar region by the upper atmosphere section, monitoring of minor constituents such as carbon dioxide and nitrogen oxides and sampling of rocks by the environmental science section, and medical research were performed throughout the year. (Authmick)

Numerical simulation of the effects of cooling tower complexes on clouds and severe storms.

Orville, H.D., et al. Atmospheric environment, 1981, 15(5), p.823-836, 24 refs.

Eckhoff, P.A., Peak, J.E., Hirsch, J.H., Kopp, F.J. Cooling towers, Thermal effects, Hail clouds, Storms.

Influence of helicopter flights on surface (1.5 m) air temperatures under inversion conditions.

Heine, R.W., et al, New Zealand journal of science, 1980, 23(4), p.353-359, 11 refs. Wratt DS

Frost protection, Plants (botany), Helicopters, Temperature inversions, Air temperature, Temperature distribution, Profiles, Atmospheric circulation.

Photodissociative ionization of amorphous ice.

Rosenberg, R.A., et al. *Chemical physics letters*. June 15, 1981, 80(3), p.488-494, 37 refs.

Ice crystal structure, Ionization, Ice spectroscopy, Ice formation, Surface properties, Low temperature research.

Continuously deforming finite elements for the solution of parabolic problems, with and without phase change

Lynch, D.R., et al. International journal for numerical methods in engineering, 1981, Vol 17, MP 1493, p.81-96. 27 refs O'Noill K

Freeze thaw cycles, Stefan problem, Liquid solid interfaces, Latent heat, Boundary value problems, Phase transformations, Heat transfer, Temperature effects, Analysis (mathematics).

Segregation potential of a freezing soil.

Konrad, J.-M., et al. Canadian geotechnical polona Nov. 1981, 18(4), p.482-491. With French summary

Morgenstern, NR

Soil freezing, Ice lenses, Frost heave, Temperature gradients, Thermodynamics, Heat balance, Mass balance, Water flow.

36-2161

Performance of temporary tie-backs under winter conditions.

Morgenstern, N.R., et al. Canadian geotechnical ioninal, Nov. 1981, 18(4), p.566-572. With French summary. 5 rets mary. Sego. D C

Loads (forces). Pile load tests, Freeze thaw cycles, Soil pressure, Frezen ground physics, Temperature

Heaving behaviour of soils in the step freezing mode. Penner, E., Canadian geotechnical journal, Nov. 1981, 18(4), p 583-585. With French summary 3 refs Frost heave, Freezing rate, Soil pressure, Soil mechanics, Temperature effects.

Effect of snowmelt on the water quality of Filson Creek and Omaday Lake, northeastern Minnesota Siegel, D.L. Water resources research. Feb. 1981, 17(1), p.238-242, 23 refs.

Water chemistry, Snowmelt, Mass balance, Surface waters, Ground water, Precipitation (meteorology), Sulfates.

36-2164

lce calorimeter.

Saitoh, A., Physics teacher, Apr. 1981, 19(4), p.266-

Calorimeters, Ice temperature, Temperature measurement. Measuring instruments, Ice melting, Ice friction, Heat sources.

36-2165

HIF ground wave propagation over sea ice for a spherical earth model. Hill, D.A., et al. IEEE transactions on antennas and

propagation. May 1981, AP-29(3), p.525-527, 8 refs Wait, J.R.

Wave propagation, Ice electrical properties, Sea water, Sea ice, Ice cover effect, Subglacial observations.

36-2166

Performance of ships in ice. [Ledovye kachestva

sudova, Popov, IU.N., ed, Leningrad. Arkticheskii i antarktiheskir nauchno-issledovatelskir institut. Trudy. 1981, Vol.376, 156p. In Russian. For individual arti-cles see 36-2167 through 36-2188. Refs. passim. 1981, Vol.376, 156p., In Russian. Maksutov, D.D., ed.

Ice navigation, Ships, Icebreakers, Propellers, Ice breaking, Ice conditions, Models, Ship icing, Ice cover strength, Ice floes, Impact strength, Ice loads.

36-2167

Twenty fifth anniversary of the experimental ice baof the Arctic and Antarctic Scientific Research Institute, ¡Ledovomu basseinu AANII - 25 letj.

Kashtelian, V.I., et al, Leningrad. Arkticheskii i antarkticheskii nguchno-issledovatel/skii instit Trudy, 1981, Vol.376, p.6-13, In Russian. 7 refs. institut. Maksutos, D.D., Pozniak, I.I.

Ships, Ice navigation, Experimentation, Models, Ice cover, Ice breaking, Research projects.

Present state and prospects of icebreaker construction in the USSR. (Sovetskoe ledokolostroenie, ego sostojanie i perspektivyj.

Maksutov, D.D., Leningrad. Arkticheskii i antarkticheskir nauchno-issledovateľskir institut. 1981, Vol.376, p.14-21, In Russian. 8 refs. Ice navigation, Icebreakers, Propellers, Ice breaking, Experimentation.

Evaluating propulsive performance of icebreakers and transport ships in ice covered sea at the initial stage of design. (Otsenka ledoprokhodimosti ledokolov i tra isportnykh sudov ledovogo plavanija v nachal'noj stadii proektirovaniiaj. Kashtelian, V.L., et al. Leningrad. Arkticheskii i an-

tarsticheskir matchno-tsoledovateľskir institut. Trudy, 1981, Vol 376, p.22-25, In Russian. 4 refs. Torov. B P., Il'chuk, A.N.

Icebreakers, Ice navigation, Ice cover thickness, Marine transportation. Ships, Ice breaking.

Developing and introducing rating certificates for ships navigating in ice. (Opyt razrabotki i vnedrenija

Maksutov, D.D., et al. Leningrad. Arkticheskii i annauchno-issledovateľsků Irudy, 1981, Vol 376, p.26-33, In Russian. Popov. IL N

Ships, Icebreakers, Performance, Ice navigation, Ice breaking, Ice conditions.

Comparative testing of ship models with different hull lines. ¡Rezul'taty srasnitel'nykh ispytanii modelei sudos s razlichnoi formoi obsodos korpusaj,

Maksutov, D.D., et al, Leningrad. Arkticheskii i annauchno-issledovateľ skii Irido, 1981, Vol 376, p.34-40, In Russian. 3 refs

Ice navigation, Ships, Icebreakers, Models, Design.

36-2172

Propulsive performance of icebreakers in snow covered ice and in shallow water. (Ledovaia khodkost ledokola v zasnezhennykh l'dakh i na melkovod'ej. Svistunov, B.N., Leningrad. Arkticheskii i antarkti-cheskii nauchno-issledovatel'skii institut. Trudv. 1981, Vol.376, p.41-47, In Russian. 4 refs Ice navigation, Icebreakers, Ice cover thickness.

Snow cover distribution, Snow depth, Snow density.

36-2173

Evaluating ice cover homogeneity in models. [Sposob otsenki odnorodnosti modelirovannogo ledianogo pokrovan

Johnson B.P., Leningrad. Arkticheskii rantarkticheskii nauchno-issledovatel'skii institut. Trudy. 1981, Vol. 376, p. 48-56, In Russian. 5 refs. tut. Trudy, 1981, 5 refs. Ice cover. Simulation, Ice models, Ice cover thickness, Ice cover strength.

36-2174

Water resistance effect on magnitude of ice impact loads. (Vliianie soprotivlenua vody na velichinu ledovykh nagruzoki,

Keisin, D.E., Leningrad. Arkticheskii antarkticheskii nauchno-issledovatel'skii institut. Trudy. 1981. /ol.376, p.55-60, In Russian 3 rets

Ships, Ice loads, Ice floes, Impact strength, Ice navi-

Determining the permissible propulsion speed of moving in channels cut in continuous ice. "Opredelenie dopustimoi skorosti sudna pri dvizhenii kanale prolozhennom v sploshnom l'duj.

Popov. IU. N., et al. Leningrad. Arkticheskii i antarkticheskii nauchno-issledovateľskii institut 1981, Vol.376, p.61-66, In Russian Arovaia, T Kh.

Ice navigation, Ships, Pack ice, Ice breaking, Channels (waterways), Ice cover thickness, Velocity.

Use and effectiveness of bubbling washoff devices on ships navigating in ice. [Ob effektivnosti pnevmoomyvaiushchego ustroistva i oblasti ego primeneniia na sudakh plavaiushchikh vo l'dakhj.

Kashtelian, V.I., et al, Leningrad. Arkticheskii i antarkticheskii nauchno-issledovatel skii institut Trudy, 1981, Vol.376, p.67-84, In Russian 4 refs Popov, U.N., Tsof, L.G.

Ships, Velocity, Icebreakers, Ice navigation, Ice floes, Slush, Bubbling.

36-2177

Studying performance of icebreakers equipped with bubbling washoff devices (POU). (Issledovaniia raboty ledokola s sistemoi pnevmoobmyva (POI) pri forsirovanii torosistykh ľdov₁,

Svistunov, B.N., et al, Leningrad. Arkticheskii i annauchno-issledovateľ skir tarkticheskir Trudy, 1981, Vol.376, p.85-87, In Russian. Hichuk, A.N., Joney, B.P.

Bubbling, Ice navigation, Icebreakers, Velocity.

36-2178

Frictional characteristics of icebreaker models. (Friktsionnye kharakteristiki modeli ledokola). Pozniak, I.I., Leningrad. Arkticheskii i antarktiches kii nauchno-issledovateľskii institut. Trudy. 1981,

Vol.376, p.88-94, In Russian, 2 refs Icebreakers, Ice navigation, Metal ice friction, Mod-

36-2179

Statistical approach to the evaluation of strength of ships navigating in ice. [O veroiatnostnom podkhode k otsenke ledovoi prochnosti sudov₁. Likhomanov, V.A., et al. Leningrad

Arkticheskii i antarkticheskii nauchno-issledovatel skii institu Trudy, 1981, Vol.376, p.95-99, In Russian. 6 refs

Ships, Ice navigation, Ice loads, Metal ice friction, Impact strength, Statistical analysis.

Uniform distribution of the strength of framing and of the ice strake plating. (O raynoprochnosti nabora i obshivki ledovogo poiasaj. Kheisin, D.E., Leningrad.

Kheisin, D.E., Leningrad Arkticheskii i antarkti-cheskii nauchno-issledovatel'skii institut. Trudy. 1981, Vol.376, p.100-107, In Russian. 4 refs. Ships, Ice navigation, Ice loads, Design.

36-2181

Tensometric tests of hulls of ships navigating in ice. (Otechestvennye i zarubezhnye tenzometricheskie ispytaniia korpusa sudov vo l'dakhį.

Likhomanov, V.A., Leningrad Arkticheskii i antark-ticheskii nauchno-issledovatel skii institut. Trudy, 1981, Vol.376, p.108-113, In Russian. 2 refs.

Ships, Ice navigation, Ice loads, Metal ice friction. 36.2182

Weight of hull reinforcements of ships navigating in ce. [Ves ledovykh usilenii korpusa sudna],

Duboy, A.A., et al, Leningrad Arkticheskii i antark-1981, Vol.376, p.114-116. In Russian. 2 refs. Faddeev, O.V.

Ships, Ice navigation.

36-2183

Icebreaker performance in unbroken stationary ice. Osobennosti raboty ledokolov v sploshnykh nepod-

vizhnykh ľdakhj. Smírnov, V.J., Leningrad. – Arkticheská i antarkticheskli nauchno-issledovateľskii institut. 1981, Vol.376, p.117-121, In Russian. 3 i 3 refs.

Icebreakers, Ice navigation, Pack ice, Fast ice, Ice cover thickness. Ice breaking.

36-2184

Icing and ice sticking to ships during fall-winter navigation periods. [Obledenenie i oblipanie sudov s

period osenne-zimnikh navigatsij. Voevodin, VA, et al, *Leningrad - Arkticheskii i an*tarxticheskir nauchno-issledovateľsků institut. Trudy, 1981, Vol 376, p 122-128, In Russian. Migulin, A.I., Panov, V.V.

Ice navigation, Ship icing, Ice adhesion, Ice cover thickness.

36.2185

Methods of determining the effectiveness of winter navigation. [Metodika opredelenna effektivnosti zimnikh plavanji sudovi,

Chilingarov, A.N. Leningrad Arkticheskii i antarkacark-icut Trudy, 2 refs ticheskii nauchno-issledovateľskii institut 1981, Vol.376, p 129-133, In Russian - 2 re

Ships, Ice navigation, Transportation, Cargo.

36-2186

Determining horizontal shifts of stable fast ice. ilssledovanie gorizontal'nykh podvizhek ustoichivogopripataj. Skokov, R.M., Lemingrad

pagaasis Skokov, R.M., Leningrad – Arkticheskii i antarkti-cheskii nauchnosisledovatelskii institut – Trudy. 1981, Vol 376, p.134-140, In Russian, – 3 refs. Sea ice, Fast ice, Drift, Stability.

Analytical method of calculating components of ice resistance and its experimental verification, (Analiti-cheskii sposob rascheta sostavharushchikh ledovogo soprotivlenna i ego eksperimental naia proverkaj, Ionov, B.P. Leningrad - Arkticheskii i antarkticheskii nauchno-issledovatel skii - institut - Trudy, 1981, Vol.376, p.141-149. In Russian - 4 refs.

Ice navigation, Ships, Ice loads, Metal ice friction. 36-2188

Discussion on the classification of movement velocities of ships navigating in ice. (K voprosu o klassifikatsii skorostei dvizheniia sudov vo l'dakh (v poriadke

diskussiji.
Buzuev, A IA., et al. Leningrad — Arkticheskii i an-Trudy, 1981, Vol. Sergeev, G.N.

Kashtelian, V.I., Sergeev, G.N.

Ships, Ice navigation, Ice conditions, Ice cover thickness.

36-2189

Snow physics, avalanches, mudflows, (Fizika snegalaviny, selij. Zalikhanov, M.Ch., ed. Nalichik

Usokogornyi Russian For individual articles see 36-2190 through 36-2203. Refs. passim Refs passim

Snow physics, Snow evaporation, Metamorphism (snow). Snow cover structure, Snow cover stability. Snow crystal growth, Avalanche formation, Avalanche triggering, Avalanche forecasting, Solar radiation, Snow melting, Moraines, Mudflows.

Symmetry method of calculating snow structure. [Simmetriinye metody ischisleniia struktury snega]. Kolomyts, E.G., Nal'chik, Vysokogornyi geofizi-cheskii mstitut – Trudy, 1981, Vol 49, p.3-21, In Rus-

Avalanche forecasting, Snow physics, Snow evapora-tion, Metamorphism (snow), Snow cover structure, Snow crystal growth, Avalanche formation.

Snow cover rheometry on slopes. (K voprosu reomet-

rii snezhnogo pokrova na sklonej. Khakhokov, V.Z., et al, Nal'chik. Vysokogornyi geofizicheskh institut. Trudy, 1981, Vol.49, p.22-26, In Russian. 11 refs.

Khalkechev V K

Slope processes, Snow physics, Snow cover distribution, Snow cover structure, Snow strength, Shear strength, Rheology, Models, Laboratory techniques.

Rupture of slab avalanches. [Rabota razryva snezhno! doskii.

Badakhov, Kh.L. Nal'chik. Vysokogorny'i geofizi-cheskii institut. Trudy. 1981, Vol.49, p.27-31, In

Slope processes, Snow cover structure, Snow strength, Rheology, Shear strength, Snow cover stability, Avalanche formation.

36-2193

Avalanches originating "from a point" and "slab avalanches". ¡K voprosu o lavinakh "iz tochki" i lavinakh

"snezhnoĭ doski"j, Bolov, V.R., *Naľchik.* Bolov, V.R., Nal'chik. Vysokogornyi geofizicheskii institut. Trudy, 1981, Vol.49, p.32-38, In Russian. 13 refs.

Slope processes, Avalanches, Classifications, Terminology, Avalanche formation, Avalanche trigger-

36-2194

Genetic types of snow avalanches formed in the El'brus Mountain area. [Geneticheskie tipy lavin v Priel'-

brus'ej. Bolov, V.R., Nal'chik. Bolov, V.R., Nal'chik. Vysokogornyi geofizicheskii institut. Trudy, 1981, Vol.49, p.39-51, In Russian.

Slope processes, Snow cover distribution, Avalanche formation, Avalanche triggering, Snowfall, Snowstorms, USSR-Caucasus.

36-2195

Experimental telemetering complex for studying moving avalanches. [Eksperimental'nyi kompleks dlia telemetricheskogo izucheniia parametrov dvizhush-

teremeterienessogo reuenema parametero dviziusi-cheisia faviny, Lrumbaev, N.A., et al, Nal'chik. Vysokogornyi geofizicheskh institut. Trudy. 1981, Vol.49, p.52-63, In Russian. 5 refs. In Russian. 5 refs. Strukov, B.B.

Slope processes, Avalanche formation, Avalanche triggering, Avalanche mechanics, Telemetering equipment.

36-2196

Evaluating danger of avalanche formation from new fallen snow in the El'brus Mountain area. [Oisenka stepeni lavinnoi opasnosti dlia lavin iz svezhevypavstepeni javimor specialistis, shego snega v Priel'brus'ej,

Urumbaev, N.A., et al, Nal'chik. Vysokogornyi geofizicheskii institut. Trudy, 1981, Vol.49, p.64-74,

In Russian. 2 refs. Urumbaeva, L.V., Khomeniuk, IU.V.

Snowfall, Slope processes, Snow cover stability, Avalanche formation, Avalanche forecasting, USSR-Caucasus.

36-2197

Methods of artificial triggering of snow avalanches. Metody iskusstvennogo spuska lavini.

Badakhov, Kh.I., Nal'chik. Vysokogornyi geofizi-cheskii institut. Trudy, 1981, Vol.49, p.75-89, In Russian. 35 refs.

Slope processes, Snowfall, Snow cover structure. Avalanche formation, Avalanche triggering.

Avalanche and mudflow danger in the economic development areas of eastern Caucasus. (Lavinno-selevaia opasnost' osvoenija gor Vostochnogo Kavkaza, Zalikhanov, M.Ch., et al. Nal'chik. Vysokogo

geofizieheskii institut. 103, In Russian. 4 refs. Trudy, 1981, Vol.49, p.90-

Akacva, L.A.

Slope processes, Avalanche formation, Avalanche triggering, Mudflows, Human factors.

Scattered radiation on mountain slopes of Central Caucasus. (Rassciannaia radiatsiia na sklonakh v usloviiakh Tsentral'nogo Kavkazaj. Samukashvili, R.D., Nal'chik. Vysokogornyi geofizi-

Trudy, 1981, Vol.49, p.104-116, In cheskii institut. Russian 6 refs. Russian

scapes, Slope orientation, Solar radiation, Scattering, Meteorological data.

36-2200

Photosynthetically active radiation in the Caucasus. [Fotosinteticheski aktivnaja radiatsija na Kavkaze]. Samukashvili, R.D., Nal'chik. Vysokogornyi geofizicheskii institut. Trudy, 1981, Vol.49, p.117-124, In Russian 4 refs

Alpine landscapes, Slope processes, Snow cover distribution, Solar radiation, Plant ecology, Plant physiology, Photosynthesis.

Direct solar radiation in the Caucasus. [Priamaia ra-

diatsiia solntsa na Kavkaze₁, Samukashvili, R.D., Nal'chik. Vysokogorny'i geofizicheskii institut. Trudy, 1981, Vol.49, p.125-132. In 2 refs.

Alpine landscapes, Altitude, Solar radiation, Radiation balance, Slope orientation, Slope processes.

36-2202

Scheme for forecasting glacial mudflows in the Gerkhozhansu River basin. (Skhema prognozirovaniia selevykh potokov v basseine r. Gerkhozhansu).
Gerasimov, V.A., Nal'chik. Vysokogornyi geofizicheskh institut. Trudy, 1981, Vol.49, p.133-137, In

River basins, Slope processes, Solar radiation, Snow melting, Moraines, Mudflows.

36-2203

Intensity of mudflow formation in the Kabardino-Balkarskaya ASSR. [Intensivnost' proiavleniia selei v

Kabardino-Balkarskoi ASSR₃. Streshneva, N.P., Nal'chik. Vysokogornyi geofizi-cheskii institut. Trudy, 1981, Vol.49, p.138-144, In 2 refs

River basins, Slope processes, Slope orientation, Snow melting, Soil erosion, Mudflows.

36-2204

Effect of structure on the relief of the western slope of the Khentei Mountains and their forefield in the Sugnugurin-gol and Bayan-gol basins.

Zietara T. Polska Akademia Nauk Rulletin Serie des sciences de la terre, 1980, 28(2-3), p.93-105, With Russian summary. 8 refs.
Slope processes, Alpine tundra, Geocryology, Geo-

morphology, Climatic factors, Taiga, Topographic features, Mongolia—Khentei Mountains.

Glacial forms in the Baga-Khentei Mts (Mongolia). Klimek, K., Polska Akademia Nauk. Bulletin. Serie des sciences de la terre, 1980, 28(2-3), p.107-113. With Russian summary. 16 refs.

Cirque glaciers, Geomorphology, Landforms, Glaciation, Mongolia-Khentei Mountains.

36-2206

Periglacial phenomena in the Baga-Khentei Mountain range.

Pekala, K., Polska Akademia Nauk. Bulletin. des sciences de la terre. 1980, 28(2-3), p.131-138, With Russian summary. 11 refs.

Periglacial processes, Alpine tundra, Geomor-

Periglacial processes, Alpine tundra, Geomorphology, Geocryology, Frost action, Nivation, Mountains, Mongolia-Khentei Mountains.

36-2207

Climatically controlled asymmetry of slopes in the central Mongolian uplands.

Kotarba, A., Polska Akademia Nauk. Série des sciences de la terre, 1980, 28(2-3), p.139-With Russian summary. 13 refs. Alpine tundra, Slope processes, Periglacial processes, Climatic factors, Mountains, Mongolia.

36-2208

Effect of the thermal and humidity zone structure and of slope exposition on the differences in water relations in the western Khentei.

Glazik, R., Polska Akademia Nauk. Bulletin. Serie des sciences de la terre, 1980, 28(2-3), p.173-188, With Russian summary. 14 refs. Runoff, Thermal effects, Humidity, Slope orientation,

Hydrology, Meltwater, Alpine tundra, Hydrology, River flow, Taiga, Snow depth, Mongolia-Khentei Mountains.

36-2209

Soils of the mountain taiga of the western Khentei Mts (Mongolia) and chief directions of pedogenesis. Skiba, S., Polska Akademia Nauk. Bulletin. des sciences de la terre. 1980, 28(2-3), p.223-231, With Russian summary. 13 refs. Taiga, Soil formation, Podsol, Mountains, Mongolia

-Khentei Mountains

36-2210

Winter maintenance of major highways. (Viabilita invernale sulle mandi autostradej. Murazio, S., Nove international, Dec. 1981, 23(4).

p.20-23. In Italian with French, German and English summaries

Winter maintenance, Road maintenance, Air temperature, Climatic factors, Snow removal, Precipitation (meteorology).

36,2211

Planning and technology for winter maintenance. (Programmazione e tecnologia al servizio della viabilità invernales.

Scotto, G.E., Neve international, Dec. 1981, 23(4). p.24-28, In Italian with French, German and English summaries

Winter maintenance, Road maintenance, Meteorological factors, Computer applications, Cost analysis,

36-2212

Active avalanche protection in the release zone: Swiss research and new technology. (La protezione attiva delle valanghe nella zona di distacco: ricerche e nuove tecnologie in Svizzeraj,

Heimgartner, M., Neve international, Dec. 1981, 23(4), p.29-32. In Italian with French, German and English summaries

Avalanche formation, Protection, Snow fences, Pile Structures.

36-2213

Rowland, L.O., Pipeline and gas journal, Jan. 1982, 209(1), p.40-47.

Pipe laving, Excavation, Dredging, Canada.

36-2214

Drift of a remarkable iceberg into the South Atlantic. (Trift eines bemerkenswerten Eisbergs in den Sudat-

Strübing, K., Seewart, 1978, 39(4), p.186-195, In Ger-8 refs

Icebergs, Drift.

The course of the Trolltunga iceberg is described, as observed from satellites and ships. The huge tabular iceberg (105 km long and 55 km wide) was first identified in Oct. 1967 in the only and 3 kin wider was instructioned in Oct. 1967 in the easternmost Weddell Sea. It took a decade to cover the 2000 nautical miles to the northern tip of the Antarctic Peninsula. After several strandings it was last seen in Feb. 1979, moving at 5-6 mm/day in the westerly drift at about 50S, due north of South Georgia. At that time it was estimated to be 3774 so km in size with an average height of 20-30 m above the water level. In these warmer waters the iceberg was expected to deteriorate rapidly, especially because of strong wave activity. Nevertheless, it is believed possible that it would survive far enough north to be seen from the South African coast. Satellite observations are disturbed by heavy cloudiness in the erly drift area

Thermohaline steps inducted by melting of the Erebus Glacier Tongue.

Jacobs, S.S., et al. Journal of geophysical research, July 20, 1982, 86(C7), p.6547-6555, 39 refs. Huppert, H.E., Holdsworth, G., Drewry, D.J.

Glacier melting, Water temperature, Salinity, Thermal conductivity, Antarctica-McMurdo Sound.

A vertically stable, step-like thermohaline structure is observed throughout a continuous, 400 m conductivity-temperature-depth (CTD) profile taken near the Erebus Glacier Tongue. McMurdo Sound. The pattern is best developed between the sea surface and 250 m depth, the interval corresponding to that of the irregular underwater profile of the glacier tongue. The steps average 17 m in thickness and typically display discontinuities of 0.1 C in temperature. Out-miller in salinity and 00035 g ccc cm in density. The observations are compared 00035 g/cu cm in density The observations are compared with theory and laboratory experiments of cell development and lateral flow near ice melting into vertically stratified saft water. At this location, subsurface seawater is inferred to remain above the in stut freezing point year-round, and contains sufficient heat to account for much of the glacier tongue thinning by basal melting. An adequate volume of meltwater would result to produce the measured salinity steps. We discuss related observations and some implications of this process for ocean circulation and biological productivity in the Antarca (Antala Care and Care tic. (Auth.)

36-2216

High resolution radio echo sounding on Ellesmere

Island, Northwest Territories. Neal, C.S., *Polyr record*, Jan. 1982, 21(130), p.61-64. Firn stratification, Radio echo soundings, Ice structure, Ice cover thickness, Canada—Northwest Ter-ritories—Ellesmere Island.

36-2217

Polar research.

Furner, M.D., et al. Geotimes, Feb. 1982, 27(2), p.51-

McKenzie, G D

Ice cores. Paleoclimatology.

Recent research activity in earth sciences in both polar regions is reviewed. In Greenland, scientists recovered the longest ice core ever obtained in the Arctic. The 2000 m + core spans 130,000 years of snow accumulation. In the Antarctic, finding and recovering meteor fragments, some rare or unique, contiand recovering meteor fragments, some rare or unique, contin-ues. Two shergottites, which, one hypothesis holds, came from Mars, have been recovered. A major field camp for 60 scien-tists has been built in northern Victoria Land. Significant pub-lications are mentioned, major conferences scheduled for the next two years are noted, and some early effects of budget reductions on polar research programs are given.

36-2218

Supernovae and nitrate in the Greenland Ice Sheet. Risbo, T., et al. *Nature*. Dec. 17, 1983, 294(5842), p.637-639, 17 refs.

Clausen, H.B., Rasmussen, K.L

Ice cores, Ice composition, Improities, Ice dating, Supernovae.

Nitrate concentration in the absolutely dated Greenland ice core from Crête has been measured for six time intervals, five surrounding the time of appearance of 'he well established historical supernovae during the past 1,0... yr and one during the Maunder minimum of solar activity, to look for a possible correlation between supernovae and nitrate concentration. A very regular annual variation of nitrate concentration is observed superimposed on a constant background. It is shown that both these signals seem unaffected by the known variations in the solar activity for the periods analyzed. The nitrate contents are unaffected by peaks in acidity caused by volcanic eruptions. The annual variation of nitrate concentration suggests it could be used for dating ice cores. Comparisons are made between Greenland and antarctic ice cores for dating and for nitrate content. (Auth.) Nitrate concentration in the absolutely dated Greenland ice content. (Auth.)

36-2219

Soil pattern of Campbell Island.

Campbell, I.B., New Zealand journal of scienc 1981, 24(2), p.111-135, 30 refs.

Peat, Soil erosion, Grazing, Campbell Island.

Peat, Soil erosion, Grazing, Campbell Island. The broad pattern of soils on subantarctic Campbell Island is outlined. Organic soils (peat and peaty soils) cover most of the island. The soil pattern has a strong physiographic relationship and is controlled by thickness of peat, slope, and altitude. Deepest deposits of peat occur on gentle slopes at lower altitudes, but the peat becomes shallow as slope and altitude increase and the mineral content rises. The organic soils which form on the peat show a corresponding progressive development. Thick peat soils on the lower altitude slopes pass through thin peat soils into shallow peaty soils on the higher altitude surfaces. The extent and causes of ercision are discussed. Wind erosion is currently extensive on exposed fragile uplands and has been aggravated by sheep grazing, trampling, and severe depletion of tussock grassland and high altitude rush communities. The shallow peaty soils with their higher nutrient status appear to be preferential sites for grazing. On the north of the island where grazing has been eliminated by fencing, there are signs of erosion scar recovery. (Auth.)

36-2220

Numerical study on the effects of electric charges on the efficiency with which planar ice crystals collect supercooled cloud drops.

Martin, J.J., et al, Journal of the atmospheric sciences.

Nov. 1982, 38(11), p.2462-2469 33 refs. Wang, P.K., Pruppacher, H.R.

Cloud physics, Supercooled clouds, Ice crystals, Electric charge, Mathematical models.

36-2221

Deuterium contents of storm inflow and hailstone growth lavers.

Knight, C.A., et al, Journal of the atmospheric sciences, Nov. 1981, 38(11), p.2485-2499, 15 refs. Knight, N.C., Kime, K.A.

Hailstone growth, Temperature effects, Heavy water. 36-2222

Cheng River Lakes Project revegetation study-

three-year summary.

Johnson, L.A., et al. U.S. Army Cold Regions Re-Johnson, L.A., et al. U.S. Army Cold Regions Research and Engineering Labaratory. Oct. 1981, CR 81-18, 59p., ADA-108 909, 22 refs. Rindge, S.D., Gaskin, D.A. Revegetation, Grasses, Growth, Soil stabilization, Gravel, Vegetation, United States—Alaska—Fair-

During the growing seasons of 1977, 1978 and 1979, revegetation techniques were studied on the Chena River Lakes Project, a flood control dam and levee near Fairbanks, Alaska, to find an optimal treatment for establishing permanent vegetation cover on the gravel structures. The treatments tested on plots cover on the gravel structures. The transmission at the dam and/or levee involved three main variables: 1) vegetather day of the cuttings. 2) mulch. at the dam and/or levee involved three main variables: 1) vegetation (grass and clover seed and/or willow cuttings), 2) mulch, mulch blanket, and/or sludge, and 3) substrate (gravel or finegrained soil over the gravel base). The mulches were hay, wood-cellulose-fiber, peat moss, and Conwed Hydro Mulch 2000, which is a wood-cellulose-fiber mulch with a polysaccharide tackfifer. A constant rate of fertilizer was applied to all plots except the control. A section of each plot was refertilized again in their third growing season to compare annual and biannual fertilization. The high fertilization rate produced aboveagain in their thriting growing section to compare amount of control fertilization. The high fertilization rate produced above-average growth. Fescue, brome, and foxtail were the most productive species on the dam, while abside clover was the most productive on the wetter levee site. When grass seed and willow cuttings were planted at the same time, willow survival and growth were reduced. Fertilization is required for at least two

years to produce an acceptable permanent vegetation cover, years to produce an acceptation permanent vegetation cover, although fine-grained soil or sludge reduces the amount of fertilizer needed in the second year. Third-year fertilization may be necessary since the benefits of the second fertilization continue for at least two years. A sludge treatment refertilized during its second growing season produces the highest biomass recorded in this study. Sludge from the Fairbanks treatment coreed in this study. Studge from the Fairbanks treatment plant poses little, if any, danger of contamination from heavy metals or pathogens. Four-year-old seedlings of willow and native woody species growing on the dam do not have deeply penetrating root systems and therefore don't appear to pose an early threat of leakage through the dam

36-2223

Glacial spillways in southwest Scania, southernmost

Sweden. [Isälvsdalar i Sydvästskane], Bergsten, K.E., Svensk geografisk arsbok, 1981, No.57, p.19-24, In Swedish with English summary. refs

Glacier tongues, Glacier melting, Periglacial processes. Sweden-Scania.

36-2224

Snow avalanche impact pits in Sunnylven and adjacent areas in Sunnmöre, western Norway. Preliminary results. [Groper danna av snöskred i Sunnylven og tilgrensande omrader pa Sunnmöre. Förebels

Hole, J., Norsk geografisk tidsskrift. 1981, 35(3), p.167-172, In Norwegian with English captions. 4 refs.

Avalanche formation, Impact strength, Landforms, Avalanche deposits, Topographic features, Lakes.

36-2225

Study of the factors affecting Arctic pipeline safety. Black, W.T., et al, U.S. Office of Pipeline Safety Regu-lation. Technical report, Nov. 3, 1981, Final report, Woodward-Clyde Consultants, Project 14551A report, 82p., Refs. p.(A)I-(A)12. Holloway, D.M., Luscher, U., Nyman, D.J., Thomas,

H.P.

Pipelines, Safety, Permafrost physics, Construction, Maintenance, Thermal stresses, Frost heave, Soil сгеер.

36-2226

Engineering geology of the Svea Lowland, Spitsbergen. Syalbard. Péwé, T.L., et al, Frost i jord, Dec. 1981, No.23, 11p.,

Rowan, D.E., Péwé, R.H.

ngineering geology, Glacial deposits, Permafrost physics, Foundations, Mining, Structures, Coal, Ground ice, Frost action, Norway—Spitsbergen.

36-2227

Block-movement of glaciers, ¿Zur Blockbewegung der Gletscherj, Voigt, U., Akademie des Wissenschaften, Berlin.

tionalkomitee für Geodasie und Geophysik. Geodatische und geophysikalische Veröffentlichungen, 1979, Ser. 3, No. 44, 128p., In German with English and Russian summaries. Refs. p. 57-62.

Glacier flow, Ice mechanics, Strains, Glacier beds, Sliding, Photogrammetry, Subglacial observations, Tensile properties, Velocity, Crevasses.

36-2228

Drift characteristics of northeastern Bering Sea ice during 1980.

Pease, C.H., et al, U.S. National Oceanic and Atmospheric Administration. NOAA technical memorandum. July 1981, ERL PMEL-32, 78p., 11 refs. Salo, S.A.

Sea ice, Drift, Ice conditions, Ocean currents, Wind velocity, Ice floes, Meteorological factors, Bering Sea.

36-2229

Remote sensing of stored precipitation, i.e., soil moisture and snow.

Schmugge, T., Precipitation Measurements from Space, April 28-May 1, 1981. Workshop report. Edited by D. Atlas and O.W. Thiele, Greenbelt, Md., NASA, Goddard Space Flight Center, Oct. 1981, p.(D)252-(D)260, 35 refs.

accumulation, Soil water, Remote sensing, Precipitation (meteorology), Snow water equivalent, Microwaves, Temperature effects.

Anchorage wetlands management plan. Anchorage, Alaska, Municipality, Planning Department. Oct. 1981, 9 sections + maps, Includes Supplement-plan revisions, Feb. 1982. 9p. of refs. Hydrology, Environmental protection, Land reclama-

tion, Land development, Urban planning. United States-Alaska-Anchorage.

Fluvioglacial landforms and ice margin characteris-An example from the Torneträsk area in northtics. ern Sweden.

Gretener, B., et al, Geografiska annaler. Series A Physical geography, 1981, 63A(3-4), p.161-168, 14 refs.

Strömquist, L

Periglacial processes, Landforms, Moraines, Glacier oscillation, Geomorphology, Glacial deposits, Paleoclimatology, Sweden.

36-2232

Monitoring the World's glaciers-the present situa-

Wallén, C.C., Geografiska annaler. Series A Physical geography, 1981, 63A(3-4), p.197-200, 8 refs. Glacier surveys, Glacier mass balance.

A review is given of the historic development of the Permanent Service of Fluctuations of Glaciers, started in 1968 and the World Glacier Inventory started in 1975. The present situation of global glacier sur illance, including Antarctica, is discussed and suggestions are presented for future activities, emanating from a recent meeting of experts. (Auth. mod.) 36-2233

Neoglacial fluctuations of glaciers, southeastern Ellesmere Island, Canadian Arctic Archipelago

Blake, W., Jr., Geografiska annaler. Series A Physical geography, 1981. 63A(3-4), p.201-218, 27 refs.

Glacier oscillation, Remote sensing, Radioactive age determination, Paleoclimatology, Canada—Northwest Territories—Ellesmere Island.

Net mass balance of Storglaciären, Kebnekaise, Sweden, related to the height of the equilibrium line and to the height of the 500 mb surface.

Schytt, V., Geografiska annaler. Series A Physical geography, 1981, 63A(3-4), p.219-223, 2 refs. Glacier mass balance, Alpine glaciation, Altitude, Seasonal variations, Meteorological factors, Sweden

-Stor Glacier.

36-2235

Radio-echo sounding maps of Storglaciaren, Isfallsg-laciaren and Rabots glaciar, northern Sweden. Björnsson, H., Geografiska annaler. Series A Phecal geography, 1981, 63A(3-4), p.225-231, 3 refs. Series A Physi-Glacier surveys, Glacier beds, Radio echo soundings, Topographic maps, Subglacial observations,

36-2236

Seasonal variations in surface velocity of the lower part of Storglaciären, Kebnekaise, Sweden. Brzozowski, J., et al. Geografiska annaler. Series A

Physical geography. 1981, 63A(3-4), p.233-240, 36 refs Hooke, R.L.

Glacier flow, Glacier surfaces, Velocity, Seasonal variations, Mapping, Sweden.

36-2237

Equilibrium line altitudes of Late Pleistocene and recent glaciers in Central Mexico. Series A Physic...!

White, S.E., Geografiska annaler. Series A Physic. I geography, 1981, 63A(3-4), p.241-249, 17 refs. Glacier oscillation, Alpine glaciation, Pleistocene, Mexico.

36-2238

Glaciation level in southern Alaska.

Östrem, G., et al, Geografiska annaler. Series A Physical geography, 1981, 63A(3-4), p.251-260, 15 refs. Haakensen, N., Eriksson, T.

Alpine glaciation, Mountain glaciers, Distribution, Topographic maps, United States-Alaska. 36-2239

Lacustrine sediment studies.

Karlén, W., Geografiska annaler. Series A Physical geography. 1981, 63A(3-4), p.273-281, 20 refs. Lacustrine deposits, Glacier oscillation, Meltwater,

Lake water, Glacier melting, Paleoclimatology, Radioactive age determination.

36-2240

Effect of ice compression on unsteady flexural-gravity

Bukatov, A.E., Oceanology, Feb. 1981, 20(4), p.394-397. Translated from Okeanologia. 14 refs. Ice cover, Oscillations, Compressive properties, At-

mospheric disturbances. Sea ice. Stresses. 36-2241

Assessment of the possibility of using the radioseismoacoustic method to study large-scale ice cover

deformations.
Bogorodskii, V.V., et al. Oceanology, Feb. 1981, 20(4), p.407-410, Translated from Okeanologia. 12 refs. Sea ice, Ice deformation, Echo sounding, Ice cover thickness.

Oxygen and carbon dioxide exchange between the Arctic basin and the atmosphere.

Liakhin, IU.1., et al, *Oceanology*. Feb. 1981, 20(4), p.411-418, Translated from Okeanologia. 26 refs.

Air water interactions, Gases, Carbon dioxide, Oxygen, Ice cover effect, Arctic Ocean.

Geomorphological signs of the action of the Scandinavian, Novaya Zemlya, and Spitsbergen ice sheets

on the floor of the Barents Sea. Matishov, G.G., Oceanology, Feb. 1981, 20(4), p.440-447, Translated from Okeanologiia. 30 refs.

Polar regions, Echo sounding, Glaciation, Marine

deposits, Ice sheets, Bottom sediment, Moraines, Glacial erosion, Geomorphology, Theories.

Recent sediments on the continental shelf of the Chukchi Sea.

Logvinenko, N.V., et al, *Oceanology*, Feb. 1981, 20(4), p.448-452, Translated from Okeanologiia. 10

Ogorodníkov, V.I.

Polar regions, Marine deposits, Shores, Ice rafting, Ice shelves.

36-2245

Landscape indication of some engineering-geological conditions in the northwestern part of Arkhangel'sk region. (Opyt landshaftnoi indikatsii nekotorykh inz-

regioa, ropyt iandsnamioi indikaisii iekotoryko ina-henerno-geologicheskikh uslovii v severo-zapadnoi chasti Arkhangel'skoi oblastii, Bostrem, V.G., Geograficheskoe obshchestvo SSSR. Izvestiia, Jan.-Feb. 1982, 114(1), p.57-60, In Russian.

Forest land, Swamps, Landscape types, Engineering geology, Surveys, Moraines, Cryogenic soils, Soil wanigration, Peat, Plant ecology, Ecosystems, Mosses.

Determining snow depth for establishing the height of roadbed shoulders. [Opredelenie vysoty snezhnogo pokrova dlia naznachenija vozvyshenija brovki zemlianogo polotna₁, Zhukov, P.P., Avtomobil'nye dorogi, Dec. 1981,

No.12, p.5-6, In Russian. 3 refs.

Roadbeds, Embankments, Snow accumulation, Snow depth, Design, Mountains, Roads.

36-2247

Construction machines for Siberia and the North. (Stroite! nye mashiny dlia Sibiri i Severa), Vasil'ev, A.A., Avtomobil'nye dorogi, Dec. 1981, No.12, p.27-28. In Russian.

Construction equipment, Transportation, Earthwork, Motor vehicles, Tracked vehicles, Snow depth, Trafficability. Permafrost. Excavation.

Machines under severe climatic conditions. (Mashiny v surovykh usloviiakh,

Poliakov, V.I., et al, Mekhanizatsiia stroitel'stva, Jan. 1982, No.1, p.3-4, In Russian.

Kolesnichenko, V.V.

Construction equipment, Tractors, Motor vehicles, Tracked vehicles, Transportation, Construction materials, Earthwork, Excavation, Cold weather construction, Permafrost.

Operation of MoAZ-546P-D357P scrapers at subzero temperatures. (Ekspluatatsiia skreperov MoAZ-546P-D357P pri otritsatel nykh temperaturakh), Maksimenko, A.N., et al, Mekhanizatsiia stroitel stva.

Jan. 1982. No.1, p.8-10, In Russian. 2 refs. Surovegin, IU.V., Sidorov, N.A., Dubov, V.N.

Earthwork, Cold weather construction, Construction materials, Cold weather operation.

36-2250

Polymer foam as ground protection from freezing. ¿Zashchita grunta ot promerzaniia polimernoi penoly. Dobkin, I.G., et al, Mekhanizatsiia stroitel'stva, Jan.

1982, No. I. p. 10-12, In Russian.

Mashkov, A.I., Ratskevich, G.I., Chepelkin, V.K.

Cellular plastics, Polymers, Thermal insulation, Soil freezing, Frost penetration, Construction equipment.

36-2251

Machines and equipment for concreting. [Mashiny i oborudovanie dlia betonnykh rabot₁,

Zhadanovskii, B.V., et al, Mekhanizatsiia stroitel'stva, Jan. 1982, No.1, p.15-17, In Russian.

Winter concreting, Concrete aggregates, Construc-tion equipment, Mixers, Electrical heating.

Ice pillars may become "golden" pillars. ¿Ledianye kolonny okazhutsia "zolotymi"). El'shanskii, I., Izobretatel' i ratsionalizator, Dec. 1981.

No.12, p.14-15, In Russian.

Mining, Shafts (excavations), Supports, Permafrost.

Stress amplification under a moving load on floating

Bates, H.F., et al, Journal of geophysical research, July 1981, 86(C7), p.6638-6642, 12 refs. Shapiro, L.H.

Sea ice, Floating ice, Ice mechanics, Dynamic loads.

36-2254

Flexural waves in the Ross Ice Shelf.

Williams, R.T., et al, *Journal of geophysical research*, July 20, 1981, 86(C7), p.6643-6648, 20 refs. Robinson, E.S.

Ocean waves, Ice shelves, Antarctica-Ross Ice Shelf.

Flexural waves related to the ocean swell are identified more Flexural waves related to the ocean swell are identified more than 600 km from the open sea in the Ross Ice Shelf, Antarctica, where the ice cover is in places more than 500 m thick. An equation relating the power spectra of the flexural wave and the ocean swell is derived, based on the continuity of pressure in the fluid layer across the ice front. Correcting for the effect of the ice, the power spectrum of the wave in the ice compares to that of the ocean swell elsewhere in the Pacific Ocean. (Auth.)

Observations of surface and bottom currents in the Beaufort Sea near Prudhoe Bay, Alaska.

Matthews, J.B., Journal of geophysical research, July 20, 1981, 86(C7), p.6653-6660, 21 refs.

Ocean currents, Wind factors, Beaufort Sea.

36-2256

Approximate solution to Neumann problem for soil

Lunardini, V.J., et al, Journal of energy resources technology, Mar. 1981, 103(1), MP 1494, p.76-81, 12 refs. Varotta, R.

Soil temperature, Heat balance, Freeze thaw cycles, Boundary layer, Phase transformations, Thermal properties, Temperature effects, Analysis (mathemat-

An approximate solution to the Neumann problem has been obtained by using the heat balance integral method. The accuracy of the solution is shown to be very good for all practical soil system cases. The thermal properties of soil systems are also expressed in terms of only the liquid volumetric fraction asso expressed in terms of only the liquid volumetric traction and combine with the approximate solution to give a rapid, accurate solution for freeze/thaw problems without using graphs, tables, or transcendental equations. A sir ple relation is also given for the analogous problem in cylindrical coordinates, but its range of validity is somewhat limited.

36-2257

Brief review of foundation construction in the Western Canadian Arctic.

Thomson, S., Quarterly journal of engineering geology, 1980, Vol. 13, p. 67-76, 12 refs.

Foundations, Cold weather construction, Permafrost

depth, Permafrost thermal properties, Frozen ground strength, Frozen ground mechanics, Ground ice, Soil creep, Rheology, Pile structures, Roads

Comparison of codes concerning winter concreting in Finland and in the Soviet Union.

Miettinen, H., et al. Finland. Technical Research

Centre. Research Research notes, 1981, No.11, 48p. + 3 ap-

uorinen, J., Kukko, H.

Winter concreting, Cold weather construction, Concrete strength, Concrete freezing, Concrete curing, Temperature effects, Finland, USSR.

36-2259

Glaciological investigations in Norway 1979. [Glasi-

ologiske undersökelser i Norge 1979, Haakensen, N., et al, Norway. Vassdrags- og elek-trisitetsvesen. Hydrologisk avdeling. Rapport, July 1981. No.3-81, 80p., In Norwegian with extended English summary. Refs. p.78-80. Glacier mass balance, Glacial hydrology, Meteorolog-

ical data, Heat balance, Meltwater, Norway.

Hydrogeology for land-use planning: the Potter Creek area, Anchorage, Alaska. Emanuel, R.P., et al, U.S. Geological Survey. Water

Resources Investigations. Open-file report, Feb. 1982, No.82-86, 2 sheets.

Cowing, D.J.
Maps, Water supply, Hydrogeology, Meltwater, Drainage, Soil erosion, Urban planning, United States—Alaska—Anchorage. 36-2261

Research annual report 1980-81.

Alaska. University, Fairbanks, 1981, 139p. Research projects, Environments, United States—

Investigation of pressure changes in frozen soils during thermally induced moisture migration. Final re-

Williams, P.J., et al, Ottawa, Carleton University, July 1981, 131p. + appends., Refs. p.129-131. Wood, J.A.

Frozen ground thermodynamics, Soil pressure, Soil water migration, Hydraulics, Permeability, Temperature effects, Measuring instruments.

Water balance of a lichen tundra underlain by permafrost.

Wright, R.K., McGill Subarctic Research Station. McGill subarctic research paper, 1981, No.33, 110p., With French summary. Refs. p.106-110.

Tundra, Water balance, Lichens, Permafrost hy-drology, Latent heat, Soil water migration, Active layer, Soil freezing, Thaw depth.

Numerical analysis of freezing and melting with con-

Morgan, K., Computer methods in applied mechanics and engineering, 1981, Vol.28, p.275-284, 23 refs. Freeze thaw cycles, Heat transfer, Convection, Phase transformations, Mathematical models, Temperature effects, Liquid solid interfaces.

Basic characteristics of runoff in contemporary glaciated areas of China.

Yang, Z., Scientia sinica, Oct. 1981, 24(10), p.1418-1430, 8 refs.

Runoff, Glacial hydrology, Alpine glaciation, Meltwater, Glacier ablation, Mountain glaciers, China.

Freezing and drying: effects on the solubility of municipal solid waste leachate constituents.
Bitterli, R.J., Tucson, University of Arizona, 1981.

36p., M.S. thesis. 18 refs.

Waste treatment, Freeze thaw cycles, Drying, Solubility, Chemical composition, Leaching.

Conduit flow of a fluid through its solid phase and its application to intraglacial channel flow

Spring, U., et al. *International journal of engineering science*, 1982, 20(2), p.327-363, 17 refs.

Glacial hydrology, Subglacial drainage, Water flow, Liquid solid interfaces, Channels (waterways), Analysis (mathematics).

Comprehensive analysis of the environment. Proceedings of the symposium. (Vsestoronnii analiz okruzhaiushchei prirodnoi sredy. Trudy simpoziumaj, Sovetsko-amerikanskii simpozium, 4th, Jackson, Wyoming, Oct. 22-27, 1979, Leningrad, Gidrometeoizdat, 1981, 317p.. In Russian. For selected papers see 36-2269 through 36-2271. Refs. passim. Izrael, IU.A., ed.

Mountains, Coal, Mining, Electric power, Environmental impact. Sporadic permafrost, Cryogenic soils, Soil pollution, Water pollution, Rivers, Ice conditions, Environmental protection.

36-2269

Environmental impact of the KATEK steam power Effekty vozdeistviia teplovykh elektrostantsii KATEK na okruzhajushchuju prirodnuju sreduj.

Boltneya, L.I., et al, Sovetsko-amerikanskii simpozium Vsestoronnii analiz okruzhaiushchei sredy, 4th, Jackson, Wyoming, Oct.22-27, 1979. Trudy (Soviet-American Symposium Comprehensive analysis of the Environment, 4th, Jackson, Wyoming, Oct 22-27, 1979. Proceedings) edited by IU.A. Izrael, Leningrad. Gidrometeoizdat, 1981, p.94-108, In Russian 30 rets.

Mountains, Electric power, Coal, Mining, Environmental impact, Rivers, Ice conditions, Air pollution, Soil pollution, Water pollution.

Ecologic aspects of mining the KATEK coal deposits and measures for preventing environmental pollution and degradation (air, water, soils). [Ekologicheskie aspekty ekspluatatsii ugol'nykh razrezov KATEK. Kompieks meropriiatii po predotvrashcheniiu zagriaz-neniia i degradatsii okruzhaiushchei sredy (vozdukh, voda, pochvy)₁, Vitkovskii, K.V., et al, Sovetsko-amerikanskii sim-

pozium Vsestoronnii analiz okruzhaiushchei sredy, 4th. Jackson, Wyoming, Oct.22-27, 1979. Trudy (Soviet-American Symposium Comprehensive analysis of the Environment, 4th, Jackson, Wyoming, Oct. 22-27, 1979. Proceedings) edited by IU.A. Izrael, Leningrad, Gidrometeoizdat, 1981, p.187-195, In Russian.

Nemkovskii, B.B.

Coal, Mining, Environmental impact, Air pollution, Sporadic permafrost, Cryogenic soils, Soil pollution, Water pollution, Rivers, Ice conditions, Environmental protection.

36-2271

Allowing for environmental impact when designing fuel and power complexes, the KATEK coal and power industry project taken as an example. (Uchet trebovanii po okhrane okruzhajushchej sredy pri sozdanii toplivno-energeticheskikh kompleksov na pri-

mere KATEK₁, Attarova, N.N., et al, Sovetsko-amerikanskii simpozium Vsestoronnii analiz okruzhaiushchei sredy, 4th, Jackson, Wyoming, Oct.22-27, 1979. Trudy (Soviet-American Symposium Comprehensive analysis of the Environment, 4th, Jackson, Wyoming, Oct. 22-27, 1979. Proceedings) edited by IU.A. Izrael, Leningrad, Gidrometeoizdat, 1981, p.215-224, In Russian.

Mountains, Coal, Mining, Sporadic permafrost, Electric power, Environmental impact, Cryogenic soils, Soil pollution, Rivers, Ice conditions, Water pollution, Air pollution.

36-2272

Estimating snowfall visibility from radar data. (Otsenka vidimosti v snegopadakh po dannym MRL₃. Dinevich, V.A., Radiolokatsionnaia meteorologiia CRadar meteorology) edited by V.D. Stepanenko and G.B. Bryleva, Leningrad, Gidrometeoizdat, 1981, p.109-113.

Snowfall, Snowstorms, Visibility, Radar echoes.

Formation and productivity of stands. [Formirovanie i produktivnost' drevostoev],

PODIUKTIVNOSI GIEVOSIOEVI,
Polikarpov, N.P., ed, Novosibirsk, Nauka. 1981,
143p., in Russian. For selected articles see 36-2274
through 36-2277. Refs. passim.
Taiga, Alpine landscapes, Cryogenic soils, Plant

ecology, Plant physiology, Forest fires, Revegetation.

36-2274

Pecaliarities of cedar and fir growth in altitude belts of the western Sayan Mountains. (Vysotno-poiasnye osobennosti rosta kedra i pikhty v Zapadnom Saiane). Ermolenko, P.M., et al. Formirovanie i produktivnost' drevostoev (Formation and productivity of stands) edited by N.P. Polikarpov, Novosibirsk, Nauka, 1981, p.19-53, In Russian. 22 refs. Ermolenko, L.G.

Alpine landscapes, Taiga, Cryogenic soils, Snow cover distribution, Soil temperature, Snow line, Plant ecology, Plant physiology, Roots.

Formation of the composition of conifer-larch forests in felled areas of the Abies sibirica belt in the western Sayan Mountains. ¡Formirovanie sostava khvolno-listvennykh molodniakov na vyrubkakh kedrovnikov v

chernevom podpoiase Zapadnogo Saianaj, Ermolenko, P.M., Formirovanie i produktivnost' drevostoev (Formation and productivity of stands) edited by N.P. Polikarpov, Novosibirsk, Nauka, 1981, p.53-

71, in Russian. 6 refs.

Taiga, Forest fires, Revegetation, Cryogenic soils,

36-2276

Formation and development of conifer-larch young growth in the Angara River area. [Formirovanie i rost sosnovo-listvennykh molodniakov Priangar'ia],

Pshenichnikova, L.S., Formirovanie i produktivnost' drevostoev (Formation and productivity of stands) edited by N.P. Polikarpov, Novosibirsk, Nauka, 1981, p.71-90, In Russian. 21 refs.

Taige. Cryogenic soils, Plant ecology, Growth, Plant physiology, Forest fires, Revegetation.

Maintenance cutting of conifer-larch young growth in the southwestern Angara River area. [Rubki ukhoda v sosnovo-listvennykh molodniakakh iugo-zapadnogo

Buzykin, A.I., et al, Formirovanie i produktivnost drevostoev (Formation and productivity of stands) edited by N.P. Polikarpov, Novosibirsk, Nauka, 1981, p.91-116, In Russian. 26 refs. Pshenichnikova, L.S.

Taiga, Maintenance, Forest fires, Revegetation, Cryogenic soils, Forestry.

36-2278

Drilling water wells in northern regions. (Burenie skvazhin na vodu v severnykh rajonakhj, Bykov, I.IU., et al, Leningrad, Nedra, 1981, 128p., In

Russian with English table of contents enclosed. refs.

Dmitriev, V.D.

Water supply, Wells, Drilling, Well casings, Perma-frost hydrology, Ground ice, Subpermafrost ground water, Suprapermafrost ground water, Permafrost physics, Permafrost thermal properties, Permafrost samplers. Water intakes.

36-2279

Albedo and angular characteristics of reflection from underlying surfaces and clouds. [Al'bedo i uglovye kharakteristiki otrazheniia podstilaiushchei poverkhnosti i oblakovj. Kondrat'ev, K.IA., et al, Leningrad, Gidrometeoizdat,

1981, 232p., In Russian with English table of contents enclosed. 23 refs.

Albedo, Reflectivity, Ice surface, Water, Clouds (meteorology), Soils, Rocks, Surface properties, Route surveys, Sampling, Laboratory techniques.

Frozen ground disintegration by blasting. (Razrushenie merzłykh gruntov vzryvom₁, Drogoveiko, I.Z., Moscow, Nedra, 1981, 245p., In

Russian with English table of contents enclosed. 123

arthwork, Permafrost, Drilling, Blasting, Excavation. Explosives, Detonation waves, Fracturing, Artificial melting.

36-2281

Economic effectiveness of new technical equipment in the Far North. IK voprosu ob ekonomicheskoi effektivnosti novoi tekhniki v uslovijakh Krainego Severa, Malinovskiī, N.S., Ekonomicheskie i sotsial nye pro-blemy razvitiia Murmanskoī oblasti (Economic and social problems of Murmansk region development) edited by V.A. Fedoseev, Apatity, 1980, p.8-17, In Russian. 5 refs.

Economic development, Construction equipment, Cold weather performance, Work time standards, USSR-Murmansk.

Hydrocarbons isolated from seawater and ice. Simonov, A.I., et al, Oceanolgy. Oct. 1980, 20(2), p.161-163, 18 refs

Zubakina, A.N., Mikhaleva, I.M.

Sea water, Chemical composition, Hydrocarbons, Sea

36-2283

Iceberg tracking program, Pointe Amour, Labrador. Final report.

Roche, C., Memorial University of Newfoundland. Centre for Cold Ocean Resources Engineering. C-CORE publication, Oct. 1980, No.80-15, 71p. Icebergs, Drift, Radar tracking, Radar photography, Ice navigation, Sea ice distribution, Canada—New-

foundland-Belle Isle Strait.

36-2284

Evaluation of a compartmental model for prediction of nitrate leaching losses.

Mehran, M., et al, U.S. Army Cold Regions Research and Engineering Laboratory, Dec. 1981, CR 81-23, 24p., ADA-111 560, 41 refs. Tanii, K.K., Iskandar, I.K.

Waste treatment, Leaching, Land reclamation, Water flow, Soil chemistry, Models.

A model is presented that consists of a water flow submodel and A model is presented that consists of a water flow submodel and anitrogen flow sub...todel Irrigation, precipitation, evapotranspiration, surface return flow, and deep percolation are considered in the water flow submodel. The processes of nitrification, mineralization, immobilization, plant uptake, and nitrogen fixation are included in the nitrogen flow submodel. The model has been applied to two sets of experimental data obtained from 1) controlled test cells at U.S. Army Cold Regions Research and Engineering Laboratory in Hanover, New Hampshire, and 2) field plots of the University of California at Davis. Comparison between the experimental and model results indicates the optential canabilities of comand model results indicates the potential capabilities of com-

partmental models in predicting nitrogen behavior in soil-waterplant systems under wastewater land treatment operations. This model is applicable to slow rate, rapid infiltration, and

Water frost and ice: the near infrared spectral reflectance 0.65-2.5 microns.

Clark, R.N., Journal of geophysical research, Apr. 10, 1981, 86(B4), p.3087-3096, 19 refs.

Extraterrestrial ice, Frost, Reflectivity.

Theory of drift of melting ice.

Ovsienko, S.N., et al. Akademiia nauk SSSR. lady. Earth science sections, May-June 1979 (pub. Nov. 1981), 246(1-6), p.25-27. For Russian original see 34-524. 4 r Efroimson, V.O.

Sea ice, Ice melting, Drift, Ice edge, Mathematical models.

Jet flows during sublimation in a vacuum by the method of schlieren photography.

Lebedev, D.P., et al. Journal od engineering physics. June 1981 (publ. Dec. 81), 40(6), p.620-622, Translated from Inzhenerno-fizieheskii zhurnal. 10 refs. Uvarov, V.V.

Ice sublimation, Frozen rocks, Sands, Vacuum freezing. Ice surface, Evaporation, Photography, Mass transfer, Laboratory techniques.

Paleogeography and absolute Late Pleistocene geochronology of northeastern Siberia. [Palcogeografiia i absoliutnaia geokhronologiia pozdnego Pleistotsena na Severo-Vostoke Sibirii.

Shilo, N.A., et al. Akademiia nauk SSSR. Izvestiia. Seriia geograficheskaia, 1981, No.3, p.22-39, In Russian, 79 refs.

Tomirdiaro, S.V.

Pleistocene, Loess, Ground ice, Geochronology, Paleoecology, Permafrost origin, Ice veins, Frozen

36-2289

Formation of mean annual temperatures of frozen rocks and seasonal thawing, and conditions of the development of cryogenic processes. (Osobennosti formirovaniia srednegodovoi temperatury merzlykh porod sezonnogo protaivaniia i usloviia razvitiia kriogen-

nykh protsessov₃.
Tumel', N.V., *Problemy kriolitologii*, 1981, Vol.9, p.7-

18, In Russian. 10 refs. Geocryology, Permafrost thermal properties, Frozen rock temperature, Active layer.

Peculiarities of frozen rock temperature in the Anadyr region during the frost fracturing period. [Osobennosti temperatury merzlykh porod perioda morozobojnogo rastreskivanija (na primere Anadyrskogo raiona)₁.

Tumel', N.V., et al. *Problemy kriolitologii*, 1981, Vol.9, p.19-29, In Russian, 4 refs. Uvarov, V.N., Mironov, N.G.

Active layer, Frozen rock temperature, Frost penetration, Frost shattering, Fracturing, Ice veins, Patterned ground.

Mechanism of ice formation in thixotropic fines, (O mekhanizme l'doobrazovaniia v tiksotropnykh dispersnykh porodakhi.

Popov. A.I., Problemy kriolitologii, 1981, Vol.9, p.30-40, In Russian. 18 refs.
Frozen fines, Loess, Clay soils, Thixotropy, Ice for-

mation, Ground ice. Frost penetration, Soil water migration.

36-2292

Mechanism of squeezing out of polygonal wedge ice. O mekhanizme vyzhimaniia poligonal no-zhil nykh

Koniakhin, M.A., Problemy kriolitologii, 1981, Vol.9, p.41-56, In Russian. 16 refs.

Permafrost structure, Ice wedges, Ice veins, Ice structure, Ice physics, Mechanical properties.

Ice structure.

Structure of polygonal wedge ice as an indication of permafrost age. (Struktura poligonal no-zhil nogo l'da kak pokazatel vozrasta merzlykh porodj. Rogov, V.V., Problemy kriolitologu, 1981, Vol.9, p.57-

68. In Russian 11 refs Permafrost dating. Permafrost structure. Ice wedges,

Physical modeling of pseudomorphism and forecasting wedge-shaped deformations of the ground. [Fizicheskoe modelirovanie psevdomorfoz i problemy diagnostiki klinovidn h gruntovykh deformatsii,

Arkhangelov, ..., et al, *Problemy kriolitologii*, 1981, Vol.9, p.69-86, In Russian. 20 refs.

Permafrost structure, Active layer, Frost penetration, Fracturing, Patterned ground, Ice wedges, Models.

36-2295

Lithogenesis of alluvial plains in the eastern Subarctic in relation to the problem of an ice-bearing Edoma complex. [Osobennosti litogeneza alliuvial'nykh ravnin Vostochnoi Subarktiki v sviazi s problemoi ledovogo (edomnogo) kompleksaj. Rozenbaum, G.E., Problemy kriolitologii, 1981, Vol.9.

p.87-100, In Russian. 33 refs. Polar regions, Frozen fines, Loess, Ground ice, Ice formation, Permafrost hydrology, Thermokarst, Permafrost origin.

36-2296

Origin of ice complex in the Yana-Kolyma lowland. [K probleme proiskhozhdenija ledovogo kompleksa IAno-Kolymskoi nizmennostij.

Zimov, S.A., *Problemy kriolitologii*, 1981, Vol.9, p.101-106, In Russian. 15 refs.

Frozen fines, Ground ice, Ice structure, Loess, Clay soils. Permafrost origin.

36-2297

Composition and structure of Late Cenozoic deposits in the Oyogosskiy ravine outcrops. ¡Osobennosti stro-eniia i sostava pozdnekainozoiskikh otlozhenii v ob-

nazhenii Ologosskii iarj, Konishchev, V.N., et al, *Problemy kriolitologii*, 1981, Vol.9, p.107-117, In Russian. 17 refs.

Kolesnikov, S.F.

Frozen fines, Clay soils, Loess, Permafrost structure, Soil composition, Cryogenic soils, Patterned ground, Ice veins, Ice wedges.

Mineral composition of Upper Pleistocene deposits in the Kolyma lowland in relation to their origin. [O mineralogicheskom sostave verkhneplejstotsenovykh otlozhenií Kolymskoi nizmennosti v sviazi s problemoi ikh genezisaj, Kuznetsov, IU.V., Problemy kriolitologii, 1981, Vol.9,

p.118-124, In Russian. 9 rcfs.
Frozen fines, Loess, Clay soils, Minerals, Ground ice,

Cryolithogenesis of alassy deposits at Cape Chukochiy. [Kriolitogenez alasnykh otlozhenii (na primere

mysa Chukochii), Arkhangelov, A.A., et al, *Problemy kriolitologii*, 1981, Vol.9, p.125-138. In Russian. 4 refs. Kuznetsova, T.P., L'ianos-Mas, A.V., Mikhalev, D.V.

Permafrost hydrology, Thermokarst, Alassy, Lacustrine deposits, Thermokarst lakes, Permafrost structure, Frozen fines, Ice wedges, Origin, Lithology.

Cryolithologic characteristics of the upper part of permafrost in the Anabar-Olenek, horizontally layered. low plateau. rKriolitologicheskaia kharakteristika verkhnei chasti kriolitozony Anabaro-Olenek-

skogo nizkogo plastovogo platoj, Khrutskii, S.F., et al. *Problemy kriolitologii*, 1981, Vol.9, p.139-149, In Russian. 5 refs.

Dereviagin, A.IU

Permafrost hydrology, Thermokarst, Permafrost structure, Lithology, Ground ice, Ice structure, Ice veins, Patterned ground.

36.2301

Ice formations in peat bogs of Sibirskie Uvaly. [Ledianye obrazovanija v torfianikakh Sibirskikh uvalovj. Kliuev, P.L. Problemy kriolitologii, 1981, Vol.9, p.150-153, In Russian.

Swamps, Peat, Permafrost structure, Ice structure, Ice veins, Ice wedges, Active layer, Fracturing, Freeze thaw cycles.

Geographical conditions of mammoth occurrence in the Yuribey River valley. [Morzlotno-geologicheskie usloviia zaleganiia mamonta v doline r. IUribeij. Evseev. V.P., Problemy kriolitologii, 1981, Vol.9, p.154-164, In Russian. 1 ref. Arctic landscapes, River basins, Valleys, Tundra,

Swamps, Paleoecology, Paleoclimatology.

36-2303

Vacuum-filtration origin of thick ice schlieren. ¡Vakuumno-fil'tratsionnyī mekhanizm obrazovaniia moshchnykh shlirov l'daj,

Borozinets, V.E., et al, *Problemy kriolitologii*, 1981, Vol.9, p.165-178, In Russian. 8 refs. Fel'dman, G.M.

Permafrost structure, Ice formation, Frost penetration, Soil water migration, Ice lenses, Models, Laboratory techniques.

Elementary veinlets of polygonal wedge ice and the reconstruction of ice formation paleotemperatures. (Elementarnye zhilki poligonal'no-zhil'nykh l'dov i rekonstruktsija paleotemperatur l'doobrazovanija Solomatin, V.I., et al, *Problemy kriolitologii*, 1981, Vol.9, p.179-184, In Russian. 10 refs. Kriuchkov, M.V.

Permafrost structure, Ice veins, Ice wedges, Ice formation, Ice growth.

36-2305

Cryolithozone. The problem of boundaries. [Zona kriogennogo litogeneza (problema granits)₁, Gasanov, Sh.Sh.. *Problemy kriolitologii*, 1981, Vol.9. .185-197, In Russian. 28 refs.

p.185-197, In Russian. 28 refs. Geocryology, Permafrost origin, Permafrost thickness, Permafrost structure, Classifications, Boundary value problems.

Boundaries of cryolithogenesis. Comments on the Sh.Sh. Gasanov article "The cryolithozone" published in this volume. ¡K voprosu o kriolitogeneze i granitsakh ego projavlenii (kriticheskie zamechanija po povodu stat'i Sh.Sh. Gasanova "Zona kriogennogo litogeneza", publikuemoi v nastoiashchem sbornike), Popov, A.I., et al, *Problemy kriolitologii*, 1981, Vol.9, p. 198-200. In Russian.

Rozenbaum, G E.

Geocryology, Permafrost formation, Frost penetra-tion, Soil water migration, Ice growth, Phase transformations, Permafrost structure, Classifications, Boundary value problems.

Peculiarities of economic planning of work on construction sites of the North. (Osobennosti ekonomi-

cheskoi raboty na stroĭkakh Severaj. Subbotin, N.G., Syktyvkar, Komi knizhnoe izd-vo, 1980, 96p., In Russian with abridged English table of contents enclosed.

Polar regions, Economic development, Construction, Site accessibility, Site surveys, Research projects, Economic analysis.

36-2308

Paluded forest lands of the northwestern USSR and their economic development. (Zabolochennye lesnye zemli Severo-Zapada SSSR i ikh lesokhoziaistvennoc osvoeniej, Piavchenko, N.I., ed. Petrozavodsk, 1981, 199p. In

Russian. For selected papers see 36-2309 through 36-2314. 192 refs.

Medvedeva, V.M., ed.

Polar regions, Forest land, Paludification, Land reclamation, Drainage, Construction equipment, All terrain vehicles, Cryogenic soils, Soil chemistry, Soil microbiology, Revegetation.

36-2309

Principles of regionalization of the European North for forest land reclamation, Printsipy lesomehorative nogo ratonirovanija Evropeiskogo Severai.

Piavchenko, N.L., Zabolochennye lesnye zemli Severo-Zapada SSSR i ikh lesokhoziaistvennoe osvoenie (Paluded forest lands of the northwestern USSR and their economic development) edited by N.I. Piavchenko and V.M. Medvedeva, Petrozavodsk. 1981. 5-19, In Russian.

Polar regions, Forest land, Paludification, Land recla-

Basic types of soil in paluded spruce forests of Karelia. Pochvy osnovnykh tipov zabolochennykh elnikov Kareliis.

Kornilova, L.I., Zabolochennye lesnye zemli Severo-Zapada SSSR i ikh lesokhoziaistycanoc osvocnie (Paluded forest lands of the northwestern USSR and their economic development) edited by N.I. Piavchenko and V.M. Medvedeva, Petrozavodsk, 1981. n 31-41 In Russian

Forest land. Cryogenic soils, Paludification, Peat. Economic development.

Biochemical processes in transition bog soils under conditions of controlled water and temperature regimes. (Biokhimicheskie protsessy v perekhodnoi torfianoi pochve v uslovijakh regulirovanija vodnogo i

temperaturnogo rezhimovj. Zagural'skaia. L.M., Zabolochennye lesnye zemli Severo-Zapada SSSR i ikh lesokhoziaistvennoe osvoenie (Paluded forest lands of the northwestern USSR and their economic development) edited by N.I. Piavchenko and V.M. Medvedeva, Petrozavodsk, 1981. p.62-71, In Russian.

Swamps, Peat, Organic soils, Cryogenic soils, Soil chemistry, Soil microbiology.

36-2312

Extent to which paluded forests may be drained, (O tepeni osushenija zabolochennykh lesnykh zemel'i, Medvedeva, V.M., et al, Zabolochennye lesnye zemli Severo-Zapada SSSR i ikh lesokhoziaistvennoe osvoenie (Paluded forest lands of the northwestern USSR and their economic development) edited by N.I. Piavchenko and V.M. Medvedeva, Petrozavodsk, 1981, p.88-101, In Russian. Matiushkin, V.A.

Forest land, Cryogenic soils, Paludification, Drainage, Frost penetration, Soil water migration.

Natural revegetation in paluded forests. (Estest-vennoe lesovozobnovlenie v zabolochennykh lesakh), Medvedeva, V.M., et al. Zabolochennye lesnye zemli Severo-Zapada SSSR i ikh lesokhoziaistvennoe osvoenie (Paluded forest lands of the northwestern USSR and their economic development) edited by N.I. P'iavchenko and V.M. Medvedeva, Petrozavodsk, 1981, p.101-112, In Russian.

Vainblat, V.Z.

Forest land, Paludification, Drainage, Revegetation.

Excavator EO-2621A equipped with an all-terrain propelling device. (Opyt oborudovaniia ckskavatora EO-2621A bolotokhodnym dvizhitelem). Shvetsov. A.P., et al. Zabolochennye lesnye zemli Severo-Zapada SSSR i ikh lesokhoziaistvennoe osvoc-

nie (Paluded forest lands of the northwestern USSR and their economic development) edited by N.I. Piavchenko and V.M. Medvedeva, Petrozavodsk, 1981, p.177-181, In Russian

Kuznetsov, V.A.

Swamps, All terrain vehicles. Tractors, Excavation, Drainage, Trenching.

New data on shore retreat rates under thermal abrasion. ¡Novye dannye o tempe otstupaniia termoabrazionnykh beregovy

Novikov, V.N., Beregovaia zona moria (Sea shore zone) edited by V.P. Zenkovich, S.A. Ignatov and S.A. Luk'ianova, Moscow, Nauka, 1981, p.133-135, In Russian - 3 refs

Shore erosion, Abrasion, Aerial surveys, Stereo-photography, Airborne equipment, Permafrost struc-tur, Frozen fines, Ice melting, Permafrost hy-drology, Thermokarst, USSR—Laptev Sea.

Pleistocene geology of the northwestern USSR.

(Geologua pleistotsena Severo-Zapada SSSR). Gaigalas, A.L. ed. Apatity, 1981, 147p., In Russian, For selected papers see 36-2317 through 36-2319. Refs passim

Evzerov, V.I.A., ed Ice melting, Glacial deposits, Soils, Moraines, Wedges, Age determination, Minerals, Thermoluminescence.

Thermoluminescent method of studying moraines of different age in Estonia. (Opyt izucheniia raznovozrastnykh moren Estonii termoliuminestsentnym meto-

et al. Geologiia pleistotsena Severo-Zapada SSSR (Pleistocene geology of the northwestern USSR) edited by A.I. Gaigalas and V.I.A. Evzerov, Aparity, 1981, p.3-11, In Russian. 18 refs. Raukas, A.V., Khutt, G.I.

Glacial deposits. Moraines. Age determination, Minerals. Thermoluminescence.

Ice melting processes reflected in the Pleistocene moraines of Lithuania. ¡Otrazhenie protsessov taianiia l'da v morenakh pleistotsena Litvy3.

Gaigalas, A.I., et al. Geologiia pleistotsena Severo-Zapada SSSR (Pleistocene geology of the northwest-ern USSR) edited by A.I. Galgalas and V.IA. Evzerov, Apatity, 1981, p.11-15, In Russian. 3 refs.

Mcleshite, M.I. Moraines, Ice melting, Ground ice, Glacial deposits.

Material composition as a criterion for demarcation of indistinct layered structures of fluvio-glacial deposits. ¿Veshchestvennyi sostav kak kriterii razgrani-cheniia neotchetlivykh sloistykh tekstur vodno-lednikovoi akkumuliatsii,

Mikalauskas, A.P., Geologiia pleistotsena Severo-Zapada SSSR (Pleistocene geology of the northwest-ern USSR) edited by A.I. Gaigalas and V.IA. Evzerov, Apatity, 1981, p.30-42, In Russian. 16 refs. Glacial hydrology, Glacial deposits, Alluvium, Layers, Interfaces, Composition, Grain size.

36-2320

Snow and ice accumulation at solar collector installations in the Chicago metropolitan area. Final report,

Ross, B.C., et al, U.S. National Bureau of Standards, NBC HCR 79-181, Evanston, Illinois, Aug. 1979, 103p. PB80-113 749.

Dowding, C.H., Rossow, E.C.

Snow accumulation, Ice accretion, Ice loads, Roofs, Buildings, Snow loads, Structural engineering.

36-2321

Model for the thickness and salinity of the upper layer in the Arctic Ocean and the relationship between the ice thickness and some external parame-

Stigebrandt, A.. Journal of physical oceanography. Oct. 1981, 11(10), p.1407-1422, 29 refs. Ice cover thickness, Sea ice, Ice models, Ice salinity,

Pack ice, Ocean environments.

36-2322

Prediction of deterioration of concrete due to freezing

rreaction of acterioration of concrete due to reczing and thawing and to deicing chemical use.

Zaman, M.S., et al. American Concrete Institute.

Journal, Jan./Feb. 1982, 79(1), p.56-58, 5 refs.

Ridgway, P., Ritchie, A.G.B.

Concrete durability, Freeze thaw cycles, Chemical ice

prevention

36-2323

U.S.S.R. polar fleet—recent acquisitions. Venzke, N.C., U.S. Naval Institute. Proceedings. Feb. 1982, 108(2), p.98-99. Ships, Icebreakers, USSR.

36-2324

Geological and geographic aspects of regional geocryology. [O geologicheskom i geograficheskom as-

pektakh regional'nogo merzlotovedeniia; Ginsburg, G.D., et al. Sovetskaia geologiia. 1981, No.8, p.108-115, In Russian. 18 refs. Solov'cv. V.A.

Permafrost origin, Geocryology, Permafrost physics. Engineering geology, Permafrost thickness, Perma-frost depth, Geologic processes, Hydrocarbons, Petroleum industry, Natural gas, Exploration.

36-2325

Calculating the compressibility coefficient of weak grounds. [Raschet koeffitsienta szhimaemosti slabykh gruntov₁.

Korolev, A.S., et al, Russia. Ministerstvo vysshego i srednego speisial nogo obrazovania. Irustiia vysshikh uchebnykh zavedenii. Stroitel stvo i arkhitektura. 1981, No.12, p.22-26, In Russian. 4 refs.

Fedorov, B.A.
Foundations, Peat, Swamps, Fines, Cryogenic soils, Compressive properties, Deformation.

Calculating stresses developing in cement stone under simultaneous action of frost and brines. (Issledovanie napriazhenii razvivaiushehikhsia v tsementnom kamne pri odnovremennom vozdeistvii vodnogo rastvora soli i morozaj,

Pechikin, O.IA., et al. Russia. Ministerstvo vysshego i srednego spetsial'nogo obrazovaniia. Izvestiia vys-shik, uchebnykh zavedenii. Stroitel'stvo i arkhitektura, 1981, No.12, p.65-69, In Russian. 8 refs Minas, A.I.

Winter concreting, Cements, Concrete hardening, Reinforced concretes, Concrete admixtures, Concrete freezing. Freeze thaw cycles. Stresses.

Mechanism of ice cover disintegration from impact. [Mekhanizm razrusheniia ledianogo pokrova pri . Jdarei.

Khrapatvi, N.G., Russia. Ministerstvo vysshego i srednego spetsial nogo obrazovaniia. Izvestiia 13s-shikh uchebnykh zavedenii. Stroitel stvo i arkhitek-tura, 1981, No.12, p.104-109, In Russian. 6 refs. physics, Ice cover strength, Impact strength, Mathematical models.

36-2328

Operation of sound ranging stations in freezing weather. (Ekspluatatsiia zvukometricheskoi stantsii

Kuznetsov, G., et al, Tekhnika i vooruzhenie. Feb 1981, No.2, p.24-25, In Russian.

Pychenko, L Military operation, Telecommunication, Equipment, Icing.

36-2329

Diving in freezing weather. ¡Vodolaznye raboty zimoi).

Vinogradov, A., Tekhnika i vooruzhenie, Mar. 1981, io.3, p.19, In Russian.

Military equipment, Ice cover thickness, Polynyas, Military operation, Diving.

36-2330

Preparation of motor vehicles for winter. [Podgotovka avtomobilei k zimej. Shcherbinin, V., et al. Tekhnika i vooruzhenie. Oet

1981, No.10, p.14-15, In Russian. Sheremet, M., Bogdanov, I. Military transportation, Motor vehicles, Cold weather performance.

36-2331

Preparation of rocket shell projectiles in winter. (Podgotovka reaktivnykh snariadov zimoi). Faustov, M., Tekhnika i vooruzhenie, Nov. 1981.

No.11, p.28-29. In Russian.
Military equipment, Winter maintenance.

36-2332

Traction of wheeled construction machines on snow covered surfaces. [Tiagovye kachestva kolesnogo dvizhitelia na snezhnykh poverkhnostiakhi,

Ulianov, N.A., et al, Stroitelinye i dorozhnye mashiny, Aug. 1981, No.8, p.25-27, In Russian. 3 refs Nikulin, P.I., Gerashchenko, V.N.

Construction equipment, Vehicle when Tires, Snow depth, Traction.

Machines for building horizontal drainage systems. (Mashiny dlia prokladki gorizontal nogo drenazhaj, Kuzin, E.N., et al. Stroitel nye i dorozhnye mashiny, Oct. 1981, No.10, p.3-5, In Russian, Kudish, V.B., Sprude, L.IA.

Swamps, Peat, Drainage, Trenching, Surface drainage, Land reclamation, Subsurface drainage, Construction equipment.

36-2334

Speed of artificial freezing of rocks. [O skorosti zamo-

razhivaniia gornykh porodj. Shparber, P.A., Shakhtnoe stroitel'stvo. July 1981. No.7, p.23. In Russian.

Mining, Excavation, Artificial freezing, Sands, Clays, **é∉**ipment.

36-2335

Artificial freezing of rocks when sinking vertical shafts. (Zamorazhivanie gornykh porod pri sooruz-

No.8, p.24-27. In Russian.

Mining, Excavation, Ground water, Artificial freezing. Construction equipment.

36-2336

Geoacoustic multiparameter control of frozen ground screens when using artificial freezing, in underground municipal construction. (Geoakusticheskii mnogoparametrovyi kontrol Iedogruntovogo ograzhdenija pri podzemnom gorodskom stroitel'stve sposobom zamorazhivaniiaj. Tiutiunnik, P.M., et al. Shakhtnoe stroite/stvo. Nov

1981, No.11, p.9-14. In Russian. 4 refs

Mining, Excavation, Ground water, Artificial freezing.

Correcting the curvature of artificial freezing boreholes, alspraylenie krivizny zamorazhivaiushchikh

Nikolaenko, V.G., Shakhtnoe stroitel'sivo, Nov. 1981. No.11, p 24-25. In Russian

Mining, Excavation, Artificial freezing, Boreholes, Drilling.

36-2338

From Avtov to Novyy Urengoy, (Iz Avtova . Novy

Verengorj. Verengorj. Verengov, V.S., Stronte, Stvo., arkhitektina Leningiada. Nov. 1981. No.11, p.15-17. In Russian Foundations,

Polar regions. Residential buildings. Foundations, Permafrost beneath structures, Large panel buildings, Roofs, Walls, Thermal insulation, Concrete structures, Reinforced concretes, Construction materials, Prefabrication, Transportation.

36-2339

Basic methodology of studying engineering geology of Arctic shelves in the USSR. [Metodologicheskie izuchenna inzhenernoi geologii arkticheskikh shel'fox SSSR₁. Neizvestnov, IAV. Inzhenetvata geologita, Ian -Feb

1982, No.1, p.3-14, In Russian 29 rets Polar regions, Engineering geology, Subsea perma-frost, Continental shelves, Models, Mapping, Arctic Ocean.

36-2340

Stabilization of clayey soils with activated blast-furnace slag, it krepleme glinistykh gruntov aktivirovan-nym otval nym domennym shlakomi.

Mymrin, V.A., et al. Inchenerman geologia, Jan -Feb 1982, No.1, p 106-117. In Russian - 6 rets Gur'ianova, M.F.

Soil stabilization, Clay soils, Cements, Wastes,

36-2341

Scientific seminar on the apprading of efficiency of engineering-geological research for construction in petroleum provinces of Siberia. (O nauchno-prak-ticheskom seminare "Povyshenie effektivnosti inzhenerno-geologicheskikh izyskami dlia stroitel'stva v neftegazonosnykh raionakh Zapadnoi Sibiri"j.

Vtiurina, E.A., et al, Inzbenernara geologia, Jan -Feb 1982, No 1, p 118-120, In Russian

Korobanova, I.G., Zykov, H. D. Petroleum industry, Engineering geology, Surveys, Permafrost distribution, Permafrost physics, Perma-frost thermal properties, Polar regions, Geologic processes. Meetings.

36-2342

Satellite surveys in glaciology, (Kosmicheskaia gliatsiologia). Desinov, I. V., Zemlia i vseiennaia, Nov-Dec. 1981. No.6, p.7-13. In Russian

Glaciology, Spaceborne photography, Spacecraft, Snow surveys, Ice surveys, Sea ice, Ice conditions, Ice reporting, Mountain glaciers, Maps.

36-2343

Device for electric heating of thermally insulated water pipelines. ¿Ustroistvo dha poputnogo elektroobogreva teploizolirovannykh vodovodovy,

greva tepudrosvanijek vodovodovy. Sonninsku, A.V., Transport i khranenie nelti i nelte-produktov, 1981, No.7., p.24-27. In Russian Water pipelines, Thermal insulation. Electric heat-

ing, Petroleum industry.

36-2344

Hydraulic hammers in frozen ground excavation. [Gidromoloty na rykhlenii merzlykh gruntovy. Kammerer, II. II. . Mekhanizutsia stroitelistva, Feb. 1982, No.2, p.10-12, In Russian

Earthwork, Excavation, Hammers.

Mobile concrete mixing assemblies and ready-mix concrete plants, (Mobil nye betonosmesitel'nye ustanovki i zavody tovannogo betona).

Ogorodnikov II. G., et al. Mekhammatsua stron-telstra. Feb. 1982. No.2, p.24-26. In Rossian. Kulikov, IU-D

Winter concreting, Concrete aggregates, Mixers.

36-2346

Designing cottage doorways for the North, (Osobennosti reshenii ykhodnykh uzlov sel'skikh zbilykh domov dlia Severay,

Churakov, V.N., Zhinshehmoe stronel/stvo, Sep. 1981, No.9, p.19-20. In Russian

Residential buildings, Houses, Permafrost beneath structures

36-2347

Kostomuksha—a new town in Karelia. (Kostomuksha

- novyi gorod Katchy. Matvees, A.V. *Zhilish, hnoc stroitel stvo,* Oct. 1981. No 10. p 8-9. H. Russian

Residential buildings, Forest land, Large panel buildings, Reinforced concretes, Panels, Winter concreting, Foundations, Formwork (construction), Electric heating.

Hydrothermal regime of residential buildings in Krasnoyarsk, (Temperaturno-ylazhnostny) rezhim zhilykh

Adam v Krasnoiatskej.

Adam v Krasnoiatskej.

Andernyi, V I. Zhilishchmoe stroitel stvo. Oct. 1981,

No 10, p.9-10. In Russian.

Residential buildings, Microclimatology, Thermal
regime, Humidity, Fog. Icing, Permafrost beneath structures.

36-2349

Influence of external facing on moisture regime of walls. ¡Vliianie vida naruzhnoi oblitsovki na vlazhnostnyi rezhim stenovykh ograzhdenia,

Barhulina, A.M., Zhilishchnoc stroite/stvo, Nov. 1981, No.11, p. 14-16, In Russian, Large panel buildings, Residential buildings, Micro-

climatology, Humidity, Thermal regime, Walls, Linings, Concrete structures.

36-2350

Platform barges for large barge-tug systems. [Barzhiploshchadki dlia bol'shegruznykh tolkaemykh sos-

Grinbaum, A.F., Sudostroenie, Aug. 1981, No.8, p.3-1. In Russian

Ships, Ice navigation, Transportation, Rivers, Barges.

36-2351

Winter docking of ships. [Opyt zimnego dokovaniia

Smorshchkov, L.N., Sudostroenie, Aug. 1981, No.8, 48-49, In Russian.

Ships, Docks, Icing, Ice loads, Ice removal.

36-2352

TO STATE OF THE PARTY OF THE PA

Design of a nuclear-powered icebreaker-type bargecontainer carrier. (Prockt atomnogo ledokol'nogo hkhterovoza-konteinerovozaj, Sytov, N.P., et al, Sudostroenie, Nov. 1981, No.11,

p.3-7, In Russian. Rodionov, N.N., Zinin, V.I.

Ships, Ice navigation, Icebreakers, Transportation, Barges, Design.

36-2353

Lighter carrier "Aleksey Kosygin". [Likhterovoz

"Alekset Kosygin"]. Bagnenko, F.M., et al. *Sudostroenie*, Dec. 1981, No. 12, p.3-9, In Russian, Pankov, V.A.

Ships, Transportation, Ice navigation, Design.

36-2354

Results of trial operation of plastic propellers under ice conditions. ¡Rezul'taty opytnoi ekspluatatsii plastmassovykh grebnykh vintov v ledovykh uslovijakh, Kolotygin, V.V., Sudostroenie, Dec. 1981, No.12, p.39-40, In Russian. 2 refs.

Ships, Ice navigation, Propellers, Construction materials, Plastics.

Some aspects of blasting in Antarctica.

Lewis, G.H., New Zealand antarctic record, 1981, 3(3), p.17-37, 4 refs.

Explosives, Polar regions.

Explosives were used in the Dry Valleys and at Scott Base during the 1979/80 summer season with the following applications: removal of seized augers from lake ice in the Dry Valleys; tions: removal of seized sugers from lake ice in the Dry Valleys; cutting grantie in permafrost at Vanda Station; seismic shooting on Lake Vanda; cutting the tops out of empty oil drums; cutting symmetrical holes through thick sea ice near Scott Base; ice cliff demolition near Scott Base for emergency domestic winter water supply. The note includes basic instructions on the preparation and use of some explosives and some safety procedures. Information in parts of the note may also be useful for shooting in very hard ice such as that found in parts of Antarctica. (Auth.)

36-2356

Report on a new load loss stationary lead acid battery and solar charging panel use in McMurdo Sound area,

Holdsworth, R., New Zealand antarctic record, 1981. 3(3), p.39-42

Electric power, Solar radiation.

Electric power, Solar radiation.

Power supply for measurement equipment in the Antarctic has commonly been the two or four stroke petrol motor/generator set ranging from a few watts to several kilowatts output. New low power semiconductor designed equipment can now utilise suitable load matched lead acid batteries of a new low loss design. A five ply box lagged with sheet cork ensures sufficient protection and heat retention within the cells to make charging current effective. A solar panel capable of a maximum 2.25 amperes at > 12 V DC provided a silent, non polluting charging unit in all weather conditions. (Auth.)

Proceedings

Specialty Conference on Construction Equipment and Techniques for the Eighties, West Lafayette, Indiana, March 28-31, 1981, New York, American Society of Civil Engineers, 1982, 393p., For selected papers see 36-2358 through 36-2360. Schexnayder, C.J., ed.

Meetings, Construction equipment.

Cold region construction practice in the La Grande Complex-Phase I, Quebec, Canada.

Atraghji, D., et al, Specialty Conference on Construction Equipment and Techniques for the Eighties, West Lafayette, Indiana, March 28-31, 1982, Proceedings, edited by C.J. Shexnayder, New York, American Society of Civil Engineers, 1982, p.228-240. Cousineau, L.J.

Cold weather construction, Foundations, Heating, Frost protection, Canada-Quebec-James Bay.

Winter construction at Coyote Station Unit 1. Brown, G.F., Specialty Conference on Construction Equipment and Techniques for the Eighties. West Lafayette, Indiana, Proceedings, edited by C.J. Shexnay-der, New York, American Society of Civil Engineers. 1982, p.241-244,

Cold weather construction, Protection, Inflatable structures.

Considerations in the prevention of damage to con-

crete frozen at early ages.

Hoff, G.C., et al, Specialty Conference on Construc-tion Equipment and Techniques for the Eighties, West afayette, Indiana, March 28-31, 1982, Proceedings, edited by C.J. Shexnayder, New York, American Society of Civil Engineers, 1982, p.245-258, 21 refs. Buck, A.D.

Concrete freezing, Frost protection, Concrete strength, Damage.

Snow cover and avalanches of the Altai Mountains. ¿Snezhnyi pokrov i laviny Altaia₁, Reviakin, V.S., et al. Tomsk. Universitet. 1977, 215p.,

In Russian with English table or contents enclosed. 85 refs.

Kravtsova, V.I. DLC GB2756.52.R48

Alpine landscapes, Snow cover distribution, Snowfall, Snow accumulation, Snow depth, Snow cover structure, Avalanche formation, Avalanche forecasting, Avalanche triggering, Avalanche mechanics, Avalanche deposits.

36-2362

Perennial grasses of the northeastern USSR.

(Mnogoletnie travy na Severo-Vostoke SSSR). Andreev, V.N., ed. Yakutsk, Izdanie IAkutskogo filiala SO AN SSSR, 1977, 162p., In Russian. For selected papers see 36-2363 through 36-2366. Refs.

DLC QK495.G74M55

Subpolar regions, Introduced plants, Grasses, Plant ecology, Ecosystems, Permafrost depth, Cryogenic soils, Active layer, Soil temperature, Snow cover effect.

Perennial grasses of Central Yakutia. (Mnogoletnic

travy v Tsentral'noi IAkutiii.

Petrov, A.M., et al, Mnogoletnie travy na Severo-Vos-Petrov, A.M., et al, Mnogoletnie travy na Severo-Vos-toke SSSR (Perennial grasses of the northeastern USSR) edited by V.N. Andreev, Yakutsk, Jadanie IAkutskogo filiala SO AN SSSR, 1977, p.5-52, In Russian. 17 refs.

IAkovenko, D.P. DLC QK495.G74M55

Grasses, Cryogenic soils, Active layer, Permafrost depth, Plant ecology, Ecosystems, Introduced plants.

Organogenesis of brome grass introduced to Central Yakutia. ¡Organogenez kostra bezostogo introdut-

siruemogo v Tsentral'noi IAkutiij. Andreeva, T.V., Mnogoletnie travy na Severo-Vostoke SSSR (Perennial grasses of the northeastern USSR) edited by V.N. Andrees, Yakutsk, Izdanie IAkutskogo filiala SO AN SSSR, 1977, p.53-62, In Russian

DLC OK495.G74M55

Introduced plants, Grasses, Cryogenic soils, Perma-frost depth, Plant ecology, Plant physiology.

36-2365

Cultivation conditions and crops of perennial grasses in Kolyma, it slovna vozdelyvanda i urozhai mnogo-letnikh trav na Kolymej. Denisov, G.V., et al, Mnogoletne travy na Severo-

ostoke SSSR (Perennial grasses of the northeastern USSR) edited by V.N. Andreev, Yakutski, Izdanie IAkutskogo filiala SO AN SSSR, 1977, p.63-74. In Russian. 8 rets

vetrebov, V P

DLC QK495 G74M55

Subpolar regions, Grasses, Cryogenic soils, Permafrost hydrology, Soil temperature, Snow cover effect.

Perennial grasses of the Okhotsk sea shores and Chukchi Peninsula. (Mnogoletnie travy na poberezh e Okhotskogo moria i na Chukotke).

Oknotskigo moria i na Chikotkej.
Denisov, G.V., et al. Mnogoletrine travy na SeveroVostoke SSSR (Perenntal grasses of the northeastern
USSR) edited by V.N. Andreev, Yakutsk, Izdanie
IAkutskog official SO AN SSSR, 1977, p.75-154, In
Russian, 21 refs.

Strel'tsova V S DLC QK495.G74M55

Subpolar regions, Introduced plants, Grasses, Cryogenic soils. Permafrost depth. Snow cover effect.

Storage tanks with expansion bottoms, [Rezervuary s kompensatornym dnishchemj.

Barskii, B.L., et al. Stroitel stvo truboprovodov, Feb.

1982, No.2, p.16-17, In Russian. Sivash, S.M., Tkach, S.D. Petroleum products, Oil storage, Storage tanks, Steel

structures, Peat, Foundations, Concrete structures, Reinforced concretes, Design, Swamps, Permafrost.

Testing pile foundations for oil pumping plants. [Ispytanie svai fundamentov pod nefteperekachivajushchie agregatyj. Mongolov, H. V., et al. Stroite/stvo truboprovodov.

Feb. 1982, No. 2, p. 17-19, In Russian.
Shaevich, V.M., Chizhevskii, M.V., Kostoglodov, V.V.
Petroleum transportation, Pumps, Foundations, Piles, Tests, Swamps, Permafrost.

Deformations of sand fills. [Deformatsionnye svoistva

peschanykh podsypokj. Morozov, V.N., *Stroitel stvo-truboprovodov*, Feb. 1982, No.2, p.20-21, In Russian.

Swamps, Peat, Bearing strength, Foundations, Sands, Deformation.

36-2370

Construction of the Surgut-Polotsk oil line. [Organizatsiia stroitel'stva nefteprovoda Surgut-Polotski. Gushchin, V.I., Stroitelistvo truboprovodov, Feb. 1982, No.2, p.27-28, In Russian.

Petroleum transportation, Pipelines, Permafrost beneath structures, Swamps, Earthwork.

Reinforced ice crossings, (Primenenic usilennykh ledianykh perepravy.

Kiliotiskii, P.V., et al. Stroitel'stvo truboprovodov, Feb. 1982, No.2, 5.29-30. In Russian Klimenko, A.P., Titarenko, A.I., Shirikhin, H. N. Swamps, Roads, Permafrost beneath roads, Snow

roads, Ice roads, Ice crossings

Cutting-wheel snowplows ST-1. [Frezerno rototny: snegooch thor agregat ST-11.


Cheskido (V.B., et al., Stroite/syvo truboprovodo), Feb. 1982, No.2, p. 39, In Russian Skormakov, S.V., Bykova, N.S.

Pipelines, Cold weather construction, Snowfall, Snow removal.

Forestry and soil studies in the Far East. [Pochvennolesovodstvennye issledovanna na Dal'nem Vostokej. Man'ko, IU.J., ed. Vladivostok, 1977, 118p., In Russian For selected papers see 36-2374 and 36-2375 Refs passim

Voroshilov, V.P., ed. Sapozhnikov, A.P., ed. DLC SD390.3 865P6

Forest soils, Cryogenic soils, Forest fires, Taiga, Revegetation. Soil erosion. Meadow soils. Thermal regime. Frost penetration, Snow cover effect,





MICROCOPY RESOLUTION TEST CHART NATIONAL BUREAU OF STANDARDS-1963-A

Ecologic aspects of forest fire effects on soils. Ekologicheskie aspekty vlijanija lesnykh pozharov na pochvuj.

Sapozhnikov, A.P., et al, Pochvenno-lesovodstvennye issledovanija na Dal'nem Vostoke (Forestry and soi studies in the Far East) edited by IU.1 Man'ko, V P Voroshilov and A.P. Sapozhnikov, Vladivostok, 1977, p.33-45, In Russian. 34 refs.

DLC SD390 3 S65P6

Cryogenic soils, Taiga, Forest fires, Revegetation,

36-2375

Effect of forest on temperature and cryogenic conditions of soils in adjacent open lands. (Vilianic less na temperaturny) i merzlotny) rezhim pochs prilegaiushchikh otkrytykh prostranstvj.

Zakharina, E.S., Pochvenno-lesovodstvennye is-sledovanija na Dal'nem Vostoke (Forestry and soil studies in the Far East) edited by IU.I. Man'ko, V.P. Foroshilov and A.P. Sapozhnikov, Vladivostok, 1977, p.64-73, In Russian. 17 refs. DLC SD390.3.S65P6

Forest land, Landscape types, Meadow soils, Cryo-genic soils, Soil temperature, Humidity, Frost penetration, Snow cover effect.

36.2376

Japanese Polar Experiment (POLEX) in the Antarctic in 1978-1982.

Kusunoki, K., Tokyo. National Institute of Polar Research. Memoirs, Oct. 1981, Special issue 19, Symposium on Polar Meteorology and Glaciology, 3rd.

Proceedings, ed. by K. Kusunoki, p.1-7, 7 refs.
Research projects, Ice heat flux, Sea ice, Antarctica Showa Station.

—Showa Statton.

In conjunction with the polar sub-programme within the objectives and planning framework of the Global Atmospheric Research Programme (GARP), the Japanese Polar Experiment (POLEX) is designed to augment and contribute to the First GARP Global Experiment (FGGE) in 1978-1979. This paper outlines planning and implementation of the Japanese POLEX. South which is carried out in the Artarctic by the Japanese Antarctic Research Expedition from 1978 to 1982. At Showa Station in the Lutzow-Holm Bay area of East Antarctica, routing weather observations data acquisition from metacorological. Station in the Lutzow-room bay area or east Antarctica, fou-tine weather observations, data acquisition from meteorological satellites, studies on the heat budget of sea ice, and radiation characteristics of atmosphere and cryosphere are carried out. Mizuho Station in the inland is occupied during the POLEX-South: the main subject of research for 1979 is the radiation budget and the air-ice sheet interactions; observations of surface inversion layer is the main subject for 1980; and regional weather and climate regime in a wide area is the main subject in 1981. Current status of data processing and numerical experiments are described briefly. (Auth.)

36-2377

Measurements of radiation components at Mizuho Station, East Antarctica in 1979

Yamanouchi, T., et al. Tokyo. National Institute of Polar Research. Memoirs, Oct. 1981. Special issue 19. Symposium on Polar Meteorology and Glaciology Proceedings, ed. by K. Kusunoki, p.27-39, 14 3rc.

Wada, M., Mac. S., Kawaguchi, S.

Snow optics, Albedo, Antarctica-Mizuho Station. Radiation budget measurements were made at Mizuho Station under the program of POLEX-South. Global and reflected shortwave downward and upward longwave radiation was measured at the snow surface and at the top of a 30 m tower. Direct solar radiation was also measured at the snow surface. The spectral measurements of shortwave radiation divided into The spectral measurements of shortwave radiation divided into four wavelength regions were made. Diurnal and seasonal variations of radiation components are shown and those of the net radiation are also given. Daily totals of the net radiation remain negative even in the summer for the clear sky, on account of high albedo of the snow surface and large upward longwave radiation compared with the downward. Downward longwave radiation was much more sensitive than the global radiation to the cloud amount and controlled the daily variations of the net balance. (Auth. mod.)

36.2378

Measurement of the surface temperature at Mizuho Station, East Antarctica.

M.c. S., et al. Tokyo. National Institute of Polar Research. Memors, Oct. 1981, Special issue 19, Symprosium on Polar Meteorology and Glaciology, 3rd. Proceedings, ed. by K. Kusunoki, p 40-48, 6 refs. V oranouchi, T. Wada, M.

Snow surface temperature, Antarctica-Mizuho Sta-

In 1979, surface temperature was measured at Mizuho Station by a platinum resistance thermometer, a pyrgeometer and a radiation thermometer. These instruments were installed on In 1979, surface temperature was measured at Mizuho Station by a platinum resistance thermometer. a pyrgeometer and a radiation thermometer. These instruments were installed on the drift snow, on the sastrugi and on the glazed surface. In winter the surface temperature measured by these different methods is roughly similar, but in spring and summer the surface temperature depends upon the density of snow and the wind speed. (Auth. mod.) 36-2379

On the composition and origin of large and giant particles observed at Showa Station, Antarctica.

Iwai, K., et al. Tokyo. National Institute of Polar Re-search. Memoirs. Special issue. Oct. 1981, No.19, Symposium on Polar Meteorology and Glaciology. Proceedings, ed. by K. Kusunoki, p.131-140, 11

Ono, A., Ito, T

Aerosols, Blowing snow, Antarctica-Showa Station. Large and giant aerosol particles were collected by means of a single-stage impactor at Showa Station and their composition was examined with scanning electron and optical microscopes. single-stage impactor at Showa Station and their composition was examined with scanning electron and optical microscopes. X-ray diffraction and phase transition methods. Large and giant particles in the winter season were found to consist mainly of components of sea salt origin. The increase of these sea salt particles was accompanied by cyclonic snowstorms (blizzard). On the other hand, their concentrations were smaller in the summer season than in the winter season, and another component besides those of the sea salt origin was found in the summer antarctic atmosphere. From the results of X-ray diffraction of the summer samples, this component is considered to be ammonium sulfate. (Auth.)

36-2380

Chemical composition of large and giant aerosols at

Showa Station, Antarctica.

Koide, T., et al., Tokyo. National Institute of Polar Research. Memoirs. Oct. 1981, Special issue 19. Symposium on Polar Meteorology and Glaciology. 3rd. Proceedings, ed. by K. Kusunoki, p.152-159, 6 refs.

Ito, T., Yano, N., Kobayashi, T.

Aerosols, Blowing snow, Antarctica-Showa Station, Aerosois, Blowing snow, Antarctica—Showa Station. Atmospheric large and giant aerosol particles collected at Showa Station were analyzed by instrumental neutron activation analysis. A large part of the total mass concentration of aerosol particles could be attributed to sea salt particles, both in winter and summer. The weight ration Cl/Na for giant particles was larger than the bulk sea water ratio, whereas for large particles in summer it was smaller than that of bulk sea water. It may be that giant natricles were blowing snow or driffine. particles in summer it was smaller than that of bulk sea water. It may be that giant particles were blowing snow or drifting snow which was chlorine-enriched, and that large particles in summer were attacked by sulfuric acid droplets to release gaseous Cl to the atmosphere. (Auth.)

36-2381

On the frozen small raindrops observed at Showa Station, Antarctica.

Iwai, K., Tokyo. National Institute of Polar Re-search. Memoirs, Oct. 1981, Special issue 19, Symposium on Polar Meteorology and Glaciology, 3rd. Proceedings, ed. by K. Kusunoki, p.160-168, 11 refs. Drops (liquids), Raindrops, Ice nuclei, Supercooling, Antarctica-Showa Station

Frozen small raindrops of drizzle size (a few hundred microns riozen small raindrops of drizzle size (a tew hundred microns in diameter) were observed at a surface temperature of -12C on April 16 and July 2, 1977 at Showa Station. The morphology and size distributions of these frozen raindrops were examined. The frozen particles were classified as having rugged surfaces, spikes, bulge and shattered. The mean diameter of these raindrops were 1900 microseries that he was the statement of the services of t drops was 180 microns in both cases. Frozen small raindrop are considered to be produced by a coalescence of supercooled droplets in layer clouds, they froze after forming. (Auth.) 36-2382

On the precipitation intensity at Syowa Station, Antarctica.

Kikuchi, K., et al, Tokyo. National Institute of Polar Research. Memoirs, Oct. 1981. Special issue 19. Symposium on Polar Meteorology and Glaciology. 3rd. Proceedings, ed. by K. Kusunoki, 8 refs. Sato, N., Kondo, G.

Snowfall, Snow crystal growth, Antarctica-Showa

Station.

Precipitation intensities of snow crystals grown from sublimation and condensation processes in the free atmosphere at Showa Station were calculated. The peak value of the maximum precipitation intensity was 1.5 mm/hr in 1968 and 7.2 mm/hr in 1969. Therefore, the maximum precipitation intensity ranged from 0.01 to 1 mm/hr, and the peak values of the intensity from 1 to 10 mm/hr. Next, the peak values of the maximum precipitation intensities at Showa Station, Inuvik in December 1979, and South Pole Station in January 1975 and in November 1978 were compared. Further, using the average maximum precipitation intensity and the duration of precipitation at Showa Station, the annual amount of precipitation at Showa Station, the annual amount of precipitation shows Station, the annual amount of precipitation at Showa Station, the annual amount of precipitation at Showa Station, the annual amount of precipitation shows stations and an approximate value of 430 mm was obtained. (Auth.) tained (Auth.)

36-2383 Stratospheric 'Cist' and water vapor budget in the stratosphere. Iwasaka, Y., Tokyo. National Institute of Polar Re-

search. Memors, Oct. 1981, Special issue 19, Symposium on Polar Meteorology and Glaciology, 3rd Proceedings, ed. by K. Kusunoki, p. 188-194, 15 refs. Ice crystal growth.

The growth condition of ice crystal particles in the winter season of the polar stratosphere is discussed. Numerical calculation supports the idea that the formation of ice crystal particles in the polar stratosphere can affect the stratospheric water vapor budget on a global scale. (Auth.)

36-2384

Laser radar monitoring of the polar middle atmosphere.

Research Memoris, Oct. 1981, Special issue 19.
Symposium on Polar Meteorology and Glaciology. 3rd Proceedings, ed. by K. Kusunoki, p 178-187, 10 refs

Fujiwara, M., Hirasawa, T., Fukunishi, H. Ice crystals, Antarctica-Showa Station.

The laser radar system used for the monitoring of the polar middle atmosphere is discussed. This system can emit laser pulses at three different wavelengths, 694 nm, 589 nm and 347 nm. The laser radar measurements make an important contribution to clarify the behavior of stratospheric aerosols, the formation of stratospheric aerosols, the noctilucent cloud particles and charged particles in the lower ionosphere of the polar region. (Auth.)

Records of production rate in the Little Ice Age of cosmic ray product Si-32 in the arctic ice cores.

Kato, K., Tokyo National Institute of Polar

Kato, K., Tokyo National Institute of Polar Re-search. Memoirs, Oct. 1981, Special issue 19, Symposium on Polar Meteorology and Glaciology, 3rd. by K. Kusunoki, p.234-242, 29 refs. Proceedings, ed. by K. Kusunoki, p.234-242, 29 refs. Ice cores, Solar radiation, Paleoclimatology, Climatic

36-2386

Oxygen isotope profiles in adjacent cores from Mizuho Station, East Antarctica.

Kato, K., et al., Tokyo. National Institute of Polar Research. Memoirs, Oct. 1981. Special issue 19, Symposium on Polar Meteorology and Glaciology, 3rd. Proceedings, ed. by K. Kusunoki, p.243-252, Refs. p.250-252. Watanabe. O.

Ice cores. Paleoclimatology. Antarctica-Mizuho Station.

Station.

Oxygen isotopic composition in the cores from the antarctic and Greenland ice sheets provides important information about paleoclimatic records. Oxygen isotopic composition values of thick and fine-grained layers with little-developed depth hoar were considered to provide the best information about paleotemperature records. The profile of such layers of one core agrees well with the profile of the long depth interval of another core, which is considered to provide information about the trend of variation of mean air temperature in the long term. (Auth mod.) (Auth. mod.)

36-2387

Dynamical behaviors of snow particles in the saltation laver.

Araoka, K., et al. Tokyo. National Institute of Polar Research. Memoirs. Oct. 1981, Special issue 19, Symposium on Polar Meteorology and Glaciology. Proceedings, ed. by K. Kusunoki, p.253-263, 11 refs. Maeno, N

Blowing snow, Snow mechanics, Wind velocity, Snow surface.

36-2388

Some results on oxygen isotope and stratigraphic analyses of firn in Mizuho Plateau, East Antarctica.

Watanabe, O., et al. Tokyo. National Institute of Po-lar Research. Memoirs. Oct. 1981. Special issue 19, Symposium on Polar Meteorology and Glaciology. 3rd. Proceedings, ed. by K. Kusunoki, p.264-279, 19 refs

Kato, K., Satow, K.

Ice cores, Firn, Firn stratification, Oxygen isotopes, Antarctica-Mizuho Station.

Oxygen isotope and stratigraphic analyses of 2 m deep pits and 10 m cores from the Mizuho Plateau were performed. A seasonal diagram of oxygen isotopes of drifting snow as related to elevation is obtained for fallen and drifted snow. The regional characteristics of the relations between oxygen isotope profiles and firn layering structures are examined. (Auth. mod.)

16.2389

Formation of surface snow layer at Mizuho Station.

Antarctica.

Fujii, Y., Tokyo — National Institute of Polar Research. Memoirs, Oct. 1981. Special issue 19, Symposium on Polar Meteorology and Glaciology, 3rd Proceedings, ed by K. Kusanoki, p. 280-296, 11 refs. Snow surface, Snow erosion, Snow accumulation, Snow stratigraphy, Sublimation, Antarctica-Mizuho Station.

On the basis of year round observations of surface snow condition in 1977 and snow stake measurements carried out from 1972 to 1978 at Mizuho Station, seasonal and secular changes of surface condition and surface layer formation are studied of surface condition and surface layer formation are studied. The surface level changes gradually by sublimation in summer and condensation in winter and rapidly by deposition and wind crossion of snow. Surface features change much in the inter-mediate seasons, when low pressure disturbances are active, between summer and winter. Formation of an annual layer is curs once in two or three years on the average. The absence of annual layer or layers is mainly due to no deposition of snow and to sublimation of a pre-formed annual layer or layers. A model of transmigration of the surface condition is proposed

Semiannual variation of microparticle concentration in snow drift at Mizuho Station, Antarctica in 1977. Fujii, Y., Tokyo. National Institute of Polar Research. Memoirs. Oct. 1981, Special issue 19, Symposium on Polar Meteorology and Glaciology. Proceedings, ed. by K. Kusunoki, p.297-306, Refs.

p.305-306. Aerosols, Particles, Snowdrifts, Ice cores, Antarctica -Mizuho Station.

The concentration of microparticles in snow drift collected at Mizuho Station in 1977 shows a semiannual variation with two maxima in January and February of the summer season and in May to July of the winter season, and two minima in March and August to October of the intermediate seasons. The semian-nual cycle is probably due to the dilution of microparticles transported from the lower latitudes by fallen snow in the inter-mediate seasons and the semiannual cycle of stratospheric aerosol concentration and precipitation over Antarctica. (Auth.)

36-2391

Regional distribution of surface mass balance in Mizuho Plateau, Antarctica.

Yamada, T., et al, Tokyo. National Institute of Polar Research. Memoirs, Oct. 1981. Special issue 19, Symposium on Polar Meteorology and Glaciology, Proceedings, ed. by K. Kusunoki, p.307-320, Refs. p.319-320.

Wakahama, G.

Glacier mass balance. Snow accumulation, Ablation, Antarctica Mizuho Station.

Antarctica—Mizuho Station.

Mizuho Plateau is classified into an ablation zone and three different accumulation zones from the regional distribution of thickness of the annual layer accumulated snow measured during ten years beginning in 1968 using the snow stake method, and from the locations of the ablation area provided by images of ERTS satellite. Stratigraphic data provided thicknesses and the density profile of the of the surface layers at a given place. Consequently, contours indicating the surface mass balance averaged over the ten years were obtained and delineated on the topographical map of Mizuho Plateau. It was then derived from the contour map that the total mass inputs in the Shirase and the Soya drainage basin are respectively 15.5 and 1.2 Gt/yr. It is suggested that the positive and the negative balance take place on the surface of the ice sheet in such a direction that the unilateral changes due to the perturbation deposition of solid precipitation and the vertical flow of the ice sheet cancel out, resulting in the maintenance of the morphological features of the ice sheet. (Auth. mod.)

36-2392

Ice: the ultimate human catastrophe.

Hoyle, F., New York, Continuum Publishing Co., 1981, 191p.

DLC QE697.H69

Ice age theory, Glaciation.

Ice age theory, Glaciation.

In eleven chapters the thesis is argued that the development of the earth and humankind is directly related to the various ice ages which have affected the earth at more or less regular intervals in the past. The technical ingenuity of the last 5000 years is a heritage from those ice ages. The thesis maintains that a new widespread ice age is certain to occur; that when it comes it will come quickly, possibly measured in decades; that it will endure for at least 50,000 years and will be disastrous for present day civilization. Some of the topics discussed include: astronomical theories of the causes of ice ages; cooling of the primordial earth; earth as a heat engine; how the engine stops; beginning of an ice age; end of an ice age; and man versus the Antarctic.

36-2393

Avalanche accidents in Canada. 1. A selection of case histories of accidents, 1955 to 1976.

Stethem, C.J., et al., National Research Council. Canada. Division of Building Research. Paper, Feb. 1979, No.834, 114p., With French summary.

Achaerer, P.A. Avalanche formation, Accidents, Avalanche tracks, Avalanche deposits, Damage, Weather observations, Canada.

Avalanche accidents in Canada. 2. A selection of case histories of accidents 1943 to 1978.

Stethem, C.J., et al. National Research Council.
Canada, Division of Building Research, Paper, July 1980, No.926, 75p., With French summary Schaerer, P.A.

Avalanche formation, Accidents, Avalanche deposits, Avalanche tracks, Snow accumulation, Weather observations Canada

36-2395

Resistance of ice to flexure in situ: 1. Ha Ha Bay, Saguenay River; 2. Maritime channel of the St. Law-rence River, Montréal. [Résistance "in situ" de la glace en flexion: 1. Baie des Ha Ha, Riviere Saguenay Chenal maritime du Saint-Laurent, Montrealj. Michel, B., et al. Quebec (City) Universite Laval Departement de genie eivil. Laboratoire de meca-nique des glaces. Rapport. Mar. 1969, T-5, 29p., figs., In French. 2 refs.

Ice strength, Flexural strength, Ice structure, Ice surface, Meteorological data.

36-2396

Structural and textural characteristics of river ice

State that are textural terratives of river the based on meteorological parameters.

Michel, B., et al. Quebec (City) 1 inversite Laval Departement de genie civil. Section de inceamque des glaces. Rapport. 1970, T-13, 14p Ramseier, R.O.

Ice growth, Ice crystal structure, River ice, Lake ice, Meteorological factors, Frazil ice, Ice cover.

36-2397

Study of the resistance of ice to impact on the St. Lawrence River at Rimouski. Etude de la résistance à l'impact de la glace du St-Laurent à Rimouskij. Michel, B., et al. Quebec (City) Université Laval. Departement de génie civil. Section de mécanique des glaces. Rapport. 1970, T-14, 30p., In French. 10 refs.

Carter, D.

Ice mechanics, Ice strength, Impact strength, Ice loads, Ice crystal structure, Ice salinity, Ice deformation, Temperature effects.

36-2398

Technical guide for the formation and identification of ice cover. [Guide technique sur la formation et l'iden-tification des couverts de glace], Michel, B., et al. Quebec (City) Université Laval. Fa-

culté des sciences—Génie civil. Section mécanique des glaces. Rapport. Oct. 1970, T-17, 47p., In des glaces. Re Drouin, M.

Ice cover, Ice formation, Ice structure, Manuals. 36-2399

Techniques of ice modeling including distortion. Michel, B., Quebec (City) Université Laval. Département de génie civil. Laboratoire de mécanique des glaces. Rapport, Jan. 1975, GCT-75-01-01, 17p., 5

Ice models, Ice strength, Flexural strength, Shear strength, Ice breaking, Hydraulics, Analysis (mathematics), Distortion.

36-2400

Annual report No.13, Contract N00014-76-C-0234, NR 307-252.

Washington (State) University. Department of mospheric Sciences, Dec. 1, 1981, 26p., 12 refs. Department of At-Sea ice, Heat transfer, Heat balance, Mass balance, Ice growth, Ice edge, Thermodynamics, Ice melting,

Solar radiation, Ocean waves, Ice optics, Snow optics, Research projects.

36-2401

Phase change around insulated buried pipes: quasisteady method.

Lunardini, V.J., Journal of energy resources technology, Sep. 1981, Vol.103, MP 1496, p.201-207, 13

Freeze thaw tests, Underground pipelines, Heat transfer, Stefan problem, Phase transformations, Pipeline insulation, Thermal insulation, Analysis (mathematics).

(mathematics).

The heat transfer problem for cylinders embedded in a medium with valuable thermal properties cannot be solved excatly if phase change occurs. Approximate solutions have been found using the quasi-steady method. The temperature field, phase change location, and pipe surface heat transfer can be estimated using graphs presented for parametric ranges of temperature, thermal properties, burial depth, and insulation thickness. The accuracy of the graphs increases as the Stefan number decreases and they should be of particular value for insulated hot pipes or refrigerated as lines. refrigerated gas lines.

36-2402

Acoustic emissions during creep of frozen soils.

Fish, A.M., et al. American Society for Testing and Materials. Special technical publication, 1982. No.750, MP 1495, p.194-206, 18 refs Sayles, F.H.

Frozen ground physics, Frozen ground strength, Soil creep, Acoustics, Rheology, Stresses, Compressive properties, Soil freezing, Deformation.

Deformation, time-dependent failure, and acoustic emissions during unconfined compression tests of frozen Fairbanks silt

were studied. Acoustic emissions (AE) are detected when the applied stress exceeds a threshold level. This threshold stress applied stress exceeds a interval text. — Institreshold stress is related to the limit of long-term strength of the frozen soil. Under stress exceeding the limit of the long-term strength, the accumulation of acoustic emissions with time can be correlated with creep deformation, that is, plots of the cumulative number of acoustic pulses versus time have shapes similar to those of of acoustic pulses versus time may exappes similar to those of creep curves with primary, secondary, and tertiary stages. Such correspondence made it possible to describe both phenomena from the viewpoint of the unified kinetic theory of strength. Experimental data are presented, and unified constitutive equations describing deformations, time-dependent failure, and the accumulation of the acoustic emissions during short-term creep of frozen soils are derived. The time to insnort-term creep or frozen sink are derived. The time to in-cipient failure, when the AE rate reaches a minimum, is consid-ered to be the most important characteristic of a creep process. It is shown that this time can be predicted theoretically if the parameters of the AE process and the stress state of the frozen

36-2403

Weather and deterioration of building materials. Boyd, D.W. American Society for Testing and Materials. Special technical publication. 1980. No.691, p.145-156. With French summary. Trets. Construction materials, Weathering, Freeze thaw cycles, Climatic factors, Corrosion, Humidity.

Public utilities on perennially frozen ground. [Inzhenernye kommunikatsii na vechnomerzlykh grun-

Liutov, A.V., Leningrad, Stronzdat, 1981, 144p., In Russian. 28 refs Utilities, Water pipelines, Sewage, Thermal insula-

tion, Ducts, Permafrost beneath structures, Frost protection, Foundations, Permafrost control, Pipe laying, Earthwork, Pipeline freezing, Ice removal. Outlet works.

36-2405

Plankton bacteria of the Angara water reservoirs and methods of their statistical analysis. (Bakterio-plankton angarskikh vodokhranilisheh i statisticheskie metody ego analizaj.

Kozhova, O.M., et al. Leningrad, Gidrometeorzdat, 1979, 119p., In Russian. 169 refs.

Mamontova, L.M.

Swamps, Reservoirs, Plankton, Microbiology, Bacteria, Biomass, Permafrost beneath lakes, Lakes, Subpolar regions, Taiga.

Theories and methods of landscape indication of hydrologic and engineering-geological conditions in areas of land reclamation by drainage, (Osnov) teorit metodiki landshaftnoi indikatsii gidrogeologicheskikh i inzhenerno-geologicheskikh uslovii v raionakh osushitel'noi melioratsiij.

Viktorov, S.V., et al. Minsk, Nauka i tekhnika, 1979 215p., In Russian. 176 refs

Land reclamation, Drainage, Swamps, Forest land, Paludification, Aerial surveys, Spaceborne photography, Photointerpretation, Geobotanical interpretation, Mapping. Permafrost distribution, Hydrology, Engineering geology. Environmental protection, Cryogenic soils.

36-2407

Improving the performance of overhead lines in areas of difficult natural and climatic conditions. (O poxyshenii effektivnosti sooruzhenia VL v slozhnykh prirodno-klimaticheskikh uslovnakh),

Sulcey, A.L. Energeticheskoe stroite/stvo. Jan. 1982. No.1, p.26-28, In Russian 2 refs

Swamps, Power lines, Electrical grounding, Power line supports, Foundations, Polar regions, Cost anal-

36-2408

Combined concretes for power engineering, [Kom-

binirovanny) beton dha energostroitel'stva). Chugunova, S.I., et al. *Energeticheskoe stroitel'stvo*. Jan. 1982, No.1, p.35-36, In Russian

Concrete structures, Electric power, Lightweight concretes, Concrete aggregates, Concrete freezing, Frost resistance, Concrete strength.

36-2409

Increasing the service life of modified concretes [Pov) sheme dolgovechnosti modifitsirovannogo betonaj.

Voronin, AA Presentabeskoe smonelstvo Lo-1982, No.1, p.36-38, In Russian

Concrete structures, Hydraulic structures, Reinforced concretes, Concrete freezing, Frost resistance, Concrete strength

Transportation of heavy cargo on ice crossings. [Dostayka tiazhelovesnykh gruzov po ledovym pere-

Arzamaskov, V.N., et al. Energeticheskoe stroitel'stvo. Jan. 1982, No.1, p.50-52, In Russian. Kulikov, A.N

Ice crossings, River crossings, Transportation, Cargo, Motor vehicles, Ice cover thickness, Ice strength.

Designing the Lena-Kunerma section of the Baykal Amur railroad. [1z opyta proektirovaniia uchastka

BAMa of Leny do Kunermy₁, Bogatov, A.I., Transportnoe stroitel'stvo, Feb. 1982, No.2, p.3-6, In Russian.

Taiga, Permafrost beneath roads, Permafrost hy-Naleds, Avalanches, Earthquakes, Residential buildings, Industrial buildings, Baykal Amur railroad.

36-2412

Increasing the stability of embankments in paluded areas of the Baykal Amur railroad, Puti povyshenija nasypei vozvodimykh na marevykh uchastkakh BAMaj, Minailov, G.P., et al, *Transportnoe stroitel'stvo*, Feb.

1982, No.2, p.6-7, In Russian. Guletskiī, V.V.

Permafrost beneath roads, Embankments, Swamps, Earth fills, Baykal Amur railroad, Soil temperature. 36-2413

Large diameter sectional pillars. [Primenenie sbornykh stolbov bol'shogo diametraj,

Pyshko, L.V., Transportnoe stroitel'stvo, Feb. 1982, No.2, p.8-9, in Russian. Foundations, Bridges, Piers, Prefabrication, Rein-

forced concretes, Ice loads, Ice jams.

36-2414

Water wetting of explosives when using pneumatic chargers in freezing weather. (Smachivanie VV vodo) pri pnevmozariazhenii v zimnikh usloviiakhj.

Semin, A.P., et al, Transportnoe stroitel'stvo, Feb.

1982, No.2, p.48, In Russian. Basin, V.N., Glazkov, IU.V.

Earthwork, Blasting, Frozen ground, Boreholes, Explasives.

36-2415

Equipment for deicing hydraulic dredges. [Ledorez dlia ochistki zemsnariadaj. Transportnoe stroitel'stvo, Fcb. 1982, No.2, p.49. In Russian.

Earthwork, Dredging, Equipment, Icing, Ice cutting.

Bathymetric chart of Atka Ice Port.

Wegner, G., Deutsche hydrographische Zeitschrift. 1981, 34(4), p.162-166, With German and French summaries. 2 refs.

Oceanography, Sea ice distribution, Echo sounding, Aerial surveys, Charts, Antarctica—Atka Iceport. A bathymetric chart of Atka Iceport, Antarctica, is drawn taken from the echo soundings made by MV Polarsirkel during the Filchner-Schelfeis-Expedition 1980/81 der Bundesrepublik the richner-sciences expected 1990 of guinescreption. Deutschland. The accuracy of the depth distribution thus shown is discussed. Some characteristic topographic phenomena, and their influence upon the ice front, are explained by means of aerial photographs. (Auth.)

36-2417

Changing nature of man's quest for food and water as related to snow, ice, and permafrost in the American

Walker, H.J., Baton Rouge, Louisiana State University, 1960, 289p., University Microfilms order No.60-2985, Ph.D. thesis. For abstract see Dissertation abstracts international, Sec. B, 1960, Vol 21, p. 589-590. Permafrost, Snow cover, Ice cover, Survival, Water supply, Human factors.

16.2418

Effect of snow, litter and soil compaction on the soil frost regime in a Minnesota oak stand.

Thorud, D.B., Minneapolis, University of Minnesota. 1964, 127p., University Microfilms order No.65-7820, Ph.D. thesis. For abstract see Dissertation abstracts international, Sec. B. Aug. 1965, p.600

penetration, Thaw depth, Soil compaction, Litter, Vegetation.

36-2419

Forest snow accumulation factors in the Colorado Front Range. Froehlich, H.A., Fort Collins, Colorado State Univer-

sty, 1969, 11p., University Microfilms order No.70-15,174, Ph.D. thesis. For abstract see Dissertation abstracts international, Sec. B, Sep. 1970, p.1380. Snow accumulation, Forest land, Climatic factors, Snowdrifts.

Application of micrometeorological methods for estimating snow interception loss from forests.

Heisler, G.M., Syracuse, N.Y., Syracuse University, 1970, 154p., University Microfilms order No.71-7761,

Ph.D. thesis. For abstract see Dissertation abstracts international, Sec. B. Mar. 1971, p.5098. Snow evaporation. Forest land, Microclimatology, Thermal regime, Wind factors, Solar radiation, Air temperature, Humidity.

Laboratory and field studies on snow algae of the Pacific Northwest.

Pacific Northwest.
Hoham, R.W., Seattle, University of Washington, 1971, 240p., University Microfilms order No.71-28,423, Ph.D. thesis. For abstract see Dissertation abstracts international, Sec. B, Nov. 1971, p.2557.
Algae, Snow impurities, Ecology, Meltwater.

36-2422

Seasonal snow surface energy balance at the Central

Sierra Snow Laboratory.
Thorud, H.G., Tucson, University of Arizona, 197 120p., University Microfilms order No.71-15,925, Ph.D. thesis. For abstract see dissertation abstracts international, Sec. B. June 1970, p.7020.

Snow water equivalent, Snow surface, Snow evaporation, Heat balance, Meteorological factors, Runoff forecasting, Floods, Snowmelt, Heat transfer.

Snow cover relationships of White Mountain alpine plants. Tiffney

, W.N., Durham, University of New Hampshire, 1972, 86p., University Microfilms order No.72-30,254, Ph.D. thesis. For abstract see Dissertation abstracts international, Sec. B, Nov. 1972, p.1963-1964.

Snow cover effect, Vegetation, Plants (botany), Wind factors, Temperature effects, Statistical analysis.

36-2424

Density-wave theory of first-order freezing in two dimensions.

Ramakrishnan, T.V., Physical review letters, Feb. 22, 1982, 48(8), p.541-545, 18 refs.

Freezing, Liquid solid interfaces, Wave propagation. Density (mass/volume), Analysis (mathematics). Theories.

36-2425

Principles for building ice platforms and ice islands. [Jäätasanteiden ja jääsaarien rakentamisen perusteet]. Oksanen, P., Finland. Technical Research Centre. Research notes, Nov. 1981, No.53, 58p., In Finnish

with English summary. 12 refs.
Artificial islands, Floating ice, Floating structures,
Thermal effects, Ice islands, Land ice, Ice melting. Protection, Computer programs, Ice platforms.

Force exerted by a moving ice sheet on an offshore structure: 1. The creep mode.

Ponter, A.R.S., et al, Sep. 1981, c20p., Unpublished manuscript. 11 refs.

Offshore structures. Floating ice, Ice loads, Ice creep, Ice mechanics, Analysis (mathematics), Ice solid in-

BASIS-a data bank for Baltic sea ice and sea surface temperatures. Udin, I., et al, Helsinki/Stockholm. Winter Naviga-

tion Research Board. Research report, 1981, No.34, 32p., With Swedish and Finnish summaries. Sea ice distribution, Sea water, Ice conditions, Ice navigation, Water temperature, Glacial meteorology, Surface temperature, Mapping, Computer applications. Baltic Sea.

36-2428

Highly efficient, oscillation free solution of the trans-

port equation over long times and large spaces. O'Neill, K., Water resources research, Dec. 1981. 17(6), MP 1497, p.1665-1675, 28 refs. Solutions, Fluid flow, Diffusion, Convection, Time

factor, Analysis (mathematics).

36-2429

Circulation in small lakes.

Resources Engineering Ser A. 1981, No.76, Meeting of the European Geophysical Society 8th, Aug. 24-29, 1981, 19p., Refs. p. 17-19.

Lake water, Leebag.

Lake water, Icebound lakes, Water flow, Water temperature, Temperature distribution, Wind factors. Meteorological data.

36-2430

Roof moisture survey: Reserve Center Garage, Grenier Field, Manchester, N.H. Tobiasson, W., et al. U.S. Army Cold Regions Re-

Tobiasson, W. et al. US Army Cold Regions Research and Engineering Laboratory, Dec. 1981, SR 81-31, 18p., ADA-110-135, 6 refs.

Coutermarsh, B.A., Greatorex, A. Roofs, Waterproofing, Moisture, Thermal insulation, Wettability, Bitumens, Infrared equipment, Drains, Temperature measurement, Measuring instruments. An insulated roof with a badly blistered bituminous builtup membrane was surveyed with a hand-held infrared camera to locate areas of wet insulation. Several thermal patterns were observed. Core samples were taken to determine moisture contents. Core samples verified that one thermal anomaly was caused by the increased thickness of bitumen. All other anomaly was caused by the increased thickness of bitumen. malies were caused by wet urethaneperlite composite insula-tion. Some insulation boards contained much more moisture near the edges than at the center, but others were more uni-formly wet. Dramatically different thermal patterns resulted A few nuclear and capacitance readings, taken for comparison purposes, showed that extra bitumen adversely affects such sensing methods. Because of the amount of wet insulation and the condition of the membrane, both should be removed. The new roofing system for this building should have internal drains new roofing system for this building sho and be provided with a sloped surface.

Near-infrared reflectance of snow-covered substrates. O'Brien, H.W., et al, U.S. Army Cold Regions Research and Engineering Laboratory, Nov. 1981, CR 81-21, 17p., ADA-110 868, 16 refs.

Snow cover effect, Solar radiation, Reflection, Substrates, Ice crystal optics, Radiometry, Meteorological data.

cal data. The reflection of solar radiation by a snow cover in situ and the apparent influence of selected substrates were examined in wavelength bands centered at 0.81, 1.04, 1.10, 1.30, 1.50 and 1.80 micrometers. Substrates included winter wheat, timothy, corn, alfalfa, grass, concrete and subsurface layers of "crusty" snow and ice. Reasonable qualitative agreement between measurements and theoretical predictions was demonstrated, with indications of quantitative agreement in the definition of a "semi-infinite depth" of snow cover. It was concluded that ultimate quantitative agreement between theory and measurement will require that an "optically effective grain size" ment will require that an "optically effective grain size" be defined in terms of physically measurable dimensions or meteorologically predictable characteristics of the ice crystals composing the snow pack.

36-2432

Ice distribution and winter surface circulation patterns, Kachemak Bay, Alaska.

Gatto, L.W., U.S. Army Cold Regions Research and Engineering Laboratory, Dec. 1981, CR 81-22, 43p., ADA-110 806, 20 refs.

Ice conditions, Sea ice distribution, Ocean currents, Suspended sediments, Remote sensing, LANDSAT, United States—Alaska--Kachemak Bay.

United States—Alaska—Kachemak Bay.

Development of the hydropower potential of Bradley Lake, Alaska, would nearly double winter freshwater discharge from the Bradley River into upper Kachemak Bay, and the Corps of Engineers is concerned about possible subsequent increased ice formation and related ice-induced problems. The objectives of this investigation were to describe winter surface circulation in the bay and document ice distribution patterns for predicting where additional ice might be transported if if forms. Fifty-one Landsat MSS band 5 and 7 and RBV images with 70% cloud cover or less, taken between 1 November and 30 April each year, were analyzed for the eight winters from 1972 to 1980 with standard photointerpretation techniques. Results of this analysis showed that glacial sediment discharged into Kachemak Bay circulation in the winter is predominantly counter-clockwise, with northeasterly nearshore currents along the south shore and southwesterly nearshore currents along the north shore. Most of the ice in the inner bay forms at its northeast end and is discharged by the Fox, Sheep and Bradley northeast end and is discharged by the Fox, Sheep and Bradley northeast end and is discharged by the Fox, Sheep and Bradley Rivers. Some ice becomes shorefast on the tidal flats at the head of the bay, while some moves southwestward along the north shore pushed by winds and currents.

Techniques and analyses for conductivity measurements in Antarctica.

Ewing, R.E., et al. Ohio State University, Columbus Institute of Polar Studies. Report, 1981, No.74, 35p., 25 refs

Falk, R.S., Botzan, J.F., Whillans, I.M.

Firn, Thermal properties, Heat transfer, Mathematical models, Glacier ice, Antarctica-Victoria Land.

An accurate knowledge of the thermal properties of firm and ice An accurate knowledge of the thermal properties of firn and ice within a glacier is essential for any reliable mathematical model of heat transfer. This paper considers the problem of determining the thermal properties of firn at Dome C. Antarctica, for use in such a model. First the difficulties in accurately determining thermal properties are discussed. Then a physical experiment which can be performed under field conditions but which will yield a well-posed mathematical problem for determining the unknown properties is presented. Next, two different numerical techniques for solving the mathematical problem are discussed. Finally, some numerical approximations of the properties of the Finally some numerical approximations and erro estimates are presented for the results of applying our ni

procedure to data from Dome C. Although insufficient data was obtained to fully test our methods, we have established a measurement procedure and a method of analysis which appear (Auth.)

36-2434

がない ないしょうし アスタストライ

Densification and recrystallization of firn at Dome C. East Antarctica.

Alley, R.B., Ohio. State University. Columbus. Institute of Polar Studies. Report, 1980, No.77, 62p.,

Firm. Ice density. Ice structure. Ice loads. Ice temperature, Antarctica-Victoria Land.

ature. Antarctica— Victoria Land.

The critical point in the firm depth-density profile at Dome C is less sharply defined than at other locations. The observed profile differs from log-linear densification expected for unconfined sintering of ceramics in a manner which is explicable if load has an important effect on densification. The relative behavior of the Dome C and South Pole age-density profiles also shows that load is an important parameter in firm densification. The core consists of dense, fine-grained wind crusts contained in more-extensive. less-dense, coarse-grained firm tained in more-extensive, less-dense, coarse-grained firm. Density ranges between superjacent coarse and fine layers decrease exponentially with depth. Load and mean annual temperature are probably the controlling factors in firm densifica-tion between 5 m and 50 m depth. The rate of growth of crystals in fine layers is almost three times that of crystals in coarse layers. Variations in crystal sphericity, internal free surface, and crystal boundary area with depth reveal that coarse-grained firm consists of several genetically-different types of firms. (Auth. mod.)

36-2435

New method for detection of preferential adsorption of metal cations at anionic micellar surfaces in frozen aqueous solutions by electron spin echo spectrometry. varayana, P.A., et al, Journal of physical chemistry, Jan. 7, 1982, 86(1), p.3-5, 17 refs.

Li, A.S.W., Kevan, L. Ice crystal structure, Solutions, Solid phases, Ions, Adsorption, Electron paramagnetic resonance, Met-

36-2436

Harsh weather projects made easier with air-bubble shelter.

Doherty, C.L., Navy civil engineer, Fall-Winter, 1981,

Cold weather construction, Shelters, Inflatable struc-

36-2437

Caisson-retained islands used as drilling platforms in the Beaufort Sea.

Pullerits, K., Engineering journal. Spring 1982, 65(1),

Artificial islands, Caissons, Offshore drilling, Offshore structures, Soil strength, Beaufort Sea.

Thermal and fluid flow effects during solidification in a rectangular enclosure.

Ramachandran, N., et al. International journal of heat and mass transfer, Feb. 1982, 25(2), p.187-194, With French, German and Russian summaries. 13 refs. Gupta, J.P., Jaluria, Y

Heat transfer, Fluid flow, Solid phases, Phase transformations, Convection, Temperature effects.

36-2439

Natural convection heat transfer coefficients mea-

sured in experiments on freezing.

Sparrow, E.M., et al. *International journal of heat and mass transfer*, Feb. 1982, 25(2), p.293-297, 13 refs. Souza Mendes, P

Heat transfer, Freeze thaw cycles. Convection. Liquid solid interfaces.

36-2440

Comment on the complex-dielectric constant of sea ice at frequencies in the range 0.1-40 GHz.

Farrelly, B.A., Journal of applied physics, Feb. 1982. 53(2), p.1256-1257, Comment on 33-840. 2 refs Errata n 1269.

Sea ice. Ice electrical properties, Ice models, Dielectric properties.

36-2441

Strength and deformation of frozen saturated sand at -30C.

Parameswaran, V.R., et al, Canadian geotechnical journal, Feb. 1982, 19(1), p.104-107, With French summary. 1 ref.

Roy, M. Sands, Frozen ground strength, Deformation, Stress strain diagrams, Soil water. Temperature effects.

36-2442

Use of the cryoscan apparatus for observation of freeze-fractured planes of a sensitive Quebec clay in scanning electron microscopy.

., et al. Canadian geotechnical journal. Feb. 1982, 19(1), p.111-114, With French summary. refs.

Tessier, D., Marcel-Audiguier, M.

Clay soils, Soil freezing, Frozen ground physics, Fracturing, Low temperature tests, Scanning electron mi-croscopy, Soil water, Drying, Cracking (fracturing). 36-2443

Getting set for winter. World construction, Sep. 1981, 34(9), p.128-129 Equipment, Winter maintenance, Cold weather oper-

ation, Vehicles. 36-2444

Getting set for winter—cold weather lubrication. World construction, Oct. 1981, 34(10), p.142. Vehicles, Lubricants, Cold weather operation, Winter maintenance, Engines.

Raman spectroscopy of supercooled water. Bansil, R., et al. *Journal of chemical physics*, Mar. 1,1982, 76(5), p.2221-2226, 20 refs. Wiafe-Akenten, J., Taaffe, J.L.

Water temperature, Supercooling, Spectroscopy, Heavy water. Temperature effects.

36-2446

More icebreakers for Beaufort Sea development. Shipbuilding and marine engineering international. Jan.-Feb. 1982, 105(1255), p.23-24. Icebreakers, Ice navigation, Diesel engines, Beaufort

Frost formation on vertical cylinders in free convec-

Cremers, C.J., et al. Journal of heat transfer, Feb. 1982. 104(1), p.3-7, 20 refs. Mehra, V.K.

Ice growth, Heat transfer, Mass transfer, Hoarfrost, Convection, Boundary layer, Humidity, Time factor.

Melting within a spherical enclosure.

Moore, F.E., et al, Journal of heat transfer, Feb. 1982.

104(1), p.19-23, 12 refs.

Bayazitoglu, Y. Melting, Liquid solid interfaces, Phase transforma tions, Stefan problem, Temperature effects, Mathematical models, Density (mass/volume).

36-2449

Present state and problems in forecasting and experimentation on environmental protection in petroleum provinces of the USSR, ¡Sostoianic i zadachi prognoznykh i eksperimental'nykh rabot po okhrane prognoznykh i eksperimentai nymi 1888, sredy v neftegazonosnykh raionakh SSSR₁.

Mansau | **Iniversitet | Vestnik**

Glazovskaia, M.A., Moscow, Universitet. Seriia 5 Geografiia, Jan.-Feb. 1982, No.1, p.3-8, In Russian.

Environmental protection, Petroleum industry, Tundra. Drilling, Petroleum transportation, Permafrost

36-2450

Evaluating the effect of deicing salts on chemical composition of soil and ground waters. (Otsenka vliianiia protivogololednykh solet na khimicheskii sostav poch-

protrogoroeunykti sofet na knimieneskii sostav pochvenno-gruntovykh vodj.
Aleksandrovskaia. E.I., et al, Moscow Universitet Vestnik. Seriia 5 Geografiia. Jan Feb. 1982, No I. p.57-59, In Russian. 3 refs.

Vakhrushin, N.A.

Environmental protection, Roads, Pavements, Icing. Chemical ice prevention, Soil pollution, Water pollution, Ground water, Snow cover, Chemical composi-

36-2451

Stability of smooth solutions of two-phase Stefan problems. ¿Ustoichivost' gladkikh reshenii dvukhfaznoi zadachi Stefanaj.

Bazalii, B.V., Akademiia nauk SSSR. Dokladv, 1982, 262(2), p.265-269, In Russian. 3 refs.

Stefan problem Phase transformations

36-2452

Vibration effect on the kinetics of anear strain of clay soils. ¡Vlijanie vibratsii na kinetiku sdvigovogo deformirovaniia glinistykh gruntovy,

Nikolaeva, S.K., et al. Akademiia nauk SSSR. Dok-lady, 1982, 262(3), p.682-685, In Russian 4 refs Chernomaz, V.E., Ur'ev, N.B.

Clay soils, Clays, Fines, Rheology, Shear strain, Vibration, Thixotropy

Physico-chemical principles of developing portland cement mixtures for winter concreting. [Fiziko-khimicheskie osnovy razrabotki portlandisementnykh kompozitsii dlia zimnego betonirovannaj,

Shpynova, L.G., et al, *Akademna nauk SSSR — Doklady*, 1982, 262(4), p.938-942, In Russian — 9 refs 9 refs Winter concreting, Concrete aggregates, Cements. Cement admixtures, Chemical composition.

New structures of power line supports, [Novyc konstruktsii fundamentov opor VI₁. Solodovnik, IA.V., et al, *Energeticheskoe stroitel stvo*.

Feb. 1982, No.2, p.5-9, In Russian 6 refs. Gonchar, A.L.

Electric power, Power line supports, Piles, Permafrost beneath structures, Drilling, Anchors.

36-2455

Reinforced concrete hollow shell piles with flaps for power engineering structures. [Zhelezobetonnye polye svai s zakrylkami v energeticheskom stroitel'stve₁.

Gonchar, A.L., et al, Energeticheskoe stroitel'stvo, Feb. 1982, No.2, p.12-14, In Russian. Gorzheni, A I.

Swamps, Concrete piles, Power line supports, Reinforced concretes.

36-2456

Designing bituminous concrete screens for earth dams, allowing for the structural-rheologic properties of bituminous concretes, (Raschet asfal'tobetonnykh diafragm gruntovykh plotin s uchetom strukturno-

reologicheskikh svoistv asfal'tobetonaj. Popchenko, S.N., et al. *Energeticheskoe stroitel'stvo*, Feb. 1982, No.2, p.68-71, In Russian. 4 refs.

Kasatkin, IU. N
Earth dams, Waterproofing, Concrete structures, Bituminous concretes.

36-2457

Increasing the effectiveness of servicing tower cranes in the North. (Povyshenie effektivnosti tekhnicheskogo obsluzhivanija bashennykh kranov na Severej agunov, V.B., et al. Mekhanizatsiia stroitel stva. Mar. 1982, No.3, p.18-19, In Russian Grebenkin, I.N., Bogdanov, G.P., Bukhantsov, D.P.

Construction equipment, Cranes (hoists), Winter maintenance.

36-2458

Division of permafrost regions in Daxiao Hinggan Ling, northeast China.

uo. D., et al. Journal of glaciology and cryopedology, 1981, 3(3), p.1-9, In Chinese with English summary 8 refs.

Wang, S., Lu, G., Dan, J., Li, E.

Permafrost distribution, Permafrost indicators, Isotherms, Air temperature, China-Daxiao Hinggan Ling.

36-2459

Characteristics of glacial mud-flows in south-eastern Qinghai-Xizang Plateau.

Du, R., et al. Journal of glaciology and cryopedology, 1981, 3(3), p.10-16, In Chinese with English summary

Mudflows, Glacier melting, Mountain glaciers.

Components in the climate of Quaternary ice ages and interglacial ages in North China. Tang, L., Journal of glaciology and cryopedology.

1981, 3(3), p 17-22. In Chinese with English summary

Alpine glaciation. Paleoclimatology, Palynology, Quaternary deposits, Pollen,

36-2461

Heat transfer within glacial active layer—Taking No.5 glacier, Yanglong River, Qilian Shan, as an example.

Ren, J., et al. Journal of glaciology and cryopedologs, 1981, 3(3), p 23-28. In Chinese with English summary. 7 refs

Glacial geology, Heat transfer, Glacier surfaces, Thermal regime, Conduction, Ice temperature, Subglacial observations

36-2462

Calculation of upper limit of permafrost area in railway engineering on Qinghai-Xizang Plateau. Zhu, Y. Journal of glaciology and cryopedology, 1981.

3(3), p.29-36. In Chinese Permafrost beneath roads, Railroads, Engineering, Active laver

Statistical characteristics of seasonal permafrost in Jilin, China and the method for determining the frozen depth.

Zhang, X., et al. Journal of glaciology and cryopedology, 1981, 3(3), p.37-46, In Chinese with English summary. 3 refs.

Discontinuous permafrost, Permafrost depth, Snow cover effect, Frost penetration, Seasonal variations, Snow accumulation, Statistical analysis.

36-2464

Changes of ground water at the forward farms of dunes in seasonal frozen ground area and their influence on agriculture.

Wang, J., Journal of glaciology and cryopedology, 1981, 3(3), p. 47-52, In Chinese with English summary. Ground water, Frozen ground, Seasonal freeze thaw. Water chemistry, Agriculture

Principle of compiling ice content maps at large

Cheng, G., Journal of glaciology and cryopedology, 1981, 3(3), p.53-57, In Chinese with English summary.

Permafrost preservation, Mapping, Ground ice, Soil water, Settlement (structural), Roads, Cold weather construction. Permafrost hydrology.

36-2466

On the pingos along both banks of the Qing-Shui

River on Qinghai-Xizang Plateau.
Wang. S., et al. Journal of glaciology and cryopedology, 1981, 3(3), p.58-62. In Chinese with English summary. 3 refs Yao. H.

Pingos, Origin, Banks (waterways), Lacustrine deposits.

36-2467

Experimental research of normal frost heaving stress under mat foundation in situ.

Guang, F., et al, Journal of glaciology and cryopedology, 1981, 3(3), p.63-68. In Chinese with English summary. 5 refs. Zhou, C., Ben, Y., Chen, X.

Frost heave, Frost penetration, Soil water, Founda-tions. Stress concentration, Distribution, Analysis (mathematics).

36-2468

Some progress in the research of periglacial landform in China.

Cui, Z., Journal of glaciology and cryopedology, 1981 3(3), p.70-79, In Chinese with English summary. 15

Periglacial processes, Landforms, Geomorphology, Mountains.

36-2469

Review of frost susceptibility classification.

Gaskin, P., Frost i jord, Nov. 1981, No.22, p.3-10, 9 refs.

Frost resistance, Soil freezing, Frost heave, Tests, Soil classification.

36-2470

Frost susceptibility test for public roads in Finland. Hailikari, T., Frost i jord, Nov. 1981, No.22, p.11-12. Frost resistance, Soil freezing, Tests, Roads, Water level, Finland.

36-2471

Experimental method for the classification of soils according to their frost susceptibility, France. Livet, J., Frost i jord, Nov. 1981, No.22, p.13-22, 26

Frost resistance, Soil freezing, Soil classification, water migration, Temperature effects, Sub grades, Tests.

36-2472

Technical and regulatory aspects of traffic restrictions during thawing period for public roads in

Livet, J., Frost i jord. Nov. 1981, No.22, p.23-26 Frost resistance, Ground thawing, Roads, Trafficability, Pavements, Damage, Frost shattering, Soil freezing, Subgrades, Frost penetration, Bearing strength, Meteorological data.

Criteria for the determination of the frost-susceptibility of soils in the Federal Republic of Germany. Behr, H., Frost i jord, Nov. 1981, No.22, p.27-34, 16

Frost resistance, Soil freezing, Soil physics, Roads, Frost shattering, Frost heave, Freeze thaw cycles. Pavements, Frost protection, Soil stabilization.

36-2474

Prediction of the frost susceptibility of soils for public roads in Norway.

Saetersdal, R., Frost 1 jord, Nov. 1981, No 22, p.35. Frost resistance, Roads, Soil freezing, Bearing strength, Forecasting, Soil water, Grain size, Subgrade soils

36-2475

Prediction of the frost susceptibility of soils for public roads in Sweden.

Thoren, H., Frost i jord, Nov. 1981, No 22, p. 37-38. Frost resistance, Roads, Bearing strength, Soil freezing, Subgrade soils, Soil water, Forecasting, Tests. 36-2476

Frostsusceptibility of soils; criteria according to Swiss standards.

Fetz, L.B., Frost i jord, Nov. 1981, No 22, p 39-40, 4 refs.

Frost resistance, Soil freezing, Roads, Frost shattering, Freeze thaw tests, Ice lenses, Plastic properties,

Short-cut frost heaving test for soils. Fetz, L.B., Frost i jord, Nov. 1981, No.22, p.41-46, 4

Frost resistance, Soil freezing, Frost heave, Soil stabilization, Tests, Plastic properties.

36-2478

Fourth International Conference on Permafrost. 18-22 July, 1983, University of Alaska, Fairbanks, Alaska, Frost i jord, Nov. 1981, No.22, p.47 Permafrost, Meetings, Frozen ground.

36-2479

British experience with the frost-susceptibility of roadmaking materials. Sherwood, P.T., Frost i jord, Nov. 1981, No.22, p.49-

54. 9 refs.

Frost resistance, Soil freezing, Construction materials, Roads, Frost heave, Pavements, Damage, Frost shattering, Temperature effects, Tests.

36-2480

CRREL frost heave test, USA.

Chamberlain, E.J., et al, *Frost i jord*. Nov. 1981, No.22, MP 1499, p.55-62, 7 refs. Carbee, D.L.

Frost resistance, Soil freezing, Frost heave, Measuring instruments, Temperature effects, Tests.

The CRREL frost heave test for determining the frost suscepti-bility of soils and granular base materials is described. The CRREL test is conducted with a constant rate of frost penetra-tion of 1.3 cm/day with water freely availate. The frost susceptibility classification system is based on the average rate of heave for 12 days. A summary of nearly 400 tests is given to show the wide range of results for similar materials. A summary of the U.S. Army Corps of Engineers Frost Design Classification System is also given to show for what materials the frost heave test is required.

36.2481

Radar observations of the icy Galilean satellites Ostro, S.J., et al. Icarus, Nov. 1980, 44(2), p.431-440.

Campbell, D.B., Pettengill, G.H., Shapiro, I.I. Planetary environments, Extraterrestrial ice. Celestial bodies.

36-2482

Surface evolution of two-component stone/ice bodies in the Jupiter region.

Hartmann, W.K., Icarus, Nov. 1980, 44(2), p.441-453, 41 refs.

Extraterrestrial ice, Planetary environments 36-2483

Topographic domes on Ganymede: ice vulcanism or isostatic upwarping. Squyres, S., Icarus, Nov. 1980, 44(2), p.472-480, 9

Extraterrestrial ice, Planetary environments, Mod-

els. 36-2484

Surface temperatures and retention of H2O frost on Ganymede and Callisto. Squyres, S.W., *Icarus*, Nov. 1980, 44(2), p.502-510, 15

Extraterrestrial ice, Planetary environments, Ice sublimation, Frost, Surface temperature, Albedo, Radiometry.

36-2485

Water ice polymorphs and their significance on planetary surfaces. Gaffney, E.S., et al. *Icarus*, Nov. 1980, 44(2), p.511-

519, 24 refs Matson, D.L.

Extraterrestrial ice, Ice crystal structure, Planetary environments.

36-2486

Brillouin spectroscopic studies of a crystal grain boundary region in ice Ih.

Gammon, P.H., et al. Solid state communications, Jan 1981, 37(4), p. s13-317, 6 rets. Kiette, H., Denner, W.W.

Ice crystal structure, Ice acoustics, Spectroscopy, Boundary layer

Measurements and prediction of the polarizationdependent properties of rain and ice depolarization. Arnold, H.W., et al. IEEE transactions on communica-tions, May 1981, COM-29(5), p.710-715, 15 rets. Cox. D.C. Hoffmar, H.H. Ice physics, Rain, Polarization (waves), Attenuation,

Feasibility of two one-parameter polarization control methods in satellite communications.

Lee, U-8. IEEE transactions on communications, May 1981. COM-29(8), p 735-743, 23 refs Ice physics, Rain, Polarization (waves), Remote sens-

ing, Spectra, Analysis (mathematics).

Computer-aided spot indexing for X-ray Laue pat-

Ohba, R., et al. Japanese journal of applied physics, May 1982, 20(5), p.811-816, 2 refs. Lehira, L. Hondoh, T.

Ice crystal structure. X ray diffraction, Computer applications.

Soviet Union starts its first drilling project in Arctic waters. Oil and gas journal. Feb. 22, 1982, 80(8), p. 39-

Offshore drilling, Exploration, Ice conditions, Arctic Ocean, USSR.

36-2491

Heat loss through insulated stream lines.

Kloepfer, J.G., et al. Oil and gas journal, Feb. 22, 1982. 80(8), p.146-153, 5 refs. Dykstra, S.

Pipelines, Thermal insulation, Heat loss, Temperature effects. Steam. Analysis (mathematics).

Plasticity of polycrystalline ice.
Goodman, D.J., et al. Philosophical magazine, Mar 1981, 43(3), p.665-695, Refs. p.693-695.
Frost, H.J., Ashby, M.F.

Ice plasticity, Ice strength, Ice creep, Glacier flow, Shear stress, Shear strain, Floating ice, Ice shelves, Temperature effects, Analysis (mathematics), Antarctica-Byrd Station.

The mechanisms by which ice can deform are described and extended. Some, like proton-rearrangement controlled glide, are unique to the structure of ice; others, like diffusional flow, are identical with those found in other polycrystalline solids

Data for each mechanism is assembled, and the results are used
to construct deformation-mechanism diagrams. The use of the diagrams is illustrated by an approximate analysis of the creep of the South Pole ice cap at Byrd Station, and of the rate of spreading of ice shelves (Auth mod.)

Development of heat economy and construction of concrete facade elements. rBetonisten oseinälementtien lämpötaloudellinen ja rakenteellinen

kehittäminen; Olin, J., et al. Helsinki Valtion teknillinen tutkimuskeskus Tiktimuksia, 1981, No 28, 170p + appends. In Finnish with English summary 48 rets Ratvio, J., Jokela, J.

Thermal insulation, Heat loss, Countermeasures. Concrete structures, Walls, Construction materials, Concrete aggregates, Research projects, Finland.

Water drag coefficient of first-year sea ice.

Langleben, M.P., Journal of geophysical research, Jan. 20, 1982, 87(C1), p.573-578, 11 (cfs. Sea ice, Sea water, Friction, Water flow, Computer

Mars residual north polar cap: Earth-based spectroscopic confirmation of water ice as a major constituent and evidence for hydrated minerals.

Clark, R. N., et al. *Journal of geophysical research*, Jun. 10, 1982, 87(B1), p.367-370, 21 refs.

McCord, 1-B Extraterrestrial ice, Mars (planet), Polar regions.

Modification of the tide in the Canadian Arctic by an

Godin, G., Canada Marine Sciences and Department of Fisheries 1980, No.56, Marine Sciences and Informa-Oceans Manuscript report series, 1980, No.56, 29p., With French summary 7 refs

With French summary 7 DAS, HGC1C35915 no.56

Ice cover effect, Tides, Water level. 36-2497

Plant pigments, chlorinity and pH distribution in the sea ice of the Syowa Station area in 1970. Hoshiai, T., Japanese Antarctic Research Expedition.

JARE data reports. Dec. 1981, No.67, 42p., Sea ice, Ice composition, Cryobiology, Antarctica—

This report records the data on chlorophyll a, phaeophytin, chlorinity and pH distributions in the sea ice obtained at selected sites in the vicinity of Shows Station from March to December 1970. Based on these data, the ecology of ice algal communities is described. (Auth. mod.)

36-2498

British shore platforms and ice-sheets.

Sissons, J.B., Nature, June 11-17, 1981, 291(5815). p.473-475, 38 refs.

Offshore landforms, Glacial geology, Shoreline modification, Rocks, Ice sheets, Glaciation.

36-2499

Effect of variation in pore structure on the frost resistance of porous materials.

Marusin, S., Cement and concrete research, Jan. 1981, 11(1), p.115-124, With Czech summary. 40 refs. Freeze thaw tests, Cements, Porous materials, Frost

resistance. Ice cryst. I nuclei, Strength, Supercooling. 36-2500

Conceptual design of tioating drilling production and storage caisson for arctic waters.

Gerwick, B.C., Jr., et al., Engineering structures, Jan.

1981, 3(1), p.38-44. For this paper from different source see 33-4660. 7 refs.

Offshure drilling, Offshore structures, Caissons, Ice pressure, Sea ice, Ice loads.

Probabilistic force calculations for structures in icecovered seas

Wheeler, J.D., Engineering structures, Jan. 1981, 3(1), p.45-51. For this paper from different source see 33-

Offshore structures, Pressure ridges, Ice pressure, Impact strength, Ice mechanics, Ice conditions, Sea ice, Analysis (mathematics).

36-2502

Snowpack monitoring in North America and Eurasia using passive microwave satellite data.

Foster, J.L., et al. Remote sensing of environment. Dec. 1980, 10(4), p.285-298, 8 refs.

Snow depth, Remote sensing, Microwaves, Radiome try, Snow temperature, Brightness.

Landfills in severe climate areas pose unique management problems.

W.K., et al. Solid wastes management, Dec. 1980, 23(12), p.42-46, 80-81.

ogers, J.A. Waste disposal, Cold weather performance, Sanitary engineering, Land reclamation, Climatic factors.

Ice nucleating activity and the mode of action of vol-canic ash ejected from Mt. Usu in Hokkaido.—An improved method to remove hygroscopic materials

collected on a membrane filter. Tanaka, T., Papers in meteorology and geophysics. Feb. 1981, 31(3-4), p.153-171, 22 refs.

Ice nuclei, Ice crystal growth, Hygroscopic nuclei, Volcanic ash. Nucleating agents, Temperature effects, Supersaturation.

36-2505

Representations of configurational entropy and dielectric properties of ice Ih. , Physical Society of Japan. Journal, Apr

1981, 50(4), p.1233-1240, 28 refs. ice crystal structure, Ice electrical properties,

Molecular structure, Dielectric properties, Heavy water, Analysis (mathematics). 36-2506

Seasonal circulation of the Glacier Bay, Alaska fjord

System.

Matthews, J.B., Estuarine, coastal and shelf science, June 1981, 12(6), p.679-700, 25 refs.

Glacier melting. Runoff, Glacier oscillation, Ocean currents, Tides, Seasonal variations, Precipitation (meteorology).

36-2507

Arvik 2 passes severe Arctic tests.

MacDonald, D., Engineering journal, Spring 1982. 65(1), p.20-32.

Offshore structures, Mining, Thermal insulation, Ice conditions, Permafrost depth, Canada-Northwest Territories-Cornwallis Island.

Quality measurements in transport construction. (Kvalimetrija v transportnom strojtel'stvej,

Bondarovich, B.A., ed, Moscow, Transport, 1976, 183p., In Russian. For selected papers see 36-2509 183p., In Russian. through 36-2511. DLC TE153 K83

Steel structures, Cold stress, Freeze thaw cycles, Brittleness, Foundations, Construction equipment, Earthwork, Frozen ground, Excavation.

36-2509

Evaluation and ensurance of the quality of structures from the nondensity criterion before failure, ¡Otsenka i obespechenie kachestva konstruktsii po kriteriiu neplornosti pered razrusheniem₁,

Bondarovich, B.A., Kvalimetrija v transportnom strojtel'stve (Quality measurements in transport construc-tion) edited by B.A. Bondarovich, Moscow, Transport, 976, p.21-26, In Russian. 3 refs. DLC TE153 K83

Steel structures, Metals, Cold stress, Freeze thaw cycles, Brittleness, Fracturing.

Evaluating reliability indices of basic blocks of cutterbar excavators used in construction of foundation pits. Otsenka pokazatelel nadezhnosti osnovnykh uzlos barovykh kotlovanokopateleji.

Bondarovich, B.A., et al. Kvalimetriia v transportnom stroitel'stve (Quality measurements in transport con-struction) edited by B.A. Bondarovich, Moscow, struction) edited by B.A. Bondarovich, V. Transport, 1976, p.67-73, In Russian. 4 refs

Zorin, A.A., Sycheva, M.A. DLC TE153.K83

Foundations, Frozen ground, Gravel, Excavation. Equipment.

Low temperature effect on service life of metal parts of mechanical shovels. (Vlijanie nizkikh temperatur na metallokonstruktsii bezotkaznosť oborudovanija odnokovshovykh ekskavatorovi

Tel'tevskaia, V.A., Kvalimetriia v transportnom stroitel'stve (Quality measurements in transport construc-tion) edited by B.A. Bondarovich, Moscow, Transport, 1976, p.77-82, In Russian. 4 refs DLC TE153.K83

Construction equipment, Earthwork, Excavation. Cold weather performance.

36-2512

Organization and results of geochemical exploration in different parts of the USSR (increasing the effectiveness of geochemical exploration in the BAM zone). (Organizatsiia i rezul'taty geokhimicheskikh poiskov v razlichnykh raionakh strany (povyshenie ef-fektivnosti geokhimicheskikh poiskov v zone BAM)₁. Ovchinnikov, L.N., ed. Moscow, 1977, 67p., In Russian. For selected papers see 36-2513 through 36-2517. Refs. passim. 2517. Refs. passim. DLC TN270.064

Geochemistry. Exploration. Mining. Landscape types, Permafrost distribution, Alpine landscapes, Rock streams, Taiga, Permafrost hydrology, Ground water. Microelement content.

Increasing the effectiveness of small scale geochemical exploration of secondary halos and scattering streams in permafrost areas (applied to conditions of the Baykal Amur railroad area). (Puti povysheniia effektivnosti melkomasshtabnykh geokhimicheskikh poiskov po vtorichnym oreolam i potokam rassejanna raionakh kriolitozony (primeniteľno k uslovnam trassy BAM)₁. Shvartsev, S.L., Organizatsiia i rezul'taty geokhimi-

cheskikh poiskov v razlichnykh raionakh strany (povyshenie effektivnosti geokhimicheskikh poiskov v zone BAM) (Organization and results of geochemical exploration in different parts of the USSR (increasing the effectiveness of geochemical exploration in the BAM zone)) edited by U.N. Ovchinnikov, Moscow 1977, p.25-27, In Russian DLC 1N270 O64

Minerals, Exploration, Geochemistry, Permafrost distribution, Swamps, Alpine landscapes, Taiga, Glacial deposits.

36-2514

Land subdivision according to the conditions of geochemical exploration in the BAM area. [Ratomtovanie territorii po uslovnam vedenna geokhimicheskikh poiskov v zone BAM_I.

Burde, B.I., et al. Organizatsua i rezul'taty geokhimicheskikh poiskov v razlichnykh raionakh strany (povyshenie effektivni sti geokhimicheskikh poiskov v zone BAM) (Organization and results of geochemical exploration in different parts of the USSR inicreasing the effectiveness of geochemical exploration in the BAM zone)) edited by I N Ovchimikov, Moscow, 1977, p.27-29. In Russian

Grekhney, N.I. DLC TN270 O64

Taiga, Minerals, Exploration, Geochemistry, Baykal Amur railroad.

36.2515

Methods and trends in the development of geochemical exploration in the BAM area of the Irkutsk region. (Sostoiame, metodika i napravlenna razvitna geokhimicheskikh rabot v raione trassy BAM na territorii Irkutskoi oblastij. Zagoskin, V.A., et al. Organizatsna i rezul'taty geok-

himicheskikh poiskov v razlichnykh raionakh strany (povyshenie effektivnosti geokhimicheskikh poiskov v zone BAM) (Organization and results of geochemical exploration in different parts of the USSR (increasing the effectiveness of geochemical exploration in the BAM zone)) edited by I.N. Ovchinnikov, Moscow, 1977, p.31-33. In Russian. DLC TN270.064

Metals, Exploration, Geochemistry, Permafrost distribution, Rock streams, Taiga, Baykal Amur railroad.

36-2516

Problems and trends in geochemical studies of the Geological Institute of the Buryat Branch of the Siberian Division of the Academy of Sciences of the USSR in the BAM zone. [Zadachi i napravlenie geokhimicheskikh issledovanii Geologicheskogo instituta Buriatskogo filiala NO AN SSSR v zone BAMj. Krendelev, F P, et al. Organizatsiia i rezul'taty geok-himicheskikh poiskov v razlichnykh raionakh stranv

(povyshenie effektivnosti geokhimicheskikh poiskov v zone BAM) (Organization and results of geochemical exploration in different parts of the USSR (increasing the effectiveness of geochemical exploration in the BAM zone)) edited by L.N. Ovchinnikov, Moscow, 1977, p.39-42. In Russian

Pogrebniak II F DLC TN270 O64

Minerals, Exploration, Geochemistry, Permafrost hydrology, USSR-Transbaikal.

36-2517

Basic trends and results obtained by the Transbaikal Scientific Research Institute in geochemical studies of the BAM zone. [Rezul'taty i osnovnye napravlenija geokhimicheskikh issledovanij ZABNII v zone BAM]. Saglo, V.V., et al. Organizatsiia i rezul'taty geokhimicheskikh poiskov v razlichnykh raionakh strany (povyshenie effektivnosti geokhimicheskikh poiskov v zone BAM) (Organization and results of geochemical exploration in different parts of the USSR (increasing the effectiveness of geochemical exploration in the BAM zone)) edited by IN Oychinnikov, Moscow, 1977, p 42-44, In Russian DLC TN270-064

Exploration, Mining, Geochemistry, Permafrost hydrology, Ground water, Microelement content, Baykal Amur railroad.

36-2518

Topographic-geodetic surveys of the BAM section designed by the Leningrad State Planning and Surveying Institute (Topografo-geodezicheskie raboty na leningradskikh kitometrakh BAMa).

Khrapkov, V.A., et al, Incherennaa geoderna, 1976 Part 2, p.86-91, In Russian 2 rets Kondratenko, V. I.

Permafrost beneath structures, Slope processes, Permafrost hydrology, Naleds, Mapping, Aerial surveys, Photography, Geodetic surveys, Topographic surveys, Baykal Amur railroad.

36-2519

Thermotechnical requirements for enclosures with lightweight insulation materials. [Teplotekhnicheskie trebovanna k ograzhdarashchun konstruktsuam s primenemem legkikh teplorzoliatsionnykh materia-

Kazantsev, I.A., Lemngrad, 1975, 25p., In Russian with English table of contents enclosed 6 rets Buildings, Houses, Walls, Thermal insulation, Cellular plastics. Thermal conductivity.

National reports.

World Road Congress, 16th, Vienna, Sep. 16-21, 1979, Vienna, 1979, 113 pieces, Includes the following pertinent reports: 4 on Question I Classification, properties and tests of road materials, 12 on Question II Earthworks and pavement construction, and 1 on Question III Interurban roads and motorways.

Roads, Pavements, Subgrades, Foundations, Sub-grade soils, Frost penetration, Subgrade preparation, Subgrade maintenance, Soil freezing, Construction materials, Frost resistance, Low temperature tests, Earthwork, Thermal insulation, Winter maintenance.

Problems of the North; a current bibliography. (Problemy Severa; tekushchii ukazatel' literaturyi,

Akademiia nauk SSSR. Sibirskoe otdelenie darstvennaja publichnaja nauchno-tekhnicheskaja biblioteka, Novosibirsk, 1981, 2 issues, In Russian. Nos.4 and 5.

Polar regions, Bibliographies, Econ omic develop ment, Environmental protection, Mining, Electric power, Forestry, Engineering geology, Surveys, Construction materials, Construction equipment, Petroleum industry, Residential buildings, Industrial buildings, Roads, Pipelines, Transportation.

Influence of water on mechanical properties of bitu-men-mineral compositions. (O vilianii vody na mekhanicheskie svotstva bitumomineral'nykh kompozit-

Pechenyi, B.G., et al. Akademia nauk SSSR. Dok-lady, 1981, 261(6), p.1358-1361, In Russian. 7 refs. Losev, V.P., Ivanov, V.V.

Pavements, Porosity, Moisture transfer, Phase transformations, Frost penetration, Fracturing, Roads.

36-2523

Mesoscale eddy structure of the Arctic Ocean waters. [Mezomasshtabnaia vikhrevaia struktura vod Arkticheskogo basseinai.

Bogorodskii, P.V., et al. Akademiia nauk SSSR. Dok-lady, 1982, 262(5), p.1250-1252, In Russian. 6 refs. Gusev, A.V., Zubkov, L.I.

Poler regions, Ocean currents, Drift stations, Water transport. Ice conditions, Drift.

36-2524

Predicting the temperature regime of hydraulicked beds.

Zakharov, M.N., Soil mechanics and foundation et neering. July-Aug. 1981 (Publ. Jan. 1982). 18(4), p.158-162. Translated from Osnovaniia, fundamenty i mekhanika gruntov. 7 refs.

Buildings, Permafrost beneath structures, Thermal regime, Permafrost forecasting, Ground ice, Phase transformations.

36-2525

Discharge capacity of large streams under an ice

Altunin, V.S., et al, Hydrotechnical construction, June 1981, 15(6), p.329-335, Translated from Gidrotekhni-

cheskoe stroitel stvo. 11 refs. Gladkov, E.G., Riabov, V.L. Rivers, Subglacial drainage, Flow rate, Ice cover thickness, Ice structure, Ice bottom surface, Roughness coefficient.

36-2526

Calculation of the temperature regime of hydraulicfill dams during their construction.

Skhundin, B.M., et al, Hydroechnical construction, May 1981, 15(5), p.273-278, Translated from Gidrotekhnicheskoe stroitel'stvo. 11 refs Popov. IU.A

Earth dams, Hydraulic fill, Frost penetration, Thermal regime. Tee conditions, Freeze thaw cycles.

36-2527

Concrete for surfaces of high-head spillways.

Gomolko, L.N., et al. Hydrotechnical construction, May 1981, 15(5), p.302-307, Translated from Gidrotekhnicheskoe stroitel'stvo. drotekhnicheskoe stroiteľstvo. 6 refs. Novikova, I.S., Sharkunov, S.V., Tsedrov G.N

Hydraulic structures, Spillways, Dams, Concretes, Concrete freezing. Frost resistance.

Investigations on biogenic ice nuclei in the arctic at-

Jayaweera, K.O.L.F., et al. Geophysical research let-ters, Jan. 1982, 9(1), p 94-97, 22 refs Flanagan P

Ice nuclei, Bacteria, Polar regions, Cloud physics.

Large-scale variations in observed antarctic sea ice extent and associated atmospheric circulation.

Cavalieri, D.J., et al. *Monthly weather review*, 5 1981, 109(11), p.2323-2336, 28 refs.

Sea ice distribution, Atmospheric circulation, Atmospheric pressure.

The 1974 3-day averaged sea ice extent data for the southern ocean determined from the Electrically Scanning Microwave Radiometer aboard Nimbus 6 have been compared with 1000 ib temperature and sea level pressure fields from the Southern mb temperature and sea level pressure fields from the Southern Hemisphere meteorological data set of the Australian Bureau of Meteorology. A Fourier decomposition of each of these variables defines the dominant spacial scales during the course of the year. The first three harmonics are sufficient to explain most of the variance of the ice extent and temperature for any 3-day period during the year, with the pressure field generally requiring at least the first four. Three case studies are presented to illustrate ice-fatmosphere associations for different times of the year. The results demonstrate an ice/atmosphere coupling of varying strength throughout the year on time scales ranging. varying strength throughout the year on time scales ranging from weeks to months and on space scales ranging from synoptic to planetary. (Auth. mod.)

36-2530 Mechanical properties of snow.

Salm, B., Reviews of geophysics and space physics Feb. 1982, 20(1), p.1-19, 76 refs... Presented at the Presented at the U.S.-Canadian Workshop on the Properties of Snow, Snowbird, Utah, April 8-10, 1981.

Snow mechanics, Snow deformation, Wet snow, Snow melting, Pressure.

36-2531 Review of surface friction, surface resistance, and flow of snow

Lang, T.E., et al. Reviews of geophysics and space physics. Feb. 1982, 20(1), p.21-37, Refs. p.36-37., Presented at the U.S.-Canadian Workshop on the Properties of Snow, Snowbird, Utah, April 8-10, 1981. Dent. J.D.

Wood snow friction, Metal snow friction, Plastic snow friction, Trafficability, Avalanches.

36-2532

Properties of blowing snow.

Schmidt, R.A., Reviews of geophysics and space physics. Feb. 1982, 20(1), p.39-44, 52 refs... Presented at the U.S.-Canadian Workshop on the Properties of Snow, Snowbird, Utah, April 8-10, 1981.

Blowing snow, Wind velocity, Sublimation 36-2533

Overview of seasonal snow metamorphism. Colbeck, S.C., Reviews of geophysics and space physics, Feb. 1982, 20(1), MP 1500, p.45-61, 43 refs., Presented at the U.S.-Canadian Workshop on the Properties of Snow, Snowbird, Utah, April 8-10, 1981.

Snow physics, Metamorphism (snow), Snow cover

structure, Snow water content. The grains in seasonal snow undergo rapid and radical transformations in size, shape, and cohesion. These grain characteristics affect all of the basis properties of snow. Snow is characterized as either wet or dry depending on the presence of liquid water. Wet snow is markedly different at low and high liquid water. Wet snow is markedly different at low and high iquid contents. Dry snow is characterized as either an equilibrium form or a kinetic growth form; that is, it is either well rounded or faceted. Of course, many snow grains display either transitional features between two of these categories or features which arise from other processes. Snow is classified depending on the dominant processes of its metamorphism.

36-2534

Review of snow acoustics.

Sommerfield, R.A., Reviews of geophysics and space physics, Feb. 1982, 20(1), p.62-66, 42 refs., Presented at the U.S.-Canadian Workshop on the Properties of Snow, Snowbird, Utah, April 8-10, 1981 Snow acoustics, Acoustic measurement.

36-2535

Optical properties of snow.

Warren, S.G., Reviews of geophysics and space physics. Feb. 1982, 20(1), p.67-89, Refs. p.87-89. Presented at the U.S.-Canadian Workshop on the Propertics of Snow, Snowbird, Utah, April 8-10, 1981. Snow optics, Albedo, Snow cover structure, Solar

radiation, Reflectivity. 36-2536

Preconcentration of cadmium, copper, lead, and zinc in water at the .000000000001 g/g level by adsorption onto tungsten wire followed by flameless atomic ab-

sorption spectrometry.

Wolff, E.W., et al. Analytical chemistry. Sep. 1981.
53(11), p.1566-1570, 21 refs.
Landy, M.P., Peel, D.A.

Snow composition. Laboratory techniques, Antarc-

tica-Antarctic Peninsula.

Preconcentration of heavy metals from aqueous samples onto a tungsten wire loop prior to analysis by atomic absorption spectrometry has previously been tested at 100000001 g g level. The technique is evaluated at lower concentrations to assess its

suitability for analysis of polar snow samples. By use of only 50-mL samples, satisfactory calibration curves were obtained at pH values down to 3, and at concentrations down to 00000000000 g/g for copper, lead and zinc. and 000000000000 g/g for cadmium. The influences of tempera-00000000000 g for cadmium. The influences of tempera-ture, pH, and a range of competing ions have been investigated and found not to play an important role in the analysis of a typical polar snow matrix. Loops stored for a year showed full retention of response and adsorbing capacity. At typical polar snow concentrations, precision was approximately [10], and the data agreed within about 20. with parallel analyses by a nodic stripping voltammenty. Snow samples used in testing this equipment and method came from Antarctic Peninsula snow pits. (Auth.)

36-2537

Introductory remarks on iceological engineering.

Kubo, Y., Tokyo, Iceological Engineering Association 1980, 213p. In Japanese with English saminaly Refs. p.187-211

Icebound rivers. Ice cover strength, Bearing strength, Ice mechanics, Railroad tracks, Seasonal freeze thaw, Sea ice, Floating ice, River ice, Heat transfer, Conductivity, Terminology.

Environmental assessment of the Alaskan continental shelf, Vol.3. Physical science studies. Rockville, Md U.S. National Oceanic and Atmospheric Administra-tion, Oct. 1981, 59 p. Principal investigators' final reports. Refs passin. For selected reports see 36-2539 and 36-2540.

Oceanography, Sea ice, Oil spills, Shoreline modifi-cation, Ocean currents, Meteorological data, Ice bottom surface, Wind factors.

Current measurements in possible dispersal regions of the Beaufort Sea.

Aagaard, K., Environmental assessment of the Alaskan continental shelt. Vol.3. Physical sciences studies Principal investigators' final reports. Rockville, Md., U.S. National Oceanic and Atmospheric Administra-tion, Oct. 1981, p.1-74, Refs. p.71-74 Oceanography, Ocean currents, Freezing points, Wa-

ter temperature, Salinity, Sea ice, Ice cover effect, Seasonal freeze thaw, Sea level, Tides, Wind factors, Beaufort Sea.

Transport and behavior of oil spilled in and under sea

Cox, J.C., et al. Environmental assessment of the Alaskan continental shell Vol. 3. Physical science studies Principal investigators' final reports, Rockville, Md U.S. National Oceanic and Atmospheric Administra-tion, Oct. 1981, p. 427-597, 28 refs Schultz, L. A., Johnson, R.P., Shelsby, R.A.

Oil spills, Surface roughness, Ice cover effect, Ocean currents. Ice bottom surface. Distribution.

36-2541

Research on revegetation with grasses of wind-groded soils in Iceland. [Entersuchangen zur Rekultivierung von Grunland auf wirderotherten Boden Islands]. son cruniand aut windcrodierten Boden Islands). Steubing, L., et al. Berichte nis der Forschungsstelle Nedri As. Hveragerth, No 21. Hveragerth, Iceland, 1975, 48p., In German with Icelandie summary. Refs. p.44-47 Kneiding, 1

Grasses, Revegetation, Wind erosion, Growth, Vegetation, Iceland.

36-2542

Design review, Trans-Alaska oil pipeline, 1974-1976. Williams, J.R., U.S. Geological Survey — Open-file report, [1982], No.82-225, 28p. + 3 appends.

Pipe laying, Cold weather construction, Permafrost

preservation. Route surveys. Hot oil lines, River crossings, Climatic factors, Design.

Arctic summary report; Outer Continental Shelf and onshore oil and gas activities and impacts in the Arctic: a summary report. October 1981.

Jackson, J.B., et al. U.S. Chological Survey Op-file report, 1981, No.81-6-1, 137p., Rets. p.83-89

Golden, B.F., Stadnychenko, A., Kolasuski, S. Offshore structures, Permafrost preservation, Offshore drilling, Artificial islands, Pressure ridges, Ice pressure. Environmental impact, Fuel transport, Tun-

36-2544

Development, production plans shaping up in Canadian Beaufort and Arctic islands. Oil unit gas pourral. Apr. 18, 1981, 70(15), p.75-78 ul. Apr Offshore structures, Offshore drilling, Artificial islands, Natural resources, Beaufort Sea

North Slope field nearing production. Matheny, S.L., Jr., Oil and gas journal, Apr. 13, 1981, 79(15), p.129-130.

Drilling, Cold weather performance, Petroleum in-dustry, River crossings, Cost analysis, United States - Alaska-North Slope.

36.2546

Some fundamental aspects of laboratory simulation of snow or sand drifts near obstacles. Krasiński, J. de, et al. Archives of mechanics, 1980.

32(5), p.723-739, With Polish and Russian summaries. 11 refs

Szüster, T.

Snowdrifts, Sands, Snow mechanics, Mechanical tests, Grain size, Mountains, Polar regions, Laboratories. Analysis (mathematics).

36-2547

Radar clutter model: average scattering coefficient of land, snow and ice.
Moore, R.K., et al. IEEE transactions on serospace

and electronic systems, Nov. 1980, 16(6), p.783-799, 40 refs

Soofi, K.A., Purduski, S.M.

Radar echoes, Snow cover distribution, Sea ice distribution, Vegetation, Scattering, Models.

36-2548

Size distribution of inorganic and organic ice-forming nuclei present in downdrafts of convective storms. Rosinski, J., et al. Meteorologische Rundschau. Aug 1980, 33(4), p.97-106, With German summary. 19

Acrosols, Ice formation, Nucleating agents, Cloud droplets, Particle size distribution, Storms.

36-2549

Ground freezing aids Swiss tunnel construction.

Acrni, K., et al, *Tunnels and tunneling*, Apr. 1981, 13(3), p.52-53 Mettier, K

Tunneling (excavation), Soil freezing, Soil stabiliza-tion, Artificial freezing, Moraines.

Tunnels form vital link in 3145-km Siberian railway (Condensed from the Soviet press). Tunnels and tun-ucling. Apr. 1981, 13(3), p.59-60, Reproduced from Spotnik magazine.

Tunneling (excavation), Permafrost, Mudflows, Rock mechanics, Mountains, USSR—Siberia.

Ingress of water and the lubrication of traction motor suspension bearings.

Lane, J.F., et al. American Society of Lubrication Engineers. Journal, Jan. 1981, 37(1), p.22-24, 33-37, 2

Dayson, C

Railroad cars, Cold weather operation, Lubricants, Traction, Leakage, Laboratories, Locomotives.

36, 2552

Town tests enlightened road salting program. Public Biorks, Dec. 1980, 111(12), p.52-53.
Salting, Roads, Winter maintenance, Chemical ice

prevention, Snow removal, Equipment, Environmental impact, Tests.

Theory for near-normal incidence microwave scattering from first-year sea ice.

Brown, G.S., Radio science, Jan.-Feb. 1982, 17(1), 233-243, 17 refs.

Microwaves, Radar echoes, Radar tracking, Surface roughness. Spacecraft. Airborne radar.

36-2554

Concretions in glacial sediments at Seglvatnet, Nor-

Theakstone, W.H., Journal of sedimentary petrology, M.r. 1981, 51(1), p.191-196, 5 refs. Glacial deposits, Sediments, Pleistocene, Grain size,

Water flow, Norway-Selgvatnet. 36-2555

Production achieved through first subsea caisson completion. Officest. Feb. 1, 1982, 32(52), p.10-12. Offshore drilling, Caissons, Petroleum industry, Arctic Ocean.

16-2556

Heat losses from an insulated pipe. McNabh, A., et al. Journal of mathematical analysis and applications, Sep. 1980, 77(1), p 270-277, 3 refs. Wen G. L

Pipeline insulation, Heat loss, Water pipelines, Viathematical models.

36-2557

Applications Systems Verification and Transfer Proiect. Volume 1: Operational applications of satellite snow-cover observations— executive summary.

Rango, A., U.S. National Aeronauties and Space Administration Technical paper. Dec. 1981, No 1822.

Snow cover distribution, Remote sensing, Snowmelt, Runoff forecasting, Snow hydrology, LANDSAT, Spacecraft, Stream flow.

Applications Systems Verification and Transfer Project. Volume 2: Operational applications of satellite snow-cover observations and data-collection systems in the Arizona test site.

Schumann, H.H., U.S. National Aeronautics and Space Administration. Technical paper, Dec. 1981, No.1823, 54p., 22 refs.

Snow cover distribution, Snowmelt, Runoff forecasting, Remote sensing, Stream flow, Watersheds. Meteorological data, United States—Arizona.

Applications Systems Verification and Transfer Proiect. Volume 3: Operational applications of satellite

Space Administration. Technical paper, Dec. 1981. No.1824, 63p., 4 refs. Hannaford, J.F.

Snow cover distribution, Snow hydrology, Snowmelt, Snow water content, Remote sensing, Mountains, Water supply, Runoff forecasting, United States California.

Applications Systems Verification and Transfer Project. Volume 4: Operational applications of satellite snow-cover observations- Colorado Field Test Cen-

Shafer, B.A., et al. U.S. National Aeronauties and Space Administration. Technical paper. Dec. 1981. No.1825, 101p., 7 refs. Leaf. C.F., Danielson, J.A., Moravec, G.F.

Snow cover distribution, Snowmelt, Snow hydrology. Runoff forecasting, Remote sensing, Water supply, Models, United States-Colorado.

Applications Systems Verification and Transfer Project. Volume 5: Operational applications of satellite snow-cover observations—Northwest United States.
Dillard, J.P., U.S. National Aeronautics and Space Administration. Technical paper, Dec. 1981, No.1826. 77p. 5 refs

Snow cover distribution, Snowmelt, Snow hydrology. Runoff forecasting, Remote sensing, Stream flow, Snow line, Cloud cover, Forest land, Models.

Applications Systems Verification and Transfer Project Volume 6: Operational applications of satellite snow-cover observations—NOAA/NESS support

Schneider, S.R., U.S. National Aeronauties and Space Administration. Technical paper. Dec. 1981. No.1827, 63p., 19 refs. Snow cover distribution, Snow hydrology, Remote Technical paper. Dec. 1981.

sensing, Snowmelt, Runoff forecasting, Water supply.

Applications Systems Verification and Transfer Proiect. Volume 7: Cost/henefit analysis for the ASVT on operational applications of satellite snow-cover observations.

Castruccio, P., et al. U.S. National Aeronauties and Space Administration. Technical paper. Dec. 1981. No 1828, 240p., 17 refs.

Show cover distribution, Remote sensing, Runoff forecasting, Snowmelt, Cost analysis.

36-2564

Applications Systems Verification and Transfer Pro-Volume 8: Satellite snow mapping and runoff prediction handbook.

Bowley, C.J., et al. U.S. National Aeronauties and Space Administration Technical paper, Dec. 1981. o.1829, 87p., 46 refs

Barnes, J.C., Rango, A. Mapping, Snow cover distribution, Manuals, Remote sensing, Snowmelt, Runoff forecasting, Stream flow. 36-2565

Dielectric relaxation time of supercooled water. Bertolini, D., et al. Journal of chemical physics, Mar 15, 1982, 76(6), p.3285-3290, 39 refs.

Cassettari, M., Salvetti, G.

Viscosity, Supercooling, Water temperature, Dielectric properties. Temperature effects, Relaxation (mechanics). Shear properties.

Design and construction of Beaufort Sea drilling islands-Sag Delta 7 and 8.

Potter, R.E., et al. Journal of energy resources rechnology. Sep. 1981, 403(3), p.208-211, 2 refs. Goff, R.D.

Offshore drilling, Artificial islands, Offshore structures, Ice loads, Ice pressure, Ice mechanics, Exploration, Design, Construction, Sea ice, Beaufort Sea.

Simple model of seasonal sea ice growth.

Miller, J.D., Journal of energy resources technology, Sep. 1981, 103(3), p.212-218, 21 refs

Sea ice. Ice growth, Heat flux, Snow cover effect, Ice cover thickness, Mathematical models, Surface temperature. Thermodynamics, Seasonal variations,

Research on surface heat balance on the Oinhai-Xizang Plateau.

Kou, Y., Kevue tongbao ¡Scientia; Apri!, 1980, 25(8), p.363-365. In Chinese. 8 rets.

Thermal analysis, Radiation balance, Glacier heat

balance, Snow melting, Permafrost, Solar radiation, Frozen ground, China-Qinghai-Xizang Plateau.

Surface radiation balance, heat balance and thermal effects on the Qinhai-Xizang Plateau.

Zeng, C., et al. Acvue tongbao Scientiaj. June 1980, 25(12), p.552-554. In Chinese 4 refs.

Glacial meteorology, Radiation balance, Snow melting, Thermal effects, China-Qinghai-Xizang Pla-

36-2570

Basic characteristics of glaciers in the Mt. Qomolangma region of southern Tibet, China.

Lanzhou Institute of Glaciology and Cryopedology Glaciology Laboratory, Scientia sinica, July 1974, No.4, p.383-400, In Chinese. 26 refs. Glaciation, Glacial geology, Glacier surveys, Snow

cover distribution, Solar radiation, Glacier oscillation, Geomorphology, China--Qomolangma Moun-

36-2571

Some basic characteristics of river runoff of modern glaciers in China.

Yang, Z., Scientia simea, April 1981, No 4, p 467-476,

Runoff, Snowmelt, Glacial hydrology, Glacier melting, Hydrology, China-Tien Shan.

36-2572

Studies on periglacial geomorphology in West Spits-

Akerman, J. Lund. Universitet. Geografiska insti-tution. Achandlingar, 1980, No. 89, 297p., Refs. p.289-297. Doctoral dissertation.

Periglacial processes, Geomorphology, Permafrost, Naleds, Vegetation, Wind factors, Human factors, Norway-Spitsbergen.

36-2573

Historical shoreline changes along the outer coast of

Cape Cod.
Gatto, I. W., MP 1502, Environmental geologic guide to Cape Cod National Scasbore — Edited by S.P. Lea-therman, Amberst, University of Massachusetts, 1979 p.69-90, 9 refs

Shoreline modification. Shore erosion, Photointer-pretation, Water level, Aerial surveys, History.

The objectives of this investigation were to analyze past patterns of shoreline change, estimate the amounts of change in the terns of shoreline change, estimate the amounts of change in the positions of the high water line and sea cliff break and base, and estimate rates of accretion and crosson. Distances from selected reference points to the high water line, cliff break, and cliff base were measured using photomicrpretation techniques on black and white 9 x 9 in aerial photographs acquired in 1938, 1952, 1971, and 1974. The amounts and rates of change are calculated for the intervals between the dates of photo acquisition and for the total period from 1938 to 1974.

Brudley Lake Hydroelectric Project, Alaska, draft environmental impact statement and appendixes.

L. S. Army Corps of Engineers. Alaska District, Anchorage, Alaska, Mar. 1982, 136p. + appends., 15 rets. For selected paper see 36-2575.

Electric power, Glacial rivers, Lakes, Environmental impact, Geomorphology, Mountains, United States— Alaska-Bradley Lake.

Prediction of ice growth and circulation in Kachemak

Bay, Bradley Lake Hydroelectric Project.
Daly, S.F., MP 1501, Bradley Lake Hydroelectric Project. Alaska: environmental impact statement—Appendixes, Anchorage, U.S. Army Corps of Engineers, March 1982, p.(C)1-(C)9.

Ice growth, Ocean currents, Sea ice distribution, En vironmental impact, Electric power, Suspended sedi-ments, United States—Alaska—Kachemak Bay.

36-2576

Energy loss surveys using thermal IR technology. Link, I.E., Jr., Remote Sensing Symposium, Reston, Va. Oct. 29-31, 1979. Proceedings, U.S. Army Corps of Engineers, [1980], p.47-55.

Heat loss, Infrared reconnaissance, Airborne equipment, Underground pipelines, Roofs.

36-2577

Historical shoreline changes as determined from aerial photointerpretation.

Gatto, L.W., MP 1503, Remote Sensing Symposium, Reston, Va., Oct. 29-31, 1979. Proceedings, U.S. Army Corps of Engineers, (1980), p.167-170. Shoreline modification, Shore erosion, Photointer-

protation, Aerial surveys, Photogrammetry.

The protection and preservation of shorelines and coastal areas along oceans, lakes, reservoirs and rivers have become increasalong oceans, lakes, reservoirs and rivers have become increasingly important with more intensive use and development of these areas by the growing population. Shoreline erosion and subsequent shoreline recession are of primary concern since they cause property loss, changes in shoreline habitats and degraded water quality. USACRREL has been investigating many of the complex erosion processes, site specific rates of crossion and problems caused by shoreline erosion. As an integral part of these comprehensive investigations, historical and recent aerial photographs have been used to document historical shoreline characteristics and conditions, to determine past patterns of regional shoreline changes, to monitor the areal extent of shoreline erosion, and to estimate the historical rates of change in shoreline positions. of change in shoreline positions.

36-2578

Vegetation of the subantarctic islands Marion and Prince Edward.

Gremmen, N.J.M., The Hague, Netherlands, W. Junk. 1982, 149p. In English with Dutch summary. Includes subject, syntaxonomic, and systemic indexes. Rels. p.129-135.
DIC QK429 P74G74

Climatic factors, Vegetation patterns, Volcanic ash, Mosses, Lichens, Marion Island, Prince Edward Is-

The islands are located about 110 miles SSE of southern Africa: their physical geography and climate are described. Three soil categories are present on the islands peat; combined organic material over clay; and combined clay and rock. Soil nutrients are supplied through sea sait spray and by excreta and other deposits by sea going animals. Soil nutrients are supplied through sea sait spray and by excreta and other deposits by sea going anim. s. These soils produce 22 species of vascular plants, 72 mosses, 36 hepatics, and 50 lichens. Seal populations have recovered from the 19th and early 20th century sealing decimations. The dominant vegetation species are identified and their distributions are discussed in relation to the trampling and defectations by breeding bird and seal popula-The islands are located about 110 miles SSE of southern Africa; trampling and defecations by breeding bird and seal popula-tions, to the various water courses on the islands, and to the mineral content of the soils

16, 2579

Immediate report of Victoria University of Welling-

ton Antarctic Expedition 1980-1981.
Pync, A., comp. Wellington, New Zealand, 1981. 73p.,
For Selected papers see 36-2580 and 36-2581 c. E26079, E-26081, G-26082 and 1-26080.

Marine geology, Sediments, Sea ice. Explosives, Ice

blasting.

The account given in this preliminary report emphasizes highlights of the expedition, outlines expedition fraining procedures, planning, financing, administration, and logistics, identifies personnel by discipline and specific study area. Prefaccionit with maps and photographs is given of major scientific achievements. Appendixes give additional details and raw data from various specific projects and field notes provide on the spot chronology of progress and problems encountered as the projects unfolded.

36-2580

Seismic refraction survey on sea ice near Butter Point, New Harbour, McMurdo Sound. D., et al. Immediate report of Victoria University

of Wellington Antarctic Expedition 1980-1981, compiled by A. Pyne, Wellington, New Zealand, 1981, p.10-13, 7 refs.

Dibble, R.R.

Seismic surveys, Seismic refraction, Sea ice, Antarctica-McMurdo Sound.

Trea—Nacymerdo Sound.

The purpose of the project was to provide data on sediment thickness for possible further drilling and to investigate the cause of a gravity anomaly reported earlier. Details are given in terms of survey location and dates accomplished; instruments, equipment, and materials and how they were used; position of survey lines; and a preliminary analysis and results of the

36.2581

Explosives for Scott Base.

Pyne, A., Immediate report of Victoria University of Wellington Antarctic Expedition 1980-1981, com-piled by A. Pyne, Wellington, New Zealand, 1981, p. 28-30.

Explosives, Ice blasting, Antarctica—Scott Station. Explosives, the classing, Attairctica—Scott Station. Types of explosives and detonation practices are given for seismic studies and for making access holes in the sea ice for sea water and floor sampling. An ice quarry near Scott Base was blasted as a source of fresh water when the "reverse osmosis" water plant became inoperative. Details of the blasting are

36-2582

Review of the effect of ice storms on the power indus-

Bendel, W.B., et al. Journal of applied ineteorology. Dec. 1981, 20(12), p.1445-1449, 10 refs. Paton, D.

Ice storms, Electric power, Damage, Cost analysis,

Possibility of detecting meteorites buried within the

rossionity of actecting meteorites outled within the ice by radio ecbo sounding.

Nishio, F., et al. Tokyo. National Institute of Polar Research. Memoirs, Dec. 1981, Special issue 20. Symposium on Antarctic Meteorites, 6th. Proceedings, ed. by T. Nagata, p.9-16, 6 refs.

Wada, M., Mac, S. Ice sheets, Radio echo soundings.

Ice sheets, Radio echo soundings.

As the size distributions of diameter of meteorite pieces are given for the Yamato stony meteorites and the iron meteorites, the relation between the detectable diameter of meteorite pieces and the burial depth in the ice was obtained. It is concluded that the Yamato stony meteorites are detectable unless the burial depth exceeds 10m. For the iron meteorites, if the diameter is about 20 cm, the maximum frequency of diameter in size distribution, they are detectable within a depth of about 50m. (Auth. mod.)

36-2584

Radio echo sounding in the area of the Yamato Mountains.

Wada, M., et al. Tokyo. National Institute of Polar Research. Memoirs, Dec. 1981, Special issue 20. Symposium on Antarctic Meteorites, 6th. Proceedings, ed by T. Nagata, p.17-24, 12 refs. Yamanouchi, T. Mae, S. Kusunoki, K. Glacier flow, Radio echo soundings, Ice sheets, An-

tarctica-Queen Fabiola Mountains.

In order to survey the bedrock topography in the bare ice area, airborne radio echo sounding was carried out in January 1980. Results of the survey are reported; ice flow near Motoi Nunatak, where the flow velocity and the ablation rate of ice were measured, is described. The bare ice area where a lot of meteorites were found is a flat surface area upstream of sub-surface. mountains (Auth. mod.)

36-2585

Methods of hydrogeological and engineering-geologi-

methods of hydrogeological and engineering-geological investigations. [Metody gidrogeologicheskikh inzhenetno-geologicheskikh issledovanin, Frolos, N.M., ed., Moscow Vsesouvrnyi nauchnossledovate/skir institut gidrogeologii i inzhenerno geologii - friidy, 1979, Vol. 132, 102p., In Russian For selected papers see 36-2586 through 36-2590

River diversion, Permafrost transformation, Perma frost distribution, Mapping, Tundra, Forest tundra, Polar regions, Permafrost thermal properties, Hydrothermal processes. Surveys.

36-2586

Peculiarities of forecasting hydrothermal regime in northeastern Europe. (Osobennosti prognoza gi-drogeotermicheskogo rezhima evropeiskogo Severo-

drugenovimi.
Vostokaj.
Frolov. N.M., Moscow Vsesoniznyi nauchno-issledovateľskii institut gidrogeologa i inzhenernoi geologii. Trudy. 1979. Vol. 132, p.5-22. In Russian

drology, Frozen rock temperature, Mapping, Polar regions, Hydrothermal processes, Economic development, Soil water migration, Heat transfer.

Regional forecasts of changes in hydrogeological and engineering-geological conditions due to river diversion. [Metodika regional'nykh prognozov izmenenija gidrogeologicheskikh i inzhenerno-geologicheskikh

glutogeologicheskikt i interferiencegologicheskikt uslovij pod Vinaniem perebroski stoka rek.). Antypko, B.L., et al., Moscow — Vsesojuzny i nauchnossledovateľskie institut gidrogeologi i inzhenemoi geologi — Trady., 1979, Vol.132, p.23-26, In Russian, Gol'dberg, V.M., Kiuntself, V.V., River diversion, Permafrost beneath rivers, Perma-

frost hydrology, Permafrost thermal properties, Polar regions, Frozen rock temperature, Hydrothermal Drocesses.

36-2588

Landscape indication studies in the combined hy-drogeological and engineering-geological surveys of western BAM area. (Landshaftno-indikatsionnye issledovanna pri kompleksnoi gidrogeologicheskoi i inzhenerno-geologicheskoi stjemke v zapadnoi chasti

Sokolovskii, L.G., et al, Moscow Vsesoiuznyi nauchno-issledovateľskii institut gidrogeologii i inzhenerno geologii Trudy, 1979, Vol. 132, p.54-59, In. Russion - 4 refs.

Koniukhova, T.A., Gostev, A.N.

Landscape types, Engineering geology, Surveys, Permafrost distribution, Permafrost hydrology, Mapping, Baykal Amur railroad.

Landscape indication method used in mapping permafrost and hydrogeothermal conditions. Merzlotnogidrogeotermicheskoe kartirovanie s ispol zovaniem landshaftno-indikatsionnogo metodaj,

Frolov, N.M., et al. Moscow. Vsesoiuznyi nauchnoissledovateľskii institut gidrogeologii i inzhenernoi geologii. Trudy, 1979, Vol.132, p.60-74, In Russian. 6 refs.

Seleznev, A.N., Shkatunkin, V.N.

Mapping, Route surveys, Landscape types, Perma-frost distribution, Tundra, Discontinuous permafrost.

36-2590

Interrelationship between the moisture regime and heat conductivity of rocks in the aeration zone of the Polar Tundra Zonal MGP Station (Vorkuta). [Vzaimosviaz' rezhima vlazhnosti i temperaturoprovodnosti porod v zone aeratsii na territorii Pripoliarno-tundrovor zonal'noi stantsii MGP (g. Vorkuta)₁, Petrova, R.G., et al. Moscow Vsesouznyi nauchno-

issledovateľskii institut gidrogeologii i inzhenernoi geologii. Trudy, 1979, Vol.132, p.83-86, in Russian 5 refs.

Kakunov, N.B.

Tundra, Permafrost thermal properties, Forest tundra, Cryogenic soils, Thermal conductivity, Hydrothermal processes. Aeration.

Modern methods of studying the state and properties of rocks, ¡Sovremennye metody izucheniia svoisty i

of rocks, footmering metody truenentia worsty is sostinaria gornykh porody.

Dem'ianova, I.A., ed., Moscow Vsesouznyi nauchnosissledovateľ skir mstruti gidrogeológii i inzhenermo geológii. Trudy, 1979, Vol 133, 103p, In Russian For selected papers see 36-2592 and 36-2593. Refs.

Engineering geology, Surveys, Permafrost distribution, Permafrost depth. Permafrost structure, Active layer, Lithology. Frozen fines, Clays, Hygroscopic water. Penetration tests, Nuclear magnetic reso-

Determining lithologic composition of active layers in engineering-geological surveys. [Opredelenie litologicheskogo sostava sezonimi semkej, geokriologicheskoi s''emkej, Vsesoiuznyi nauchnocheskogo sostava sezonno-talogo sloia pri inzhenerno-

issledovateľskih institut gidrogeologii i inzhenemo: geologii. Trudy. 1979. Vol.133, p.45-49, In Russian. Engineering geology, Surveys, Permafrost distribution, Permafrost depth, Permafrost structure, Active laver. Lithology.

36-2593

NMR and penetration methods of studying the state and properties of bound water in clays. [Issledovanie sostojanija i svojstv sviazannoj vody v glinakh sostolanila i svoistv avanaminetodami IAMR i penetratsiij, was al Moscow. Vsesoiuznyi nauchno-

Fedodeev, V.I., et al, Moscow. Vsesoiuznyi nauchno-issledovateľ skii institut gidrogeologii i inzhenernoi geologii. Trudy, 1979, Vol.133, p.91-97, In Russian. 4 refs

Kul'chitskii, L.I., Savchenko, Z.A

Frozen fines, Clays, Hygroscopic water, Penetration

36-2594

Geocryological investigations. [Geokriologicheskie issledovaniiaj, Shehur, IU.L., ed. Moscow.

Vsesoiuznyi nauchnoissledovateľskii institut gidrogeologii i inzhenernoi geologii. Trudy. 1980, Vol.138, 93p., In Russian. For individual papers see 36-2595 through 36-2609. Refs. passim.

Geocryology, Frost penetration, Frozen ground thermodynamics, Soil water migration, Heat transfer, Ice formation, Frost heave, Frozen fines, Clay soils, Taiga, Forest tundra, Tundra.

36-2595

Thermodynamic conditions of pore water at the frost penetration boundary. ¡Termodinamicheskie usloviia

v porovoi vlage na granitse promerzaniiaj. Grechischev. S.E., Moscow. Vsesoiuznyi nauchno-issledovateľski institut gidrogeologii i inzhenernoi geologii. Trudy. 1980. Vol. 138. p.4-9. In Russian. 7 refs.

Soil freezing, Frost penetration, Soil water, Porosity, Phase transformations, Ice formation, Water films, Minerals, Frozen ground thermodynamics.

Theoretical and experimental studies of frost heave in clay soils at a steady frost penetration rate. [Teoreticheskie i eksperimental'nye issledovanija kriogennogo pucheniia glinistykh gruntov pri postoiannoi skorosti

promerzaniia₁, Borozinets, V.E., et al, Moscow. Vsesoiuznyi nauchno-issledovateľ skii institut gidrogeologii i inzhenernoi geologii. Trudy, 1980, Vol.138, p.9-14, In Russian. 4 refs

Greehishehev, S.E.

Soil freezing, Frost penetration, Freezing rate, Phase transformations, Ice formation, Frost heave, Clay soils. Heat transfer.

36-2597

Influence of spring-summer precipitation on the seasonal thawing depth and temperature of soils. (Vliia-nie vesenne-letnikh osadkov na glubinu sezonnogo ot-

issledovateľ sků institut gidrogeologii i inzhenernoi geologii. Trudy, 1980, Vol.138, p.15-22, In Russian. 12 refs.

Shehur, IU.L

Active layer, Soil temperature, Seasonal freeze thaw, Thaw depth, Rain, Heat transfer.

16.2598

Soil temperature distribution on the left shore of the Pur River (the interfluve of the Evo-Yakh and Yagenett rivers), (Osobennosti raspredelenija temperatury gruntov na levoberezh'e p. Pur (mezhdurech'e pp. Ebo-IAkha i IAgenetta), Goral'chuk, M.I., et al, Moscow Vscsoiuznyi nauch-

nu-issledovateľ skii institut gidrogeologii i inzhenernoi geologii. Trudy, 1980, Vol. 138, p.22-34, In Russian. 4 refs.

Kritsuk, L.N

Cryogenic soils, Taiga, Active layer, Soil tempera ture, Thermal regime, Peat, Paludification, Frost penetration, Soil air interface, Heat transfer, Snow . cover effect.

36-2599

Ice content of perennially frozen rocks in the northern part of the Urengoy structure. [L'distost' mnogoletnemerzlykh mineral nykh porod severnor chasti Urengoiskoi struktury₃,

Anan'eva, G.V., Moscow. Vsesoiuznyi nauchno-issledovatel'skii institut gidrogeologii i inzhenernoi geologii. Trudy, 1980, Vol.138, p.34-39, In Russian 2 refs. Vsesoiuznyi nauchno-

Forest tundra, Permafrost distribution, Permafrost structure, Ground ice, Ice volume, Alluvium, Frozen

36-2600

Relation of recent exogenic processes to landscape differentiation of the Urengoy structure. [Sovremennve ekzogennye protsessy i sviaz' ikh s landshaftnor differentsiatsiei Urengoiskoi struktury,

Ukraintseva, N.G., Moscow. Vsesoiuznyi nauchno-issledovatel'skii institut gidrogeologii i inzhenernoi geologii. Trudy. 1980, Vol.138, p.39-45, In Russian. 3 refs.

Forest tundra, Landscape types, Lakes, Swamps, Cryogenic soils, Thermokarst, Frost heave, Frost shattering.

Frost heave during permafrost formation in northwestern Siberia. [Kriogennoe puchenie pri mnogoletnem promerzanii porod na severe Zapadnoi Sibiri, Nevecheria, V.L., Moscow. Vsesoiuznyi nauchnoissledovateľskii institut gidrogeologii i inzhenernou geologii. Trudy, 1980, Vol. 138, p. 45-49, In Russian. Permafrost origin, Permafrost structure, Frost penetration, Frost heave, Permafrost heat balance, Permafrost heat transfer, Frozen rock temperature, Snow cover effect.

Selection of observation sites for rock stream movements. ¡Vybor ploshchadok dlia nabliudenii za dvizheniem kurumovi, Gravis, G.F., Moscow.

Glavis, G.F., Moscow. Vsesoiuznyi nauchno-issledovatel skii institut gidrogeologii i inzhenernoi geologii. Trudy, 1980, Vol.138, p.49-53, In Russian. 5 refs. Vsesoiuznyi nauchno-

Alpine landscapes, Rock streams, Frost action, Flow rate, Meltwater, Ice formation, Freeze thaw cycles.

Revegetation of disturbed surfaces in northwestern Siberia and its effect on permafrost conditions. [Vos-stanovlenie rastitel'nogo pokrova na uchastkakh tekhnogennykh narushenii severa Zapadnoi Sibiri i viiianic ego na geokriologicheskie uslovija,

Moskalenko, N.G., Moscow. Vscsoiuznyi nauchno-issledovatel'skii institut gidrogeologii i inzhenernoi geologii. Trudy, 1980, Vol.138, p.53-62, In Russian.

Active layer, Human factors, Soil erosion, Revegetation, Permafrost depth, Cryogenic soils, Taiga, Environmental protection.

Palynological characteristics and vertical growth rate of Holocene peats in the Pur River basin. [Palinologicheskaia kharakteristika i vertikal'naia skorost' rosta

golotsenovykh torfianikov basseina r. Purj. Sheshina, O.N., Moscow, Vsesoiuznyi nauchno-issledovatelskii institut gidrogeologii i inzhenenon geologii. Trudy. 1980. Vol. 138, p.62-68, In Russian

River basins, Paludification, Peat, Paleoecology, Palynology, Forest tundra.

36-2605

Long range air temperature variations and their relation to rock temperatures in northeastern Europe. rVekovye izmenenija temperatury vozdukha i ikh v zajnosviaz' s temperaturoi porod evropeiskogo Severo-Vostokaj, Bobov, N.G., et al, Moscow. Vsesoiuznyi nauchno-

issledovateľ sků institut gidrogeologii i inzhenernoi geologii. Trudy, 1980, Vol. 138, p. 68-73, In Russian.

Maksimov, V.V., Solov'eva, O.V.

Permafrost distribution, Active layer, Permafrost depth, Soil air interface, Heat transfer, Air temperature, Frozen rock temperature, Temperature varia-

Variations in the strength of porous limestones during wetting and freezing. Azmenenie prochnosti poristykh izvestniakov pri uvlazbnenii i promeizaniij. Zil'berbord, A.F., et al, Moscow - Vsesouziivi nauch-

no-issledovateľ skir institut gidrogeologu i inzhenemor geologii. Trudy, 1980, Vol 138, p 74-77, In Russian.

Fines, Porosity, Grain size, Wettability, Frost penetration, Frozen rock strength.

Experimental study of mass transfer coefficients of medium hardness rocks. [Eksperimental noc izuchenie koeffitsientov massootdachi poluskal'nykh gornykh porodi,

Vasil'ev, A.A., Moscou Vsesojuznyi nauchnoissledovateľskii institut gidrogeologii i inzhenernor geologii. Trudy, 1980, Vol. 138, p.78-82, In Russian

Fines. Porosity, Moisture transfer, Heat transfer, Subsurface structures, Underground facilities.

Seasonal thawing beneath sunlit surfaces, (Sezonnoc protaivanie pod osveshchennymi solntsem poverkhnostiami₁.

Slavin-Borovskii, V.B., Moscow. Vsesoiuznyi nauchno-issledovatel skli institut gidrogeologii i mzhenernoi geologii. Trudy, 1980, Vol 138, p.83-89. In Russian.

Active layer, Solar radiation, Thaw depth, Soil air interface. Heat transfer.

36-2600

Formation of nonhomogeneous fracture polygons in grounds of permafrost areas. ¿Usloviia obrazovaniia neodnorodnykh poligonov rastreskivanija v gruntakh kriolitozony₁.

V.Ch.-Ü Moscow Vsesoiuznyi issledovateľskii institut gidrogeologii i inzhenernor geologii. Trudy, 1980, Vol.138, p.89-92, In Russian 3 refs

Geocryology, Frost shattering, Permafrost depth, Active layer, Patterned ground, Mathematical models.

Ray Mountains, central Alaska; environmental anal-

ysis and resources statement.

Farquhar, N., ed. Middlebury, Vermont, Middlebury College Press, 1980, 390p., Refs. passim. For selected papers see 36-2611 through 36-2615. Schubert, J., ed.

Environments, Natural resources, Geomorphology, Permafrost, Geology, Vegetation, Ecosystems, Alpine tundra, Cryogenic soils, Mountains, United States— Alaska-Ray Mountains.

36-2611

Geomorphology.

Tarloy, R., et al. Ray Mountains, central Alaska; environmental analysis and resources statement. Edited by N. Farquhar and J. Schubert, Middlebury, Vermont. Middlebury College Press, 1980, p.61-77, 11 refs

Geomorphology, Ground ice, Frost action, Glaciation, Pleistocene, Periglacial processes, United States-Alaska-Ray Mountains.

36-2612

Soils.

Smith, T.W., Ray Mountains, central Alaska; environmental analysis and resources statement. Edited by Farquhar and J. Schubert, Middlebury, Middlebury College Press, 1980, p.79-100, 5 refs. Permafrost distribution, Soils, Cryogenic soils, Geo-cryology, Vegetation, Mountain soils, United States Alaska-Ray Mountains.

36-2613

Floristics

Kassler, T., Ray Mountains, central Alaska, environmental analysis and resources statement. Edited by N. Farquhar and J. Schubert, Middlebury, Vermont, Middlebury College Press, 1980, p 101-146, 24 rets Vegetation, Classifications, Alpine landscapes, Mountains, United States Alaska—Ray Moun-

Vegetation.

Brock, S., et al. Ray Mountains, central Alaska: environmental analysis and resources statement. Edited by N. Farquhar and J. Schubert, Middlebury, Vermont, Middlebury College Press, 1980, p.147-202, 15 refs Burke, I

Vegetation patterns. Remote sensing, Classifications, Alpine tundra, Trees (plants), Tundra, LANDSAT, Mountains, United States—Alaska—Ray Mountains.

36-2615

Ecosystems.

Schubert, J., Ray Mountains, central Alaska: environmental analysis and resources statement Edited by N. Farquhar and J. Schubert, Middlebury, Vermont, Middlebury College Press, 1980, p.317-354, Refs. p.351-354.

Ecosystems, Tundra, Mountains, Forest land, Alpine tundra, Vegetation, United States—Alaska—Ray

36-2616

Active layer growth, Illisarvik experimental drained lake site, Richards Island, Northwest Territories. Mackay, J.R., Canada. Geological Survey. Pap. 1982, No.82-1A, Its Current research, Part A, p.123-

126. 3 refs. Frost heave, Active layer, Permafrost thickness, Lakes, Bottom sediment, Taliks, Drainage, Soil freezing.

36-2617

Research program 1980-1981.

Division of National Research Council Canada. Building Research, Ottawa, June 1980, 54p. In English and French

Cold weather construction, Buildings, Thermal properties, Research projects, Frost action, Frozen ground physics, Design, Fires, Heat loss.

Reports of the 1980 glaciological program, (Relazioni della campagna glaciologica 1980₃. Geografia fisica e dinamica quaternaria. 1981, 4(2), p.138-191, In Ital-

Glaciology, Glacier oscillation, Glacier flow, Research projects.

Phase change around a circular cylinder.

Lunardini, V.J., Journal of heat transfer, Aug. 1981, 103(3), MP 1507, p.598-600, 14 refs.

Phase transformations, Pipes (tubes), Heat transfer, Freeze thaw cycles, Frozen ground physics, Boundary layer, Heat balance, Analysis (mathematics).

36-2620

Geotechnical aspects of trans-Alaska pipeline system. Luscher, U., International Conference on Soil Mechanics and Foundation Engineering, 9th, Tokyo. Proceedings. Case history volume, (Tokyo, 1977₁, p.83-106, 24 refs.

weather construction, Pipe laying, Permafrost beneath structures, Permafrost preservation, Route surveys, Engineering, Freeze thaw cycles, Soil creep, Pipelines, Design, United States-Alaska.

Evaluation of geothermal energy for heating highway structures.

Swanson, H.N., Colorado Department of Highways Division of Transportation Planning. Report, May

1980. CDOH-DTP-R-80-6, 62p., 12 refs. Geothermy, Ice prevention, Bridges, Road icing, Heat pipes, Water chemistry, Heating.

Hydraulic conductivity of a glacial till in Alberta. Hendry, M.J., Ground water, Mar-Apr. 1982, 20(2). p. 162-169, 22 refs.

Glacial deposits, Hydrogeology, Drainage, Weathering, Ground water, Hydraulics,

Ice point and triple point.

Nash, L.K., Journal of chemical education. Dec. 1981, 58(12), p.979, 5 Refs.

Freezing points, Ice physics, Water, Water vapor, Phase transformations, Temperature effects, Atmospheric pressure, Analysis (mathematics).

36-2624

Research and development for civil engineering in cold regions

Hardy (R.M.) and Associates, Ltd., R.M. Hardy and Associates Ltd. Contract No.OSR77-00157, DBR CRP-2, Calgary, Alberta, Dec. 1978, 101p. Cold weather construction, Engineering, Frozen

ground strength, Construction materials, Drilling, Frost heave, Soil creep, Hydrology, Snow roads, Equipment, Earthwork

36-2625

Development of high sensitive water monitor protected with ice layer.

Sasaki, T. et al. American Nuclear Society. Transactions. 1980, Vol.35, p.53-55, Extended summary Monitors, Ice cover thickness, Protection, Pipes (tubes), Radioactive wastes, Water pollution, Detection, Nuclear power, Scintillation.

Physical aspects of remote sensing of the oceanatmosphere system. [Fizicheskie aspekty distantsionnogo zondirovaniia sistemy okean-atmosferaj, Malkevich, M.S., ed. Moscow, Nauka, 1981, 216p., In

For selected papers see 36-2627 through Russian Refs. passim.

Spacecraft, Remote sensing. Infrared equipment, Oceans, Surface temperature, Ice conditions, Snow cover, Radiation measuring instruments, Supercooled clouds, Supercooled fog, Aircraft icing, Lasers, Pulse

36-2627

State of the problem of thermal monitoring of the ocean-atmosphere system from space. ¡Sostoianie problemy termicheskogo zondirovanija sistemy okeanatmosfera iz kosmosaj.

Malkevich, M.S., Fizicheskie aspekty distantsionnogo zondirovanija sistemy okean-atmosfera (Physical aspects of remote sensing of the ocean-atmosphere system) edited by M.S. Malkevich, Moscow, Nauka, 1981, p.6-28, In Russian. 33 refs.

Spacecraft, Infrared equipment, Oceans, Surface temperature, Air water interactions, Ice conditions, Water temperature, Snow cover.

36-2628

Determining characteristics of radiance transformations in the visible and IR part of the spectrum. Opredelenie kharakteristik transformatsii jarkosti v vidimoi i blizhnei IK-oblasti spektraj,

Badaev, V.V., et al. Fizicheskie aspekty distantsionnogo zondirovaniia sistemy okean-atmosfera (Physical aspects of remote sensing of the ocean atmosphere system) edited by M.S. Malkevich, Moscow, Nauka.

1981, p.84-99, In Russian. 27 refs. Gorodetskii, A.K., Kozlov, E.M., Petrenko, B.Z. Spacecraft, Radiation measuring instruments, Infra-red equipment, Sea ice, Snow cover, Albedo, Brightness, Scattering, Reflection, Aerosols, Transparence.

Combined method of determining phase composition of water in clouds. [Kompleksnyl metod opredeleniia fazovogo sostojanija vody v oblakakhj, Gorodetskii, A.K., et al, Fizicheskie aspekty distant-

sionnogo zondirovania sistemy okean-atmosfera (Physical aspects of remote sensing of the ocean-atmosphere system) edited by M.S. Malkevich, Moscow, Nauka, 1981, p.172-178. In Russian. 13 refs. Orlov, A.P., Siachinov, V.I., Matveev, D.T.

Cloud physics, Supercooled clouds, Ice crystals, Aircraft icing, Spacecraft.

Informational content of backscatter signals during laser sounding of quasi-homogeneous clouds. [K informativnosti signalov obratnogo rasseianiia pri lazernom zondirovanii kvaziodnorodnykh oblakovi,

Gorodetskii, A.K., et al, Fizicheskie aspekty distantsionnogo zondirovanija sistemy okean-atmosfera (Physical aspects of remote sensing of the occan-atmosphere system) edited by M.S. Malkevich, Mos-cow, Nauka, 1981, p.191-250, In Russian 21 refs Gol'din, IU A., Malkova, V.S.

Cloud physics, Backscattering, Supercooled fog, Supercooled clouds, Ice crystals, Remote sensing, Lasers, Pulse modulation, Mathematical models, Experimentation.

36-2631

Formulation of the basic and conditioned problems on heat transfer in the atmosphere-ocean-soil system. (O postanovke osnovnot i sopriazhennoi zadach perenosa tepla v sisteme atmosfera-okean-pochyaj,

Skiba, H.N. Matematicheskoe modelirovanie dinamiki okeana (matematicheskoe modelirovanie dinamiki atmosfery i okeana) chast I. Shornik nauchnykh trudov (Mathematical modeling of ocean dynamics (mathematical modeling of the atmosphere and ocean dynamics) Part 1 Collection of works) edited by G.I. Marchuk, Novosibirsk, 1980, p 170-179, In Russian. 3 refs.

Air water interactions, Soils, Heat transfer, Sea ice, Ice cover, Snow cover, Soil temperature, Air temperature, Mathematical models.

Forecasting temperature as a factor in ship performance conditions, [Prognozirovanie temperatus primenitel'no k uslovnam ekspluatatsu sudovykh kon temperatur struktsin.

Maksimadzhi, A.I., et al, Leningrad Tsen:ral'nyi nauchno-issledovateľskii institut morskogo flota Trudy, 1981, Vol 267, p 56-58, In Russian. Kuteminskir, V.P.

Ice navigation, Ships, Icebreakers, C uction materials, Brittleness, Frost action. Arc-、'n.

36-2633

Thermal stresses on cylindrical footings 1raulic structures. (O temperaturnoi nagruzke cheskie opory zhelezobetonnykh gidrotek :eskikh sooruzheniij. Almazov, V.O., et al, Moscow. Inzhene viral'-

ny'i institut. Sbornik tr 173, In Russian. 4 refs. Sbornik trudov, 1981, No Shmaevich, L.I.

Hydraulic structures. Reinforced concrete

Ice loads, Concrete freezing, Porosity, Ice formation, Low temperature tests, Laboratory techniques.

36-2634

Design of the mechanical part of super-high voltage overhead lines. Proektirovanie mekhanicheskor chasti vozdushnykh linii sverkhvysokogo napriaz-

Zelichenko, A.S., et al. Moscow, Energoizdat, 1981, 336p., In Russian. 42 refs. Smirnoy, B.L.

Electric power, Power line supports, Foundations, Ice loads, Power line icing, Wind factors, Lightning, Electrical grounding.

36-2635

Radar backscattering by inhomogeneous precipita-

Bohren, C.F., et al. Journal of the atmospheric sciences, Aug. 1980, 37(8), p.1821-1827, 23 refs. Battan, L.J.

Snowflakes, Precipitation (meteorology), Radar echoes, Scattering, Ice air interface, Dielectric properties. Ice water interface, Particles, Wave propaga tion. Analysis (mathematics).

36.2636

Radiative transfer on a linear lattice: application to anisotropic ice crystal clouds.

Stephens, G.L., Journal of the atmospheric sciences, Sep. 1980, 37(9), p.2095-2104, 24 refs.

Radiometry, Ice crystal structure, Anisotropy, Cloud physics, Microstructure, Heat transfer, Mathematical models. Supercooled clouds.

36-2637

Modeling hydrologic time series from the Arctic. Baracos, P.C., et al. Water resources bulletin, June 1981, 17(3), p.414-422, 18 refs Hipel, K.W., McLeod, A.I. Hydrology, Snowmelt, Stream flow, Models.

Maintaining buildings in the Arctic.

Tobiasson, W., et al. Batiment international—Building research and practice, July-Aug. 1977, 5(4), MP 1508, p.244-251, In English and French. landers, S.N., Korhonen, C

Thermal insulation, Buildings, Heat transfer, Moisture transfer, Maintenance, Urea, Leakage, Infrared photography, United States-Alaska.

photography, United States—Alaska.

Close interest in the work of CIB working commission W 40 on heat and moisture transfer has prompted the authors, who are scientists working with the US Army Cold Regions Research and Engineering Laboratory, to send us these two summaries of remedial work on houses in Alaska. The first indicates the scope for simple injection of ird wood-frame buildings, the second shows how: Tra-red photography can cut the cost of repairs to leaking roofs. to leaking roofs

Bibliography of Books and Articles on China's Glaciers and Frozen ground, Vol. 1, 1938-1979. ¿Zhongguo bingchuan dongtu wenyian muluj, Lanzhou Institute of Glaciology and Cryopedology,

70p., In Chinese

Glaciology, Bibliographies, Quaternary deposits, Frozen ground, Snow survey tools, Permafrost.

New snow protection handbook, (Shin bosetsu kogaku hando bukkuj.

Japan Construction Machinery Association, Tokyo, Morikita Shuppan Kabushiki Kaisha, 1977, 511p., In

Nihon Kensetsu Kikaika Kyokai.

Snow fences, Snow accumulation, Snow mechanics. Snow hedges, Avalanche engineering, Snow removal, Snow melting, Damage.

36-2641

Nitrogen fixation in Arctic marine sediments.

Knowles, R., Arctic Petroleum Operators Association. Calgary, Alta. Report, Dec. 1975, APOA 72-9, 44p., Refs. p.37-41.

Bottom sediment, Chemical analysis, Marine deposits, Bacteria, Offshore drilling, Beaufort Sea.

36-2642

Biodegradation of crude petroleum by the indigenous microbial flora of the Beaufort Sea.

Bunch, J.N., et al, Arctic Petroleum Operators Association, Calgary, Alta: Report, Mar. 1976, APOA 72-10, 52p., Refs. p.42-44. Harland, R.C.

Oil spills, Degradation, Bacteria, Sea water, Water chemistry, Bottom sediment, Ice conditions, Microbiology, Beaufort Sea.

36-2643

Biological productivity of the southern Beaufort Sea: phytoplankton and seaweed studies.

Hsiao, S.I.C., Arctic Petroleum Operators Associa-tion, Calgary, Alta. Report, Mar. 1976, APOA 72-Report, Mar. 1976, APOA 72-12c, 99p., Refs. p.31-35.

Biomass, Sea water, Plankton, Bottom sediment, Seaweeds, Beaufort Sea.

36-2644

Tar and particulate pollutants on the Beaufort Sea coast.

Wong, C.S., et al. Arctic Petroleum Operators Association, Calgary, Alta. Report, Mar. 1976, APOA

MacDonald, D., Cretney, W.J.

Ocean environments, Water pollution, Sea water, Shores, Plastics, Waste disposal, Tar, Beaufort Sea.

36-2645

Mackenzie River input to the Beaufort Sea.

Davies, K.F., Arctic Petroleum Operators Association, Calgary, Alta. Report, Dec. 1975, APOA 72-15, 2p., 3 refs.

River flow, River ice, Ice cover thickness, Water temperature, Channels (waterways), Beaufort Sea, Canada—Northwest Territories—Mackenzie River.

36-2646

Near bottom currents and offshore tides.

Huggett, W.S., et al. Arctic Petroleum Operators Association, Calgary, Alta. Report, Dec. 1975, APOA 72-16, 38p., 17 refs. Woodward, M.J., Stephenson, F., Hermiston, F.V.,

Douglas, A

Ocean currents, Tides, Ice conditions, Water waves, Wind factors, Offshore drilling, Storms, Beaufort Sea.

36.2647

Physical oceanography of the south-eastern Beaufort

Herlinyeaux, R.H., et al, Arctic Petroleum Operators Association, Calgary, Alta Ri APOA 72-18, 97p., Refs. p.81-83. Report. Dec. 1975. Lange Boom, BR de

Oceanography, Ice conditions, Sea ice distribution, Drift, Water waves, Ocean currents, Wind factors, Remote sensing, Seasonal variations, Beaufort Sea.

36-2648

Occurrence of permafrost and frozen sub-seabottom materials in the southern Beaufort Sea.

Hunter, J.A.M., et al., Arctic Petroleum Operators Association, Calgary, Alta Report, Apr. 1976, APOA 72-22, 174p., Refs. p.81-88

Subsea permafrost. Bottom sediment. Thermal regime, Soil temperature, Degradation, Soil freezing, Ground thawing, Offshore drilling, Exploration. Beaufort Sea.

Preliminary results on the structure and functioning

of a taiga watershed. Lotspeich, F.B., et al., Alaska, University of Water Resources Report, Nov. 1981, IWR-101, 94p., Refs. p.88-94. Slaughter, C.W.

Taiga, Watersheds, Ecology. Discontinuous permafrost, Hydrology, Stream flow, Vegetation, Soils. 30-2650

Breakup of solid ice covers due to rapid water level variations.

Billfalk, L. U.S. Army Cold Regions Research and Engineering Laboratory, Feb. 1982, CR 82-03, 17p., ADA-112-819, 19 refs.

Ice breakup, Ice cover thickness, River ice, Water level, Water waves, Flexural strength, Freezeup. Variations, Ice formation, Time factor, Icebound rivers, Analysis (mathematics).

The conditions that lead to initial breakup of a solid ice cover on a river due to rapid water level variations are analyzed. The analysis is based on the theory of beams on an elastic foundation. First cracking is assumed to occur when the bending moment induced in the ice cover by the wave exceeds the flexural strength of the ice cove

36-2651

Simultaneous melting and freezing in the impingement region of a liquid jet.

Epstein, M., et al., A.I.Ch.E. journal. Sep. 1980, 26(5), p.743-750, 20 refs.

Liquids, Hydraulic jets, Freeze thaw tests, Phase transformations, Temperature effects, Solids,

36-2652

Heat transfer from two-phase boundary layers on isothermal cylinder: influence of drop trajectory. Lu, C.C., et al, A.I.Ch.E. journal. Sep. 1980, 26(5),

p.762-769, 24 refs. Heyt, J.W

Heat transfer, Liquids, Boundary layer, Drops (liquids), Pipes (tubes), Cold chambers.

36-2653

Application of a variable time-step finite-difference ethod for the one-dimensional melting problem including the effect of subcooling.

Yuen, W.W., et al, A.I.Ch.E. journal. Sep. 1980, 26(5), p.828-832 10 refs

leinman,

Melting, Heat transfer, Cooling, Stefan problem, Phase transformations, Temperature effects, Mathematical models.

36.2654

Scattering of millimeter waves by rough surfaces.

Andreev, G.A., et al, Telecommunications and radio engineering, Mar. 1980, 34/35(3), p.110-111, 8 refs. Chernaia, L.F.

Wave propagation, Surface roughness, Scattering, Snow surface, Bitumens, Sands, Mathematical models, Electromagnetic prospecting, Radiation

36-2655

Neutron activation analysis of chlorine in antarctic and arctic snow and ice.

Murozumi, M., et al, *Japan analyst (Bunseki kagaku)*. Aug. 1970, 19(8), p.1049-1056, In Japanese with English summary. 5 refs. Patterson, C.C.

Ice composition, Chemical properties, Snow composi-

A minute amount of chlorine in melted snow can be determined by a neutron activation method, whose accuracy is within 10% error. This method can distinguish antarctic snow from the other, measure the distribution of the element in the interior snow strata and also detect yearly and seasonal variations of snow character. (Auth.)

36-2656

Distribution of mean annual temperatures in the Antarctic Peninsula.

Reynolds, J.M., British Antarctic Survey. Bulletin. Sep. 1981, No.54, p.123-133, 38 refs.

Air temperature, Ice shelves, Antarctica-Antarctic

Altitudinal lapse rates derived from multiple regression ana yes of temperatures from two different climatic regimes, viz maritime on the west of the Antarctic Peninsula and pseudo-continental on the east, are identical over the altitude range from sea-level to 1050 m. Latitudinal lapse rates for the westfrom sea-level to 1050 m. Latitudinal lapse rates for the western and east coast regions are very similar, especially when compared with latitudinal lapse rates from other parts of the Antarctic. A latitudinal lapse rate deduced for Drake Passage to the north of the Antarctic Pennisula is very similar to that obtained for the western region. Despite the apparent uniformity of lapse rates over the pennisula the mean annual air temperatures at sea-level differ by 6C, the east being colder than the west. This climatic contrast is related to a topographic effect caused by the Antarctic Pennisula. The divide between the two climatic regimes lies parallel to the topographic axis of the pennisula but offset to the east and at an altitude around

1,000 m above sea-level. Mean annual air temperatures ad justed to sea-level have been used to derive a map of isotherms for the Antarctic Peninsula. With this information, suitable sites for the recovery of ice cores can be chosen in order to further climatic research as part of the Glaciology of the taretic Peninsula (GAP) programme. Larsen, George VI further climatic research as part of the Glaciology of the Antaretic Peninsula (GAP) programme. Larsen, George VI and Prince Gustav Channel ice shelves have mean annual air temperatures in the range of -6 C to 10 C. These three ice shelves indergo considerable surface melting which results in th. formation of extensive melt-lakes during the summer. (Authmost)

36-2657

Present state of climate in the Arctic, (Sovremennoe

Present state of crimate in the Arctic, providing in sostoranie klimata Arktikij.

Treshnikov. A.F., ed. Meteorologicheskie is-sledovanna, 1981, No. 28, 105p., In Russian For selected papers see 36-2658 through 36-2663. Refs.

Voskresenskii, A.L. ed

Polar regions, Climatic changes, Snow cover distribution, Snowmelt, Sea ice, Ice formation, Air water interactions, Heat transfer, Turbulent exchange, Snow ice interface

36-2658

Peculiarities of recent climatic variations in the Arctic. [Nekotorye osobennosti sovremennykh kolebanii

klimata Arktikij. Lubarskii, A.N., et. al. Meteorologicheskie is-sledovanna, 1981. No 26. p 12-20. In Russian with English summary. 11 rets. Petros 1 S

Polar regions, Climatic changes.

36-2659

Structure of long-term variations of snowless periods in the Soviet Arctic, ¡Struktura mnogoletnikh kolehanii prodolzhiteľ nosti bessnezhnogo perioda v Sovet-

nii prodozimici de la skot Arktikej. Aleksandrov. E.L. et al. Meteorologicheskie is-sledovania. 1981. No 26, p.20-29. In Russian with Fnelish summary. 12 refs.

Briazgin, N.N., Liubarskii, A.N. Polar regions, Snow cover distribution, Snowmelt.

36-2660

Seasonal manifest 'ions of turbulent heat transfer in Arctic seas, ¡Sezonnye proiavleniia turbulentnogo te ploobmena v arktich skikh moriakh].

Chukanin, K.I., Meteorologicheskie issledovaniia, 1981, No.26, p.30-38, In Russian with English summary. 3 refs

Polar regions, Air water interactions, Heat transfer, Turbulent exchange, Ice formation, Ice surface, Phase transformations, Snow ice interface, Hydrotherma'

36-2661

Cause-effect relationship between polar ice and atmospheric thermal conditions. (O kharaktere prichinnosledstvennoi sviazi mezhdu poliarnymi l'dami i termicheskimi uslovijami v atmosferej,

Zakharov, V.F., Meteorologicheskie issledovaniia, 1981, No.26, p.39-57, In Russian with English sum-29 refs.

Polar regions. Sea ice. Air water interactions. Ice growth, Climatic factors.

36-266

Modeling of climates and polar regions, [Modelirova-

nie klimata i poliarnye raionyj. Voskresenskii. A.L. et. al. Meteorologicheskie is-sledovaniia. 1981. No 26. p 57-68. In Russian with English summary. 20 refs agurnyi, A.P

Models, Sea ice. Air water interactions, Heat transfer, Snow cover distribution, Ice conditions, Climatic

Recent evolution of the Arctic sea ice cover Neto. torye osobennosti sovremennoi evoliutsii arktiches-

kogo morskogo ledianogo poktovaj. Zakharov, V.F., et. al, *Meteorologicheskie is-sledovanna*, 1981, No 26, p.76-85, In Russian with English summary 8 rets

Ice conditions, Air water interactions, Heat transfer, Ice formation, Sea ice distribution, Drift, Climatic changes, Arctic Ocean,

Durk conifer forests of the Central Ural Mountains.

[Temnokhvoinye lesa Srednego Urala], Kolesnikov, B.P., ed. Akademiia nauk SSSR. skii nsuchnyl tsentr. Institut ekologii rastenii i zhi-votnykh Trudy, 1979, Vol 128, 144p., In Russian. For selected papers see 36-2665 through 36-2667 Refs passim

Kirsanov, V.A., ed.

Alpine landscapes, Taign. Plant ecology, Ecosystems, Cryogenic soils, Soil formation, Slope processes, Soli-flaction, Nivation, Snow cover distribution, Microclimatology, Soil water migration, Hydrothermal processes. Topographic factors, Slope orientation.

36-2665

Ecologic and geographic aspects of studying mountain taigs in the Central Ural Mountains. [Ekologo-geograficheskie aspekty izucheniia gornol talgi Srednego. Uralaş

Kolomyts, E.G., Akademiia nauk SSSR. Ural'skii nauchnyi tsentr., 1979, Vol.128, p.51-83, In Russian 54 refs

Alpine landscapes, Taiga, Plant ecology, Cryogenic soils, Nivation, Snow cover distribution, Slope processes, Geocryology, Solifluction, Soil temperature.

36-2666

Peculiarities of soil formation in dark conifer forests of the Central Ural Mountains. (O nekotorykh osobennostiakh pochvoobrazovaniia v temnokhvolnykh

ievakh gornoi provintsii Srednego Uralaj, Aref eva. Z.N. Akademiia nauk SSSR. nauchnyi tsentr Institut ekologii rasten L'ral'skit Institut ekologii rastenii i zhivot-Trud), 1979, Vol.128, p.84-96, In Russian. nikh 16 refs

Alpine landscapes, Taiga, Soil formation, Cryogenic soils. Topographic factors. Slope orientation, Micro-climatology, Hydrothermal processes.

36-2667

Seasonal migration of soil moisture in dark conifer forests of southern taigs in the Central Ural Mountains. ¡Sezonnaia dinamika pochvennoi vlazhnosti temnokhvoinykh gornykh iuzhnotaezhnykh lesov Srednego Uralaj, Zubareva, R.S., et al. Akademiia nauk SSSR. Ural'-

skii nauchny) isentr - Institut ekologii rastenii i zhi-votnykh - Trudy, 1979, Vol.128, p.97-120, In Rus-23 refs

Goriachev, V.M., Kuznetsova, G.N.

Alpine landscapes, Taiga, Soil formation, Soil water migration, Cryogenic soils.

Changes in landscapes of petroleum production areas induced by human activities in the Central Ob' River region. (Antropogennye izmeneniia v landshaftakh neftegazodobyvajushchikh rajonov Srednego Pri-

Prokaev, VI., et al. Akademiia nauk SSSR. Ural'skii nauchny) tsentr - Institut ekologii rastenii i zhivot-nykh - Trudy, 1979, Vol.129, p.79-109, In Russian. 12 refs

Mamaey, S.A., Shilova, I.I., Kargashin, A.A.

Petroleum industry, Environmental protection, Cryogenic soils, Soil erosion, Swamps, Human factors, Oil spills Pollution

16. 2669

Application of the heat balance integral to conduction

phase change problems.
Lunardini, V.J. U.S. Army. Cold Regions Research and Engineering Laboratory, Dec. 1981. CR 81-25, 14p. ADA-112 813, 15 refs.

Thermal conductivity. Phase transformations, Heat transfer. Freeze thaw cycles, Frozen ground physics, Stefan problem, Heat flux, Analysis (mathematics), Computer applications, Convection.

Computer applications, Convection.

The problem of heat conduction with phase change—often called the Stefan problem—includes some of the most intractable maintenance and the stefan problem—includes some of the most intractable maintenance and the stefan proproximate methods are widely used. This report discusses the collocation method for the heat balance integral approximation. The method is applied to some standard problems of phase change. Neumann's problem—and a new solution is presented for the case of surface convection for a semi-infinite body. Numerical results are given for soil systems and also for materials of interest in latent heat thermal storage. storage

36-2670

Ary-Mas. Natural conditions and vegetation of the northernmost forest in the world, [Ary-Mas. Prirodyne usloviia, flora i rastitel'nost' samogo severnogo v mire lesnogo massiva₁,

Norin, B.N., ed, Leningrad, Nauka, 1978, 190p., In-Russian with English table of contents enclosed Refs. p.184-188. DLC QK375.A78

Polar regions, Forest land, Paludification, Taiga, Forest tundra, Bibliographies, Vegetation.

Land reclamation in the northwestern USSR, (Melioratsiia zemel' Evropeiskogo Severa SSSR₃, Nesterenko I.M., Leningrad, Nauka, 1979, 360p., Russian with English table of contents enclosed.

DLC S605.2.S65N47

Land reclamation, Swamps, Taiga, Paludification, Permafrost hydrology, Cryogenic soils, Permafrost depth, Peat, Bibliographies, Surface drainage, Subsurface drainage.

36-2672

Studying forest dynamics after fires on the landscape [lzuchenie pos'epozharno) dinamiki lesov na

landshaftnoi osnovej, Furiaev, V.V., et al. Novosibirsk, Nauka, 1979, 159p., In Russian with English teble of contents enclosed. Refs. p.150-157

Kireev, D.M. DLC QK375.F87

Forest fires, Taiga, Revegetation, Cryogenic soils, Spaceborne photography, Mapping, Bibliographies.

From the Baykal Range to the Chara station. (Ot Baikal'skogo khrebta do stantsii Charaj,

Prits, E.A., et al. Transportnoe stroitel'stvo. Mai 1982, No.3, p.9-12, In Russian. Il'in, B.N

Railroads, Buildings, Bridges, Ice loads, Foundations. Permafrost beneath structures, Ground ice, Earthwork, Permafrost hydrology, Naleds, Baykal Amur railroad.

36-2674

Measuring equipment used in construction of the Baykai Amur railroad, Metrologicheskoe obespechenie stroitel no-montazhnykh rabot na BAMe₁,

Beus, M.D., et al. Transportnoe stroitel'stvo, Mar. 1982, No.3, p.13-14, In Russian. Peshekhonov, N.S., Putilin, E.I. Railroads, Hydraulic structures, Buildings, Founda-

tions, Embankments, Permafrost beneath structures, Construction equipment, Measuring instruments, Cold weather performance.

36-2675

Methods of designing tunnels for earthquake regions. Metody rascheta tonnel'nykh konstruktsii v seismi-

Fotieva, N.N., et al. Transportnoe stroite/stvo. Mar 1982, No.3, p.16-18, In Russian, 8 refs. Bulychev, N.S., Chernyshev, A.V., Medeiko, V./ Earthquakes, Permafrost distribution, Tunnels, Baykal Amur railroad.

Forecasting the elasticity coefficient and moisture of earth in roadbeds. [Prognozirovanie vlazhnosti i modulia uprugosti gruntov zemhanogo polotnaj. Shelopaev, E.I., Russia. Ministerstvo vysskego i srednego spetsial'nogo obrazovaniia. shikh uchebnykh zavedenii. Lesnoi zhurnal, 1981. No.6, p 42-45, In Russian 5 refs.

Roadbeds, Hydrothermal processes, Soil water mi-gration. Permafrost beneath roads, Elastic properties. Thermal regime.

36-2677

Calculating thermal regime of permafrost bases of Calculating thermal regime of permanos, trailing dumps, [Raschet temperaturnogo rezhima lozha khyostokhranilishcha na merzlykh gruntakh]. Kochubievskaja, R.L., et al. Russia. Ministerstvo vysshego i srednego spetsial nogo obrazovanna vestna vysshikh uchebnykh zavedenii. Stronel arkhitektura, 1982, No.1, p.95-99, In Russian Stroite/stvo i Dziubenko, L.F

Mining, Tailings, Permafrost bases, Permafrost thermal properties. Thermal regime.

Lightweight pile foundations for gas transfer aggregates. [Oblegchennye syamse fundaments pod gazoperekachivaiushchie agregatyj.

Makar, R.M., et al. Stroitel/sivo truboprovodov, Mar. 1982, No.3, p.13-15, In Russian Kaganovskaia, S.F., Troitskii, E.V., Glikman, N.A.

Petroleum industry, Gas pipelines, Pumps, Concrete structures, Piles.

Using earth-filled plastic containers as ballast. Primenenie polimerno-konteinertriogo ballastiriunsh-chego ustroistva s grantovym zapolintelemj. Mukhametdinov, Kh K. Stroitel'stvo truboprovodov. Mar 1982, No 3, p 26-27. In Russian Swamps, Pipelines, Anchors, Peat, Earthwork, Frozen general Frozen ground.

Method of calculating temperature crack resistance of concrete and kinetics of temperature cracks in mass concrete of hydraulic structures.

Trapeznikov, I. P., Hydrotechnical construction, July 1981 (publ. Jan. 82), 15(7), p.383-391, Translated from Gidrotekhnicheskoe stroitel'stvo 18 refs Hydraulic structures, Concrete structures, Winter concreting, Frost action, Fracturing, Thermal

Computation of sediment discharge by brooks forming on slopes during snow melting in spring. Zubkova, K.M., Soviet hydrology selected papers, 1979, 18(4), p. 265-269, 14 refs.—For Russian original

see 34-1106

Slope processes, Soil erosion, Ground thawing, Snow melting, Runoff, Streams, Suspended sediments.

36-2682

Water temperature under the ice cover of the Bratsk

Shishkanova, E.F., Soviet hydrology: selected papers, 1979, 18(4), p.322-325, 6 refs.—For Russian original see 34-1697.

onds. Electric power, Ice conditions, Icebound lakes, Snow depth. Water temperature, Subglacial observations.

Protection of Siberian soils from erosion and deflation, ¡Zashchita pochy Sibiri of erozii i defliatsiij. Kashtanov, A.N., ed. Novosibirsk, Nauka, 1981. 161p., In Russian – For selected papers see 36-2684 Hop, In Russian For selected papers see 36-2684 through 36-2690 Refs passim

Taiga, Cryogenic soils, Permafrost hydrology, Soil

erosion, Landscape types, Wind erosion, Water erosion, Frost action, Slope processes, Solifluction, Thermokarst, Protective vegetation.

Theoretical bases for creating erosion resistant landscapes in Siberia. [Teoreticheskie osnovy sozdaniia erozionno ustoichivykh landshaftov v Sibirij. Orlov, A.D., Zashchita pochy Sibiri of erozii i defliatsii

(Protection of Siberian soils from erosion and dellation) edited by X.N. Kashtanov, Novosibirsk, Nauka, 1981, p.5-15, In Russian Soil erosion, Cryogenic soils, Landscape types, Per-

mafrost depth, Slope processes, Thermokarst, Solifluction, Gullies.

36-2685

Wind erosion of soils and the application of agricultural-forest melioration methods in western Siberia. (Osobennosti vetrovoi erozii pochy i primenenia agrolesomeliorativnykh meropriiati: v Zapadiioi

Dolgilevich, M.L. Zashchita pochy Sibiri of crozn i defliats) (Protection of Siberiar soils from crossion and deflation) edited by AN Kishtanov, Novosabusk, Nauka, 1981, p.15-22. In Russian – 6 rets. Soil erosion, Cryogenic soils, Wind erosion, Land-

scape types. Protective vegetation.

36-2686

Conditions for the development of erosional processes in the Omsk region. [Uslovija razvitua eroziomiykh professov v Omskor oblastij.

Reingard, IAR, Zashchita pochy Sibiri of croses de Reingard, 1984, 7 Ashemia poets Sign of ero, 6. defiliation (Protection of Sberian sons from erosion had deflation) edited by A.N. Kashtanov, Novosebissi-Nauka, 1981, p. 39-55. In Russian – 7 rets.

Taiga, Cryogenic soils, Soil erosion, Saline soils, Water erosion. Wind erosion, Snow cover effect

36-2687

Formation of erosion resistant landscapes of taiga in the Amur River area. [Formirovanie erozionnoustoi-chivykh landshaftov v taezhnykh raionakh Pria-

Zarkhina, E.S., Zashchita pochy Sibiri ot erozii i defliatsii (Protection of Siberian soils from erosion and deflation) edited by A.N. Kashtanov, Novosibirsk, Nauka, 1981, p.55-62, In Russian.

Taiga, Soil erosion, Slope processes, Cryogenic soils, Frost action, Snow depth, Snow water equivalent, Permafrost hydrology, Solifluction.

36-2688

Soil preservation in the Lake Baykal area. ¡Okhrana pochy Pribatkal'iaj, Kovaleva, S.R., et al. Zashchita pochy Sibiri ot erozii

i defliatsii (Protection of Siberian soils from erosion and deflation) edited by A.N. Kashtanov, Novosibirsk, Nauka, 1981, p.62-75, In Russian. Orloy, A.D.

Environmental protection, Soil erosion, Cryogenic soils, Human factors, Permafrost distribution, Permafrost hydrology, Slope processes, Baykal Amur

36-2689

Formation and control of runoff on slopes with earthfilled gullies. [Osobennosti formirovaniia i sposoby regulirovanija stoka na sklonakh s zasvoannymi ovragamij. Ivonin, V.M., Zashchita pochy Sibiri ot erozii i defliat-

sii (Protection of Siberian soils from erosion and defla-

tion) edited by A.N. Kashtanov, Novosibirsk, Nauka, 1981, p 88-99, Ir. Russian. 3 refs. Slope processes, Soil erosion, Cryogenic soils, Gullies, Snow cover distribution, Snow water equivalent, Runoff.

36-2690

Regional peculiarities of soil erosion in the Lake Baykal area. (Regional'nye osobennosti razrushenija pochvennogo pokrova Pribaikal'iaj. Parshikov, V.P., Zashchita pochv Sibiri ot erozii i de-

fliatsii (Protection of Siberian soils from erosion and deflation) edited by A.N. Kashtanov, Novosibirsk, Nauka, 1981, p.117-123, in Russian. 8 refs. Cryogenic soils, Soil erosion, Permafrost distribution,

Permafrost hydrology, Snow cover effect, Topographic effects.

Studies of hydrologic cycle by satellite surveying methods. ¡Izuchenie gidrologicheskogo tsikla aerokosmicheskimi metodamij. Kondrat'ev. K.IA., ed. Moscow, Radio i sviaz', 1982.

95p., In Russian. For selected through 36-2700. Refs. passim. For selected papers see 36-2692 Kurilova, IU.V., ed.

Remote sensing, Spaceborne photography, Photointerpretation, Snow cover distribution, Snow line, Snow depth, Snow water equivalent, Water balance, Maps, Hydrologic cycle.

36-2692

Principles and methods of studying hydrologic cycle from satellite information, Printsipy i metody izucheniia gidrologicheskogo tsikla po aerokosmicheskoi

informatsiij. Kurilova, IU.V., et al. Izuchenie gidrologicheskogo tsikla aerokosmicheskimi metodami (Studies of hydrologic eyele by satellite surveying methods) edited by K.I.A. Kondrat'ev and IU.V. Kurilova, Moscow, Radio i sviaz', 1982, p.5-18, In Russian with English summary. 32 refs. Grin, A.M., Kolosov, P.A.

Hydrologic cycle, Snow cover distribution, Snow line, Glacial hydrology, Snow melting, Spaceborne photography.

Regional hydrologic interpretation of multiband satellite information. (Opyt regional not gidrologicheskoi interpretatsii mnogozonal'noi sputnikovoi informatsin.

Kulikov, IU.N., Izuchenie gidrologicheskogo tsikla aerokosmicheskimi metodami (Studies of hydrologic cycle by satellite surveying methods) edited by K.I.A. Kondrat ev and JU.V. Kurilova, Moscow, Radio i sviar, 1982, p.19-24. In Russian with English sum-2 refs

Aerial surveys, Spaceborne photography, LANDSAT, Photointerpretation, Swamps, Forest land, Taiga, Tundra, Permafrost distribution, Landscape types, Hydrologic cycle.

36-2694

Differentiation of natural complexes according to water balance from satellite information sovaja differentsiatsija prirodnykh komujeksov na osnove ispol'zovanija kosmicheskikh snimkovi,

Lebedev, A.V., Izuchenie gidrologicheskogo tsikla aerokosmicheskimi metodami (Studies of hydrologic cycle by satellite surveying methods) edited by KIA. Kondrat'ev and IU.V. Kurilova, Moscow, Radio i sviaz', 1982, p.25-29, In Russian with English sum-10 refs.

Forest land, Landscape types, Hydrologic cycle, Hydrothermal processes, Paludification, Spaceborne photography, Snow cover distribution, Snow water equivalent, Maps.

36-2695

Application of remote sensing techniques in hydrology of elementary watersheds. (Vozmozhnosti primeneniia distantsionnykh metodov v oblasti gidrologii elementarnykh vodosborovi,

Kasprzhak, K., et al. Izuchenie gidrologicheskogo tsikla aerokosmicheskimi metodami (Studies of hydrologic cycle by satellite surveying methods) edited by K.J.A. Kondrat'ev and H.V. Kurilova, Moscow, Radio i sviaz', 1982, p.30-35, In Russian with English summary. 7 refs. Shabela, F.

Remote sensing, Radar echoes. Soil water, Water balance, Snow depth, Snow cover distribution, Snow water equivalent, Hydrologic cycle.

Seasonal snow line in the Fergana basin and its use in hydrological forecasts. (Sezonnaia snegovaia granitsa v predelakh Ferganskoi kotloviny i vozmozhnosti ee

ispol zovaniia v gidroprognozakh,. Shcheglova, O.P., et al. Izuchenie gidrologicheskogo tsikla aerokosmicheskimi metodami (Studies of hydrologic cycle by satellite surveying methods) edited by K.I.A. Kondrat'ev and H. V. Kurilova, Moscow, Radio i sviaz', 1982, p.36-41, In Russian with English summary. 10 Chernov, V.IU. 10 refs

Spaceborne photography, Alpine landscapes, Snow cover distribution, Snow line, Snow water equivalent, Hydrologic cycle, USSR-Fergana.

Using satellite photography in studying snow cover dynamics and evaluating average water discharge of the Amudar'ya River during the vegetation period. (Ispol'zovanie sputnikovykh snimkov dlia izucheniia dinamiki snezhnogo pokrova i otsenki srednego raskhoda vody Amudar'i za vegetatsionnyi periodj

Dzhordzhio, M.V., et al. Izuchenie gidrologicheskogo tsikla aerokosmicheskimi metodami (Studies of hydrologic cycle by satellite surveying methods) edited by K.I.A. Kondrat'ev and IU.V. Kurilova, Moscow, Radio i sviaz', 1982, p.42-45, In Russian with English summary. 7 refs. Sitnikova, M.V., Tsarev, B.K.

Spaceborne photography, Snow cover distribution, Snow hydrology, Snow water equivalent, Runoff. Photointerpretation.

Calculating the melting of firn fields from satellite photographs. (Metodika rascheta taianiia kompleksa

snezhnikov po aerokosmicheskim snimkami, Osokin, N.I., Izuchenie gidrologicheskogo tsikla aerokosmicheskimi metodami (Studies of hydrologic cycle by satellite surveying methods) edited by K (A. Kondrat'ev and H. V. Kurilova, Moscow, Radio i sviaz', 1982, p.46-49. In Russian with English sum-6 refs

Alpine landscapes, Nivation, Firn, Snow cover distribution. Snow line, Snow melting, Spaceborne photography, Photointerpretation.

36-2699

Compiling maps of snow melting in the central part of the European USSR, from satellite photographs. (Opyt sostavlenna kart skhoda snezhnogo pokrova tsentral nor chasti ETS po dannym sputnikovor informatsili.

Deleur, M.S., et al. Izucheme gidrologicheskogo isikla aerokosmicheskimi metodami (Studies of hydrologic cycle by satellite surveying methods) edited by KIA Kondrat'ey and ILV Kurilova, Moscow, Radio i sviaz', 1982, p.50-54, In Russian with English sum-2 rets

Pankratova, E.I., Babkina, I. F

Spaceborne photography, Maps, Snow melting, Landscape types, Tundra, Taiga, Swamps, Land ice,

36-2700

Comparing snow brightness curves measured from aircraft and theoretically calculated for separate atmospheric heights. (Sravnenie indikatris iarkosti snezhnogo pokrova izmerennykh s samoleta i rasschitannykh teoreticheski dlia otdel'nykh vysot atmos-

oderov, V.V., Izuchenie gidrologicheskogo tsiklaaerokosmicheskimi metodami (Studies of hydrologia cycle by satellite surveying methods) edited by K IA Kondrat'ey and IUV Kurilova, Moscow, Radio i sviaz', 1982, p.86-89. In Russian with English summary. 12 refs

Remote sensing, Aerial surveys, Snow physics, Albedo. Brightness, Hydrologic cycle.

36-2701

Microflora of taiga soils in Central Siberia. (Mikro-

flora taezhnykh pochy Srednei Sibirij. Sorokin, N.D., Novosibirsk, Nadka, 1981, 144p. In Russian with English table of contents enclosed Refs. p 131-144

Cryogenic soils, Taiga, Soil microbiology, Ecology, Human factors.

Recent climate and permafrost on continents, (Sovremennyi klimat i vechnaja merzlota na kontinen-

Gavrilova, M.K., Novosibirsk, Nauka, 1981, 112p., In-Russian with English table of contents enclosed Refs. p.102-112

Climatology, Climatic changes, Permafrost origin, Frost penetration, Permafrost distribution, Soil air interface, Heat transfer.

36-2703

Avalanches of China.

Zhang, Z., et al. Di li zhi shi ¡Geography Knowledgej. Jan. 1979, No.1, p.28-29, In Chinese Wang, Y

Avalanches, China.

36-2704

Investigation of the glaciers in southeastern Tibet. Zheng, B., Di li zhi shi ¡Geography Knowledgey, July 1979, No.7, p 3-5. In Chinese

Snow melting, Glacial hydrology, Glacier surveys. Geomorphology, Glacial meteorology, China-Kunlun Mountains.

36-2705

Frozen ground research and the Four Modernizations Movement in China.

Ding, D., Turang ¡Soi science], Dec. 1978, No.5, p.211-212, In Chinese

Frozen ground, Agriculture, Frozen ground mechanics, Frozen ground strength.

36-2706

At the end of three oceans-Antarctica, (Nos confins dos três mares - A Antartidaj. Pinto Coelho, A., Rio de Janeiro, Letras em Marcha

Editora Ltda., 1982, 246p., In Portuguese ous refs. passim.

Ice sheets, Icebergs.

This introduction to Antarctica is divided into the following chapters, each of which has its own bibliography for further reference, conquest of the continent, era of exploration, the continent itself, the surrounding ocean, flora and fauna, and Brazil's activity in the area. A number of helpful appendices on present-day activities, politics and treaty arrangements, safety; logistics, and other topics of current concern are attached.

36-2707

Floral phenology in the South Georgia vascular flora. Walton, D.W.H., British Antarctic Survey Bulletin, Jan. 1982, No.55, p.11-25, 41 refs.

Plants (botany), Vegetation patterns, South Georgia. Plants (botany), vegetation patterns, South Georgia. Flowering is described for 16 native taxa and three introduced species on South Georgia. Information is given on these species from other sub-Antarctic islands and the Falkland Islands At least three species (Poa Babeliata, Festuca contracta and Deschampia antarctica) pre-form their inflorescences the previous season. Indirect evidence suggests that overwintering of ir florescences may occur in other species. Reproductive specializations include cleintogamy, self-fertilization and a pre-pondictance of anemorphilous flowers. (Auth.)

36-2708

Signy Island terrestrial reference sites: XIV. Population studies on the Collembola.

Block, W., British Antarctic Survey, 1982, No.55, p.33-49, 47 rets Bulletin, Jan

Plants (botany), Vegetation patterns, Tundra, Signy Island.

Field data for Collembola extracted from a series of 25 monthly samples of a moss turf and a moss carpet at Signs. Island have been analysed to provide information on species composition, population density and biomass, streetas structure and field distribution. Three species were found. Firesea grisea (Schaffer). Parisotoma octooculata (Willem) and Cryptopygus

antarcticus Willem, with the latter species being numerically antarcticus Willem, with the latter species being numerically dominant throughout the study at both sites. Population densities for all Collembols averaged 49.928 (moss turf) and 9.913 (moss carpet) individuals/sq m, of which C. antarcticus comprised almost 100%. Mean biomass equivalents were 688 and 154 mg live weight/sq m. Size-class analyses for C. antarcticus showed an almost stable distribution in the moss turf, whereas summer growth was evident in the moss-carpet population. A similar degree of aggregation was observed for C. antarcticus at the two sites. These findings are discussed in relation to the micro-climate and structure of the two habitats, and compared with data available for other Antarctic sites, the Arctic and removerate studies. (Auth.) temperate studies. (Auth.)

36-2709

Distribution of permafrost landforms with freezing nd thawing indices.

Harris, S.A., Erdkunde, June 1981, 35(2), p.81-90, In English with German summary 22 refs.

Permafrost distribution, Freezing indexes, Thawing, Permafrost indicators.

36-2710

Climatic ice core records from the tropical Quelccaya Ice Can.

Thompson, L.G., et al, Science, Mar. 23, 1979, 203(30), p.1240-1243, 18 refs.

Hastenrath, S., Arnao, B.M.

DLC OLS35

Ice cores, Climate, Paleoclimatology, Precipitation (meteorology), Glacier mass balance, Peru-Queiccaya Ice Cap.

36-2711

Satellite observations of variations in Northern Hem-

isphere seasonal snow cover.

Dewey, K.F., et al, U.S. National Oceanic and Atmospheric Administration. NOAA technical report. Dec. 1981, NOAA TR NESS-87, 83p., 32 refs. Heim, R., Jr.

Snow cover, Seasonal variations, Spaceborne photography, Computer applications, Climatology.

36-2712

Field studies of eight first-year sea-ice pressure ridges in the southern Beaufort Sea.

Gladwell, R.W., Arctic Petroleum Operators Association, Calgary, Alta. Report, July 1976, APOA 75-1, 99p., IPRT-8ME-76, Refs. passim.

Pressure ridges, Ice physics, Floating ice, Grounded ice, Ice strength, Underwater ice, Design criteria, Profiles, Pack ice, Exploration, Beaufort Sea.

Types of peat and peat-forming vegetation on South orgia.

Smith, R.I.L., British Antarctic Survey. Bulletin. June 1981, No.53, p.119-139, 42 refs.

Vegetation patterns, Organic soils, Peat, South

The principal peat-forming plant communities of South Georgia are described and the types of organic deposit, generally ex-ceeding 0.5 m in depth, which they accumulate, are categorized into a broad basic classification. None of the South Georgian soils possesses a permafrost and five major peat types are recog-nized: I. Mire peats developed on gentle seepage slopes on valley sides and hillsides. These are formed mainly by comvalley sides and hillsides. These are formed mainly by communities of nushes, a deciduous woody herb, and the moss Tortula robusta. 2. Bog peats with impeded drainage are formed by two distinct community types. One is dominated by Rostkovia and the other by Deschampsia antactica. 3. Moes peat is developed mainly by deep banks of Polytrichum alpestre, with associated lichens and tussock grass to form an acid peat. Tussock peat is formed by the tall pedestalled grass Poa flabellata on hillsides and coastal flats. A ranker type of peat occasionally develops beneath Acaena magellanica-Tortula robusta herbfield stands on well-drained hillsides or gullies. It is considered here as a soligenous eutrophic peat with high calcium levels but with a low water-table. The development of peat in relation to deglaciation and plant-community development and distribution is discussed. Radiocarbon dating of organic relation to deglaciation and plant-community development and distribution is discussed. Radiocarbon dating of organic deposits at various depths in several different community types indicates that peat formation has proceeded at a comparatively constant rate since the last major glaciation about 10,000 years ago. This suggests that no great changes in the climate have occurred during this period, since the vegetation does not appear to have been removed or its development arrested by resurgences of ice over the land, although there is geomorphological evidence of frequent advances and retreats of valley glaciers. (Auth. mod.)

Subsurface alimentation of mountain rivers (methods of quantitative evaluation). [Podzemnoe pitanie gornykh rek (metody kolichestvennot otsenki)].

Sokolov, B.L., et al. Leningrad, Gidrometeoizdat, 1981, 240p., In Russian with English table of contents enclosed. 208 refs. Sarkisian, V.O.

Mountains, River basins, Runoff, Glacial rivers, Alimentation, Subsurface drainage, Permafrost hydrology, Naleds, Snow melting, Ice melting, Bibliographies.

36-2715

Water treatment methods for northern conditions (Metody podgotovki vody v uslovijakh Severa). Dmitriev, V.D., Leningrad, Strojizdat, 1981, 121p. In Russian with English table of contents enclosed

Polar regions, Water supply, Water treatment, Permafrost hydrology, Subpermafrost ground water, Suprapermafrost ground water, Surface waters, Bibliographies.

36-2716

Routes of a glaciologist. [Marshrutami gliatsiologa]. Koriakin, V.S., Moscow, Mysi', 1981, 127p., In Russian with English table of contents enclosed.

Expeditions, Glaciology, Route surveys, Mountain glaciers, Glacier surveys, Glacier ice, Drilling, Glacier oscillation, Glacier melting, Maps.

36-2717

Natural ice of the Altai-Sayan mountains. [Prirodnye l'dy Altae-Saianskoi gornoi oblastij. Reviakin, V.S., Leningrad, Gidrometeoizdat, 1981.

288p., In Russian with English table of contents enclosed. 366 refs.

Glaciers, Alpine landscapes, Naleds, Land ice, Lake ice, Alpine glaciation, Nivation, Slope processes, Avalanches, Mapping, Bibliographies, Systems analysis, Ice caves, Computer applications, Ground ice, Snow cover distribution.

36-2718

Biologic cycle of mineral elements and soil formation in spruce forests of the Far North. [Biologicheskii krugovorot mineral'nykh elementov i pochvoo-

brazovanie v el'nikakh Krainego Severa, Manakov, K.N., et al, Leningrad, Nauka, 1981, 196p., In Russian with English table of contents enclosed. Refs. p.190-194. Nikonov, V.V

Forest soils, Cryogenic soils, Permafrost depth, Active layer, Taiga, Vegetation, Soil formation, Soil composition, Soil chemistry, Forest canopy, Litter, Biomass, Plant ecology, Bibliographies.

Soils of mountain forests in the People's Republic of Mongolia, [Pochvy gornykh lesov Mongol'skoi Narodnoi Respubliki, Ogorodnikov, A.V., Novosibirsk, Nauka, 1981, 143p.

Russian with English table of contents enclosed. Refs. p.134-142.

landscapes, Forest land, Ecology, Permafrost depth, Soil formation, Taiga, Cryogenic soils, Organic soils, Peat, Permafrost distribution, Bibliographies. 36-2720

Geochemistry of permafrost taiga landscapes and mining exploration. [Geokhimila taezhno-merzlot-nykh landshaftov i poiski rudnykh mestorozhdenii]. Taisaev, T.T., Novosibirsk, Nauka, 1981, 137p., In Russian with English table of contents enclosed. Refs. p.128-136.

Taiga, Bibliographies, Landscape types, Permafrost distribution, Permafrost depth, Cryogenic soils, Permafrost weathering, Slope processes, Mining, Geochemistry, Exploration.

36-2721

Experiments in ice model basin.

Kitagawa, H., Polar news (Kyokuchi), Dec. 1981, No.34, p.19-24, In Japanese.

Ships, Ship icing, Ice models, Research projects, Simulation, Environment simulation.

On the natural snow crystals of cup type. Kajikawa, M., et al. Seppyo, Dec. 1981, 43(4), p.201-205, 9 refs., In Japanese with English summary Hosaka, N

Snow crystal structure, Snow crystal growth, Microstructure, Air temperature, Humidity.

36-2723

Experimental study on maximum heaving pressure of

Takashi, T., et al. Scopso. Dec. 1981, 43(4), p.207-216, 23 refs., In Japanese with English summary. Ohrai, T., Yamamoto, H., Okamoto, J.

Frost heave, Soil pressure, Frost resistance, Temperature effects, Unfrozen water content, Frozen ground physics.

36-2724

Measurement of avalanche erosion rate on avalanche Shimokawa, K., Seppyo, Dec. 1981, 43(4), p.217-223.

8 refs.. In Japanese with English summary Avalanche formation, Avalanche erosion, Avalanche deposits, Rock mechanics, Slope processes.

36-2725

Avalanche at Hoeizan on 15 March, 1981.

Fukue, M. et al. Seppro. Dec. 1981, 43(4), p.225-229. 2 rets. In Japanese

Yamashita, K., Emoto, K.

Avalanche formation, Damage, Japan - Hoeizan. 36-2726

Canadian field activities in ice engineering (3). Nakawo, M., Seppio, Dec. 1981, 43(4), p.231-238, 8

In Japanese Artificial islands, Ice pressure. Sea ice, Engineering, Offshore structures, Ice mechanics, Ice creep, Canada.

36-2727

Proceedings of the Symposium on the Japanese Glaciological Research in the Arctic, Tokyo, 26 May 1981. Japan. Science Council National Committee on Snow and Ice, Seppyo, Dec. 1981, 43(4), p.239-250, 2 refs... In Japanese

Meetings, Glaciology, Ice surveys, Snow surveys, Radio echo soundings. Research projects, Japan.

36-2728

Preliminary approach to the history and age of permafrost in Northeast China. Guo, D., et al. Journal of glaciology and cryopedology.

1981, 3(4), p.1-6, 17 refs. In Chinese with English summary.

Permafrost dating, History, Climatic changes, Paleoclimatology, Soil temperature, China.

36-2729

Periglacial landforms and regionalization in Northeast China.

Xie, Y., Journal of glaciology and cryopedology, 1981 3(4), p.17-24, 3 refs.. In Chinese with English sum-

Periglacial processes, Landforms, Sediments, Frost heave, Thawing, Soil creep, Nivation, Frost weathering, Wind factors.

36-2730

Investigation of radiation on Qinghai-Xizang Plateau and its neighbouring districts and the relation between radiation and permafrost on it.

Kou, Y., et al. Journal of glaciology and cryopedology, 1981, 3(4), p.25-32, 13 rets. In Chinese with English summary

Permafrost thermal properties, Thaw depth, Solar radiation, Radiation balance, Albedo, Mountains, China—Qinghai-Xizang Plateau.

36-2731

Satellite image analysis of snow melt process.

Zhang, S., et al. Journal of glaciology and eryopedology, 1981, 3(4), p.33-38, 3 rets... In Chinese with English summary

Snow melting, Remote sensing, Snow denth, Snow density, Precipitation (meteorology), Air temperature, Mapping, Spectroscopy.

36-2732

Determination of maximum seasonal thawing depth of the permafrost in Northeast China.

Li, A., et al. Journal of glaciology and cryopedology, 1981, 3(4), p.39-43. In Chinese with English summary Dai. 3

Permafrost thermal properties, Thaw depth, Seasonal variations, Statistical analysis.

36-2733

Analysis of temperature field of artificial frozen wall of a deep shaft.

Zhu, U. Journal of glaciology and cryopedology, 1981. 3(4), p.44-51, 3 rets. In Chinese with English summary

Artificial freezing, Shafts (excavations), Walls, Frozen ground temperature, Temperature distribution, Drilling, Analysis (mathematics).

36-2734

Sound velocity measurements of undisturbed frozen soils.

Song, U., et al. Journal of glaciology and cryopedology 1981, 3(4), p. 52-60. In Chinese with English staring Frozen ground physics, Frozen ground temperature. Sound waves, Acoustic measurement, Velocity, Temperature effects. Analysis (mathematics), Loads (forces).

36-2735

Recent variations of some glaciers in the southern part of Xizang and a few new materials.

Zhang, W., et al. Journal of gluciology and environmedialogy 1981, 3(4), p.61-64, 6 (cts.). In Con-

Glacier oscillation, Glacier flow, China Arrang

Preliminary results of avalanche prevention in Gong-

naisi Valley, Tian Shan. Academia Sinica. Institute of Glaciology Cryopedology Snowcover Group of Lanzhou, Journal of glaciology and cryopedology, 1981, 3(4), p.65-71, in Chinese.

Avalanche formation, Countermeasures, Statistical unalysis, China-Gongnaisi Valley.

36-2737

Interpretable signs of periglacial geomorphic phenumeron on aerial photograph. Liang, F., et al, Journal of glaciology and

cry opedology, 1981, 3(4), p 72-74, In Chinese.

Periglacial processes, Geomorphology, Photointerpretation, Aerial surveys.

36-2738

New progress of researches on Quaternary ice age and dating of ocean deposits. Liu, Z., Journal of glaciology and cryopedology, 1981.

p.75-87, 9 refs., In Chinese.

Pleistocene, Quaternary deposits, Ocean bottom, Bottom sediment, Soil dating.

36-2739

Electromagnetic methods for permafrost survey in orth America.

Gu. Z., Journal of gluciology and cryopedology, 1981, 3(4), p.88-98, 10 refs., In Chinese.

Permafrost distribution, Permafrost depth, Electro-

magnetic prospecting, Permafrost physics.

Data of recent change of glaciers in China. Zhang. X., et al. Journal of glaciol Zhang, X., et al. Journal of glaciology and cryopedology, 1981, 3(4), p.99-107, In Chinese.

Glacier oscillation, Glacier flow, Statistical analysis, China.

Sediment transport investigations in Norwegian glacier streams, 1980. [Materialtransportundersökelser i norske breefver, 19803.

Kjeldsen, O., ed, Norway. Vassdrags- og elektrisitet-sevesenet. Hydrologisk avdeling. Rapport, 1981, No.4-81, 41p., In Norwegian with English summary. 20 refs.

Sediment transport, Glacial deposits, Glacial rivers, Suspended sediments, Glacier melting, Glacial ero-sion, Glacial lakes, Meltwater, Electric power.

36-2742

Testing shaped charges in unfrozen and frozen silt in

Alaska.
Smith, N., L.S. Army Cold Regions Research and Engineering Laboratory, Mar. 1982, SR 82-02, 10p., ADA-113 670, 2 refs.
Explosion effects, Blasting, Frozen ground strength, Soil strength, Boreholes, Tests, Cratering, Silts.

36-2743

Thermodynamical study on compression properties of

Sakurada, R., et al, National Research Center for Disaster Prevention. Report, Nov. 1981, No.26, p.89-103, With Japanese summary. 10 refs. National Research Report, Nov. 1981, mary, 10 refs. Kuriyama, H.

Snow compression, Thermodynamics, Strains, Snow mechanics, Snow plasticity, Snow elasticity.

36-2744

Studies on the cutting resistance of compacted snow in cold room.

Isobe, K., et al. National Research Center for Disaster Prevention. Report, Nov. 1981, No.26, p.105-131, In Japanese with English summary. 5 refs. Kobayashi, T., Miyamura, H. Snow compaction, Snow hardness, Snow strength,

Snow density, Temperature effects, Laboratories, Cutting.

36-2745

Fate of petroleum hydrocarbons in nearshore Arctic aquatic ecosystems.

Horowitz, A., Louisville, Ky., University, 1979, 206p., University Microfilms order No 8001328, Ph.D. the-For abstract see Dissertation abstracts interna-

tional, Ser. B. Feb. 1980, p.3561. Hydrocarbons, Degradation, Oil spills, Ocean environments, Rocteria, Crude oil, Shores, Temperature effects, Microbiology. 36-2746

Aspects of the seed ecology of woody plants of the

Aspects of the secondary Alaskan taiga and tundra.

Densinore, R.V.E., Durham, N.C., Duke University, 2000 University Microfilms order Dissertance Dis 1979, 300p., University Microfilms order No.8002644, Ph.D. thesis. For abstract see Dissertation abstracts international, Ser. B, Feb. 1980, p.3558-

Taiga, Tundra, Ecology, Trees (plants), Growth, Forest ecosystems, Vegetation, United States-Alaska.

Guidelines for the design of aircraft windshieldcanopy systems.

Lawrence, J.H., Jr., et al, Long Beach, Calif., Douglas Aircraft Co., Feb. 1980, 1030p. ADB-060 0941. Beck, R.L., Coker, M.J., Hoffman, J.B., Koegeboelin. L.B.

Airplanes, Aircraft icing, Hoarfrost, Rain, Fog, Visibility, Design, Mannuals.

36-2748

Some field studies of the correlation between electromagnetic and direct current measurements of ground resistivity.

American Society for Testing S.A. Materials. Special technical publication. No.741, MP 1513, p.92-110, 11 refs.

Soil physics, Electrical resistivity, Electromagnetic prospecting, Permafrost physics, Magnetic surveys, Electric fields, Ground ice.

Electromagnetic (em) and direct-current (d-c) methods of measuring ground resistivity have been compared at permafrost and nonpermafrost sites. The em methods utilized the principles of magnetic induction and plane wave surface impedance. Layered ground models were derived from the d-c sounding data, and the theoretical values of the em methods for these models were compared with the em field results. Both em methods correlated well with the d-c data in the two cases of simple multilayered ground of large assets. In several correlations simple, multilayered ground of large extent. In several cases of resistive inhomogeneius, the magnetic induction data correlated well with the d-c data. In one case of a resistive inhomogeneity, the surface impedance responded well only nomogeneity, the surface impedance responded well only qualitatively and may have given some false indications of resistive substructure. It appears that in all cases where the volume of exploration was comparable, there was reasonable correlation. It is estimated that the standard data analysis procedure which assumes layering of infinite extent will apply well for the surface impedance method when disturbances in the local layering are greater than a kind depth away from the print of more response. surface impecuate mention when disturbances in the rocal layer-ing are greater than a skin depth away from the point of meas-urement; and for the magnetic induction method when disturb-ances in the layering are at a distance from the interloop axis that is greater than the interloop separation.

36-2749

Vegetation selection and management for overland flow systems.

Palazzo, A.J., et al, MP 1511, Land treatment of municipal wastewater. Edited by F.M. D'Itri, Seve-noaks, England, Butterworths, 1982, p.135-154, 19

Jenkins, T.F., Martel, C.J.

Waste treatment, Water treatment, Land reclama-tion, Vegetation, Growth, Nutrient cycle, Agriculture.

36-2750

Ice pressure ridges: a bibliography

Sater, J.E., ed. Arlington, Va., A North America, May 1981, c200p Arctic Institute of

Pressure ridges, Ice pressure, Bibliographies, Ice conditions, Ice physics, Sea ice, Lake ice, River ice.

Automotive cold-start carbon monoxide emissions and preheater evaluation.

Coutts, H.J., L.S. Army Cold Regions Research and Engineering Laboratory, Dec. 1981, SR 81-32, 37p. ADA-112 170, 7 refs

Engine starters. Vehicles, Cold weather operation Air pollution, Temperature effects, Carbon monoxide. Fairbanks and Anchorage, Alaska, experience high wintertime ambient levels of carbon monoxide (CO). Emissions from starting automobile engines in cold weather are thought to be a major source of CO. A quantitative procedure for determination starting automobile engines in cold weather are thought to be a major source of CO — A quantitative procedure for determining startup CO was developed. The startup emissions were measured as a function of soak time at several low ambient temperatures. The performance of engine preheaters in reducing the startup CO at the various soak times and temperatures was estimated. The data scatter was too great to draw any firm conclusions; however, the length of cold-soak time appeared to have a stronger effect on cold-start CO emissions than did soak temperatures (0 to -30C). Compared to no preheat, continuous preheat during an overnight cold soak can reduce the cold-start CO emissions by 20 to 90%.

Effect of soil temperature and pH on nitrification kinetics in soils receiving a low level of ammonium enrichment.

Parker, I. V., et al. U.S. Army Cold Regions Research and Engineering Laboratory, Dec. 1981, SR 81-33-27p. ADA-112-171, Rets. p.17-20

lskandar, I.K., Leggett, D.C. Soil chemistry, Soil temperature, Nutrient cycle, Waste treatment, Soil microbiology.

Two soil samples from an on-going field study of land applica-tion municipal wastewater were spiked with low levels of am-monium to determine the effect of temperature on nitrification kinetics. The concentrations of ammonium and nitrite-plus-nitrate, and the number of autotrophic ammonium and nitrite oxidizers were monitored periodically during the study. There was a lag period prior to intrite-plus-initrate production at all temperatures, and the length of this lag period was temperature dependent, with the longest period occuring at the lowest temperature. The maximum rate of intrification increased with temperature as expected. While intrite-plus-initrate production appeared logarithmic, suggesting a growing nitrifier population, the MPB counts of the nitrifiers did not exhibit logarithmic growth. To study the effect of soil pH on intrification kinetics, soil samples from field plots having the same soil type but different pHs (4.5, 5.5, and 7.0) were spiked with low levels of ammonium and the rate of intrite-plus-initrate production was measured. The maximum rate of nitrification was greater at pH.5 5 than at 4.5. Inexpectedly rapid disappearance of ammonium, nitrite and nitrate, caused by immobilization, obscured the expected effects of pH on the nitrification rate at the highest pH. oxidizers were monitored periodically during the study

36-2753

Transient analysis of heat transmission systems.

Phetteplace, G., U.S. Army Cold Regions Research and Engineering Laboratory, Dec. 1981, CR 81-24, 53p., ADA-112 365, Rets. p 46-47
Heat loss, Underground pipelines, Heating, Pumps,

Temperature effects, Analysis (mathematics, Cost analysis, Soil temperature, Computer programs,

analysis. Soil temperature, Computer programs. This report develops a method of analysis for heat transmission systems operating under district heating load conditions. The use of thermal energy storage systems is outlined and advantages are given. The method accounts for the effects of heat source and load characteristics. The transmission model itself considers the following technical aspects: 1) frictional pressure characteristics, 3) pump driver characteristics, 3) pump driver characteristics, 3) pump driver characteristics, and 4) heat losses from the buried piping. The capital costs considered are the piping system and necessary pumps. Operation and maintenance costs include cost of heat loss and cost of pumping energy input. Allowances are also made for system maintenance and repair over the assumed lifetime. The heat transmission problem is formulated in the forms of a two-dimensional optimization problem. The decision variables are pipe diameter and supply temperature. The sion variables are pipe diameter and supply temperature. The problem is solved by direct vearch techniques using a Hooke-Jeeves pattern search algorithm. Parametric results are pre-sented along with suggestions for further work.

Sedimentological characteristics and classification of depositional processes and deposits in the glacial en-

Lawson, D.E., U.S. Army Cold Regions Research and ingineering Laboratory, Dec. 1981, CR 81-27, 16p. ADA-113 261, 33 rets

Glacial deposits, Glaciology, Sedimentation, Glacier oscillation, Periglacial processes, Glacier flow, Environments, Classifications.

existing classifications for deposits in the glacial environment are inadequate and inconsistent. Deposits should be classified both descriptively and genetically, adequate descriptive classifications already exist. A major problem for previous genetic classifications already exist. A major problem for previous genetic classifications has been that glacial deposition and the resulting deposits' properties were poorly understood. On the basis of three criterial sediment source, uniqueness to the glacial environment, and preservation of glacier-derived properties deposits in the glacial environment result from either of two groups of processes primary or secondary. Primary processes release the debris of the glacier directly and form deposits that may bear properties related to the glacial and its mechanics. Their deposits are classified genetically as till and are the only deposits indicative of glaciation. In contrast, secondary processes mobilities, rework, transport and resediment debris and deposits in the glacial ensymment. They develop new non-glacial properties in their deposits, while destroying or substantially modifying glacier-derived properties. Interpretation of their properties may provide information on the depositional process and or the local depositional environment. Secondary for some process and or the local depositional environment. They are classified genetically according to the depositional process just as site of a properties of the propert sified genetically according to the depositional process just as since generically according to the depositional process just as they are in other sedimentary environments. This genetic classification differs from previous classifications in that not all diameteris deposited in the glacular unstromment are classified as till, it is based strictly on process-related criteria. The origin of properties of glacial deposits in relation to glacier mechanics and environment must be recognized if the mechanisms and depositional processes of former glaciers are to be precisely understood.

Design and use of the CRREL instrumented vehicle for cold regions mobility measurements.

Blaisdell, G.L. SAE technical paper series, 1982. No 820217, MP 1515, International Congress and Exposition, Detroit, Michigan, Feb.22-26, 1982, 11p., 2 rets

Traction, Cold weather operation, Tires, Surface properties, Rubber snow friction, Interfaces, Vehicles, Tests, Computer applications.

The U.S. Army Cold Regions Research and Engineering Laboratory has recently acquired an instrumented vehicle for the measurement of forces at the tire-surface material interface. The CRREL instrumented vehicle (CIV) is equipped with moment-compensated triaxial load cells mounted in the front which assemblies. Forces are measured in the vertical, longitudinal (in the direction of motion) and side directions. In gitudinal (in the direction of motion) and side directions. In addition, accurate wheel and whiche speeds and rear aske torque and speed are measured. Modifications to the vehicle to facilitate the performance of traction and motion resistance include four lock-out type hubs to allow front, rear- or four-which drive and a dual brake system for front, rear- or four-which drives and a dual brake system for front, rear- or four-which the first of the system for front, rear- or four-which drives and supplied to the system for front, rear- or four-which for the which is to the system of t ince and surface material properties of motion resistance

Measurement of snow surfaces and tire performance evaluation.

Blaisdell, G.L., et al. SAE technical paper series, 1982, No. 820346, MP 1516, International Congress and Exposition, Detroit, Michigan, Feb. 22-26, 1981, 7p., 8

Rubber snow friction. Snow surface. Traction. Vehicles, Analysis (mathematics).

Research on vehicle mobility in snow has recently become sig-nificantly updated by the use of instrumented vehicles. Utiliz-ing triaxial load cells in the front wheel assemblies, the vehicles ing triaxial load cells in the front wheel assemblies, the vehicles are capable of measuring the traction and motion resistance forces located at the tire isnow interface. Based on these measured quantities, snow surface characterization parameters are developed. Also, using an energetics approach, a tire performance parameter is developed which offers a measure of the sip-shear energy expended by a tire moving a unit distance. This paper presents the methods, equipment and philosophy followed by the authors in evaluating tire performance in a shallow snow cover. Definitions of terms are contained in the Angendix. Appendix.

Biological nitrogen fixation in the alpine tundra of the Front Range of the Colorado Rocky Mountains.

Wojciechowski, M.F., Greeley, University of North-ern Colorado, 1981, 108p., University Microfilms or-der No.8119812, Ph.D. thesis. For abstract see Dissertation abstracts international, Ser.B, Sep. 1981,

Alpine tundra, Ecosystems, Nutrient cycle, Bacteria, Vegetation, Soil water, Soil temperature, Lichens.

36-2758

Relationship of traffic safety and the use of sodium chloride as a deicing agent.

Anderson, HO, California. Department of Trans-

portation Highway research report. May 1981, FHWA CA 03-81 01, 27p., 4 refs. Road icing, Safety, Salting, Trafficability, Chemical

ice prevention, Snow removal, Ice removal, Mountains, Accidents.

36-2759

Classification of changes in natural conditions for engincering-geocryological evaluation of sites for pipeline construction. (Tipizatsua izmenenii prirodnykh iislovii dlia inzhenerno-geokriologicheskoi otsenki ter-ritorii pri stroitel'stve truboprovodovj.

Garagulia, 1/8, et al. Inzhenernaia geologiia, Mar-Api, 1982, No 2, p 106-113, In Russian - 4 refs

Condeeva, G1
Albedo, Permafrost transformation, Vegetation factors. Permafrost forecasting, Pipelines, Permafrost beneath structures, Ground thawing, Soil erosion, Snow cover effect.

Thermophysical studies of an experimental earth-fill embankment and underlying grounds in the Lena River flood plains, [Teplofizicheskie issledovanija eksperimental nor namyvnor nasypi i podstilaiushchikh

genutov v poime r Lenyj. Pistov VV. et al. *Inzhenernina geologia*, Mar -Apr 1982 No 2, p 114-120. In Russian – 4 refs.

Earth dams, Hydrothermal processes, Thermal regime, Permafrost beneath structures, Permafrost beneath rivers. Flood plains.

36-2761

Forecasting ice action on the slopes of submerged embankments. ¡Prognozirovanie ledovykh vozdeistvii na

Sokolov-Batkov, O.V., et al. Transportnoe stroitelistro, Apr. 1982, No.4, p.3-4. In Russian, Volodin, A.M., Tselikov, F.I., IAkovleva, E.A. Embankments, Slope protection, Permafrost beneath structures, Flooding, Ice loads, Ice erosion, Baykal

Amur railroad.

Dynamics of embankment settlement on permafrost areas of the Baykal Amur railroad. [Dinamika osadok nasypei na zamerzlochennykh uchastkakh BAMaj. Orlov, E.P., et al, Transportnoe stroite/sivo. Apr 1982, No.4, p.4-6, In Russian. Gordienko, A A

Railroads, Embankments, Active layer, Settlement (structural), Permafrost beneath structures.

Analyzing the performance of excavators on construction sites of the Baykal Amur railroad. (Analiz vyrabotki ekskavatorov na stroitel'stve BAMaj

Taits, V.V., Transporting stroite/sixo, Apr. 1982, No.4, p.22-24, In Russian

Permafrost beneath structures, Earthwork, Excavation, Construction equipment, Baykal Amur railroad.

Shields for tunneling in weak grounds. [Prokhodcheskie shehity dlia slaboustoichivykh gruntos). Auerbakh, V.M., et al. *Transportnoe stroitel stvo*. Apr. 1982, No.4, p.57-59, In Russian.

Tunneling (excavation), Construction equipment, Linings, Cements, Waterproofing.

First order phase transformations in nonlinearly elastic media. (O fazovykh perekhodakh pervogo roda v

nelineino-uprugikh sredakhj. Kondaurov, V.I., et al, Akademiia nauk SSSR. Dok-lady, 1982, 262(6), p.1348-1351, In Russian. 7 refs Nikiton, L.V

Phase transformations, Theories, Mathematical models.

Stresses acting on pipelines under complicated condi-tions. [Napriazhennoe sostoianie truboprovodov v slozhnykh usloviiakh]. Pervushin, G.G., et al. Neftepromyslovoe stroitel sivo.

1982, No.2, p.18-21, In Russian, Sokolov, S.M., Bel'mas, O.M.

Pipelines, Stress strain diagrams, Permafrost beneath structures, Freeze thaw cycles, Swamps,

Origin and age of the Edoma formation in the lower course of the Malyy Anyuy River. (Edomnaia syita nizovii r. Malyi Aniui (vozrast i proiskhozhdenie),. Zamorucy, V.V., et al. Akademija nauk SSSR. - Izvestiia. Seriia geologicheskaia, Feb. 1982, No.2, p.27-35. In Russian 17 refs. Zhezheff, O.N

Frozen fines, Loess, Clay soils, Ground ice. Permafrost structure, Ice wedges, Ice dating, Ice composition, Impurities.

Geomorphology of the northern Lake Baykal area and the Stanovoy highlands. [Geomorfologiia Severnogo Pribaikal'ia i Stanovogo nagor'ia₁, Bazarov, D.-D.B., et al. Moscow, Nauka, 1981, 198p.

In Russian with English table of contents enclosed,

Alpine landscapes, River basins, Plains, Land ice, Ground ice, Permafrost distribution, Cryogenic soils, Permafrost weathering, Frost action, Topographic features, Geomorphology, Bibliographies.

Formation of taiga soils under continental conditions in western Siberia. ¡Taezhnoe pochvoobrazovanic v kontinental'nykh usloviiakh (Zapadnaia Sibir'); Dobrovol'skii, G.V., et al. Moscow, Universitet, 1981. 215p. In Russian with English table of contents enclosed Refs p.207-214 Nikitin, E.D., Afanas'eva, T.V.

Taiga, Bibliographies, Cryogenic soils, Soil forma-tion, Landscape types, Podsol, Clay soils, Loess, Soil composition, Soil chemistry, Paludification, Classifi-

36-2770

Reclamation of paluded soils in the Nonchernozem zone of the Russian Soviet Federated Socialist Republic, [Melioratsia zabolochennykh pochs Nechernozenmoi zony RSESR). Zaidel'man, F.R., Moscow, Koles, 1981, 168p., In

Russian with English table of contents enclosed Refs p 160-162

Polar regions, Subpolar regions, Tundra, Forest tundra, Taiga. Land reclamation. Cryogenic soils, Paludification. Drainage, Organic soils, Peat, Podsol, Mapping, Bibliographies.

36-2771

Flow of nonfreezing water interlayers and frost dam-

age in porous solids. Deriagin, BV et a age in porous soins.

Deriagin, B.V., et al. Colloid journal of the USSR.

Sep. Oct. 1980(Publ. Mar. 81), 42(5), p.714-723.

Translated from Kolloidny) zhurnal. 42 refs. Churaey, NV

Porous materials, Frost penetration, Soil water migration. Phase transformations. Frost heave.

Investigation of the ice-forming activity of the coagu-

lation products of two-component aerosols.
Toybin, M.V., et al. Colloid journal of the USSR, July-Aug. 1979(Publ. Jan. 80), 41(4), p.686-688, Translated from Kolloidny) zhurnal 9 refs. Chesha, I.L., Nikeshina, I.V.

Aerosols, Coagulation, Nucleating agents, Ice nuclei.

36-2773

Role of gas adsorption on ice surface in capture of gases by crystallizing aqueous aerosol. Selezney, A.P., Colloid journal of the USSR, Jan -Feb

1978(Publ. July 78), 40(1), p 58-61. Translated from Kolloidnyi zhurnal. 8 refs

Ice surface, Gases, Aerosols, Drops (liquids), Phase transformations.

36-2774 Determination of the specific surface of finely dispersed ice from the adsorption of organic substances from solutions.

Fedosceva, V.I., et al. Colloid journal of the USSR, Sep.-Oct. 1977(Publ. Mar. 78), 39(5), p.894-896. Translated from Kolloidny; zhurnal... 10 refs. Nechaey, F. A., Strel'tsova, O.A.

Ice, Dispersions, Surface properties, Powder (particles).

Study of thin interlayers between ice and the surface of quartz capillaries.

Barer, S.S., et al. Colloid journal of the USSR, Nov-Dec. 1977(Publ. May 78), 39(6), p.917-921, Trans-lated from Kolloidnyi zhurnal 9 rets

Capillary ice, Ice solid interface, Water films, Supercooled water. Unfrozen water content.

Influence of surface condition on crystallization of aqueous solutions in capillaries.

Barer, S.S., et al. Colloid journal of the USSR, Nov-Dec 1977(Publ. May 78), 39(6), p.921-925. Trans-lated from Kolloidny zhurnal 13 refs. Capillary ice, Ice formation, Ice adhesion, Capil-

larity, Surface roughness, Surfactants, Adsorption.

Influence of the intrinsic structure of liquid water on ice nucleation in suspensions and porous media.

Filatova, E.V., et al. *Colloid journal of the USSR*, Nov-Dec. 1977(Publ. May 78), 39(6), p.1059-1063. Translated from Kolloidnyy zhurnal – 3 refs. Filatov, A O

Supercooled water, Water structure, Clathrates, Ice formation. Ice nuclei, X ray diffraction, Porous materials. Interstitial ice, Frost heave, Concrete freezing.

36-2778

Crystallization rate of an aqueous aerosol in a gaseous medium under conditions which promote the formation of gaseous hydrates.

Seleznes, A.P., et al. Colloid journal of the USSR. Jan -Feb. 1977(Publ. July 77), 39(1), p.69-73. Translated from Kolloidnyi zhurnal - 10 rcfs Stupin, D.II.

Supercooled clouds, Cloud droplets, Freezing rate, Ice crystal nuclei

Effect of adsorption modification on the surface of crystalline substances on their ice-forming activity. Tovbin, M.V., et al, Colloid journal of the USSR, Jan Fcb. 1977(Publ. July 77), 39(1), p.189-191, Translated from Kolloidnyi zhurnal. 11 refs.

Chesha, I.I., Gel'man, L.A. Supercooled water, Phase transformations, Carbon black, Surface properties, Ice formation, Adsorption.

Role of adsorption in the mechanism of heterogeneous crystallization of supercooled water. (Rol' adsorbtsit v mekhanizme geterogennoi kristallizatsii pereokhlazh-

dennoi vody), Tovbin, M.V., et al, Kolloidnyi zhurnal, July-Aug-1978, No.4, p.802-805, In Russian. 12 refs. Tovbina, Z.M.

Supercooled clouds, Nucleating agents, Ice nuclei, Ice formation, Heterogeneous nucleation, Water films, Phase transformations.

Analysis of oceanographic and meteorological conditions for central lower Cook Inlet, Alaska.

tions for central lower Cook linet, Alaska.

Rappeport, M.L., U.S. Geological Survey. Open-file report, (1982), 82-128, 47p. Refs. p. 18-20.

Oceanographic surveys, Meteorological data, Bottom topography, Bottom sediment, Estuaries, Hydrodynamics, Ocean currents, Tides, Water waves, Windfactors, United States, Alacka. Cook Justed States, Alacka. Cook Justed States, Alacka. factors, United States-Alaska-Cook Inlet.

Frozen ground and ice pressure. [Bodenfrost und Eisdruck).

Jessberger, H.L., Grundbau Taschenbuch, Teil No.1-Edited by U. Smoltczyk, Berlin, Wilhelm Ernst und Sohn, 1980, p.489-520, In German. 3rd edition. 76

Frozen ground thermodynamics, Frozen ground strength, Ground ice, Ice pressure, Soil water, Heat transfer.

36-2783

Phase composition of water in peat at low tempera-

Lishtvan, I.I., et al. Colloid journal of the USSR, Nov.-Dec. 1979(Publ. May 80), 41(6), p.924-928, Translated from Kolloidnyi zhurnal. 11 refs. Brovka, G.P., Davidovskii, P.N.

Peat. Frost penetration. Soil water. Phase transformations, Unfrozen water content.

Heat loss from infiltration basin in winter

Freat loss from infiltration basin in winter.
Stefan, H.G., American Society of Civil Engineers.
Environmental Engineering Division. Journal. Feb.
1982, 108(EE1), p.141-158, 11 refs.
Heat loss, Waste disposal. Water treatment, Ponds,
Seepage, Ice cover effect, Freeze thaw cycles, Soil
freezing, Ground thawing, Temperature variations, Analysis (mathematics).

36-2785

Elemental tracers for source regions of Arctic pollution aerosol.

Rahn, K.A., Idojárás, Jan.-Feb. 1982, 86(1), p.1-14. With Hungarian summary. 36 refs.

Aerosols, Air pollution, Haze, Air masses, Polar re-

gions.

36-2786

Forecasting the ice phenomena on Danube and Tisza Rivers. (A Dunán és a Tiszán várható jégjelenségek

előrejelzésej, Hirling, G., *Idojárás*, Jan.-Feb. 1982, 86(1), p.29-44, In Hungarian with English summary. 13 refs. Ice forecasting, River ice, Ice formation, Freezeup,

Ice breakup, Ice melting, Hungary—Danube River, Hungary—Tisza River.

36-2787

Ice-cored talus and subsurface drainage at Agardhbukta, east Spitsbergen.

Birkenmajer, K. Studia geologica Polonica, 1980, Vol.66, p.53-59, With Polish summary 10 refs. Thermokarst, Subsurface drainage, Talus, Ice cover effect, Snowdrifts, Moraines, Geomorphology, Norway-Spitsbergen.

36-2788

Glacier-ice accumulation rates for the past 50 years (1924-1975) at Hornsund, south Spitsbergen. Birkenmajer, K., Studia geologica Polonica, 1980, Vol.66, p.61-66, With Polish summary 4 refs. Glacier alimentation, Stratigraphy, Crevasses, Measurement, Norway-Spitsbergen.

Landslides at the south end of Kluane Lake, Yukon Territory.

Clague, J.J., Canadian journal of earth sciences, May 1981, 18(5), p.959-971, 29 refs. Landslides, Slope processes, Slope orientation, Gla-

cial deposits, Talus, Rock mechanics.

New Arctic rig part of construction program. Oil and gas journal. April 12, 1982, 80(15), p.115-116. Offshore drilling, Cold weather operation, Equip-

36-2791

Cold weather goggles: I. Optical evaluation. Luria, S.M., et al. U.S. Naval Submarine Medical Re-

search Laboratory: Report, Jan. 19, 1982, No.970, 27p. 44 refs.
Neri, D.F., Kinney, J.A.S., Paulson, H.M.
Optical filters, Snow optics, Solar radiation, Protec-

tion, Fog. Visibility, Goggles.

36-2792

Cold weather goggles: 2. Performance evaluation. Luria, S.M., U.S. Naval Submarine Medical Research Laboratory. Report, Mar. 23, 1982, No.978, 12p., 12

Optical filters, Snow optics, Visibility, Protection. Goggles.

36-2793

Study on the freezing process of water droplet under supercooled conditions.

Suzuki, M., et al. Heat transfer-Japanese research. Oct.-Dec. 1978, 7(4), p.26-34, 6 refs.

Nishiwaki, I., Akiyama, M. Freezing, Drops (liquids), Supercooling, Heterogeneous nucleation, Liquids, Temperature effects, Volume. Crystal growth, Tests.

Forced convective heat transfer around a vertical cylinder under frosting conditions.

inder under frosting conditions.

Aoki, H., et al. Heat transfer--Japanese research.

Oct.-Dec. 1979, 8(4), p.53-63, 10 refs.

Yamakawa, N., Ohtani, S.

Heat transfer, Convection, Hoarfrost, Heat flux,

Freezing points, Pipes (tubes).

36-2795

Simultaneous observation of cool cloud liquid by ground-based microwave radiometry and icing air-

Hogg, D.C., et al, Journal of applied meteorology, July 1980, 19(7), p.893-895, 3 refs Guiraud, F.O.

Aircraft icing, Supercooled clouds, Radiometry, Microwaves, Remote sensing, Cloud droplets, Air temperature, Humidity, Experimentation.

Dispersion of airborne-released silver iodide in winter orographic clouds.

Hill, G.E., Journal of applied meteorology, Aug. 1980. 19(8), p.978-985, 9 refs

Cloud seeding, Silver iodide, Ice crystal nuclei, Cold weather performance.

Balloonborne instrument for the measurement of ver-tical profiles of supercooled liquid water concentra-

Hill, G.E., et al, Journal of applied meteorology, Nov. 1980, 19(11), p.1285-1292, 8 refs. Woffinden, D.S.

Supercooled clouds, Ice crystal growth, Freezing, Water content, Ice formation, Meteorological instruments, Analysis (mathematics).

Seeding-opportunity recognition in winter orographic clouds.

Hill, G.E., Journal of applied meteorology, Dec. 1980. 19(12), p.1371-1381, 18 rcfs. Supercooled clouds, Cloud seeding, Water content,

Aircraft icing, Cold weather performance, Tempera-ture effects, Liquid phases, Precipitation (meteorology)

16-2799

Periglacial environment in Japan: present and past. Nogami, M., et al. *GeoJournal*, 1980, 4(2), p.125-132-12 refs

Periglacial processes, Glacial meteorology, Slope processes, Snow accumulation, Soil freezing, Air temperature, Seasonal freeze thaw, Frost penetration, Ice wedges, Hummocks, Mountains. 36-2800

Groundwater use for snow melting on the roads. Kayane, L. GeoJournal, 1980, 4(2), p. 173-181, 15 rets. Snow removal, Snow melting, Geothermal thawing, Ground water, Water temperature, Water pipelines, Road icing, Countermeasures, Winter maintenance.

Inventory of perennial snow patches in central Japan. Higuchi, K., et al. Geodournal, 1980, 4(4), p.303-311. 21 refs

Iozawa, T., Fujii, Y., Kodama, H.

Snow cover distribution, Snow surveys, Remote sensing, Aerial surveys, Mapping, Snow accumulation, Photography, Avalanche formation, Mountains.

Snow survey by aerial photographs. Otake, K., Geolournal, 1980, 4(4), p.367-369, 7 refs Snow surveys, Snow depth, Snow accumulation, Avalanche formation, Slope orientation, Aerial surveys, Photography.

36-2803

Main stratigraphic units of the Pleistocene Post-Eemian deposits from the area of the last Scandinavian glaciation.

Mojski, J.E., Torun, Poland Uniwersytet Acta universitatis Nicolai Copermei, Geografia, 1979, 14(46), p.61-82, With Polish summary, Refs. p.78-

Glacial deposits, Stratigraphy, Glaciation, Pleisto-

Facts and conclusion of the late Pleistocene development of river systems obtained from the results of economic reconnaissance. [Fakten und Schlussfolgerungen zur Jungpleistozanen Laufentwicklung eines Flusssystems als Ergebnis wirtschaftsgebundener Ob-

jekterkundungen, Brose, F., et al. Torun, Poland. Uniwersytet. Acta universitatis Nicolai Copernici Geografia, 1979, 14(46), p.83-97. In German with Polish summary. 32

Prager, F

Glacial hydrology, Periglacial processes, Stream flow, Glacial erosion, Pleistocene, Sediments, Poland.

Snow avalanche in Guxiang region of Xizang and its role in the physical geographic processes of high mountains.

Deng, Y. Acta geographica Sinica, Sep. 1980, 35(3), p.242-250. In Chinese with English summary. 5 refs. Avalanche formation, Geomorphology, Slope processes, Mudflows, Glacier alimentation, Vegetation, Pages and Management Damage, Mountains, Meteorological factors.

Foundation of the Glaciology and Cryopedology Subsociety of the Geographical Society of China and Symposium on the Test Techniques of Glacier and Cryopedology. Acta geographica Sinica. Sep. 1980, 35(3), p.270-271. In Chinese Glaciology. Geocryology, Organizations. Research

projects, Meetings, Glacier surveys, Tests.

36-2807

Preliminary study on recent fluctuation of glaciers in the Qilian Shan.

Lanzhou Institute of Glaciology and Cryopedology, Acta geographica Sinica, 1980, 35(1), p.48-57, In Chinese with English summary 7 refs nese with English summary 7 tefs Glacier oscillation, Glacier flow, Glacier mass bal-

ance, Glacier alimentation, Firn. Age determination, Air temperature, Mountains, China-Oilian Shan Mountains.

36-2808

Basic characteristics of periglacial landforms in the

Qinghai-Xizang Plateau.
Cut. Z., Secentia Sinica. Series B. Jan. 1982, 25(1), p. 79-91. For Chinese original see 36-1859. 15 res. Periglacial processes, Glacial geology, Geomorphology, Landforms, China.—Qinghai-Xizang Plateau.

Phase structures, water binding, and molecular dynamics in liquid crystalline and frozen states of the system Triton N-100 D2O.

Beyon K. Townsa of colling and interface science Mar 1982, 86(1) p.75(89) 46 (cts.)

Heavy water, Freezing, Phase transformations, Molecular structure. Water chemistry, Frozen liquids, Crystals, Temperature effects.

Ice-nucleating behavior of MAg4I5 (M = Rb,K,NH4) compounds.

Gobinathan, R., et al. Journal of colloid and interface science. Mar. 1982, 86(1), p.284-285, 14 refs. Hariharan, K., Ramasamy, P.

Ice crystal nuclei, Ice crystal growth, Nucleating agents, Silver iodide.

Floating processing plant readied for Cominco's Polaris mine. Canadian mining journal. Oct. 1980, 101(10),

p.37. Floating structures, Cold weather construction, Ice pressure, Ice loads, Mining.

36-2812

Prepare heavy machinery now for winter cold.

Canadian mining journal, Oct. 1980, 101(10), p.89-93.

Cold weather operation, Equipment, Vehicles, Maintenance, Engines.

36-2813

Environmental assessment of the Alaskan continental shelf, Vol. 10, Biological studies. Rockville, Md., U.S. National Oceanic and Atmospheric Administration, July 1981, 784p., PB82-124 975, Principal investigators' final reports. Includes 5 papers. Refs. passim paper see 36-8214. For selected

Oil spills, Marine biology, Environmental impact, Ocean environments, Microbiology, Ice scoring.

36-2814

Reconnaissance of intertidal communities in the eastern Bering Sea and the effects of ice-scour on community structure.

O'Clair, C.E., et al, Environmental assessment of the Alaskan continental shelf, Vol.10. Biological studies. Principal investigators' final reports. Rockville, Md., U.S. National Oceanic and Atmospheric Administration, July 1981, p.109-415, Refs. p.331-339, 413. Sea ice distribution, Ice scoring, Marine biology, Environmental impact, Oil spills, Bering Sea.

Selection of basic parameters and the architectural and design types of large-capacity multipurpose dry-cargo vessels for ice navigation. [Vybor osnovnykh parametrov i arkhitekturno-konstruktivnogo tipa krupnotonazhnogo mnogotselevogo sukhogruznogo sudna ledovogo plavaniiaj,

Miroshnichenko, I.P., et al, Leningrad. Tsentral'nyi nauchno-issledovatel'skii institut morskogo flota. Trudy, 1981, Vol.265, p.3-11, In Russian. 5 refs.

Nikol'skif, B.I., Tsoi, L.G. Ice navigation, Marine transportation, Ships, Icebreakers, Design, Arctic Ocean.

36-2816

Air cushion ferry boats for Estonian islands. [Parom Air cusnion terry boats for Estonian islands. [ratom na vozdushnot podushke dia ostrovo Estonii). Amfilokhiev, L.B., et al. Leningrad. Tsentral'nyi nauchno-issledovatel'skii institut morskogo flota. Trudy. 1981, Vol.265, p.25-28, In Russian. Kriazheva, L.I.A., Simonov, IU.A. Ice navigation. Marine transportation, Air cushion vahicles. Europ bases.

vehicles, Ferry boats.

36-2817

Evaluation of the effectiveness of heeling and trim systems in icebreakers. ¡Otsenka effektivnosti kreno-

systems in iceurenners. Ousenka eirektivnosti krenovykh i differentnykh sistem ledokolovy. Grechin. M.A. Leningrad. Tsentral ny nauchnoissledovatel skii institut morskogo flota. Trudy. 1981. Vol.265, p.63-79, In Russian. 4 refs. Marine transportation, Ships, Ice navigation, Ice-

breakers, Propellers, Ice loads.

16.7919

Diagrams for selecting the method of releasing icejammed and floating icebreakers. Diagramma dlia linivaniia so vsplyticmj.

Grechin, M.A., Leningrad, Tsentral'nyi issledovatel'skii institut morskogo flota. Tsentral'nyi nauchno 1981, Vol.265, p.79-82, In Russian.

Marine transportation, Ice navigation, Icebreakers.

36-2819

Studying the effectiveness of pneumatic ice deflection systems on ships. [Issledovanie effektivnosti pnev-moomyvaiushehego ustroistva na sudakh ledovogo

lerusalimskii, A.V., Leningrad. Tsentral'nyi nauchno-issledovateľskii institut morskogo flota. 1981, Vol.265, p.82-88, In Russian.

Ships, Ice navigation. Icebreakers, Ice pressure. Ice

36-2820

Different structures of roads for oil fields of western Siberia. ¡Avtomobil'nye dorogi razlichnykh kon-struktsii na mestorozhdeniiakh Zapadnoi Sibirij. Chudinovskikh, A.G., et al. Neftepromyslovoe stroite/stvo, 1982, No.3, p.3-5, In Russian. Merkushev, M.I.

Roads. Roadbeds. Swamps, Permafrost beneath roads, Pavements.

36-2821

Construction of storage tanks on weak grounds of the Central Ob' River area. (Stroitel'stvo rezervuarov na slabykh gruntakh v rajonakh Srednego Priob'ia). Trofimov, V.L., et al, Nestepromyslovoe stroitel stvo. 1982, No.3, p.6-8, In Russian. lUrovskaia, A.P.

Petroleum industry, Swamps, Peat, Storage tanks, Foundations, Settlement (structural), Earth fills.

Principles of optimal design and construction of oil-gas complexes in western Siberia. [Printsipy optimal] nogo proektirovaniia i sooruzheniia neftegazovykh kompleksov Zapadnoï Sibiri;

Berezin, V.L., et al. Neftepromyslovoe stroitel'stvo.

1982, No.3, p.8-10, In Russian. Permikin, IU.N., Sannikov, IU.V.

Petroleum industry, Buildings, Modular construc-tion, Prefabrication, Permafrost beneath structures, Transportation, Air cushion vehicles.

Forecasting ground thawing zones around pipelines. Prognozirovanie zony ottaivaniia gruntov vokrug truboprovodovy,
Danielian, IU.S., et al. Neftepromyslovoe stroitel'stvo.

1982, No.3, p.10-11, In Russian. IAnitskii, P.A., Nizovtseva, E.V., Varichenko, S.A

Pipelines, Permafrost beneath structures, Ground

36-2824

Effectiveness of railroad construction for servicing groups of oil fields in western Siberia. [Effektivnost stroitel'stva zheleznykh dorog dia obsluzhivaniia grupp neftianykh mestorozhdenii Zapadnoi Sibirij. Purtov, P.G., et al. Neftepromyslovoe stroitel stvo. 1982, No.3, p.19-21, In Russian. Sesin, N.A., Odintsova, L.A.

Petroleum industry, Swamps, Permafrost beneath structures, Transportation, Snow roads, Ice roads,

36-2825

Geology and geophysics of the Amerasian Basin. Clark, D.L., Ocean basins and margins, Vol. 5. Edited by A.E.M. Nairn, M. Churkin, Jr. and F.G. Stehli, by A.E.M. Natrn, M. Churkin, Jr. and P.O. Stellin, Plenum Publishing Corporation, 1981, p.599-634, For another source see Madison. Wisconsin University. another source see Madison. Department of Geology and Geophysics. Report No.TR-39. ADA-111 052/7. Refs. p.631-634. Geological surveys, Geophysical surveys, Paleoclimatology, Sedimentation, Tectonics, Paleoecology, Sea ice distribution, Marine geology, Bottom sediment, Origin, Arctic Ocean.

36-2826

HF radar technology transfer project-evaluation phase

Butt, K.A., et al. Memorial University of Newfound-Centre for Cold Ocean Resources Engineering. C-CORE publication, Oct. 1981, No.81-14, 136p., Refs. p.55-56, 123-126. Jeans, P.K.

Radar echoes. Floating ice, Natural resources. Remote sensing, Mapping, Wave propagation. Com-

Heat pump defrost problem.

Trask, A., Annual Heat Pump Technology Conference, 5th, Stillwater, Oklahoma, Apr. 14-15, 1980.

Proceedings, [1980, p.(13)1-(13)8.

umps, Defrosting, Heating, Design, Temperature effects, Refrigeration.

16.2828

Asphalt concrete properties and performance in

Alaska. Final report.

McHattie, R.L., U.S. Federal Highway Administration. Report. July 1981. No.FHWA-AK-RD-82-2. 207p., 17 refs.

Bituminous concretes, Pavements, Cold weather construction, Tensile properties, Climatic factors, Concrete strength. Cement admixtures, Fatigue (materi-

36-2829

Measurement and prediction of permafrost thickness, Arctic Canada.

Taylor, A.E., et al. Annual Meeting of the Society of Exploration Geophysicists, 51st, Los Angeles, Calif. Oct. 1981. Proceedings, (1981), 14p. (p. 3964-3977) 17 refs.

Judge, A.S.

Permafrost thickness, Permafrost thermal proper-ties, Permafrost forecasting, Permafrost depth,

Sediment load and channel characteristics in subarctic upland catchments.

Slaughter, C.W., et al. Journal of hydrology (New Zealand), 1981, 20(1), MP 1518, p.39-48, 12 refs

Discontinuous permafrost, Channels (waterways), Geomorphology, Sediment transport, Hydrology, Drainage, Suspended sediments, Watersheds, Statistical analysis.

Sediment load in low-order streams of the unglaciated Yukon-Tanana Uplands of central Alaska may be related to drainage basin characteristics and to stream channel morphology. This basin characteristics and to stream channel morphology. This has been investigated by analysis of selected physical hydrological and water quality data for the 104 sq km Caribou-Poker Creeks Research Watershed, located at 65 deg, 09 min N, 147 deg, 30 min W in a region of rolling to steep uplands and discontinuous permafrost. Channel morphology data are deg. 30 min m a tegron of tolling a second and discontinuous permafros. Channel morphology data are available for first, second- and third-order streams. Sediment load for selected points was determined over 45 weeks during summer of 1978 and 1979. Consistent differences in sediment yield, hydrologic regime and channel morphology have been determined between permafrost and non-permafrost drainages.

Heat rate control for railway track switch heaters. Part 2. Prototype performance, winter 1980/81. Coveney, D.B., National Research Council, Canada Division of Mechanical Engineering. Report, Mar. 1982, LTR-LT-130, 14p. + figs.. 1 rcf. Railroad tracks, Railroad equipment, Heating, Cold

weather operation, Low temperature tests, Railroad switches.

36-2832

Conversion of aircraft ice crystal measurements into terms of liquid water using simulated data. Berthel, R.O., U.S. Air Force Geophysics Laboratory

Technical report. June 16, 1981. AFGL-TR-81-0173. 46p., 23 refs

Ice crystal structure, Liquid phases, Water content, Airborne equipment, Cloud physics, Ice melting, Mathematical models, Computer applications.

36.2833

Brash ice behavior.

Greisman, P., U.S. Coast Guard. Report, May 1981, CG-D-30-81, 29p., 11 refs. Ice breakup, Ice creep, Ice navigation, Floating ice,

Rheology, Channels (waterways), Ice conditions. Brash ice.

Suspended sediment beneath permanent and seasonal ice. Ross Ice Shelf, Antarctica.

Carter, L., et al, New Zealand journal of geology and

geophysics, 1981, 24(2), p 249-262, 36 refs. Mitchell, J.S., Day, N.J. Sea ice, Ice shelves, Suspended sediments, Sediment transport, Antarctica—Ross Ice Shelf.

transport, Antarctica—Ross Ice Shelf.

Time-series measurements of suspended particulate matter (SPM) concentrations over a tidal cycle at 7 sites in McMurdo Sound revealed little correlation with depth, current velocity, or salinity. Much of the homogeneity is attributed to vertical mixing that is possibly caused by the descent of wind-driven surface water near the edge of the Ross Ice Shelf. Current speeds preclude settling of all but the coarsest SPM particles on the sandy bottom of the Sound. Most particles remain in suspension to be swent by the mean flow towards the ice shelf. the sandy bottom of the sound. Most particles femant in sus-pension to be swept by the mean flow towards the tice shelf. The main SPM components are terrigenous clay (44-74°), in-determinate biogenic particles (12-35°), diatoms (5-30°), and aggregates of mainly feed origin (0-18°). Feed pellets are abundant in plankton-rich waters near the seasonal ice edge, but abundant in plankton-rich waters near the seasonal ice edge, but diminish markedly to the south because of rapid settling and reduced plankton numbers. Terrigenous SPM also decreases proportionally southwards because of increasing biogenic SPM (including diatoms) accompanying intrusion of phytoplankton-bearing water from the Ross Sea and or liberation of biogenic material from the melting seasonal ice (Auth.)

36,2835

Seasonal mixing processes in an Arctic fjord system. Lewis, E.L., et al. Journal of physical occanography. Jan. 1982, 12(1), p.74-83, 8 refs Perkin, R G

Tidal currents, Sea ice, Ice growth, Water chemistry.

On the differences in ablation seasons of arctic and

antarctic sen ice.
Andreas, E.L., et al. Journal of the atmospheric sciences, Feb. 1982, 39(2), MP 1517, p.440-447, 41

Ackley, S.F.

Sea ice. Ice melting, Ablation, Meteorological fac-

Arctic sea ice is freckled with melt ponds during the ablation season. Antarctic sea ice has few, if any. On the basis of a simple surface heat budget, the authors investigate the meteorological conditions necessary for the onset of surface melting in an attempt to explain these observations. The low relative humidity associated with the relatively dry winds off the continent and an effective radiation parameter smaller than that characteristic of the Arctic are primarily responsible for the absence of melt features in the Antarctic. Together these require a surface-layer air temperature above OC before Antarctic sea ice can melt. A ratio of the bulk transfer coefficients less than I also contributes to the dissimilarity in Arctic and Antarctic ablation Arctic sea ice is freckled with melt ponds during the ablation contributes to the dissimilarity in Arctic and Antarctic ablation seasons. The effects of wind speed and of the sea-ice roughness on the absolute values of bulk transfer coefficients seem to moderate regional differences, but final assessment of this hypothesis awaits better data, especially from the Antarctic. (Auth.)

36-2837

Coring in Antarctica.

Marshall, P.S., Explorers journal, Sep. 1981, 59(3). p. 130-134.

ice coring drills

The author accompanied the American contingent of the Inter-national Antarctic Glaciological Program sent to drill at Dome Charlie. He describes his stay and the drilling.

Alaska Good Friday earthquake of 1964.

Swinzow, G.K., U.S. Army Cold Regions Research and Engineering Laboratory, Feb. 1982, CR 82-01, 26p. ADA-113 800.

Earthquakes, Frozen ground strength, Damage, Ice sheets, Rock mechanics, Structures, Water waves, United States-Alaska-Anchorage.

On 27 March 1964, a major earthquake struck Southern Alaska. The city of Anchorage, which contained a large part of Alaska's population, suffered loss of life and destruction of property. The time of the day, the season, and ground conditions were such that loss of life and property was minimized. The frozen ground and the ice on fresh water bodies responded to the ground and the ice on Iresh water bothers responded to the earthquake shocks in a seldom-observable pattern, which was noted and recorded. Changes of sea level and slides into the sea were responsible for waterfront destruction. It is con-cluded that the main factor that limited structural damage was the frozen state of the ground

36-2839

Sea ice drag laws and simple boundary layer concepts, including application to rapid melting.
McPhec, M.G., U.S. Army Cold Regions

and Engineering Laboratory. Feb. 1982, CR 82-04, 17p., ADA-113 542, 24 refs.

Sea ice, Drift, Boundary layer, Ice melting, Stresses, Turbulent flow, Velocity, Viscosity, Buoyancy, Mathematical models.

ematical models.

Several proposed methods for treating the momentum flux between drifting sea ice and the underlying ocean are interpreted in terms of simple planetary-boundary-layer (PBL) turbulence theory. The classical two-layer approach, in which the solution for a thin surface layer is matched to an Ekman solution for the outer layer, is used to derive several forms for the drag law. These forms range from linear (where stress is proportional to relative speed), through quadratic drag on geostrophic wind in the atmosphere. Only formulations which conform with Rossys-similarity scaling are consistent with free-drift data from the 1975 AIDJEX drift station experiment. We show how a two-layer model, in thickness, provides an analytic solution for the steady-state PBL equation quite similar to recent numerical solutions. The theory is extended to include drag reduction due to buoyancy from rapid melting and is shown to agree with atmospheric results for geostrophic drag under analogous conditions of radiational cooling. The theory provides a basis for estimating trajectories and melt rates of floes drifting into water warmer than the ice melting temperature.

36-2840

Charged dislocation in ice. 2. Contribution of dielec-

Itagaki, K., U.S. Army Cold Regions Research and Engineering Laboratory. Mar. 1982, CR 82-07, 15p., ADA-113 936, 18 refs., The results indicate that the charged dislocation process can produce the observed audio frequency dielectric relaxation as well as the distribution of spectra

Ice electrical properties, Ice relaxation, Dislocations (materials), Ice crystals, Dielectric properties, Electric charge, Relaxation (mechanics), Analysis (mathematics), Spectra.

The contribution of electrically-charged dislocation motion to dielectric relaxation was studied theoretically. Experimentally obtained data on charge density, dislocation density, and sement length and distribution described in Part. 1 of this series ed to calculate dielectric relaxation spectra

36-2841

Sea ice rubble formations in the Bering Sea and Norton Sound, Alaska.

Kovacs, A., U.S. Army Cold Regions Research and Engineering Laboratory, Dec. 1981, SR 81-34, 23p., ADA-113 773, 22 refs.

Pressure ridges, Ice pressure, Sea ice, Offshore structures. Ice loads. Ice formation, Ice surface. Offshore drilling, Grounded ice, Floating ice.

The occurrence of large, compact, grounded pressure ridge formations up to 15 m high in the coastal waters of Norton Sound and the Bering Sea is discussed. These formations periodically float free and drift about, gouging the seabed. Their mass makes them a severe threat to both floating and bottom-founded structures in these waters

WREL-Water Resources Engineering Lulea, Sweden-the activity of the division.

Lulea, Sweden. University. Water Resources Engineering, [1981], 46p. Bengtsson, L., ed.

Snow hydrology, Ice conditions, Ports, Waste treat-ment, Swamps, Heat transfer, Snowmelt, Hydrology, Icebound lakes, Temperature distribution, Atmo-spheric circulation, Land reclamation Research projects, Rocks.

36-2843

Snow cover mapping in northern Maine using LAND-SAT digital processing techniques. Merry, C.J., et al, MP 1510, Satellite hydrology. An-

nual William T. Pecora Memorial Symposium, 5th, American Water Resources Association, June 1979, p.197-198, Summary only.
McKim, H.L., Bates, R.E., Ungar, S.G., Cooper, S.,

Vegetation, Snow cover distribution, Snow water equivalent, Snow depth, Mapping, LANDSAT.

36-2844

Proceedings.Symposium: Surface Protection through Prevention of Damage (Surface Management); Focus: The Arctic Slope, Anchorage, Alaska, May 17-20, 1977, Anchorage, Alaska State Office, Bureau of Land Management, Mar. 1978, 296p., Refs. passim. For selected

papers see 36-2845 through 36-2857.
Environmental protection, Permafrost preservation,
Damage, Countermeasures, Ice roads, Revegetation, Exploration, Natural resources, United States—Alaska—North Slope.

36-2845

Surface protection requirements on State lands. Copeland, W.H., Symposium: Surface Protection

through Prevention of Damage (Surface Management); Focus: The Arctic Slope, Anchorage, Alaska, May 17-20, 1977. Proceedings. Edited by M.N. Evans, Anchorage, Alaska State Office, Bureau of Land Management, Mar. 1978, p.39-45.

Exploration, Environmental protection, Natural resources, Tundra, Sea ice, Legislation, Ice roads, Snow roads, Human factors, United States-Alaska-North Slope.

36-2846

Surface protection issues associated with public use of the haul road.

Parker, W.B., Symposium: Surface Protection through Prevention of Damage (Surface Management): Focus: The Arctic Slope, Anchorage, Alaska, May 17-20, 1977. Proceedings. Edited by M.N. Evans, An-1977. Proceedings. Edited by M.N. Evans, Anchorage, Alaska State Office, Bureau of Land Management, Mar. 1978, p.55-59.

All terrain vehicles, Environmental protection, Legislation. Environmental impact, Countermeasures, Natural resources, Human factors, United States-Alaska-North Slope.

Surface protection from an engineer's point of view. Keyes, D., Symposium: Surface Protection through Prevention of Damage (Surface Management): Focus. The Arctic Slope, Anchorage, Alaska, May 17-20, 1977 Proceedings, Edited by M.N. Evans, Anchorage, Alaska State Office, Bureau of Land Management, Mar. 1978, p.95-102

Pipe laying, Environmental protection, Cold weather construction, Waste disposal, Human factors, United States-Alaska-North Slope.

36-2848

Geological data requirements for efficient surface protection in the Arctic foothills and Arctic plain physicgraphic provinces.

Ferrians, O.J., Jr., Symposium Surface Protection through Presention of Damage (Surface Manageminogin recommon of Damage (Sufface Management). Focus, The Arctic Slope, Arichorage, Alaska, May 17-20, 1977. Proceedings. Edited by M.S. Evans, Anchorage, Alaska State Office, Bureau of Land Management, Mar. 1978, p.119-124.

Geological surveys, Environmental protection, Permafrost preservation, Soil erosion, Mudflows, Ice wedges, Natural resources, Exploration, Vegetation, Icebound rivers, United States-Alaska Slope.

36.2849

Soils and vegetation of the Arctic Slope of Alaskaan interim report.

Fibich, W.R., Symposium, Surface Protection through Prevention of Damage (Surface Management), Focus The Arctic Slope, Anchorage, Alaska, May 17-20, 1977. Proceedings. Edited by M.N. Evans, An-chorage, Alaska State Office, Bureau of Land Manage-ment, Mar. 1978, p.125-140

Soil surveys, Environmental protection, Vegetation, Permafrost, Remote sensing, Mapping, Soil classification, United States—Alaska—North Slope.

Grasses for revegetation in the Arctic.

Mitchell, W.W., Symposium: Surface Protection through Prevention of Damage (Surface Management): Focus: The Arctic Slope, Anchorage, Alaska, May 17-20, 1977. Proceedings. Edited by M.N. Evans, Anchorage, Alaska State Office, Bureau of Land Management, Mar. 1978, p.141-147, 12 refs. Grasses, Environmental protection, Revegetation, United States—Alaska—North Slope.

Considerations for the use of hardwood stem cuttings in surface management programs.

Zasada, J.C., et al. Symposium: Surface Protection through Prevention of Damage (Surface Managethrough Prevention of Damage (Surface Management); Focus: The Arctic Slope, Anchorage, Alaska, May 17-20, 1977. Proceedings. Edited by M.N. Evans, Anchorage, Alaska, State Office, Bureau of Land Management, Mar. 1978, p.148-157, 4 refs. Holloway, P., Densmore, R.

Revegetation. Environmental protection, Trees (plants), Propagation, Roots, United States—Alaska North Slope.

Snow gathering techniques on the Arctic Slope.

Gropp, D.L., Symposium, Surface Protection through Prevention of Damage (Surface Management); Focus. The Arctic Slope, Anchorage, Alaska, May 17-20, 1977. Proceedings Edited by M.N. Evans, Anhorage, Alaska State Office, Bureau of Land Manage-

ment. Mar 1978, p 160-171 Snow fences, Environmental protection, Snow (construction material). Snowdrifts, Snow roads, Cold weather construction, Wind factors, Precipitation gages, United States—Alaska—North Slope.

Ice aggregate road construction.

Fisher, E.N., Symposium: Surface Protection through Prevention of Damage (Surface Management); Focus: The Arctic Stope, Anchorage, Alaska, May 17-20, 1977. Proceedings. Edited by M.N. Evans, Anchorage, Alaska State Office, Bureau of Land Management, Mar. 1978, p.176-189.

Ice roads, Environmental protection, Cold weather construction, Ice (construction material), Snow roads, United States-Alaska-North Slope.

State air and water quality and solid waste disposal requirements.

Dietrick, L., Symposium: Surface Protection through Prevention of Damage (Surface Management): Focus The Arctic Slope, Anchorage, Alaska, May 17-20, 1977 Proceedings, Edited by M.N. Evans, An-chorage, Alaska State Office, Bureau of Land Manage, ment, Mar. 1978, p.192-201

Air pollution, Environmental protection, Water pollution. Waste disposal, Solids, Oil spills, Legislation. Standards, United States-Alaska-North Slope,

Role of research in developing surface protection measures for the Arctic Slope of Alaska.

Johnson, P.R., MP 1519, Symposium: Surface Protec-

tion through Prevention of Damage (Surface Management); Focus: The Arctic Slope, Anchorage, Alaska, May 17-20, 1977. Proceedings. Edited by M.N. Evans, Anchorage, Alaska State Office, Bureau of Land Management, Mar. 1978, p.202-205.

Snow accumulation, Environmental protection, Snow roads, Ice roads, Snowdrifts, Wind factors, Snow

roads, Ice roads, Snowdrifts, Wind factors, Snow feaces, United States—Alaska—North Slope. The U.S. Army Cold Regions Research and Engineering Laboratory (USA CRREL) has long conducted research in snow, ice, and permafrost. It also translates foreign language engineering papers and publishes research reports, monographs, and bibliographies. Snow and ice roads and construction pads have been used, primarily on the Arctic Slope, during the last few winters. Some have been successful but problems exist which will require further experience and research to solve. Once problem, is that of snow supply. Snowfall on the Arctic Slope is limited, particularly early in the season when it is most desired. Few good data are available on total quantities and slope is imited, particularly early in the season when it is most desired. Few good data are available on total quantities and the time pattern of snowfall but Wyoming Snow Gages, now being installed by a number of government agencies and private organizations, are beginning to provide some data which can be used with some confidence. The snow which falls is often organizations, are beginning to provide some data which can be used with some confidence. The snow which falls is often blown off by the strong winds which are common in the area so it is not available where it is needed. Research is under way on equipment and techniques for collecting snow and inducing drifting.

Winter off-road transport in northern Alaska.

Rhoads, E.M., Symposium: Surface Protection through Prevention of Damage (Surface Management); Focus: The Arctic Slope, Anchorage, Alaska, ment); Focus: The Arctic Slope, Anchorage, Alaska, May 17-20, 1977. Proceedings. Edited by M.N. Evans, Anchorage, Alaska State Office, Bureau of Land Management, Mar. 1978, p.266-283, 14 refs. All terrain vehicles, Environmental protection, Tracked vehicles, Cold weather operation, Snow roads, Exploration, Natural resources, Tundra, Environmental impact, United States—Alaska—North

36-2857

Ground pressures exerted by underground explosions. Johnson, P.R., MP 1520, Symposium: Surface Protection through Prevention of Damage (Surface Management); Focus: The Arctic Slope, Anchorage, Alaska, May 17-20, 1977. Proceedings. Edited by M.N. Evans, Anchorage, Alaska State Office, Bureau of Land Management, Mar. 1978, p.284-290, 3 refs. Frozen ground strength, Environmental protection,

sure, Explosion effects, Shock waves, Wave propagation, Environmental impact, Blasting, Marine biology, Underground explosions, United States
—Alaska—North Slope.

Peak shock pressures in frozen soil resulting from underground explosions of moderate size and their effect on fish por are examined, based on current knowledge of shock pressure patterns and the sensitivity of fish eggs and young and adult fish to such pressures. The peak shock pressures attenuate rapidly with distance from explosion and it appears that moderate-sized explosions, such as those from standard seismic shots, can be fired within a few hundred feet of water bodies without exceeding allowable peak shock pressures in the water bodies. Ex-perimental studies should be carried out to confirm the pattern of peak shock pressure attenuation and examine the effective-ness of shock transmission between frozen ground and the water

36-2858

Bentonite sealants in the pollution control of sanitary

landfills. (Bentonittätning mot lakvatten), Lundgren, T., et al. Sweden. Statens geotekniska in-stitut. Rapport. 1982. No.14, 104p. + appends. In Swedish with English summary. Refs. p.102-104. Karlqvist, L., Qvarfort, U.

Clay minerals, Soil freezing, Soil strength, Permeability, Sealing, Concrete admixtures, Leaching, Creeks. Frost action.

36, 2850

Investigation of the high rate volumetric properties of

Brown, R.L., U.S. Army Research Office. Grant No. DRXRO-RR-P15413-GS. Final report. May 1, 1978-Oct. 31, 1981. Nov. 1981, 155p., ADA-108 032/4, Refs. p.153-155.

Snow physics, Snow depth, Volume, Tracked vehicles, Trafficability, Shock waves, Wave propagation, Electromagnetic properties, Mathematical models.

36-2860

Gas hydrate evaluation and recommendations, na-

tional petroleum reserve—Alaska.
Pratt, R.M. Houston, Texas, Tetra Tech, Inc., Feb 1979, 27 leaves, TC-7916, Refs. p.25-27.
Hydrocarbons, Natural gas, Crystals, Permafrost dis-

tribution, Drilling, Boreholes, Detection, United States-Alaska.

Modern glaciers of the Qomolangma region. Su, Z., Kexue shiyan (Scientific experiment). April 1973, No.4, p.26-27, In Chinese.

Glaciers, Glacier surveys, Glacial geology, China-Oomolangma Mountain,

Modern glaciers in China.
Fei, J.S., Di li zhi shi (Geography knowledge). Oct.
1978, No.11, p.3-5. In Chinese. Glaciology, Geomorphology, Glacier surveys, China.

Application of space satellite pictures to investigation of frozen ground in the Qilian Mountain region Gao, Z., Journal of glaciology and cryopedology. Aug 1981, 3(3), p.78, In Chinese.

Frozen ground, Geomorphology, Snow cover, Space-borne photography, China—Qilian Mountain.

Configuration of ice in frozen media.

Colbeck, S.C., Soil science, Feb. 1982, 133(2), MP 1512, p.116-123, 9 refs

Ice crystal structure. Ice crystal growth, Ground ice. Sands, Ice air interface, Porosity, Water content, Heat transfer, Mass flow, Experimentation.

The configuration and fabrics of ice in frozen glass beads and sands with a low initial water content were observed. As suggested by Miller, the air-ice interface is convex, and pores seem to fill unstably. This produces an uneven ice distribution when the water supply is limited. Many different ice shapes and crystal distributions were observed, indicating a mixture of kinetic crystal growth processes and equilibrium constraints. Ice dendrites arose from rapid growth. Both single and multicrysdendrites arose from rapid growth. Both single and multicrystalline structures were found. Clearly, a wide variety of situations is possible, depending on growth rates, nucleation sites, and local paths of heat and mass flow.

Factors influencing the growth of miniature ice

Burt, T.P., Earth surface processes and landforms, 1981, Vol.6, p.179-182, 4 refs.

Ice lenses, Frozen ground physics, Soil water migration. Grain size. Water content. Hydraulics.

Meteorological and oceanographic factors affecting sea ice in Cook Inlet.

Poole, F.W., et al. *Journal of geophysical research*. Mar. 20, 1982, 87(C3), p.2061-2070, 23 refs. Hufford, G.L.

Sea ice, Ice formation, Meteorological factors, Oceanography, Heat transfer, Air temperature, Wind facors, River flow, Runoff, Degree days, United States
-- Alaska—Cook Inlet.

Using sea ice to measure vertical heat flux in the

McPhee, M.G., et al, Journal of geophysical research. Mar. 20, 1982, 87(C3), MP 1521, p.2071-2074, 8 refs. Untersteiner, N.

Sea ice, Ice salinity, Heat flux, Sea water, Temperature gradients, Ice growth, Drifting stations, Water temperature, Salinity.

Results of an experiment performed at drifting ice station FRAM I in the Arctic Ocean northwest of Spitzbergen during March-May 1979 indicate that sensible heat flux from the ocean to the ice cover was less than "Wisq.m." The estimate is based to the tre cover was less trian, " > 3.4, \text{in}. It be sufficient to use to om measurements of temperature gradient, growth rate, and salinity of young sea ice. Uncertainty in the magnitude of the heat flux results more from evidence of horizontal inhomogeneity in the growing ice sheet than from measurement

Properties of building materials at low temperatures. Rakennusmateriaalien ominaisuudet matalissa läm-

pötiloissa₁, Oksanen, P., Finland, Technical Research Centre Research notes, 1982, No.86, 48p., In Finnish with

English summary. 24 refs.

Construction materials, Low temperature tests, Cold weather construction, Steels, Aluminum, Wood, Plastics, Polymers, Mineral wool.

Acoustic emissions from polycrystalline ice.

St. Lawrence, W.F., et al. Cold regions science and technology, Mar. 1982, 5(3), MP 1524, p.183-199, 18 Cole. D M

Ice crystal structure, Ice acoustics, Dynamic loads, Stresses, Strains, Fracturing, Air temperature, Mathematical models, Mechanical tests.

The acoustic emission response from fine-grained polycrystal-line ice subjected to constant compressive loads was examined. A number of tests were conducted with the nominal stress rang-ing from 0.8 to 3.67 MPa at a temperature of -5C. The acoustic emission response was recorded and the data are presented with respect to time and strain. The source of acoustic emissions in ice is considered in terms of the formation of both microfractures and visible fractures that develop without catastrophic failure of the ice. A model to describe the acoustic emission response is developed

36-2871

Deformation and failure of ice under constant stress or constant strain-rate.

Mellor, M., et al. Cold regions science and technology. Mar. 1982, 5(3), MP 1525, p.201-219, 8 refs. Cole, D M

Ice deformation, Stress strain diagrams, Ice mechanics, Air temperature, Tests, Isotopes.

Fine-grained isotopic ice was tested in uniaxial compression at rine-grained isotopic ice was tested in uniaxial compression at -5C. Tests were made under 1. Constant strain rate, and 2. Constant stress, with total axial strains up to about 7°. Direct comparison of the results for constant stress and constant strain rate suggests that the two tests give much the same information when interpreted suitably. Detailed comparisons and interpretations of the data will be given in a subsequent paper.

36-2872

Viscoelastic solid relations for the deformation of ice. Spring, L., et al. Cold regions science and technology. Mar. 1982, 5(3), p.221-234, 11 refs. Morland, L.W.

Ice deformation, Viscoelastic materials, Stress strain diagrams, Shear stress, Loads (forces), Anisotropy, Analysis (mathematics).

36-2873

Ice shelf balances.

Morland, L.W., et al. Cold regions science and technology, Mar. 1982, 5(3), p.235-251, 23 refs. Shoemaker, E.M.

ice shelves, Floating ice, Viscosity, Ice mechanics, Ice cover thickness, Velocity, Temperature effects, Analysis (mathematics).

Experiments on mechanics of flowing snow

Dent, J.D., et al. Cold regions science and technology, Mar. 1982, 5(3), p.253-258, 2 refs Lang, T.E.

mechanics. Flow measurement, Shear stress, Boundary layer, Flow rate.

Snow water equivalent estimation by microwave radi-

Chang, A.T.C., et al. Cold regions science and technology, Mar. 1982, 5(3), p.259-267, 17 refs. Foster, J.L., Hall, D.K., Rango, A., Hartline, B.K., Snow water equivalent, Microwaves, Radiometry, Remote sensing, Snow temperature, Snowmelt, Run-

off. 36-2876

Upward flux of vapor from frozen materials in the High Arctic. Woo, M., Cold regions science and technology, Mar

1982, 5(3), p.269-274, 9 refs. Depth hoar, Frozen ground physics, Vapor transfer.

Approach roads, Greenland 1955 program

U.S. Arctic Construction and Frost Effects Laboratory, U.S. Army Engineer Waterways Experiment Station, Vicksburg, Mississippi — Technical report, June 1959, No.3-505, MP 1522, 100p. For preliminary ver-sion see ACFEL TR 60, or 25-2537

Permatrest beneath roads, Permafrost thermal properties, Glacier flow, Glacier melting, Roads, Mainte-nance, Thaw depth, Meltwater, Ice temperature, Roadbeds, Construction, Gravel, Equipment, Greenland-Tuto, Camp.

36,2878

Baseline data on tidal flushing in Cook Inlet, Alaska, Gatto, I. W., MP 1523, Preliminary analysis report, SR T contract No 160-75-89-02-10, June 1973, 11p. npublished manuscript 9 rets

Tidal currents, Suspended sediments, Ocean currents, Water pollution, Sediment transport, Sedimentation, Remote sensing, Seasonal variations, United States Alaska Cook Inlet

Historical variations in the advance and retreat of the Batura Glacier in the Karakoram Mountains.

Shih, V., et al. Acta geographica Sinica, 1978, 33(1), p.27-41, In Chinese with English summary. 20 refs Chang, H.

Glacier oscillation, Glacier flow, Geomorphology, Moraines, History, Glaciation, Pleistocene, China-

36-2880

Content of trace elements in glacial ice and snow in the Mt. Qomolangma region.

Zhang, S., Acta geographica Sinica, 1979, 34(1), p.12-17. In Chinese with English summary. 12 refs Glacier ice, Ice composition, Snow composition, Neutron activation analysis, Chemical analysis, Trace ele-

36-2881

Permafrost along the Qinghai-Xizang highway. Wang, J., et al. Acta geographica Sinica. 1979, 34(1), p.18-32. In Chinese with English summary. 5 refs. Wang, S., Qiu, G.
Permafrost distribution, Permafrost thickness, Per-

mafrost structure, Heat balance, Solar radiation, Geocryology, Air temperature.

36-2882

Oil change cuts winter "no-starts". American city and

county, Mar. 1982, 97(3), p.66. Engine starters, Winter maintenance, Vehicles, Cold weather operation.

36-2883

Crystallization and melting of aqueous solutions in

capillaries as a model of a porous body. Kiseleva, O.A., et al. *Colloid journal of the USSR*, Jan.-Feb. 1975(Publ. July 75), 37(1), p.37-43, Translated from Kolloidnyi zhurnal. 31 refs

Klad'ko, S.N., Sobolev, V.D., Churaev, N.V.
Solutions, Water, Capillarity, Porous materials,
Phase transformations, Capillary ice, Ice formation, Freeze thaw cycles.

36-2884

Dielectric behavior of a frozen emulsion of water in

mineral oil stabilized by magnesium stearate.

Derevianko, A.I., et al. Colloid journal of the USSR, Mar.-Apr. 1975(Publ. Sep.75), 37(2), p.327-328.

Translated from Kolloidnyi zhurnal. 6 refs.

Sperkach, V.S., Sapon, I.P., Kurilenko, O.D.

Dispersions, Oil spills, Phase transformations, Water, Dielectric properties.

Estimation of the properties and the state of water in coarsely porous disperse materials.

Fedodeev, V.L. Colloid journal of the LSSR. May-June 1975(Publ. Nov.75). 37(3). p.465-469. Trans-lated from Kolloidnyi zhurnal. 5 refs. Porous materials, Soils, Sands, Soil water, Frost

penetration, Phase transformations, Unfrozen water content.

Possibility of phase transformations in the water between the layers in Na-montmornlonite. Ivanov, V.V., et al, Colloid journal of the USSR, July-

Aug. 1975(Publ. Jan.76), 37(4), p.698-700, Translated

from Kolloidnyi zhurnal. 14 refs. Clay minerals, Water, Molecular structure, Adsorption. Phase transformations.

Dielectric double layer studies at silver iodide surfaces.

., Colloid journal of the USSR, Sep.-Oct. 1975(Publ. Mar. 76), 37(5), p.918-919, Translated troin Kolloidnyi zhurnal. 6 refs.

Silver iodide, Surface energy, Dielectric properties, Low temperature tests.

Note on the article by V.IA. Khentov, V.A. Kriul'kov, IU.V. Gunbin, G.N. Shadrin and V.G. Nikitash, "The infrared spectrum of water obtained immediately after the thawing of ice".

It khnevich, G.V., et al. Colloid journal of the USSR, Sep.-Oct. 1975(Publ. Mar.76). 37(5), p.923-924, Translated from Kolloidnyi zhurnal. See 36-2892 for the article commented on 5 refs Zolotarev, V.M.

ice melting. Meltwater, Infrared spectroscopy, Molecular structure.

36-2889

Investigation of the adhesion of ice to the surface of quartz capillaries. Kiseleva, O.A., et al. Colloid journal of the USSR.

Nov.-Dec. 1975(Publ. May 76), 37(6), p.1119-1121, Translated from Kolloidnyi zhurnal. 4 refs. Klad'ko, S.N., Sobolev, V.D., Churaev, N.V.

Porous materials, Models, Capillary ice. Ice adhe-

36-2890

Use of the neutron-gamma method to determine the

bulk density and moisture of peat.

Volarovich, M.P., et al. Colloid journal of the USSR, May-June 1974(Publ. Nov.74), 36(3), p.406-408.

Translated from Kolloidny; zhurnal. 8 refs. Peat, Water content, Density (mass volume), Radi-

36-2891

Electric double layer at the ice-electrolyte solution

interface.

Nechaev, E.A., et al, Colloid journal of the 1 SSR, May-June 1974(Publ. Nov.74), 36(3), p.539-541, Translated from Kolloidnyi zhurnal. 7 refs.

Solutions, Ions, Hydrogen, Snow surface, Charge measuring instruments, Ice water interface, Ice phy-

36-2892

Infrared spectrum of melted ice. Khentov, V.I.A., et al, Colloid journal of the USSR, May-June 1974(Publ. Nov.74), 36(3), p.365-566. Translated from Koiloidnyi zhurnal. 2 refs. Ice melting, Meltwater, Infrared spectroscopy, Molecular structure.

36-2893

Infrared spectra of water adsorbed on silver iodide and phloroglucinol.

Bakhanova, R.A., et al. Colloid journal of the USSR. July-Aug. 1973(Publ. Jan.74), 35(4), p.595-598. Translated from Kolloidnyi zhurnal. 10 refs.

Supercooled fog, Ice fog, Nucleating agents, Silver iodide, Water structure, Adsorption, Ice formation, Ice crystal nuclei.

36-2894

Water adsorption on ice-forming surfaces.

Morachevskii, V.G., et al, Colloid journal of the USSR, July-Aug. 1973(Publ. Jan.74), 35(4), p.725-727, July-Aug. Translated from Kolloidnyï zhurnal. 4 refs. Dubrovich, N.A., Popov, A.G., Potanin, A.N.

Nucleating agents, Silver iodide, Water, Molecular structure, Adsorption, Ice formation, Infrared spectroscopy, Ice crystals.

36,2895

Measurement of electrokinetic potentials at an ice-

Nessurement of electrokinetic potentials at an ice-electrolyte solution interface. Romanov, V.P., et al. Colloid journal of the USSR, Sep.-Oct. 1976(Publ. Mar.77), 38(5), p.912-915, Translated from Kolloidnyi zhurnal. 12 refs. Nechaev, E.A., Zvonareva, G.V.

Ice water interface, Solutions, Electric potential.

36.7896

Structure of the metastable phases of quickly frozen aqueous mineral dispersions

Filatova, E.V., et al. Colloid journal of the USSR, Nov.-Dec. 1976(Publ. May 77), 38(6), p.1077-1078, Translated from Kolloidnyi zhurnal. 5 refs. Filatov, A.O.

Freezing, Solutions, Dispersions, Ice formation, Minerals, Phase transformations, Clathrates, Graphite.

Methods of determining the strength of weak grounds. [K metodike opredelenija prochnosti slabykh gruntovi

Bazin, E.T., et al, Russia Ministerstvo vysshego i srednego spetsial nogo obrazovanija. Izvestija vys-shikh uchebnykh zavedeniji. Stroitel stvo i arkhitektura. 1982, No.2, p.26-29, In Russian 8 rets Zhenikhov, IU.N.

Peat. Organic soils, Soil water, Bearing strength, Shear strength.

36-2898

Using differential analysers in studying seepage rate at the dam-river shore junction. [Issledovanna na elektrointegratore parametrov prostranstvennogo filtratsionnogo potoka v beregovom primykanii plotinj. Belan, V I., et al. Russia. Ministerstvo vysshego i tassonnogo potoka v seregovom primykann plotinj. Belan, V I., et al. Russia. Miinsterstio vysshego i srednego spetsialinogo obrazovannia. Izvestna vys-shikh uchebnykh zavedenii. Strottel stvo i arkhitek-tura. 1982. No 2, p 90-94. In Russian. 5 rets Shvakov, V A.

Rivers, Dams, Shores, Joints (junctions), Water flow. Seepage, Flow rate, Taliks, Ground thawing, Freeze thaw cycles, Frost penetration, Computer applica-

36-2899

Thermophysical properties of nonrigid pavements with highly porous bases. (Teplofizicheskie svoistva nezhestkikh dorozhnykh odezhd s vysokoporistymi

osnovanijamij Bystrov, N.V., et al. Russia. Ministerstvo vysshego i srednego spetsial nogo obrazovaniia. Izvestiia vysshikh uchebnykh zavedenii. Strottel'stvo i urkhitek-tura, 1982, No.2, p.110-112, In Russian. 7 refs Finashin, V.N.

Roads, Pavements, Foundations, Roadbeds, Hydrothermal processes, Frost penetration, Soil water mi-

36-2900

Taiga in Alaska and its investigation. (Taiga Aliaski i

ee issledovanie;. Dyrenkov, S.A., *Botanicheskii zhurnal*, Nov. 1981, 66(11), p.1521-1530. In Russian with English sum-mary. 31 refs. mary.

Taiga, Landscape types, Cryogenic soils, Plant ecology, Plant physiology.

36-2901

Taxonomy, biology and ecology of legumes from southeastern Byrranga Mountains (Taymyr), Pt.1. [K sistematike, biologii i ekologii predstavitelei bobovykh (Fabaceae) na iugo-vostoke gor Byrranga (Taymyr) IJ. Kozhevnikov, TU.P., Botanicheskii zhurnal, Nov 1981, 66(11), p.1549-1560, In Russian with English summary. 12 refs.
Polar regions, Deserts, Alpine tundra, Subpolar re-

gions, Tundra, Plant ecology, Ecosystems.

Preservation of taiga landscapes in northeastern Europe. (O sokhranenii taezhnykh landshaftov na evropeiskom Severo-Vostokei.

Nepomilueva, N.I., Botanicheskii zhurnal, Nov. 1981, 66(11), p.1616-1622, In Russian 21 refs Taiga, Landscape types, Environmental protection.

Cryogenic soils, Plant ecology, Ecosystems.

Reaction of Arctic tundra plants to temperature increase under experimental conditions. (Reaktsua rastenii arkticheskoi tundry na povyshenie temperatury y eksperimental'nykh uslovnakhy

Kisliuk, I.M., et al. Botanicheskii zhurnai. Dec. 1981. 66(12), p.1710-1720. In Russian with English summary. 35 refs. Vas kovskii, M.D.

Polar regions, Tundra, Vegetation, Experimentation. Plant ecology, Plant physiology.

Taxonomy, biology and ecology of legumes from southeastern Byrranga Mountains (Taymyr), Pt.2. 1k sistematike, biologii i ekologii predstavitelej bobovykh (Fabaceae) na jugo-vostoke gor Byrranga (Taimyr) II₁. Kozhevnikov, IUP. Botanicheskii zhurnal. Dec Kozhevnikov, IU.P., Botanicheskii zhurnal. Dec 1981, 66(12), p.1730-1740. In Russian with English ummary 5 refs

Polar regions, Deserts, Vegetation, Subpolar regions, Tundra, Plant ecology, Plant physiology, Ecosystems.

Stages in the development of plant communities in Alpine tundras of the Putorana Plateau, ¡Stadii formirovanna rastiteľ nykh soobshchesty v gornykh tundrakh plato Putoranaj.

Norm, B.N., et al. Botanicheskii zhunnai, Jan. 1982. 67(1), p.15-25. In Russian with English summary. 16

Kitsing, 1-1

Alpine tundra, Cryogenic soils, Plant ecology, Plant physiology, Ecosystems, Vegetation patterns.

Present state, utilization prospects and conservation of underground water resources in the BAM zone. ¡Sostoianie, perspektivy ispol'zovaniia i problema okhrany podzemnykh vodnykh resursov v zone BAMaj, Pinneker, E.V., et al. Geografiia i prirodnye resursy, Oct.-Dec. 1981, No.4, p.66-76, In Russian. Pisarskii, B.L., Papshev, M.V.

Permafrost distribution, Permafrost hydrology, Water reserves, Environmental protection, Baykal Amur

36-2907

Hydromelioration and optimal use of landscapes in the western BAM zone. [Obosnovanie gidromeliorat-

sii s tsel'iu optimal'nogo ispol'zovaniia landshaftov v zone zapadnogo uchastka BAMa, Mczentsev, V.S., et al. Geografia i prirodnyc resursy, Oct. Dec. 1981, No.4, p.83-87, In Russian. 2 refs. Levshunov, V.M., Ratushniak, G.S., Razumovskaia, O.M.

Permafrost distribution, Economic development, Land reclamation, Active layer, Cryogenic soils, Baykal Amur railroad.

36-2908

Regularities governing space distribution of elements and the structure of heat and water balances over the territory of Siberia. ¡Zakonomernosti prostranstvennogo raspredeleniia elementov i struktury vodnogo i teplovogo balansov na territorii Sibirij.

Plitkin, G.A., Geografiia i prirodnye resursy, Oct.-Dec. 1981, No.4, p.87-92, In Russian. 14 refs.

Hydraulic structures, Land reclamation, Natural resources, Permafrost hydrology, Hydrothermal processes, Ground water, Landscape types, Alpine tundra, Forest tundra, Tundra, Taiga, Heat balance, Water balance.

36-2909

Geographic distribution of vegetation in the dark con-ifer taiga of the West Siberian plain. (Voprosy geo-grafii rastitel nosti temnokhvoinoi taigi Zapadno-Sibir-

skol ravniny,
Il'ina, I.S., Geografiia i prirodnye resursy, Oct.-Dec.
1981, No.4, p.120-128, In Russian. 23 refs.
Taiga, Geography, Vegetation patterns, Microclimatology, Cryogenic soils, Paludification, Economic development, Forestry, Plant ecology, Plant physiology, Maps.

36-2910

Overview of models used in land treatment of was-

Iskandar, I.K., U.S. Army Cold Regions Research and Engineering Laboratory. Mar. 1982, SR 82-01, 27p., ADA-114 403, Refs. p.22-27. Land reclamation, Waste treatment, Water treat-

ment, Nutrient cycle, Mathematical models, Soil microbiology, Soil water, Soil chemistry,

crobiology, Soil water, Soil chemistry.

This report summarizes the state of the art of the modeling of wastewater renovation by land treatment. The models discussed are classified based on their use for planning, site selection and cost analysis, and for predicting 1) water and salt transport in soils. 2) nitrogen transport and transformations. 3) phosphorus transport and transformations. 4) virus movement in soils, and 5) toxic metal and trace organic movement in soils. This report compares the different models as to their purpose, input and output data, and status of validation. In addition, the report includes a section on research needs for modeling land treatment of wastewater.

36-2911

Improvement of large panel construction in Siberia. (Sovershenstvovanie krupnopanel'nogo domostroenija v ratonakh Sibirij, Paremskii, K.V., Biulleten stroitel not tekhniki, Nov.

1981, No.11, p.46-47, In Russian. Meetings, Large panel buildings, Subpolar regions,

Permafrost beneath structures, Residential buildings, Research projects, Construction materials, Construction equipment.

36-2912

Maintainability of construction equipment designed for Siberia and the North, remontoprigodnost' tekhniki dlia Sibiri i Severa;. Kolesnichenko, V.V., Mekhanizatsiia stroitel'stva.

Apr. 1982, No.4, p.6-8, In Russian Construction equipment, Earthwork, Winter mainte-

36-2913

New designs of foundations for gas transfer aggregates. ¡Novye konstruktsii fundamentov pod gazoperekachivaiushehie agregatyj. Makar, R.M., et al. Gazovaia promyshlennost. Mar.

1982, No.3, p.18-19, In Russian Kaganovskaja, S.E., Troitskii, E.V., Glikman, N.A.

Petroleum industry, Gas pipelines, Pumps, Foundations. Permafrost beneath structures.

36-2914

Symmetry compensators for elevated gas pipelines in the North. Simmetrichnyi kompensator dha severnykh nadzemnykh gazoprovodovy. Kharionovskii, V.V., et al, Gazovaia promyshiennost.

Mar. 1982, No.3, p.20-21, In Russian. Degtiarev, V.I.

Gas pipelines, Permafrost beneath structures, Pipeline supports, Piles.

36,2915

Road construction. (V dorozhnom stroitel'stve). Kostel'ov, M.P., Mekhanizatsiia stroitel'stva. Apr 1982, No.4, p.16-18, In Russian.

Roadbeds, Embankments, Soil compaction, Construction equipment, Earthwork, Cold weather construc-

36-2916

Aluminum covers for protecting heat pipelines from corrosion. ¡Aliuminievye pokrytiia dlia zashchity te-plosetei ot pochvennoi korroziij. Chizhevskii, M.V., et al. Stroitel sivo truboprovodor.

1982, No.4, p.15, In Russian.

Underground pipelines, Covering, Aluminum, Corrosion, Swamps, Cryogenic soils.

36-2917

Design of pile foundations for frozen ground, (Raschet svainykh fundamentov sooruzhaemykh na merziykh gruntakh₁,

Poluektov, V.E., et al, Stroitel'stvo truboprovodov, Apr. 1982, No.4, p.24-26, In Russian. Raiskii. O.A.

Foundations, Piles, Reinforced concretes, Permafrost beneath structures.

36-2918

Large unit transportation on the West Siberian conction sites. [Transportirovka superblokov na stroi-

kakh Zapadnoi Sibiri, Rastegaev, I.IA., Stroitel stvo truboprovodov, Apr. 1982, No.4, p.27-28, In Russian.

Air cushion vehicles, All terrain vehicles.

FPB foam plastic for thermal insulation of pipelines. Primenenie penoplasta FPB dlia teploizoliatsii truboprovodov₁.

Antonova, E.V., et al, Stroitel'stvo truboprovodos, Apr. 1982, No.4, p.29-30, In Russian. Stefurak, B.I.

Pipeline insulation, Thermal insulation, Cellular plas-

36-2920

All terrain vehicles for the construction of main pipelines in swamps. [Bolotokhody dlia stroitel'stva magistral'nykh truboprovodov]. Stroitel'stvo truboprovodov. Apr. 1982, No.4, p.34, In Russian.

All terrain vehicles, Pipelines, Permafrost beneath structures, Active layer, Swamps.

Deicing of power lines, (Opyt bor by 8 gololedom na

hniiakh elektroperedachij.
D'iakov, A.F., et al, *Elektricheskie stantsii*, Jan. 1982.
No.1, p.50-54, In Russian. 4 refs. Levchenko, I.I.

Power line icing, Ice loads, Wind factors, Ice removal, Electric heating.

36-2922

Forecasting corona losses in electrical networks, depending on weather conditions. (Prognozirovanie poter na koronu v elektricheskikh setiakh v zavistmosti ot pogodnykh usloviij, Bakhtamova, I.A., Elektricheskie stantsii, Mar. 1982.

No.3, p.64-66, In Russian. 4 refs

Power line icing, Snowstorms, Hoarfrost, Electric

Influence of coarse aggregates on heat-and-frost resistance of heavy concrete in dry hot climate. (Viname krupnogo zapolnitelia na termomorozostoikosť tiazhelogo betona v uslovijakh sukhogo klimataj.

Mironov, S.A., et al. Beton i zhelezobeton, Nov., 1981 No 11, p 27-28, In Russian 4 rets Malinskii, E.N., Vakhitov, M.M.

Concrete aggregates, Concrete strength, Freeze than cycles, Tests

36-2924

Frost resistance of haydite concretes containing coal ash and cinder. Morozostoikost keram-dobetonov na kamennougol'nykh zolosh-Zitozolobetonov

zitozolobetonov na kamennougol nyen zotosh-lakovykh sinesiali hj. Gortshkov, A.M., et al. Beton i zhelezobeton, Jan. 1982, No.1. p.44-45. In Russian - Viets Rossovskii, V.N., Litsnix, A.V., Koroleva, O.E.

Concrete aggregates, Concrete strength, Frost resistance.

36-2925

Productivity and stability of fir coenopopulations in the north European taiga. (Produktivnost) chivoxi' tsenopopunatsii eli v taezhnykh lesakh Evropeiskogo Severaj. Dyrenkov, S.A., Fkologija, Mar Apr. 1982, No.2, p.25-30, In Russian 22 refs

Taiga, Vegetation, Biomass, Cryogenic soils, Bibliographies.

Bases for the preparation of chemical ice prevention materials, (Buzy dha prigotovlenija protivogololednykh khimicheskikh materialovi,

Bulgach, A.S. et al. Avtomobil myc dorogi, Jan. 1982. No.1, p.18-20, in Russian Belialov, M. V.

Chemical ice prevention, Pavements, Roads, Winter maintenance.

U.S. geological survey in Alaska, 1982 programs. Reed, K.M., ed. U.S. Geological Survey 1982, No 867, 107p.

Geological surveys, Natural resources, Water reserves. Research projects, Environments, Marine geology, Crude oil, Minerals, Mapping, United States -Alaska.

36-2928

Glaciological investigations in Johan Dahl Land. South Greenland, 1981. [Glaciologiske under sogelset Johan Dahl Land, Sydgronland, 1981,

Telement, P., Denmark Gronkinds geologiske under-sogelse: Gleischer-hydrologiske meddelelser, Mar 1982, No.82, L., 73p., In. Danish with English sum-mary, Refs. p. 70, 73

Glacial hydrology, Glacier mass balance, Snow water equivalent, Glacier flow, Water reserves, Runoff, Glacial lakes. Electric power.

36-2929

Simulation of ice-cover growth and decay in one dimension on the upper St. Lawrence River. Greene, G.M., U.S. National Oceanic and Atmos-

NO 14 technical memoranspheric Administration dum, June 1981, No ERI GLERI 36, 82p. Rets p.58-61 Ice cover thickness, Ice growth, Ice deformation, Ice

melting. Channels (waterways). Mathematical models, Computer programs,

36-2930

Performance of marine propellers in ice-clogged channels.

Kostilainen, V., Finland - Winter Navigation Research Board - Research report, (1981), No.23, 20p.

Ice navigation, Propellers, Ice loads, Channels (waterways), Ice pressure. Ice cover, Offshore structures. 36-2931

Model study of the role of high-latitude topography in the climatic response to orbital insolation anomalies. Birchfield. G.E., et al. Journal of the atmosphere. Birchfield, G.E., et al. Journal of the atmosphe is sciences, Jan. 1982, 39(4), p.71-87, 48 (c)s. Weertman, J. Lande, A.T.

Land ice, Ice sheets. Heat balance, Ice mechanics, Ice thermal properties. Snow thermal properties, Ice surface, Models, Albedo.

36-2932

Effect of soil fauna on litter mass loss and nutrient loss dynamics in Arctic tundra at Barrow, Alaska. Douce, G.K. et al. Lee egy

Crossics, DA J.

Tundra. Soil microbiology, Soil composition, Litter, Decomposition. Nutrient evele. Mass balance. Chemical analysis.

36-2933

Cutting ice with "high" pressure water jets.

Cutting the with "night pressure water jets."
Conveney D.B. National Research Connect. Canada.
Mechanical edg. society of that 198 MD 57.
NRC Nothings at the modification of consecutives.
With French School of the professional Security. With From U.S.

Ice cutting. Hydraulic jets. Analysis (mathematics)

Management of blowing snow on sagebrush rangelands.

Sturges, D.L., et al. Journal of soil and water conservatum, 1981, 36(5), p.287-292, 15 refs.

Tabler, R.D.

Snow retention. Snow fences, Meltwater, Water storage, Irrigation, Snowdrifts, Snow accumulation, Blowing snow.

36-2935

Pingo correlation and prediction study.

Shearer, J., et al. Institute of Ocean Sciences. Patricia Bay, Sidney, B.C. Contractor report series, 1981, 0.81-3, 26p. + maps, 2 refs.

Meagher, L

Pingos, Marine geology, Geomorphology, Echo sounding, Frost heave, Origin, Forecasting, Subsea permafrost, Ocean bottom, Mapping, Beaufort Sea.

36-2936

Rotorcraft icing-status and prospects.

North Atlantic Treaty Organization, Advisory Group for Acrospace Research and Development. AGARD advisory report, Aug. 1981, AGARD-AR-166, 127p... Refs. passim.

Aircraft icing, Ice control, Propellers, Ice prevention, Helicopters, Meteorological factors, Mathematical

36-2937

Alaska's glaciers.

Henning, R.A., ed. Alaska geographic, 1982, 9(1).

Glaciers, Glacier flow, Glacial lakes, Glacial rivers, Photography, Glacier tongues, Ecology.

Geographic and elevation angle dependence of rain and ice-cloud depolarization in Canada along earthspace paths at 12 GHz.

Schlesak, J.J., et al, IEEE International Conference on Communications. Record, 1980, 3(3), p.40.2.1-40.2.4. 6 refs.

Strickland, J.I.

Cloud physics, Supercooled clouds, Polarization (waves), Attenuation, Ice crystals, Rain, Wave propagation, Radio waves.

36-2939

Passive microwave observations of snow, ice, and rain from satellites.

Staclin, D.H., et al, IEEE International Conference on Record. 1980, 3(3), p.49.1 1-Communications Rotman S.R.

Microwaves, Snow cover, Ice cover, Rain, Remote sensing, Spectroscopy, Radiometry, Sea ice, Space-

36-2940

Surface effects on the microwave backscatter and emission of snow

Fung, A.K., et al, IEEE International Conference on Communications. Record, 1980, 3(3), p.49.6.1-49.6.7, 12 refs.

Stiles, W.H., Ulaby, F.T. Snow physics, Backscattering, Microwaves, Wave propagation, Radio waves, Surface roughness, Analvsis (mathematics).

36.2941

Glaciology of the Ross Sea sector: contributions from

the Scott Polar Research Institute.

Robin, G. de Q., Royal Society of New Zealand.

fournal, Dec. 1981, 11(4), p.349-353, 22 refs.

Ice shelves, Glacier flow, Radio echo soundings, An-

turctica-Ross Sea, Antarctica-Ross Ice Shelf-

farctice—Ross Sea, Antarctice—Ross Ice Shell.

Data from airborne radio-sounding programmes provide extensive information on the Ross Ice Shelf. The flow of ice from Maric Byrd Land glaciers is shown clearly. Study of the basal sayers indicates the location of basal freezing and melting. The latter pricesses are controlled by oceanic circulation beneath the ice shelf and by bottom topography, rather than by conduction of heat. Basal melting appears sufficient to have a significant effect on the mass budget of the antarctic continent. Ice discharge from Maric Byrd Land takes place mainly through ice streams formed in shallow depressions in the configency and the streams formed in shallow depressions in the configency and the streams formed in shallow depressions in the configency and the streams formed in shallow depressions in the configency and the streams formed in shallow depressions in the configency. orscharge from Marie Byto Land takes piace mainly through ice streams formed in shallow depressions in the continental shelf below sea level—lee from the main inland ice sheet is dis-charged through trunk glacieres, while that entering the dry val-leys is of local origin—Inward-trending valleys beneath the main ice sheet indicate an early extensive mountain glaciation preceding the formation of the main sheet—(Auth.)

36-2942

RISS, RISP and RIGGS: Post-IGY glaciological investigations of the Ross Ice Shelf in the U.S. programme.

Bentley, C.R., et al, *Royal Society of New Zealand*. *Journal*, Dec. 1981, 11(4), p.355-372, Refs. p.371-372. Jezek, K.C.

Ice shelves, Glacier flow, Glaciation, Antarctica-Ross Ice Shelf.

Measurements over the last twenty years have revealed the Measurements over the last twenty years have revealed the following characteristics of the ice shelf. Sonic logging in a drill hole in the ice demonstrates a striking anomaly in wave velocity that may be associated with the passage of the ice over the grounding line. Seismic shear wave velocities show anisotropic characteristics that may reflect either crystal anisotropy or stress anisotropy, or both. The mass output from the ice shelf is only about half as great as the glacier input through the Transantarctic Mountains plus the surface accumulation on the shelf and its West Antarctic drainage basin, yet measurements on the ice shelf indicate that the mass balance is near zero. This could be consistent with recovery from a past surge of the West Antarctic inland ice. The submarine tooography is domithis could be consistent with recovery iron a past surge of the West Antarctic inland ice. The submarine topography is dominated by broad ridges and valleys extending in an unbroken pattern from the open Ross Sea past the Ross Ice Shelf to the grid eastern part of the West Antarctic inland ice. Convolutions in the ice thickness suggest turbulent flow. Detailed examination of available data has led to a picture of Holocene retreat and fluctuations in grounding line positions during the last 1500 years. (Auth. mod.)

36-2943

Hydrology and climate in the Ross Sea area. Tryptology and climate in the Ross sea area.

Chinn, T.J.H., Royal Society of New Zealand. Journal, Dec. 1981, 11(4), p.373-386, 22 refs.

Meltwater, Lakes, Glacial lakes, Glacier mass bal-

ance, Salt lakes, Antarctica—Ross Sea.

Glacial features in the Ross Sea area are a result of seaward fluctuations of outlet glaciers from the ice sheet, alpine glacier variations, and inland advances of a grounded Ross Ice Shelf. Mass balance changes measured on dry valley glaciers are very small, indicating conditions close to glacial equilibrium and emphasizing a low degree of glacial activity. Accumulation is greatest in summer, suggesting that in this region, a temperature increase may lead to a glacial advance. Hydrological studies include measurement of the Onyx River flow, and early- and late-summer levels of nine enclosed lakes. Levels of enclosed lakes lowered from early Holocene times, are currently rising. Results suggest that where a lake adjoins a glacier, in some cases the lake may rise over the winter due to ground water inflow from beneath the glacier. (Auth. mod.) ance. Salt lakes. Antarctica-Ross Sea.

Soil research in the Ross Sea region of Antarctica. Campbell, I.B., et al., Royal Society of New Zealand. Journal, Dec. 1981, 11(4), p.401-410, Refs. p.409-410. Claridge, G.G.C.

Soils, Desert soils, Cryogenic soils, Soil formation, Antarctica—Ross Sea.

Antarctica—Ross Sea.

The Ross Sea sector has been the focal point of most antarctic soil research, and since the early 1960's widespread chemical weathering, soil-biological, and pedological studies have been carried out. Chemical weathering of soils is slight and occurs at a very slow rate, but there are measurable differences among soils in the amount of iron oxides released, while in some instances clay mineral transformations can be detected. Differences can be related to various environmental factors. The biological properties of the proper ences can be related to various environmental factors. The biological component of the soil is effectively zero in most situations. Pedologically the soils are distinctive and have properties that characterize them as cold desert soils. With knowledge of the predictable differences in soil properties, the soils are used as a means of age correlation in antarctic glacial chronology studies. A consideration of polar soil relationships has shown that antarctic soils are the coldest and driest of a polar soil zonation system, but on a global basis they have many similarities with hot desert soils. Antarctic soils have formed over a very long time (>5 m.y.) and are part of one of the world's most fragile ecosystems. (Auth. mod.)

36-2945

Annual course of snow depth in the Alps in the region of Tyrol. (Ein Beitrag zur Kenntnis des Jahresganges der Schnechöhe im Albenraum von Tiroli.

Fliri, F., Zeitschrift für Gletscherkunde und Glazialgeologie, 1980, 16(1), p.1-9, In German with English 20 refs.

Snow depth. Seasonal variations. Statistical analysis. Mapping, Austria-Alps.

36-2946

Crescentic fractures, crescentic gouges and lunate fractures in the area of confluence of Schwarzenstein and Horn Glaciers, Tyrol. [Parabelrisse, Sichelbruche und Sichelwannen im Vereinigungsbereich zweier Zill-

ertaler Gletscher (Tirol);.
Wintges, T., et al., Zeitschrift für Gletscherkunde und Glazialgeologie, 1980, 16(1), p.11-23. In German with English summary. 10 refs.

Hauberger, H.

فمتعمد متعمد

Glacier flow, Glacial geology, Glacial crosion, Ice scoring, Fracturing, Paleoclimatology, Glacier thickness, Statistical analysis, Cracking (fracturing).

36-2947

Attempts of the mechanical interpretation of the crack initiation of crescentic fractures and crescentic gouges on rock surfaces formed during the glacial epoch. (Ansätze zur mechanischen Deutung der Rissentstehung bei Parabelrissen und Sichelbruchen auf glazial geformten Felsoberflacheni.

Ficker, E., et al. Zeitschrift für Gletscherkunde und Glazialgeologie, 1980, 16(1), p.25-43, In German with

Challed Control of the Control of th Paleoclimatology, Glacial erosion, Glacier beds, Cracking (fracturing), Theories.

36.2948

Predicted behavior of Griesgletscher, Wallis, Switzerland, and its possible threat to a nearby dam. Bindschadler, R.: Zeitschrift für Gletscherkunde und Glazialgeologic, 1980, 16(1), p.45-59, With German

summary. 18 refs. Glacier flow, Calving, Forecasting, Dams, Damage. Mathematical models, Statistical analysis.

Studies on the glacial and vegetational history of the Val de Nendaz (Valais, Switzerland)—a contribution to the alpine Late Glacial chronology. (Gleischer- und vegetationsgeschichtliche Untersuchungen im Val de endaz (Wallis) ein Beitrag zur alpinen Spatglazial-

chronologies.
Muller, H.-N., et al. Zeitschrift für Gletscherkunde und Glazialgeologie, 1980, 16(1), p.61-84. In German with English and French summaries. Refs. p.81-84

Kerschner, H., Kuttel, M. Glaciation, Vegetation, Moraines, History, Paleoclimatology, Pollen, Mountains, Mapping.

Change in elevation of glaciers in the Eastern Alps. 1969-1979. [Zur Höhenanderung von Ostalpengletschern im Zeitraum 1969-1979]. Finsterwalder, R. et al. Zeitschrift für Gletscherkunde

und Glazialgeologie, 1980, 16(1), p.111-115, In German with English summary 2 refs Rentsch. H.

Glacier oscillation, Glacier surfaces, Photogrammetric surveys, Seasonal variations, Austria-Alps.

Explanatory remarks to the map of Hintereisferner,

Explanatory remarks to the map of Hintereisferner, 1979, scale 1:10.000, [Begleitworte zur Karte des Hintereisferners 1979, 1:10.000]. Kuhn, M., Zeitschrift für Gletscherkunde und Giazialgeologie, 1980, 16(1), p.117-124, In German with English summary. 19 refs. Glacier surveys. Photogrammetric surveys, Snowline, Moraines, Mapping.

Economical calorimeter for measuring water content of a snow cover.

Ohmura, A., Zeitschrift für Gletscherkunde und Gle-zialgeologie, 1980, 16(1), p. (25-130). With German-summary 4 rets

Snow water content, Snow temperature, Temperature measurement, Calorimeters, Snow cover, Accuracy,

New results of measurements of total beta activity in deep profiles of Kesselwandferner (Otztaler Alps). Neue Ergebnisse von Messangen der Gesamt-Beta-Aktivitat in Tiefenprofilen am Kesse war die mer (Octaler Alpenny.
Ambach, W., et al. Zeitschrift für Goetscheite.

Glazialgeologic, 1980, 16(1), p. 1977, see Jr. Co. Eisner H

Glacier ice, Fallout, Radioactivity, Pollution, Profiles, Nuclear explosions.

36-2954

Report of the Symposium on the Qinghai-Aizang (1)bet) Plateau, 1980.

Pewe, T.L., Zeitschrift für Getscherkunde zuglgeologie, 1980, 16(4), p.135-144

Glacial geology. Meetings, Geomorphology, Stratigraphy, Paleoecology, Meteorology,

Snow research in France, if extecherches surface go en Francej Ubboutry, U. Zeitschrift fin Gletscheikunde wird G

ziałgowkieje (980 16(1) p 145-146. In French Snow surveys, Research projects, Organizations, France.

Total suspended solids in highway runoff in Washington State.

Asolund, R., et al. American Society of Civil Engineers Environmental Engineering Division. Jour-nal, Apr. 1982, 108(EE2), p.391-404, 25 refs. Mar. B.W., Ferguson, J.F. Runoff, Suspended sediments, Roads, Meltwater,

Rain, Pollution, Ice melting.

36-2957

Glaciers, mountains probed to find Mt. Ogden moly. Beley, M.J., Canadian mining journal, Apr. 1980, 10:(4), p.55-57, 61-62.

Mining, Metals, Minerals, Glacial erosion, Mountains.

36-2958

Microwave approaches in hydrology.

Schmugge, T.J., Photogrammetric engineering and temate sensing, Apr. 1980, 46(4), p.495-507, 38 refs. Snow depth, Snow water equivalent, Snow water content, Soil water, Microwaves, Dielectric properties. Backscattering, Remote sensing.

36.2959

Origin of polygonal troughs on the northern plains of

Pechmann, J.C., Icarus, May 1980, 42(2), p.185-210, 60 refs.

Permafrost distribution, Polygonal topography, Mars (planet), Origin.

36-2960

Glacial hydrology.

World Data Center A for Glaciology, Glaciological data, Mar. 1982, GD-12, 133p.

Glacial hydrology, Bibliographies, Snow hydrology,

36-2961

Arctic concrete technology. Preliminary investiga-

tion. (Arktinen betonitekniikka Esiturkimus), Jobela, J., et al. Finland. Technical Research Centre. Research reports, Mar. 1982, No.75, 134p., In Finnish with English summary. 84 refs. Kirckas, L., Kukko, H., Rissanen, E. Concrete freezing, Cold weather construction, Con-

crete heating, Freezing points, Permafrost, Temperature variations, Climatic factors.

36-2962

Study for two-dimensional freezing in a horizontal circular cylinder passing through maximum density

Saitoh, T., et al. Refrigeration, Oct. 1979, 54(624). p.845-852. In Japanese with English summary. 1515

Freezing, Heat transfer, Pipes (tubes), Phase transformations, Latent heat, Temperature variations, Photography, Convection.

16. 2963

Hydrologic and geologic control of carbonate water chemistry in the subarctic Nahanni karst, Canada. Brook, G.A., et al. Earth surface processes and land-torns, 1982, Vol.7, p.1-16, 14 refs.

Ford. D C

Discontinuous permafrost, Karst, Water chemistry, Hydrogeology, Soil chemistry, Geology, Carbon diox-

36-2964

Winter maintenance—Department of Transportation spells out drill for motorways and trunk roads. Highmars and public works, Dec. 1981-Jan. 1982, 49-50(1860-1), p.16-23

Winter maintenance, Road maintenance, Road icing, Ice removal, Snow removal, Vehicles.

16. 2965

Rapid ice formation in hardened cement paste, mortar and concrete due to supercooling.

Ciribl, P., et al. Coment and concrete research. May 1980, 10(3), p.333-345. With Russian summary 12

Coments, Mortars, Freezing, Concrete freezing, Ice formation, Supercooling, Temperature effects, Experimentation.

Relationship between an aggregate's pore size distribution and its freeze than durability in concrete

Karsenji, M., et al, Cement and concrete research, May 1980–10(3), p.433-441, 7-refs Winslow, D.N., Dolch, W.J.

Concrete durability, Concrete freezing, Concrete aggregates, Freeze thaw tests, Porosity

36-2967

Freezing as a method of study of early cement paste hydration. Chandra, S., et al. Cement and concrete research. May

1980, 10(3), p 467-469, 1 ref Hedberg, B. Berntsson, L.

Cements, Freezing, Water content, Structural analvsis. Temperature effects.

36-2968

Stress-strain-behaviour of concrete at extremely low

temperature. Rostasy, F.S., et al. Coment and concrete research. July 1980, 10(4), p.565-572, With German summary 15 refs

Wiedemann, G.

Concrete strength, Stress strain diagrams, Low temperature tests. Moisture. Temperature effects, Water content.

36-2969

Rate of crystallization and melting of ice in the lami-

nar stream of liquid.
Blaszczyk, R., et al. Symposium on Industrial Crystallization, 7th, Warsaw, Sep. 25-27, 1978. Proceedings.
Edited by E.J. de Jong and S.J. Janéie, Amsterdam. North-Holland Publishing Company, 1979, p.527-528, 3 refs.

Ice crystal growth, Freeze thaw tests, Ice melting, Laminar flow, Liquids, Dendritic ice, Flow rate.

36-2970

Proceedings, Vol.3.

International Conference on Port and Ocean Engineering under Arctic Conditions, 6th, Quebec, Canada, July 27-31, 1981, Quebec, Canada, Université Laval, 1981, p.1135-1638, Refs, passim. Includes discussions of papers from Vol. 1 and 2, p.1412-1635. For selected papers see 36-2971 through 36-2989.

Offshore structures, Ice navigation, Ice loads, Ice pressure. Sea ice distribution. Marine transportation. Ice strength, Meetings, Icebreakers, Remote sensing.

Dome petroleum operations in the Beaufort Sea. Johansson, B., International Conference on Port and Ocean Engineering under Arctic Conditions, 6th, Québec, Canada, July 27-31, 1981. Proceedings. Vol.3. Québec, Canada, Université Laval, 1981, p.1147-1153.

Offshore structures, Marine transportation, Sea ice distribution, Ice navigation, Tanker ships, Pack ice, Beaufort Sea.

36-2972

Performance of icebreaker Ymer on the Swedish Arctic Expedition "Ymer 80"-Appendix No.1-Strain measurements and hull damages.

Lindberg, K., International Conference on Port and Ocean Engineering under Arctic Conditions, 6th, Québec, Canada, July 27-31, 1981. Proceedings, Vol.3. Québec, Canada, Université Laval, 1981, p.1154-1173

Icebreakers, Bearing strength, Ice loads, Ice pressure, Strains, Damage.

Development and implementation of ship ice certificates.

Maksutov, D.D. et al. International Conference on Port and Ocean Engineering under Arctic Conditions, 6th, Quebec, Canada, July 27-31, 1981. Proceedings. Quebec, Canada, Université Laval, 1981. Vol 3 p 1174-1181, Includes discussion and author's reply Popos, IL N

Ice navigation, Tanker ships, Bearing strength, Marine transportation, Ice conditions, Sea ice distribution.

Annual growth of cargo traffic and the lengthening of the navi-gation season in the Arctic, as well as the USSR participation Antarctic research, demands a large number of cargo and in Antarctic research, demands a large number of cargo and research vessels suited for ice navigation, i.e. with adequate icebreaking capabilities and ice-strengthened hulls. Because of the possibility of ice damage, each ship should have, in addition to the usual documentation, an "lee Certificate" containing the information which would facilitate a better choice of factical and technical elements ensuring the fail-safe operation of the ship under ice conditions. This paper describes the background and requirements for "Ice Certificates" in the USSR (Auth.) (Auth)

36-2974

Remote measurement of sea ice thickness by radar. ¿La telemesure de l'epaisseur des glaces de mei à l'aide de radarj.

Audette, M. International Conference on Port and Québec, Canada, July 27-31, 1981 Proceedings, Vol.3, Quebec, Canada, Luiy 27-31, 1981 Proceedings, Vol.3, Quebec, Canada, Universite Laval, 1981. p.1182-1192. In French 4 refs. Includes discussion and reply

Sea ice distribution, Ice cover thickness, Remote sensing, Radar echoes, Beaufort Sea.

Quantitative methods in remote surveillance

Rossiter, J.R. International Conference on Port and Ocean Engineering under Arctic Conditions, 6th, Quebec, Canada, July 27-31, 1981. Proceedings, Vol.3, Quebec, Canada, Université Laval, 1981, p.1193-1208, 25 rets

Sea ice distribution, Remote sensing, Measuring instruments, Ice cover, Radar echoes, Bottom sediment, Acoustic measuring instruments, Sounding.

36-2976

Ridge statistics from aerial stereophotography.

Wheeler, J.D., International Conference on Port and Ocean Engineering under Arctic Conditions, 6th, Quebec, Canada, July 27-31, 1981. Proceedings Proceedings Vol.3, Québec, Canada, Université Laval, 1981, .1209-1226, 10 refs.

Pressure ridges, Stereophotography, Aerial surveys, Ice surface, Statistical analysis, Profiles.

36-2977

Ice hazard detection system-preliminary investiga-

Jonasson, W.B. International Conference on Port and Ocean Engineering under Arctic Conditions, 6th. Québec, Canada, July 27-31, 1981. Proceedings, Vol.3. Québec, Canada, Université Laval, 1981, p.1227-1238, 6 refs Includes discussion and author's reply

Sea ice distribution. Ice detection, Remote sensing.

Design factors for rubble mound structures under ice and wave attack.

Czerniak, M.T., et al, International Conference on Port and Ocean Engineering under Arctic Conditions, 6th, Québec, Canada, July 27-31, 1981 Proceedings, Vol.3, Québec, Canada, Université Laval, 1981, p.1239-1258, 16 refs. Includes discussion and authors' reply. Shak, A.T., Collins, J.I.

Offshore structures, Ice loads, Ice pressure, Ice pileup, Stope protection, Ports, Ice conditions, Design, Ocean waves, Ocean currents. Rubble.

36-2979

Basic science and its relation to Arctic marine engineering.
Roots, E.F., International Conference on Port and

Roots, E.h., International Conference on Port and Ocean Engineering under Arctic Conditions, 6th, Quebec, Canada, July 27-31, 1981 Proceedings, Vol.3, Quebec, Canada, Universite Laval, 1981, p.1259-1287, 33 refs.

Offshore structures, Engineering, Sea ice distribution, Climatic factors, Human factors, Marine biology, Polar regions.

16.2990

Upper bounds of ridge pressure on structures.

rodanovic, A. International Conference on Port and Ocean Engineering under Arctic Conditions, 6th. Quebec, Canada, July 27-31, 1981 Proceedings, Vol.3, Quebec, Canada, Universite Laval, 1981, p.1288-1302, 11 rely

Pressure ridges. Offshore structures, Ice loads, Ice pressure, Ice strength, Impact strength, Ice breakup. Shear strength, Analysis (mathematics).

Marine foundations.

Kivisild, H.R., International Conference on Port and Ocean Engineering under Arctic Conditions, 6th, Québec, Canada, July 27-31, 1981 Proceedings, Vol 3, Québec, Canada, Université Lavai, 1981, p 1303-1316. Includes discussion and author's reply Offshore structures, Foundations, Pile structures Bearing strength, Ice pressure, Ice loads, Artificial islands. Sea ice. Erosion, Floating structures, Subsea permafrost, Engineering.

On modeling mesoscale ice dynamics using a viscous plastic constitutive law. Hibler, W.D., III, et al. MP 1526, International Con-

ference on Port and Ocean Engineering under A Conditions, 6th, Québec, Canada, July 27-31, 1981. Proceedings, Vol.3, Québec, Canada, Université Laval, 1981, p.1317-1329, 9 refs. Includes discussion and authors' reply.

Udin, I., Ullerstig, A. Ice mechanics, Viscosity, Ice plasticity, Rheology, Mathematical models, Plastic flow, Ice cover thickness. Velocity. Ice strength.

ness. Velocity, Ice strength.

The behavior of an ice dynamics model employing a viscous plastic rheology is investigated. Time and space scales of the order of 3 hours and 20 km are emphasized. However, whenever possible the results are presented in a nondimensional form. Numerical parameter variations examined include the effect of the "rigid" creep rate on numerical convergence rate, the effects of ice strength on the numerical adjustment time needed to fully attain ideal plastic flow, and the effect of grid size on the behavior of simulated ice dynamics. Based on the results of these studies a viable numerical procedure for simulating mesoscale plastic flow is proposed.

Numerical modeling of Labrador pack ice dynamics. Denner, W.W., et al, International Conference on Port and Ocean Engineering under Arctic Conditions, 6th, Québec, Canada, July 27-31, 1981. Proceedings, Vol.3. Québec, Canada, Université Laval, 1981, p.1330-1347, 25 refs.

Ice mechanics, Pack ice, Rheology, Ice models, Ice cover thickness, Sea ice distribution, Mathematical models. Ocean currents, Ocean waves, Ice edge, Coastal topography features, Climatic factors.

Sea ice rubble formations off the northeast Bering Sea and Norton Sound coasts of Alaska.

Kovacs, A., MP 1527, International Conference on Port and Ocean Engineering under Arctic Conditions, 6th, Québec, Canada, July 27-31, 1981. Vol.3, Québec, Canada, Université Laval, 1981, p.1348-1363, 21 refs.

Sea ice, Pressure ridges, Ice surface, Ice formation, Grounded ice, Photography, Aerial surveys, United States—Alaska—Norton Sound, Bering Sea.

36-2985

Canadian ice services in the 1980's.

Markham, W.E., International Conference on Port and Ocean Engineering under Arctic Conditions, 6th, Québec, Canada, July 27-31, 1981. Proceedings, Vol.3, Québec, Canada, Université Laval, 1981, p.1364-1368.

Ice navigation. Icebreakers, Ice surveys, Sea ice, River ice. Canada.

Environmental data requirements for a real time iceberg motion model.

Ball. P., et al, International Conference on Port and Ocean Engineering under Arctic Conditions, 6th, Québec, Canada, July 27-31, 1981. Proceedings, Vol 3, Québec, Canada, Université Laval, 1981, p 1369-1380, 10 refs. Includes discussion and authors' reply. Gaskill, H.S., Lopez, R.J.

Icobergs, Drift, Ice mechanics, Ice forecasting, Velocity, Environments, Labrador Sea.

36-2987

Simulation of iceberg shapes and their impact probabilities.

Reddy, D.V., et al. International Conference on Port and Ocean Engineering under Arctic Conditions, 6th, Québec, Canada, July 27-31, 1981. Proceedings, Vol 3. Québec, Canada, Université Laval, 1981, p.1381-1392, 6 refs. Includes discussion.

Icebergs, Profiles, Impact, Forecasting.

36-2988

Arctic marine heat transfer experiment for the Polar Gas Project.

Smith, J.W., et al. International Conference or Port and Ocean Engineering under Arctic Conditions, 6th, Ouebec, Canada, July 27-31, 1981. Proceedings, Québec, Canada, Université Laval, 1981,

p.1393-1411, I ref. Kaustinen, O.M., Brennan, F.A., O'Callaghan, R.T. Gas pipelines, Heat transfer, Ice formation, Bottom sediment, Pipeline freezing, Ocean bottom, Hydraulic structures, Underground pipelines.

36-2989

Ice-gouge data, Beaufort Sea, Alaska, 1972-1980. Rearic, D.M., et al, U.S. Geological Survey. Open-file report, [1981], No.81-950, 22p. + figs., Refs. p.18-

Barnes, P.W., Reimnitz, E.

Ice scoring, Sea ice, Drift, Marine geology, Ocean currents, Ocean bottom, Wind factors, Statistical analysis, Beaufort Sea.

Seasonal variations in water structure under fast ice near Syowa Station, Antarctica, in 1976.

Wakatsuchi, M., Antarctic record. Feb. 1982, No.74. p.85-108, 8 refs. Fast ice, Salinity, Sea water freezing, Antarctica-

Lutzow-Holm Bay. Lutzow-Holm Bay.

Formation of homogeneous water was observed in the surface layer above a depth or 400 m in the Ongul Strait in early September of 1976 when fast ice had the maximum thickness. The salinity of surface water in this strait increased from 33.93 ppt to 34.10 ppt by the convection process during the ice growth. Meanwhile in the Hovdebukta, water with maximum salinity of 35.03 ppt was observed at 300 m. The formation of the saline water is probably due to the exclusion of brine by the rapid freezing of sea water in cracks as well as by the gradual growth of fast ice. The saline water produced by the exclusion of brine was expected to remain near the bottom of glacial troughs until summer, but it was not observed there in summer. The interpretation is given that the saline water disappeared as a result of the advection of less saline water off the Soya Coast and/or of the advection of less saline water off the Soya Coast and/or the inflow of fresh water produced in the coast of the continent, probably from the bottom of glaciers from spring onward.

36,2991

Centric diatom communities found in antarctic sea

Watanabe, K., Antarctic record, Feb. 1982, No.74, p.119-126, 14 refs.

Sea ice, Cryobiology, Algae

It has been generally accepted that ice algal communities are dominated by pennate diatoms in the arctic and antarctic seas. However, two ice algal communities found near the antarctic However, two ice algal communities found near the antarctic continent were dominated by centric diatoms. One sample from the bottom layer of fast ice near Langhovde on 12 October, 1970, was dominated by Parosira pseudodenticulata (Hust.) Jousé. In another sample, Coscinodiscus furcatus Karsten was dominant, which was collected from the bottom layer of sea ice near Cape Bird on 21 December, 1971. The two centric diatom species formed a colony in a water mount and seemed to have the nature of sedentary species as well as planktonic characteristics. (Auth.)

36-2992

Mechanical properties of gypsum as the structural material with the advance of inflammability of building at Syowa Station.

Sato, T., et al. Antarctic record. Feb. 1982, No.74, p.163-248, In Japanese with English summary. Refs.

Hirayama, Z., Okada, M.

Construction materials, Cold weather construction, Fires, Antarctica—Showa Station.

Pires, Antarctica—Showa Station.

On the occasion of selecting structural materials for constructions at Showa Station, the authors considered that gypsum was the most promising one as the main structural material and investigated its mechanical performance over a wide range of temperatures between -20 C (lowest) and +20 C (normal). The purpose of this paper is to confirm the possibility of applying gypsum to construction. Therefore, the test program was made for beams, columns and framed structures of gypsum. In addition to it, the same test program was made for concrete and reinforced concrete members in order to compare those results. Furthermore a comparative members in order to compare those results. results. Furthermore, a comparative study of test values and theoretical ones was conducted. (Auth.)

Seismic stability of avalanche protection tunnels. (Seismostoikost' lavinozashchitnykh galereij. Abduzhabarov, A.Kh., Avtomobil nye dorogi. Oct. 1981, No.10, p.8-9, In Russian.

Avalanche engineering, Tunnels, Walls, Panels, Earthquakes.

36-2994

Stability of sand foundations beneath sectional pavements. (Obespechenie ustoichivosti peschanykh osnovanii pod sbornymi pokrytijamij.

Polunovskii, A.G., et al, Avtomobil'nye dorogi, Oct. 1981, No.10, p.11-12, In Russian. 2 refs

Roads, Roadbeds, Pavements, Foundations, Sands, Plates, Concretes.

36-2995

Winter maintenance of roads in Finland, ¡Zimnee soderzhanie avtomobil'nykh dorog v Finliandii₁, Khiarkianen, K. Avtomobil'nye dorogi. Oct. 1981. No.10, p.26-28. In Russian.

Roads, Winter maintenance, Snow removal, Chemical ice prevention, Polar regions.

Design of roads for oil fields. [Procktirovanie av-Braslavskii, V.D., Artomobil nye dorogi, Oct. 1981, No.10, p 29, In Russian

Petroleum industry, Roads, Permafrost beneath structures. Swamps

36-2997

Preventing ice formation on road pavements. [O SOZdann gololedobezopasnykh dorozhnykh odezhdy, Mikharlov, A.V., Avtomobil nye dorogi, Nov. 1981, No.11, p.11-13, In Russian 4 refs.

Pavements, Road icing, Ice prevention, Slope orientation, Albedo.

36-2998

Use of chemical waste for prevention of road icing in the Ukraine. ¡Ispol'zovanie khimicheskikh otkhodov dlia bor'by's gololedom na dorogakh Ukrainy).
Fleish, L.A., et al. Aytomobil'nye dorogi, Nov. 1981. No.11, p.13-14, In Russian. 3 refs. Krivchenko, A.S.

Road icing, Ice prevention, Wastes.

Improvement and further development of road construction in freezing weather, (Sovershenstvoyat' i razvivat' dorozhno-stroitel'nyc raboty zimon, Petrushin, A.K., Avtomobil'nye dorogi, Feb. 1982, No.2, p.1-3. In Russian.

Roads, Roadbeds, Earthwork, Frozen ground.

36-3000

Building roadbed foundations at subzero temperatures. (Ustroistvo osnovanii dorozhnykh odezhd pri

Mogilevich, V.M., et al. Avtomobil'nye dorogi. Feb. 1982, No.2, p.3-4, In Russian. 3 refs. Belousov, B.V., Asmatulaev, B.A.

Roads, Pavements, Winter concreting, Concrete admixtures, Concrete strength.

Dredging in road construction of western Siberia. [Gidromekhanizatsiia na stroitel'stve avtomobil'nykh dorog v Zapadnoi Sibirij.

Vavilov, N.G., et al. Astomobil'nye dorogi, Feb. 1982. No.2, p.4-6, In Russian. Gerasimos A.G.

Roadbeds, Swamps, Earth fills, Dredging, Permafrost beneath structures, Roads.

36-3002

Freeze-out as a method of concentrating impurities in water. (Vymorazhivanie kak metod kontsentrirovaniia primeser v vodakhj. Stadnik, A.S., et al, Khimiia i tekhnologiia vody, May-

June 1981, 3(3), p.227-233, In Russian. 44 refs. Dedkov, H. M.

Sewage, Water treatment, Impurities, Artificial freezing.

36-3003

Low temperature effect on dehydration of organicmineral sediments. (Vlitanic nizkikh temperatur na protsess obezvozhivanija organo-mineral'nykh osad-

Shkavro, Z.N., et al. Khimiia i tekhnologiia vody. May-June 1981, 3(3), p.247-251, ln Russian 10 refs Kul'skii, L.A., Medvedev, M.L. Frisherman, L.I Sewage treatment, Organic soils, Freeze thaw cycles.

Prediction and evaluation of environmental changes resulting from diversion of northern rivers to the south. ¡Prognozirovanie i otsenka izmenenii prirodnoi sredy pri perebroske stoka severnýkh rek na mgj. Finarov, D.P., Gidrotekhnika i meliotatsiia, 1981, No.11, p.28-31, In Russian

River diversion, Subpolar regions, Forest land, Cryogenic soils, Swamps

36.3005

Consequences of partial diversion of the Ob' and Irtysh rivers on the natural conditions of western Siberia. ¡O nekotorykh posledstynakh izmatna chasti stoka iz rek Obi i Irtysha dha prirody Zapadnoi Sibiria. Malik, L.K., Gidrotekhnika i mehoratsua, Nov. 1981. No 11, p.31-35. In Russian 6 tels Subarctic regions, Subpolar regions, Forest land.

Paludification, Cryogenic soils.

36-3006

Forecasting the sinking of earth structures into silts bearing ground. ¡Prognoz pogruzhenia zemlianykh sooruzhenii v ilistye osnovaniia;

sooruzhenii Cilistye osnovaniia; Krizskii, N.M., et al. *Gidtotekhnika i melioratsiia*, Dec 1981, No.12, p.28-29. In Russian - 4 res Markevich, V.P.

Earth dams, Foundations, Fines, Bearing strength,

Soils of non-chernozem areas as an object of land reclamation and cultivation. (Pochy) nechernozem'ia objekt meliorativnogo stroitel'stva i okul'-

turivaniiaj. Zaidel man, F.R., Gidrotekhnika i melioratsiia, Feb. 1982, No.2, p.36-43, In Russian. 8 refs

Subpolar regions, Landscape types, Tundra, Forest tundra, Taiga, Land reclamation.

36-3008

Types of birch forests in the central part of southern taiga of the Russkaya plain. [Tipy berezniakov tsen-tral noi chasti iuzhnoi taigi Russkoi ravniny], Zvorykina, K.V., et al. *Lesovedenie*, Jan.-Feb. 1982, No.1, p. 3-11. In Russian with English summary. 20

Abaturov, IL D., Il'iushenko, A.F.

Taiga, Cryogenic soils, Plant ecology, Ecosystems.

State of young pine growth in felled areas of birch forests in southern taiga. ¡Sostoianie podrosta eli na spioshnykh vyrubkakh v berezniakakh iuzhnoi taigij. Orlov, A.I.A. et al, Lesovedenie, Jan.-Feb. 1982, No.1, p 18-25. In Russian with English summary. 8 refs. Haushenko, A.F.

Taiga, Cryogenic soils, Revegetation, Forestry.

Age dynamics in pine forests of northern Europe. Nozrastnaja dinamika sosniakov evropelskogo Sev-

Ziabehenko, S.S., Lesovedenie, Mar.-Apr. 1982, No.2, p 3-10, In Russian with English summary. 13 refs. Taiga, Trees (plants), Cryogenic soils, Plant ecology, Ecosystems, USSR-Karelia, USSR-Murmansk.

36-3011

Water preservation and soil protection role of dark conifer mountain taiga on Khamar Daban. ¡K kharakteristike vodookhrannoi i pochvozashchitnoi roli gornoi temnokhvolnoi taigi Khamar-Dabanaj, Molokov, V.A., et al, *Lesovedenie*, Mar.-Apr. 1982,

No 2, p 57-62. In Russian with English summary. refs

Ziganshin, R.A.

Taiga, Slope processes, Slope orientation, Cryogenic soils, Soil erosion, Protective vegetation, Soil water.

Snow cover, freezing and thawing of soils in the pine forest of northern Tien Shan, (Snezhnyl pokrov, promerzanie i ottaivanie pochvy v elovykh lesakh Sever-

nogo Tian'-Shaniaj. Chernykh, Z.I., et al. Lesovedenie, Mar.-Apr. 1982, No 2, p 63-68, In Russian with English summary. refs

Alpine landscapes, Snow water equivalent, Snow cover distribution, Cryogenic soils, Freeze thaw cycles, Frost penetration, Soil water, Soil temperature.

36-3013

Consolidation of glacial-lacustrine soils by filtration. (O fil'tratsionnoi konsolidatsii ozerno-lednikovykh

Polishchuk, T.G., Leningrad. Universitet. Vestnik, Dec. 1981, 24(4), p.80-85, in Russian with English Lref

Clay soils, Soil compaction, Glacial deposits, Lacustrine deposits.

36-3014

Physiographic regionalization of the Taygonos Peninsula, a young mountain province, under subarctic cli-matic conditions (the northeastern USSR). [Fizikogeograficheskoe raionirovanie molodoi gornei provintsii v usloviiakh subarktieneskogo kiiinata na primo-poluostrova Taigonos (Severo-Vostok SSSR)₁. su v uslovijakh subarkticheskogo klimata na primere

Zhulanov, B.G., Leningrad, Universitet, Vestnik, Dec. 1981, 24(4), p.87-91, In Russian with English summary 6 refs

Subarctic landscapes, Mapping, Okhotsk Sea.

36, 3015

Friction and heat transfer between air and a surface with the transfer of sand, salt and ice particles. Trenie i teploobmen vozdukha s poverkhnost'iu pri nalichii perenosa chastits peska, soli i l'daj. Zakharova, O.K., Meteorologiia i gidrologiia, Dec

1981, No.12, p.36-40, In Russian with English summary 5 refs

Air flow, Turbulent flow, Sediment transport, Sands, Ice friction, Heat transfer.

36-3016

Long range forecasts of maximum water levels during ice jams on the Angara River near Kamenka Town. Dolgosrochnyi prognoz maksimal'nykh urovnej vody pri zatorakh l'da na Angare u g. Kamenkaj.

Karnovich, V.N., et al. Meteorologia i gidrologia, Dec. 1981, No.12, p.105-107, In Russian with English 4 refs

Kuleshova, T.V.

Flood forecasting, Long range forecasting, Ice jams, Water level, Ice breakup, Ice passing,

36-3017

Snow evaporation and melting in Central Yakutia. Vesennee snegotaianie i isparenie snega v Tsentral noi lAkutiij.

Are. A.L., et al. Meteorologiia i gi Irologiia. Feb. 1982, No.2, p.91-96, In Russian with English summary.

Petropaylovskaja, M.S.

Snow melting, Snow evaporation, Snow cover structure. Snow depth, Depth hoar.

Surface-based generators of ice-forming aerosols for artificial increase of precipitation in mountains. [Ob ispol'zovanii nazemnykh generatorov l'doobrazuiush-chikh aerozolei v rabotakh po iskusstvennomu uvelicheniju osadkov v gornykh rajonakh_i. Laktionov, A.G., *Meteorologija i gidrologija*, Mar.

1982, No.3, p.88-93, In Russian with English summary 9 refs.

modification, Artificial precipitation, Aerosols, Smoke generators, Ice nuclei, Cloud seeding.

36-3019

Proceedings, Vols.1 and 2.

JAHR International Symposium on Ice, Quebec, Canada, July 27-31, 1981, Québec, Canada, Université Laval, 1982, 952p., Refs. passim. For individual papers see 36-3020 through 36-3092.

Ice navigation, Ice conditions, Sea ice, River ice, Lake ice, Ice mechanics, Ice pressure, Hydraulic structures, Meetings, Offshore structures, Thermal regime, Water temperature, Ports.

History of research on river and lake ice in Canada. Michel, B., IAHR International Symposium on Ice, Québec, Canada, July 27-31, 1981. Proceedings, Vol.1, Québec, Canada, Université Laval, 1982, p.1-10. 24 refs.

River ice, Lake ice, Ice formation, Ice breakup, History, Ice surveys, Canada.

36.3021

Experiences on winter thermal regimes of rivers and lakes with emphasis on Scandinavian conditions.
Bengtsson, L., IAHR International Symposium on Ice. Québec, Canada, July 27-31, 1981. Vol.1, Québec, Canada, Université Laval, 1982, p.11-Includes discussions and replies.

Icebound rivers, Icebound lakes, Ice growth, Heat loss, Ice cover thickness, Water temperature, Degree days, Thermal regime, Analysis (mathematics).

Heat losses from an open water surface at very low air temperature- a laboratory experiment.

Bengtsson, L., IAHR International Symposium on Ice, Quebec, Canada, July 27-31, 1981. Proceedings, Vol.1, Quebec, Canada, Université Laval, 1982, p.55-64, 12 refs.

Heat loss. Water temperature, Surface temperature, Latent heat. Air temperature, Low temperature tests, Analysis (mathematics).

36-3023

River ice suppression by side channel discharge of warm water.

Ashton, G.D., MP 1528, IAHR International Sy posium on Ice, Quebec, Canada, July 27-31, 1981 Proceedings, Vol.1, Quebec, Canada, Universite Laval, 1982, p.65-80, 3 refs. Includes discussions and replies

River ice. Ice conditions, Ice prevention, Channels (waterways), Water temperature, River flow, Ice edge, Air temperature, Ice melting.

Results are presented of a field study of the ice suppression caused by discharge of warm water at the side of the Mississippi River near Bettendorf, lowa Included in the results are measurements of lateral and longitudinal open water extents and lateral, longitudinal, and vertical water temperature profiles. Successive measurements were made on both very cold (-20C) and warm days (OC air temperature). The manner by which the ice cover extends during a change from warm to cold weather is described

36-3024

Mathematical model of the discharge of frazil in ris-

Matousek, V., IAHR International Symposium on Ice. Québec, Canada, July 27-31, 1981 Proceedings, Vol.1, Québec, Canada, Université Laval, 1982, p.81-100, 6 refs Includes discussion and reply

Frazil ice, River ice, Ice mechanics, Drift, River flow, Mathematical models.

Acoustic detector for frazil.

Hanley, T.O., et al. IAHR International Symposium on Ice, Quebec, Canada, July 27-31, 1981 Proceedings, Vol.1, Quebec, Canada, Universite Laval, 1982. 101-110, 3 refs. Includes discussions and replies p.101-110 Rao, S.R.

Ice acoustics. Ice detection, Frazil ice, Ice formation, Water temperature. Experimentation, Temperature effects, Acoustic measurement.

Performance of a point source bubbler under thick ice. Haynes, F.D., et al. MP 1529, IAHR International Symposium on Ice, Québec, Canada, July 27-31, 1981 Proceedings, Vol I. Quebec, Canada, Université Laval, 1982, p 111-124, 10 refs. Includes discussions and replies

Ashton, G.D., Johnson, P.R.

Ice cover thickness, Bubbling, Ice prevention, Ice melting, Structures, Damage, Tests, Air temperature, Analysis (mathematics).

Air bubbler systems are used to suppress ice formation and prevent ice damage to structures. Injection of air into the slightly more dense, warm water at the bottom of a body of fresh water raises the warm water to the surface. A bubble system provides a simple and inexpensive means of suppressing ice if he body of water has the necessary thermal reserve. A study was conducted with a point source bubbler to examine its performance when installed under an existing layer of thick lake

Ice formation on the walls of a water tunnel excavated

through rock in permafrost.

Tryde, P., IAHR International Symposium on Icc.
Québec, Canada, July 27-31, 1981 Proceedings Vol.1, Québec. Canada, Université Laval, 1982, p.125-140. 3 refs. Includes discussions and replies

Ice formation, Walls, Tunnels, Permafrost heat transfer, Channels (waterways), Frozen rocks, Ice cover thickness. Analysis (mathematics).

Relations between climatic conditions and winter regime of water bodies.

Votruba, L., IAHR International Symposium on Ice. Québec, Canada, July 27-31, 1981. Proceedings, Vol.1, Québec, Canada, Université Laval, 1982, p.141-151. 5 refs

Ice formation, Frazil ice, River ice, Reservoirs, Channels (waterways), Climatic factors, Air temperature, Winter.

Peaking hydro generating stations in winter.

Peaking hydrogenerating stations in white-foulds, D.M. (LAHR International Symposium on Ice, Quebec, Canada, July 27-31, 198). Proceedings, Vol.1, Québec, Canada, Université Laval, 1982, p. 152-162, Includes discussions and replies River flow. Ice cover effect, Electric power, Pressure

ridges, Winter.

36-3030

Problems of ice release and flow conditions upstream

of low-head river dams. Györke, O., et al, JAHR International Symposium on Ice, Québec, Canada, July 27-31, 1981 — Proceedings. Vol.1, Quebec, Canada, Universite Lavai, 1982, p.163-177, 2 refs.—Includes discussions and replies Decsi, E., Zsilak, E.

River ice, Ice breaking, Dams, Channels (waterways). Ice mechanics, Ice jams, Ice floes, Reservoirs, Icebreakers.

36.3031

Wintertime flow and ice conditions in the upper St. Lawrence River.

Sken, H.T. et al, IAHR International Symposium on Ice, Quebec, Canada, July 27, 31, 1981 Proceedings vol 1, Quebec, Canada, Universite Laval, 1982 p. 178 192, 10 refs. Includes discussions and authors reply Ackermann, N.I.

River ice, Ice conditions, River flow, Ice cover thickness, Frazil ice, Ice dams, Thermal regime, Climatic factors, Analysis (mathematics).

Winter operations International Rapids Section of the St. Lawrence River.

Wigle, T.E., et al, IAHR International Symposium on Ice, Québec, Canada, July 27-31, 1981. Proceedings, Vol.1, Québec, Canada, Université Laval, 1982, p.193-210, Includes discussions and authors' reply Bartholomew, J., Lawrie, C.J.R.

Ice conditions, River ice, Ice navigation, Ice control, Channels (waterways), Freezeup, Ice breakup, Ice formation, Design criteria, Winter, Canada-Lawrence River.

Ice cover effect on salt and fresh water exchange in tidal estuaries: case of the Fort George River estuary at the beginning of filling up of the LG 2 reservoir (Influence de la couverture de glace sur les échanges d'eau salée et d'eau douce dans un estuaire à marée: le cas de l'estuaire de La Grande Rivière, au début du remplissage du réservoir de LG 2₁.

Boivin, R., et al, IAHR International Symposium on Ice, Québec, Canada, July 27-31, 1981. Proceedings, Vol. I. Québec, Canada, Université Laval, 1982, p.211-223. In French. 6 refs. Includes discussions and re-

Caron, O., Drouin, M.

Ice cover effect, Estuaries, Tides, Salt water, Water transport. Reservoirs. Canada—Quebec—Fort George River.

36-3034

Hydraulic resistance of ice cover.

Hirayama, K., IAHR International Symposium on Ice, Québec, Canada, July 27-31, 1981. Proceedings, Vol.1, Québec, Canada, Université Laval, 1982, p.224-237, 12 refs. Includes discussions and replies

Ice cover strength, Icebound rivers, Hydraulics, Water pressure, Surface roughness, Analysis (mathematics).

Ice problems at Vittjärv Power Plant-measures and

Jensen, M., IAHR International Symposium on Ice, Québec, Canada, July 27-31, 1981. Proceedings, Vol.1, Québec, Canada, Université Laval, 1982, p.238-

Ice conditions, River flow, Ice floes. Frazil ice, Countermeasures, Ice booms, Slush, Dams, Electric power, Air temperature, Water temperature.

36-3036

Field observations of ice conditions on the Liard-

Mackenzie River system.

Parkinson, F.E., IAHR International Symposium on Ice. Québec, Canada, July 27-31, 1981. Vol. 1. Québec, Canada, Université Laval, 1982, p.252-265. Includes discussions and replies.

Ice conditions, River ice, Ice cover thickness, Freezeup, Ice breakup, Ice jams, Thermal regime, Canada—Mackenzie River, Canada—Liard River.

36-3037

Research on the best solution to prevent floods caused by ice breakup on the Matapédia River. [Recherche sur les meilleures solutions contre les inondations de la

Matapédia causées par les débàcles₁.

Gidas, N.K., IAHR International Symposium on Ice,
Québec, Canada, July 27-31, 1981. Proceedings,
Vol.1, Québec, Canada, Université Laval, 1982, p.266-276. In French with English summary. 6 refs. In-

cludes discussion and author's reply.

Ice breakup, River ice, Flood control, Flooding, Countermeasures, Canada-Quebec-Matapédia River.

Flood waves caused by ice jam formation and failure. Henderson, F.M., et al. IAHR International Symposium on Ice, Québec, Canada, July 27:31, 1981. Proceedings, Vol.1, Québec, Canada, Université Laval, 1982, p.277-297, 11 refs. Includes discussions Gerard, R.

Ice jams, Floods, Water level. River flow, Dams, Analysis (mathematics).

36-3039

Stability of floes below a floating cover. Tatinclaux, J.C., et al, IAHR International Symposium on Ice, Québec, Canada, July 27-31, 1981. Proceedings, Vol. 1, Québec, Canada, Université Laval, 1982, p.298-311, 10 refs. Includes discussion and authors' reply.

Gogus, M.

Ice jams, Underwater ice, River ice, Ice floes, Ice cover effect. Ice bottom surface. Ice cover thickness. Floating ice. Stability, Velocity, Surface roughness.

36-3040

Regulating effect of reservoirs on the control of ice run on the Yellow River.

Chen, Z., et al, IAHR International Symposium on Ice. Québec, Canada, July 27-31, 1981. Proceedings, Vol.1, Québec, Canada, Université Laval, 1982, p. 312-323, Includes discussion. Sun, Z., Xu, J., Car Lin, W.W.

River ice, Ice conditions, Ice control, Ice mechanics, River flow. Reservoirs, Ice jams, Freezeup, Air temperature, China-Yellow River.

36-3041

Computation of trajectories of ice floes movement on the rivers.

Gordeev, O.L., et al. IAHR International Symposium on Ice, Québec, Canada, July 27-31, 1981. Proceedings, Vol.1, Quebec, Canada, Université Laval, 1982, p.324-332. Degliarev, V.V.

Ice floes, Ice mechanics, Flow rate, River ice, Mathematical models, Computer applications, Hydrody-

36-3042

Transportation of ice in rivers.

Pransportation of ice in rivers.

Ackermann, N.L., et al, IAHR International Symposium on Ice, Quebec, Canada, July 27-31, 1981.

Proceedings. Vol.1, Quebec, Canada, Université Laval, 1982, p.333-346, 5 refs. Includes discussions and replies.

Shen, H.T., Ruggles, R.W.
River ice, Ice mechanics, Ice floes, Ice conditions,
Flow rate, Ice jams, River flow, Stresses, Analysis (mathematics).

36-3043

Effect of floating ice jams on the magnitude and frequency of floods along the Missisquoi River in northern Vermont.

Vogel, R.M., et al, IAHR International Symposium on Ice, Québec, Canada, July 27-31, 1981. Proceedings, Vol.1, Québec, Canada, Université Laval, 1982, p.347-360, 13 refs. Includes discussion. Root, M.J.

Ice jams, Floating ice, Floods, River ice, Ice cover effect, Flow rate, Hydraulics, United States-Vermont-Missisquoi River.

Port Huron ice control model studies. Calkins, D.J., et al, MP 1530, IAHR International

Symposium on Ice, Québec, Canada, July 27-31, 1981 Proceedings, Vol.1, Québec, Canada, Université Laval, 1982, p.361-373, 6 refs. Includes discussion and authors' reply. Sodhi, D.S., Deck, D.S.

River ice, Ice control, Ice jams, Floods, Ice mechanics, Lake ice, Ice loads, Loads (forces), Ice floes, Wind pressure, Structures, Models, United States-Saint Clair River.

The Corps of Engineers, in its study of year-round navigation on the Great Lakes, recognized the problem of ice discharge into St. Clair River from Lake Huron. This study deals with the determination of force levels on, and the amount of ice scharge through the opening in, an ice control structure, using stural and synthetic ice floes

Force distribution in a fragmented ice cover.
Daly, S.F., et al. MP 1531, IAHR International Symposium on Ice, Québec, Canada, July 27-31, 1981
Proceedings, Vol.1, Québec, Canada, Universite
Laval, 1982, p.374-387, 2 refs. Includes discussions and authors' replies.

Floating ice, Ice floes, Loads (forces), Ice booms, Shear stress, Channels (waterways), Experimenta-

36-3046

Formation of ice jams in the Elbe River -- a case study. Garbrecht, G., et al. IAHR International Symposium on Ice, Québec, Canada, July 27-31, 1981 Proceedings, Voi I, Québec, Canada, Université Laval, 1982. р 388-397

Fahlbush, H., Mertens, W.

Ice jams, River ice, Ice mechanics, River flow, Ice conditions, Water level, Models, Germany - Elbe

36-3047

Dispersion in a covered channel with varying roughness at the top cover. Elhadi, N.D., et al. IAHR International Symposium on

lee, Québec, Canada, July 2"-31, 1981 Proceedings Vol 1, Québec, Canada, Université Laval, 1982, p. 398. Includes discussions and replies Davar, K.S.

Dispersions, Surface roughness, Channels (waterways), Ice cover effect, Hydrodynamics, Mathematical models, Stream flow, Velocity, Experimentation.

36-3048

Thermal regime of river ice—a case study. [Regime thermique des glaces en riviere—etude de cas).

Macotte, N., IAHR International Symposium on Ice Québec, Canada, July 27-31—1981—Proceedings, Vol.1, Québec, Canada, Université Laval, 1982, p. 412-25. 425. In French with English summary 9 refs

cludes discussion and author's reply River ice, Thermal regime, Ice growth, Ice conditions. Dams, Frazil ice, Ice cover, River flow, Heat transfer, Ice water interface, Air water interactions, Mathematical models, Electric power.

Numerical modeling and predictability of ice regime

Petryk, S., et al. IAHR International Symposium on Ice, Quebec, Canada, July 27-31, 1981 Proceedings. Vol.1, Quebec, Canada, Universite Laval, 1982, p 426-435, 10 refs.

Panu, U.S., Kartha, V.C., Clément, R

Ice conditions, Ice forecasting, River ice, River flow, Frazil ice, Ice formation, Ice breakup, Heat balance, Ice melting, Water level, Computer programs, Mathematical models.

36-3050

Model study of ice movement at Idylwyld traffic

Smith, C.D., IAHR International Symposium on Ice, Québec, Canada, July 27-31, 1981. Proceedings, Vol.1, Québec, Canada, Université Laval, 1982, p.436-447. Includes general discussion of the session by D.J. Calkins

River ice, 1ce jams, 1ce mechanics, 1ce breakup, 1ce conditions, Ice floes, Ice models, Bridges.

Glacier mechanics.
Mellor, M., MP 1532, IAHR International Symposium on Ice, Québec, Canada, July 27-31, 1981.
Proceedings, Vol.2, Quebec, Canada, Université Laval, 1982, p. 455-474, Includes discussion.

Glacier flow, Ice creep, Ice mechanics, Stress strain diagrams, Rheology, Engineering.

Field investigations of a hanging ice dam.

Beltaos, S., et al. MP 1533, IAHR International Symposium on Iec. Quebec, Canada, July 27:31, 1981 Proceedings, Vol.2. Quebec, Canada, Universite Laval, 1982, p. 475-488, 19 refs. Includes discussions and replies Dean, A.M.

River ice, Ice dams, Ice breakup, Frazil ice, Shear strength, Underwater ice. Slush, Bearing strength, Ice jams, Damage, Flow rate, Porosity.

A hanging ice dam that forms annually in the lower Smoky River. Alberta, has been the object of continued investigation during the period 1975-1979. The study aims at documenting during the period 1975-1979. The study aims at documenting physical dimensions and material properties of the dam, elucidating the mechanisms of its formation and removal, and assessing its effects on the progress of breakup in the river. This paper presents a summary of the results obtained to date.

Comparison of several chemically-doped types of model ice.

Timeo, G.W., JAHR International Symposium on Ice, Quebec, Canada, July 27-31, 1981 Proceedings, Vol 2, Quebec, Canada, Université Laval, 1982, p. 489-502. 14 refs. Includes discussions and replies. Doped ice, Ice models, Ice composition, Flexural

strength, Ice growth, Ice strength, Strain tests, Chemical composition, Urea.

36-3054

Carbamide ice growth in a large test basin.

Sandell, D.A., JAHR International Symposium on I.e. Quebec, Canada, July 27-31, 1981—Proceedings, Vol 2, Quebec, Canada, Université Laval, 1982, p.50,5 \$15. 8 refs. Includes discussion and teply

Doped ice, Ice growth, Ice crystal structure, Ice strength. Heat transfer, Tests, Urea, Analysis (math-

Salinity of artificial built-up ice made by successive floodings of sea water.

Nakawo, M., et al. IAHR International Symposium on lce, Québec, Canada, July 27-31, 1981. Proceedings, Vol.2, Québec, Canada, Université Laval, 1982, p.516-525, 5 refs. Includes discussion and reply Frederking, R.

Artificial freezing, Ice cover thickness, Ice cover strength, Floating ice, Ice salinity, Flooding, Ice sheets, Offshore drilling, Sea water freezing, Ice mechanics, Floating structures, Ice platforms.

36-3056

Multiaxial compressive strength tests on saline ice

with brush-type loading platens.
Hausler, F.U., IAHR International Symposium on Ice,
Québec, Canada, July 27-31, 1981. Proceedings. Vol.2, Québec, Canada, Université Laval, 1982, p.526-539. 10 refs. Includes discussions and replies. Ice salinity, Compressive properties, Ice cover strength, Stresses, Loads (forces), Strain tests, Ice temperature, Anisotropy.

36-3057

Pressure due to expansion of ice sheet in reservoirs. Xu. B., IAHR International Symposium on Ice, Québec, Canada, July 27-31, 1981. Proceedings, Vol.2, Québec, Canada, Université Laval, 1982, p.540-550. Ice pressure, Ice cover thickness, Reservoirs, Ice tem-perature, Ice sheets, Temperature variations, Air temperature, Expansion.

36-3058

Strain rate dependent fracture toughness (K(IC)) of

pure ice and sea ice. Urabe, N., et al. IAHR International Symposium on Ice, Québec, Canada, July 27-31, 1981. Proceedings, Vol.2, Québec, Canada, Université Laval, 1982, p.551-564, 13 refs. Includes discussion and reply Yoshitake, A.

Ice strength, Ice hardness, Strain tests, Stresses, Ice cracks, Fracturing, Ice breakup, Buoyancy, Ice mi-

36.3059

Scale effects in continuous crushing of ice.

Kry, P.R., IAHR International Symposium on Ice, Québec, Canada, July 27-31, 1981. Proceedings, Vol.2, Québec, Canada, Université Laval, 1982, p.565-580, 17 refs. Includes discussion and reply.

Ice breaking, Ice cracks, Ice cover thickness, Strain tests. Floating ice, Ice strength, Stresses, Artificial islands. Brittleness.

36, 3060

Comparative study of ice strength data.

Sinha, N.K., IAHR International Symposium on Ice, Québec, Canada, July 27-31, 1981. Proceedings, Vol.2, Québec, Canada, Université Laval, 1982, p.581-595, 15 refs. Includes discussion and reply. Ice strength, Strain tests, Compressive properties,

Ice creep, Brittleness, Stress strain diagrams, Anaivsis (mathematics).

36-3061

Primary creep and experimental method for testing ice in various conditions of strain rates and stresses. Duval, P., et al. IAHR International Symposium on Duval, P., et al. IAHR International Symposium on Icc, Québec, Canada, July 27-31, 1981. Proceedings, Vol.2, Québec, Canada, Université Laval, 1982, p.596-666, 13 refs. Includes discussions and replies. Maitre, M., Manouvrier, A., Marce, G., Jay, J.C. Ice creep, Stress strain diagrams, Compressive properties, Strain tests, Ice deformation, Shear stress,

36-3062

Analysis (mathematics).

Parametric studies of sea-ice beams under short and long term loadings.

Lainey, L., et al. IAHR International Symposium on Icc. Québec, Canada, July 27-31, 1981. Proceedings, Vol.2, Québec, Canada, Université Laval, 1982, p.607-627, 4 refs. Includes discussions and replies Tinawı, R

Sea ice, Flexural strength, Static loads, Ice creep, Ice elasticity. Stresses, Time factor, Temperature effects. Rheology.

36-3063

Friction and adhesion of ice.

Oksanen, P., IAHR International Symposium on Ice, Québec, Canada, July 27-31, 1981. Proceedings. Vol 2, Québec, Canada, Université Laval, 1982, p.628-640, 7 refs Includes discussions and replies.

Ice friction, Ice adhesion, Ice solid interface, Water films. Ice hardness, Ice temperature, Metal ice fric-tion, Plastic ice friction, Wood ice friction, Coatings,

Mechanical properties of adhesion strength to pile structures.

Saeki, H., et al, IAHR International Symposium on Ice, Ouchec, Canada, July 27-31, 1981 Proceedings Vol.2, Québec, Canada, Université Laval, 1982, p 641-649. 6 refs.

Toshiyuki, O., Akira, O.

Ice adhesion, Pile structures, Ice solid interface, Sea ice, Ice cover thickness, Ice temperature, Ice strength, Surface roughness, Tests.

Formation of shore cracks in ice covers due to changes in the water level.

Billfalk, L., IAHR International Symposium on Ice, Québec, Canada, July 27-31, 1981. Proceedings Vol.2, Québec, Canada, Université Laval, 1982, p.650-662, 7 refs. Includes discussions and replies. Fast ice, Ice cracks, Ice breakup, Water level, River

ice. Lake ice. Ice cover strength, Flow rate, Ice elasticity, Structures, Shoreline modification, Cracking (fracturing), Experimentation.

Estimation of crack pattern in ice by the new discrete

Yoshimura, N., et al, IAHR International Symposium on Ice, Québec, Canada, July 27-31, 1981. Proceedings, Vol.2, Québec, Canada, Université Laval, 1982. p.663-673, 6 refs. Includes discussion and reply Kamesaki, K.

Ice cracks, Ice breaking, Offshore structures, Flexural strength, Ice cover strength, Stresses, Ice loads, Boundary value problems, Mathematical models.

Studies of ice action on pumped storage power plant structures.

Sokolov, I.N., et al. IAHR International Symposium on Ice, Québec, Canada, July 27-31, 1981. Proceedings. Vol.2. Québec, Canada, Université Laval, 1982. p.674-684, 10 refs. Gotlib, JA.L., Dick, P.G., Riabkin, G.M.

Ice loads, Ice pressure, Structures, Thermal regime, Water temperature, Ice formation, Ice melting, Reservoirs, Climatic factors, Electric power.

36-3068

Designing ce bridges and ice platforms.
Gold, I. W., IAHR International Symposium on Ice,
Québec, Canada, July 27-31, 1981. Proceedings. Vol. 2, Québec, Canada, Université Laval, 1982, p.685-701, 25 refs. Includes discussion and reply

Ice crossings, Ice elasticity, Ice cover strength, Strains, Loads (forces), Static loads, Dynamic loads, Stresses, Velocity, Design, Ice platforms.

Fin boom ice gate for ice control and winter naviga-

Tsang, G., IAHR International Symposium on Icc. Québec. Canada, July 27-31, 1981. Proceedings, Vol.2, Québec, Canada, Université Laval, 1982, p.702-717. 3 refs. Includes discussions and replies

Ice control, Ice navigation, Floating ice, River ice, Ice booms, Models, Analysis (mathematics).

36-3070

Lake Erie-Niagara River ice boom-an operational experience.

Vec. P., et al. IAHR International Symposium on Ice. Québec, Canada, July 27-31, 1981. Proceedings, Vol.2, Québec, Canada, Université Laval, 1982, p.718-727, 7 refs.

Wigle, T.E., Hollmer, A. Lake ice, Ice booms, River flow, Ice conditions, Environmental impact, Damage, Electric power. Structures. Shores, Ice cover.

Model tests of multi-year pressure ridges moving onto conical structures.

Abdelnour, R., IAHR International Symposium on Ice, Québec, Canada, July 27-31, 1981. Proceedings, Vol.2 Quebec, Canada, Université Laval, 1982, p.728-54, 5 refs Includes discussions and replies

Pressure ridges, Ice mechanics, Ice pressure, Ice friction, Ice solid interface, Floating structures, Offshore drilling, Ice elasticity, Flexural strength, Experimentation, Ice platforms

36-3072

Ice forces on large marine structures.

Crousdale, K.R., et al. I AHR International Symposium on Ice, Quebec, Canada, July 27-31, 1981 Proceedings, Vol 2, Quebec, Canada, Université Laval, 1982, p.755-770, 8 rets — Includes discussions and replies Marcellus, R W

Offshore structures, Floating structures, Ice pressure. Ice loads, Ice cover thickness, Ice solid interface, Impact strength, Analysis (mathematics), Ice platforms, 36-3073

Estimation of ice forces from dynamic response.

Estimation of fee forces from dynamic response. Montgomery, C.J., et al. 14HR International Symposium on Lee, Quebec, Canada, July 27-31, 1981. Proceedings. Vol.2. Quebec, Canada, Universite Laval, 1982, p.771-782, 7 rets. Includes discussions. and replies Lipsett, A W

Ice pressure, Ice loads, Dynamic loads, Ice solid interface. Piers, Bridges, Strains, Offshore structures, Mathematical models.

36-3074

Ice-structure dynamic interaction—ice forces versus

velocity, ice-induced damping.

Maattanen, M., IAHR International Symposium on Ice, Quebec, Canada, July 27-31, 1981 Proceedings. Vol.2, Quebec, Canada, Universite Laval, 1982, p.783-796, 4 refs. Includes discussions and replies

Pile structures, Ice solid interface, Dynamic loads, Ice loads, Damping, Vibration, Velocity.

36-3075

Measurement of horizontal and vertical ice loads on pile type structures

Karri, J., et al, IAHR International Symposium on Ice. Québec, Canada, July 27-31, 1981. Proceedings, Vol.2, Québec, Canada, Université Laval, 1982, p.797-808, 5 refs.

Jumppanen, P Ice loads. Pile structures, Ice adhesion, Measuring instruments, Tests

36-3076

Thermal regime and ice forecasting for fresh-water

Starosolszky, O. IAHR International Symposium on Ice, Québec, Canada, July 27-31, 1981 Proceedings, Vol.2, Québec, Canada, Université Laval, 1982, p.809-824, 27 refs.

Ice forecasting. Ice conditions. Thermal regime, River ice, Lake ice. Frazil ice. Ice formation, Ice breakup, Ice mechanics.

36-3077

Estimation of ice conditions and organization of shipping on rivers and reservoirs during the extended period of navigation.

Balanin, V., et al. IAHR International Symposium on Ice, Québec, Canada, July 27-31, 1981 Proceedings, Vol. 2, Quebec, Canada, Universite Laval, 1982, p.825-835, 5 refs

Tronin, V., Malmovskii, V., Sandakov, H., Ginzburg,

Ice conditions, Ice navigation, River ice, Lake ice, Ice breaking, Icebreakers, Transportation

36-3078

Protection of hydraulic structures from icine

refection of hydraulic structures from icing. Aleinikov, S.M., et al. IAHR International Symposium on ice, Quebec, Canada, July 27-31, 1981 Proceedings, Vol. 2, Quebec, Canada, Université Laval, 1982, p.836-846. Tiefs

p.836-846 Tets Luapin, B.E., Zhidleikh, M.I., Paniushkin, A.V. Khrapatys, N.G. Hydraulic structures, Icing, Protection, Ice naviga-

tion. Ice adhesion. Ice prevention. Ice formation, Ice strength.

36-3079

Ice scars; are they reliable indicators of past ice breakup water levels.

Gerard, R. TAHR International Symposium on Ice. Quebec, Canada, July 27-51, 1981 Proceedings, Vol 2, Quebec, Canada, Universite Laval, 1982, p.847-859, 9-refs Includes discussions and reply

Ice solid interface, Abrasion, Trees (plants), Water level, Ice breakup.

36,3080

Determination of ice rubble shear properties.

Weiss, R. I., et al. IAHR International Symposium on Ice, Quebec, Canada, July 27-31, 1981 Proceedings Vol 2, Quebec, Canada, Université Laval, 1982, p.860. 872, 4 rets. Includes discussion and reply Prodanovic, A. Wood, K.N.

Salt ice, Ice structure, Ice surface, Shear properties, Ice cover thickness, Shear rate, Shear strength, Pres-

Ice hydraulics stability analysis; experimental deter-

mination of pressure distribution under ice floes.

Mayer, I., IAHR International Symposium on Ice,
Québec, Canada, July 27-31, 1981. Proceedings, Vol.2, Québec, Canada, Université Laval, 1982, p.873-880

Ice floes, Ice mechanics, Stability, Ice jams, Ice pressure, Hydraulics, Ice cover thickness, Surface roughness, Wind tunnels, Flow rate.

36-3082

Underside configuration of ice covers.

Chee, S.P., et al, IAHR International Symposium on Proceedings. Ice, Québec, Canada, July 27-31, 1981. Vol. 2, Québec, Canada, Université Laval, 1982, p.881-883

Meyer, L.P., Haggag, M.R.

Ice bottom surface, Ice cover, River ice, Floating ice, Thermal effects, Hydraulics, Analysis (mathematics).

36-3083

Ice growth in rivers.

Desmond, R.M., et al, IAHR International Symposium on Ice, Québec, Canada, July 27-31, 1981.

Proceedings, Vol.2, Québec, Canada, Université Laval, 1982, p.884-888, 5 refs.

Karlekar, B.V., Kandlikar, S.G.

River ice, Ice growth, Ice cover thickness, Heat loss, Heat transfer, Mathematical models, Convection, Evaporation, Solar radiation, Frazil ice, Heat balance.

Elastic creep bending analysis of floating ice covers. Hamza, H., et al. IAHR International Symposium on Ice, Québec, Canada, July 27-31, 1981. Proceedings, Vol.2, Québec, Canada, Université Laval, 1982, p.889-893, 4 refs.

Muggeridge, D.B., Laidley, T.E.

Floating ice, Ice elasticity, Ice creep, Ice cover strength, Bearing strength, Loads (forces), Analysis (mathematics).

Heat transfer during freezing in calm water.

Hanley, T.O., IAHR International Symposium on Ice, Québec, Canada, July 27-31, 1981. Proceedings, Vol.2, Québec, Canada, Université Laval, 1982, p.894-

Ice formation. Water temperature, Freezing, Heat transfer, Ice cover thickness, Temperature effects, Heat flux, Degree days.

36-3086

Response of floating ice sheets under impact loads. Kennedy, J.B., et al, IAHR International Symposium on Ice, Québec, Canada, July 27-31, 1981. Proceedings, Vol.2, Québec, Canada, Université Laval, 1982, p.900-904, 5 refs. lyengar, K.J.

Floating ice, Loads (forces), Impact strength, Ice deformation, Ice sheets, Time factor, Analysis (mathematics).

36-3087

On the theoretical modelling of floating ice sheets which exhibit a composite structure. Selvadurai, A.P.S., IAHR International Symposium on

Icc, Québec, Canada, July 27-31, 1981. Proceedings, Vol.2, Québec, Canada, Université Laval, 1982, p.905-

Floating ice, Ice structure, Ice mechanics, Ice elasticity, Ice models, Loads (forces), Mathematical models.

36-3088

Technique for chemically simulating a snow cover on model ice. Timeo, G.W., IAHR International Symposium on Ice.

Québec, Canada, July 27-31, 1981. Proceedings, Vol.2, Québec, Canada, Université Laval, 1982, p. 910-

Snow ice interface, Ice cover strength, Doped ice, Ice models, Ice breaking, Metal ice friction, Icebreakers, Friction.

Numerical modeling of dentritic ice formation in supercooling conditions.

Vasseur, P., et al, IAHR International Symposium on Ice, Québec, Canada, July 27-31, 1981. Proceedings, Vol.2, Québec, Canada, Université Laval, 1982, p.913-916, 4 refs.

Robillard, L., Shekar, B.C.

Dendritic ice, Ice formation, Heat transfer, Supercooling, Mathematical models, Convection, Density (mass/volume) Water

Fifty years of experience in the field of ice problems for river engineering, 1930-1980.

Kanavin, E.V., IAHR International Symposium on Ice, Québec, Canada, July 27-31, 1981. Proceedings, Vol.2, Québec, Canada, Université Laval, 1982, p.917-931. 9 refs.

River ice, Engineering, Ice formation, Ice breakup, Ice melting, River flow, Ice conditions, Icebound rivers. Ice cover.

36-3091

Remarks to the buckling analyses of floating ice sheets.

Kerr, A.D., IAHR International Symposium on Ice, Québec, Canada, July 27-31, 1981. Proceedings, Vol.2, Québec, Canada, Université Laval, 1982, p.932-937. 5 refs.

Floating ice, Floating structures, Ice pressure, Ice loads, Plates, Compressive properties, Analysis (mathematics), Tests.

36-3092

IAHR-recommendations on testing methods of ice; 3rd report of Working Group on Testing Methods in

Frederking, R., et al, IAHR International Symposium on Ice, Québec, Canada, July 27-31, 1981. Proceedings, Vol.2, Québec, Canada, Université Laval, 1982, p.938-952, 18 refs.

Ice cover strength, Ice mechanics, Ice friction, Stresses, Tests, Measuring instruments, Meetings, Organizations.

36-3093

Construction of container-type modular buildings in the BAM Area. [Sooruzhenie inventarnykh zdanii konteinernogo tipa na BAMej.

Gol'dguber, B., Na stroikakh Rossii, Feb. 1982, No.2, p.50-52, In Russian.

Modular construction, Residential buildings, Prefabrication, Panels, Baykal Amur railroad.

36-3094

Erection of large panel buildings in Siberia. (Vozvedenie krupnopanel nykh zdanii v Sibiriy. Kuzin, IU., Na strojkakh Rossii, Apr. 1982, No.4, p.4-7. In Russian

Large panel buildings, Residential buildings, Permafrost beneath structures.

Mass-construction of residential buildings in the [Massovoe zhilishchnoe stroitel'stvo raionakh Severaj,

Kotlovoi, A., Na stroikakh Rossii, Apr. 1982, No.4, p.7-11, In Russian.

Residential buildings, Standards, Permafrost beneath structures, Earthquakes, Modular construction.

Improved design of residential houses for severe climatic conditions. [Uluchshenie konstruktsii zhilykh domov dlia surovogo klimataj. Zonov, V., et al, Na stroikakh Rossii, Apr. 1982, No.4,

p.11-15, In Russian. Aronov. 4

Residential buildings, Houses, Subarctic landscapes, Permafrost beneath structures, Earthquakes, Prefabrication, Large panel buildings, Construction materi-

Prospects for the development of modular construction in the eastern USSR. Perspektivy razvitiia sbornogo domostroeniia na vostoke stranyj, Vodovozov, V., Na stroikakh Rossii. Apr. 1982. No.4,

p.15-17, In Russian.

Meetings, Modular construction, Subarctic land-

scapes, Prefabrication, Large panel buildings.

Map of erosion affected lands in the non-chernozem zone of the RSFSR. (Karta erozionno-opasnykh ze-mel' Nechernozemnoi zony RSFSR₁.

Makkaveev, N.I., et al. Moscow. Universitet. Vestnik. Seriia 5 Geografiia, Mar.-Apr. 1982, No.2, p.3-9, In Russian. 13 refs.

Podsol, Cryogenic soils, Water erosion, Meltwater, Frost action, Freeze thaw cycles, Gullies, Maps, Soil

Electromagnetic emissions of snow avalanches and glaciers, ¡Elektromagnitnye izluchenna snezhnykh lain i lednikovj.

Berri, B.L., et al, Moscow, Universitet Vestnik Seriia 5 Geografiia, Mar -Apr. 1982, No.2, p. 15-23, In Russian. 12 refs. Gribov, V.A

Avalanches, Avalanche mechanics, Snow physics, Glacier surges, Glacier ice, Seismic surveys, Ice phy-

sics, Electromagnetic properties.

New problems in avalanche engineering (experience in engineering geography of mountainous areas). (Novye zadachi lavinovedenna (opyt dlia inzhenerno)

geografii gornykh stranj. Laptev, M.N., et al. Moscon Universitet Vestnik Seriia 5 Geografiia, Mar -Apr. 1982, No 2, p. 58-62. In

Russian. 1 ref. Miagkov, S.M., Okolov, V.F., Troshkina, E.S. Avalanche engineering, Avalanche formation, Avalanche triggering, Avalanche mechanics.

36-3101

Effect of soil pH on the distribution of plants in arid broken-stone Alpine tundras of southeastern Chukotskiy Peninsula. [Vlijanie pH pochvy na raspredelenie rastenii v sukhikh shchebnistykh gornykh tundrakh iugo-vostoka Chukotskogo Poluostrovaj,

Balandin, S.A., Moskovskoe obshchestvo ispytatelei prirody. Biulleten Otdel biolo 1982, 87(2), p.62-68, In Russian Otdel biologicheskii, Mar.-Apr. In Russian. 12 refs

Alpine tundra, Vegetation patterns, Plant ecology, Cryogenic soils, Soil chemistry, Soil water. 36-3102

Melting of ice near a hydrophilic surface

Anisimov, M.A., et al. *Soviet physics JETP*, July-Dec. 1981, Vol.54, p.110-114, Translated from Zhurnal eksperimental'noi i teoreticheskoi fiziki. Tankaev, R.U.

Ice melting, Nuclear magnetic resonance, Dispersions, Quartz glass

Snow plow used in trimming railroad tracks. [Snegou-

borshchik otdelyvaet put'j. Lebedev, V.G., Put'i putevoe khoziaistvo, 1982, No.2, p.28-29, In Russian.

Railroad tracks, Construction equipment, Snow removal, Railroads.

36-3104

Technical equipment conquer the elements. (Stikhiiu pobezhdaet tekhnikaj. Gora, V.E., et al, Put' i putevoc khaziaistvo. 1982,

No.2, p.34-36, In Russian Teklin, V.G.

Snow removal, Equipment, Railroads, Winter maintenance.

36-3105

Controlling parameters of electrical grounding systems in perennially frozen and hard rocks. Ekspluatatsionnyi kontrol' parametrov zazemliaiush-chikh ustroisty v usloviiakh mnogoletnemerzlykh i

Gladilin, L.V., et al. *Promyshlennaia energetika*, Jan. 1982, No.1, p.52-53, In Russian 2 refs. Budnikov, V.V., Tsirer, A.A.

Mining, Electrical grounding, Permafrost.

36-3106

Means for preventing freezing of loose coal. [Profilakticheskie sredstva dlia predotvrashcheniia smerzaniia

Ivanov, V.M., et al. *Promyshlennyi transport*. Feb. 1982, No.2, p.9-10, In Russian. Sarhin, O.B., Radovitskii, I.V., Khotuntsev, L.I.

Mining, Coal, Frozen cargo, Chemical ice prevention. 36-3107

Preventing the adhesion of loose frozen cargo, [Protiprimerzaniia nasypnykh gruzovi, Sharapov, V.V., et al, *Promyshlennyi transport*, Feb.

1982, No.2, p.10-11, In Russian. Korkhov, V.N., Kuvaldin, A.B., Kovalenko, P.M.

Frozen cargo, Transportation, Ice adhesion, Electric heating.

36-3108

Energy saving at Syowa and Mizuho Stations.

Awano, S., et al. Tokyo. National Institute of Polar Research. Memoirs. Series F. Logistics, Jan. 1982, No.4, 110p., 9 refs Takeuchi, S., Muto, M

Heat recovery, Electric power, Antarctica—Showa Station, Antarctica-Mizuho Station.

At Showa Station two diesel electric generators were installed, one of which was always operated as the main energy source

The electric capacity of each generator has been increased from 20 kVA to 110 kVA. In order to save fuel, waste heat recovery systems of the diesel engines were developed. By fully utilizing the waste heat of diesel engines, i.e., their exhaust-gas ening the waste near or diesel regimes, i.e., nerr exhaustigas en-ergy and coolant energy, cold and hot water was made from ice or snow even in winter. At Mizuho Station a system for recov-ering coolant heat of a diesel electric generator was installed. The hot water is supplied to a balthub and to a fan-coil unit in a trench living room. The heating by utilizing the waste coo-lant can ensure the safety of the personnel living in the trench room against fire, carbon monoxide and dioxide contamination, and lack of oxygen. The technical problems and experiences on waste heat recovery, especially on exhaust-gas heat exchangers are described. (Auth. mod.)

36-3109

Thermal regime of permafrost at Prudhoe Bay. Alaska.

Lachenbruch, A.H., et al. U.S. Geological Survey Open-file report, 1982, 82-535, 77p., Refs. p.38-41. Sass, J.H., Marshall, B.V., Moses, T.H., Jr.

Permafrost thermal properties. Permafrost depth. Thermal conductivity, Heat transfer, Ground ice, Temperature gradients, Geothermy, Subsea permafrost, Interstitial ice, Shoreline modification, Mathematical models.

36-3110

Mechanics of cutting and boring. Part 7: Dynamics and energetics of axial rotation machines.

Mellor, M., U.S. Army Cold Regions Research and Engineering Laboratory, Dec. 1981, CR 81-26, 38p., ADA-113-931, 10 refs.

Drills, Permafrost, Rock drilling, Equipment, Thermal effects, Drilling fluids, Analysis (mathematics), Cutters.

Cutters.

This report deals with force, torque, energy and power in machines such as drills and boring devices, where the cutting head rotates about a central axis while penetrating parallel to that axis. Starting from a consideration of the forces developed on individual cutting tools, or segments of cutters, the thrust and torque on a complete cutting head is assessed, and simple relationships between thrust and torque are derived. Similarly, the energy and power needed to drive the cutting head are estimated and related to gool characteristics. Design characteristics. ed and related to tool characteristics. Design characteris timated and related to tool characteristics. Design characteristics of existing machines are compiled and analyzed to give indications of thrust, torque, power, effective tool forces, nominal thrust pressure, power density, and specific energy.

Model study of Port Huron ice control structure: wind stress simulation.

Sodhi, D.S., et al, U.S. Army Cold Regions Research and Engineering Laboratory, Apr. 1982, CR 82-09, 27p., ADA-115 417, 14 refs. Calkins, D.J., Deck, D.S.

Ice control, Lake ice, Water pressure, Wind pressure, Water flow, Shear stress, Ice navigation, Ports, Mod-

This study deals with the distribution of forces along the converging boundaries of the Port Huron, Michigan, region where unconsolidated ice in Lake Huron is held against wind and water streases. An experimental basin was built to induce uniform shear stress on the model ice cover by flowing water beneath the ice. The boundary segments, which held the ice cover in the region, were instrumented to measure force in the normal and tangential directions. The distribution of normal normal and tangential directions. The distribution of normal forces along the boundary was compared with a distribution derived by using a theoretical model. An ice control structure (ICS) was installed in the basin and experiments were conducted to measure the forces on the ICS and the ice release through the opening in the ICS during simulated ship passages. The experimental results are presented in a nondimensional form. In addition, the force per unit length on the ICS and the area of ice released through its opening were estimated for the expected wind conditions at the Port Huron site.

36,3112

Preliminary assessment of the nutrient film technique

for wastewater treatment. Bouzoun, J.R., et al. U.S. Army Cold Regions Research and Engineering Laboratory Mar. 1982. SR 82-04, 15p., ADA-115-425, 12 refs. Palazzo, A.J

Waste treatment, Water treatment, Sanitary engineering, Plants (botany), Growth, Statistical anal-

An experiment was conducted to determine the feasibility of An experiment was conducted to determine the feasibility of using a solar powered, self-regenerating plant growth system, called the nutrient film technique (NFD), to treat primary effluent (average temperature, 111C). Primary effluent was pumped onto the elevated end of a sloping waterproof 2-x40-ft plywood tray and trickled through the root mat of reed canarygrass. The quantity of influent and effluent was measured as well as temperature, pH, total suspended solids, volatile suspended solids, BOD5, total nitrogen, ammonia nitrogen, nitrate nitrogen, total phosphorus, phosphate phosphorus, and fecal coliform organisms. The quantity and quality of the reed canarygrass was determined from samples taken from six harvests. Mass balances are presented for BOD5, total suspended canarygrass was determined from samples taken from six ner-vests. Mass balances are presented for BOD5, total suspended solids, total mirrogen, ammonia nitrogen, total phosphorus. and phosphate phosphorus. The removal of several volatile trace organic compounds was determined on two separate dates.

36,3113

Plant growth and management for wastewater treatment in overland flow systems. Palazzo, A.J., U.S. Army Cold Regions Research and

Engineering Luboratory, Apr. 1982, SR 82-05, 25p. refs

Waste treatment, Water treatment, Land reclamation, Plants (botany), Growth, Grasses

Domestic wastewater was applied over a four-year period at various rates to three overland flow test slopes to study forage grass growth and nutrient removal. The annual application rates of nitrogen and phosphorus ranged up to 2026 and 226 kg/ha, respectively. The forage grasses were harvested three fales or introger. The forage grasses were marked thinking the repeated the fall thinking the fall thi grass, quackgrass and Kentucky bluegrass were the most persistent grasses on the slope over the four years.

36-3114

Description of an extremely low frequency loop-loop Reophysical system.

Cooke, J., et al. U.S. Geological Survey Open-file re-

port. 1981, No.1130, 63p., 1 ref.
Bradley, J., Mitchell, C., Lescelius, R
Geophysical surveys, Electromagnetic prospecting,
Electric equipment, Antarctica—Dufek Massif.

The system described is designed for use in making geophysical measurements of the Dufek Massif to determine the depth of pluton beneath the ice, its thickness, eastern boundary, and electrical properties. The various components of the system are described, some are shown in photos, and many schematic diagrams are included

Cyclone climatology of the Bering Sea and its relation to sea ice extent.

Overland, J.E., et al. Monthly weather review, Jan 1982, 110(1), p.5-13, 35 refs.

Climatology, Sea ice distribution, Storm tracks, Bering Sea.

36-3116

Forecasting the development of natural phenomena.

(Prognozy razvitiia prirodnykh iavlenii). Druzhinin, I.P., ed, Novosibirsk, Nauka, 1982, 157p In Russian. For selected papers see 36-3117 through 36-3124. Refs. p.149-156.

Kukushkina, V.P., ed.

Avalanche engineering, Avalanche forecasting, Earthquakes, Engineering geology, Earth fills, Earth dams, Clay soils, Loess, Cryogenic soils, Slope stability, Permafrost beneath lakes, Shore erosion, Ground ice. 36-3117

Possibilities of forecasting atmospheric conditions in the western BAM area, (Vozmozhnosti prognoza sostojanija atmosfery na Zapadnom BAMe₁.

Lut, L.I., et al. Prognozy razvitija prirodnykh javlenij (Forecasting the development of natural phenomena) edited by I.P. Druzhinin and V.P. Kukushkina. Novosibirsk, Nauka, 1982, p.56-61. In Russian. Panova, G P.

Atmospheric disturbances, Air temperature, Wind velocity, Baykal Amur railroad, Cold weather construction.

36-3118

Snow avalanches in the western part of the BAM area. (Snezhnye laviny Zapadnogo uchastka BAMa). Gulevich, V.P., et al, Prognozy razvitiia prirodnykh iaylenii (Forecasting the development of natural phenomena) edited by I.P. Druzhinin and V.P. Kukushkina, Novosibirsk, Nauka, 1982, p.61-68, In Rus-

Kara, E.G.

Snow accumulation, Avalanche forecasting, lanche formation. Avalanche engineering. Avalanche triggering, Baykal Amur railroad.

36-3119

Seismic oscillations of earth fills, (Scismicheskie

kolebaniia nasypnykh gruntovy. Pavlenov, V.A., Prognozy razvitna prirodnykh javlenn (Forecasting the development of natural phenomena) edited by I.P. Druzhinin and V.P. Kukushkina. Novosibirsk, Nauka, 1982, p.80-84, In Russian Earthquakes, Earth dams, Embankments, Earth fills,

Seismic velocity, Engineering geology, Geocryology. 36-3120

Forecasting the settlement of loess, (K prognozu prosadochnosti lessovykh porodi.

Riashchenko, T.G., et al. Prognozy razvitua prirodnykh iavlenii (Forecasting the development of natural phenomena) edited by LP. Druzhinin and V.P. Ko-kushkina, Novosibirsk, Nauka, 1982, p.84-90, Ir. Rus-

Dandova, T.F., Siutkina, V.D., IAkovenko, I.A. Clay soils, Loess, Cryogenic soils, Settlement (structural), Models.

Cave-ins and their formation in traps during economic development of the Vilyay reservoir area. Proces trappakh said said to prices on a ferritor create

mere Alliansi oga eso fordram soleman Spesiytsec A.L. Progressy rass to a principle versioner (horecasting the descopinent of natural phersoner)) edited by TP. Drammin and A.P. Kondskina. Novosibiss, Nadra 1982, p.90-96, Jr. Rossin.

Lakes, Cracking (tracturing), Ice veins, Shore erosion, Permatrost beneath takes. Hydrothermal processes. Ground ice. Ice melting, Igneous rocks.

36-3122

Salt composition of crosional debris cones as an index of dynamics of crosional processes in the shores of the Bratsk water reservoir. [Solesion sostas croziono y h synosos kak pokazate" dinamik erozonniskh jaslemi

na poberezh'e Bratslogo vodoù hraniishchaj. Nikiforova, G.P., et al. Prognozy razvitua prirodnykh taylenn (Forecasting the development of natural phenomena) carted by LP. Druzhinin and VP. Kukushkina, Novisinisi, Nauku 1982, p.97-101. In Russlate

Aleshina, Z K

Lakes, Shore erosion, Permafrost beneath lakes, Gullies, Cryogenic soils, Soil composition.

Geochemical indices of the stability of landslide slopes. [Geokhimicheskie porazateli i ustoichivost opolznevykh sklonovj. Demianovich, N.L. et al. Prognozy razvitna prirod-

nykh raylenir (Forecasting the development of natural phenomena) edited by LP. Drazhinin and VP. Kukushkina, Novosibusi Nauka 1982, p.102-109, In Russian

Lacustrine deposits, Shores, Clay soils, Cryogenic soils, Slope processes, Landslides, Soil composition, USSR-Baykat Lake.

36-3124

Bacterio-plankton of the Ust'-Ilim water reservoir and the quality of water. [Bakterioplankton Ust'-Hen-skogo vodokhranilishcha Ukachestvo vody.

Putiatina, T N, et al. Prognozy razvitna prirodnykh national trademic three development of natural phenomena) edited by LP. Druzhinin and V.P. Ku-kushkina, Novosibirsk, Nauka, 1982, p.110-119. In

Triamkina N F

Lake water, Sporadic permafrost, Plankton, Bac-

36-3125

Short time creep of ice. [Krathovremennala polzachest l'daj. Zaretskii, IUK., et av. Novosibiisk, Nauka, 1982.

119p., In Russian with English table of contents co-35 rets closed Chumichev, B D

Ice physics, Ice mechanics, Ice creep, Rheology, Ice crystal structure, Ice deformation, Fracturing, Ice acoustics.

Influence of ice on hydraulic resistance of water flow in rivers and channels, (Vinante leafoxykh obrazovanni na gudravli, hest oc. som otrolet ic potokov rek a kana-

Marusenko IXI I. or. Visi cha shkola, ¹981, 159p. In Russian with English ta^{ke}, of contents enclosed 126 rets

River ice, Stream flow, Ice floes, Drift, Fast ice, Bottom ice, Icebound rivers, Ice jams, Subelacial drainage, Ice bottom surface. Ice friction, Rivers, Channels (waterways)

Large diameter eaissons. Opusion of collection

shogo diametra. Egorov, 11. diaz. Zarispici. 1982, No 5. p. a. 27. fr. Russia. The special state state Ma

Lobach, L.S., Satorio Sci., V. V.

Concrete structures, Reinforced concretes, Caissons Foundations, Earthwork, Ground water, Artificial freezing. Frost penetration

Antarctic geoscience

Craddock, C., ed, International Union of Geological Sciences, Series B. No.4, Madison, University of Wis-consin Press, 1982, 1172p., For individual papers see 9E-18089, 9L-19161, 10E-20201, 10L-20085, D-26:1908. E-26:200 through E-26:330 (with gaps). F-26:310, J-26:207 and L-26:203 through L-26:322 (with gaps). or 36:3128 through 36:3141.

Symposium on Antarctic Geology and Geophysics. DI C QE350.S95 1977

Glacial geology, Paleoclimatology, Age determination. Ice sheets.

tion, Ice sheets.

This volume contains the proceedings of the Symposium held in Madison Aug. 22-27, 1977. The 151 papers and abstracts included are classed in twelve categories: Gondwanaland; Scotia Are Region; East Antarctica Shield; Upper Precambrian Paleozoic Rocks; Paleontology; Igneous Rocks; Structural Geology and Tectonics; Mineral Deposits; Crustal Structure; Subglacial Morphology; Marine Geology; and Cenozoic History. A location map on the front endsheets matches each parewith the moir recorability are treated and a 1,5000,000. per with the major geographic area treated and a 1.5,000,000 geologic map of Antarctica prepared by the American Geographical Society are included. The address delivered at the Symposium banquet is also included.

Gravity and magnetic anomalies across Jutulstrau-men, a major geologic feature in western Dronning

Decleir, H., et al. International Union of Geological Sciences. Publication. Series B, No.4, Antarctic geoscience: Symposium on Antarctic Geology and Geophysics, University of Wisconsin, Aug. 1977, edited by C. Craddock, Madison, University of Wisconsin Press, 1982, p.941-948, 26 refs.

Autenboer, T. van. DI C OE350.S95 1977

Glacier flow, Glacier thickness, Gravimetric prospect ing, Ice sheets, Antarctica-Jutulstraumen Glacier.

ong, ice sneets, Antarctica—Jutustraumen Gaicer. Geophysical measurements were carried out over Jutulstraumen, a 50 km wide ice stream forming the geographical continuation of the Penck trough to which it is probably structurally linked, and extended over Viddalen, a tributary. The gravity anomalies are related to the existence of the ice streams. Jutulstraumen has an asymmetric subglacial relief with its deepest part, more than 1000 m below sea level, near the confluence part, more than 1000 m below sea level, near the confluence with Viddalen. The considerable mass transport is related to the Trolltungs ice tongue and, compared to other discharge values, confirms the importance of the removal of ice by ice streams in the total mass balance of the Antarctic. Ice thicknesses were obtained by fitting computed anomalies of theoretical cross sections to the observed values. (Auth. mod.)

36-3130

Isostatic gravity anomalies in West Antarctica.

Bentley, C.R., et al. International Union of Geological Sciences. Publication. Series B. No.4, Antarctic runication. Series 8, No.4. Antarctic geoscience: Symposium on Antarctic Geology and Geophysics, University of Wisconsin, Aug. 1977, educed by C. Craddock, Madison, University of Wisconsin Press, 1982, p.949-954, 18 refs.

DLC OF 350 S95 1977

Isostasy, Ice sheets, Antarctica-West Antarctica.

Using a three-dimensional computer gravity modeling procedure, a correction for the finite size and lateral distribution of compensating masses at depth is applied to a 1 deg. 21 deg mean free-air gravity map of West Antarctica to produce an isostatic free-air gravity map of West Antarctics to produce an isostatic anomaly map. Extensive regions of West Antarctica, including the Byrd Subglacial Basin and the basin between the Ellsworth and Pensacola Mountains, are not detectably out of isostatic equilibrium. There are six significant isostatic anomalies on the map. The anomalies are variously attributed to uncompensated crustal thinning, to downward extension of upper crustal rocks into the lower crust, to crustal rifting, and to a combination of recent retreat of ice and unknown tectonic forces. (Auth mod.) (Auth_mod.)

Source properties of the Oates Land earthquake, October 1974

Adams, R.D., International Union of Geological Sciences Publication. Series B. No.4, Antarctic Scieckes Publication. Series B. No.4. Antarctic genoscience. Symposium on Antarctic Geology and Ocophysics. University of Wisconsin. Aug. 1977, edited by C. Craddock, Madison, University of Wisconsin Press, 1982, p. 955-958, 12 refs. DI C. QE350.S95, 1977.

Seismology, Calving, Antarctica—Oates Coast.

An earthquake near the northern coast of Oates Coast on 15 October, 1974, was the first to be located on the antarctic conti-October, 1974, was the first to be located on the antarctic conti-nent by the Preliminary Determination of Epicenters Service of the U.S. Geological Survey. The earthquake had a magnitude of about 5, and from analysis of long-period seismograms re-corded at Scott Base, had a seismic moment of 5 x 10 sup 23 dyne-cm. This relation between magnitude and moment is near the middle of the range found for tectonic earthquakes in New Zealand, and if the source were in normal crustal rock would imply a source reduced to the survey of the source of t nothing unusual in these source parameters, the earthquake

location near the mouth of the Rennick Glacier suggests that, like smaller events previously located near glaciers in southern Victoria Land, it might be associated with ice movement or the calving of icebergs (Auth.)

36-3132

Radio-echo sounding investigations of Wilkes Land. Antarctica.

Steed, R.H.N., et al. International Union of Geological Sciences. Publication. Series B. No.4, Antarctic geoscience: Symposium on Antarctic Geology and Geophysics, University of Wisconsin, Aug. 1977, edited by C. Craddock, Madison, University of Wisconsin Press, 1982, p.969-975, 15 refs.

Drewry, D.J. DLC OE350.S95 1977

Ice sheets, Topographic features, Radio echo soundings, Geological surveys, Geologic structures, Geological maps, Antarctica—Wilkes Land.

Radio-echo soundings along 23 tracks, spaced 50-100 km apart and forming an orthogonal grid in Wilkes Land, have been used to determine ice-sheet surface and bedrock surface configurations. Three principal, and several subsidiary, bedrock terrain zones are recognized. Precambrian basement appears to comprise the bedrock inland for as far as 200 km from the Adelic Cost. A survey regress to express industry of the Marty Glories in prise the bedrock inland for as far as 200 km from the Adelic Coast. A very rugged province inland of the Mertz Glacier is attributed to a granite batholith which crops out at Cape Bage and Cape Webb. A prominent trench and escarpment have been detected along 135 E, and the structure is interpreted as sediment-filled half-graben. Ice more than 4.67 km thick fills the trough which reaches 2230 m below sea level. The existence of a postulated large meteorite crater in Wilkes Land is questioned. (Auth.)

Ice flow, bedrock, and geothermal studies from radio-echo sounding inland of McMurdo Sound, Antarctica. D.J., International Union of Geological Publication Series B. No.4, Antarctic Drewry, D.J. geosciences. Symposium on Antarctic Geology and Geophysics, University of Wisconsin, Aug. 1977. edited by C. Craddock, Madison, University of Wisconsin Press, 1982, p.977-983, 18 refs. DLC QE350.S95 1977. Sciences.

Sea ice, Geothermal prospecting, Radio echo soundings, Glacial geology, Antarctica—McMurdo Sound. Systematic airborne radio-echo sounding has been conducted along 10 subparallel lines 10-15 km apart, inland of the McMurdo Sound ice-free valley region to 156 E and between 76.25 and 78.25 S. Information on ice surface and bedrock surface configurations, presence or absence of subice water bodies, and bedrock reflectivity characteristics has been obtained continuously along all flight tracks. Careful analysis of profiling data has enabled the compilation of an ice-surface contour map at an interval of 50 m. This clearly defines the pattern of ice flow, which is dominated by drainage into Mulock and Mawson Glaciers. An ice dome inland of Taylor Glacier restricts the catchment of Taylor and several other glaciers. This conclusion, supported by stable-isotope measurements, has im-Sea ice, Geothermal prospecting, Radio echo soundconclusion, supported by stable-isotope measurements, has in portant implications for glacial geologic studies because it casts doubt on the validity of the use of such glaciers in investigations of fluctuations of the East Antarctic ice-sheet. (Auth. mod.)

36-3134

Radio-echo studies of bedrock in southern Marie Byrd Land, West Antarctica.

Rose, K.E., International Union of Geological Sciences Publication geoscience: Symposium on Antarctic Geology and Geophysics University of Wisconsin, Aug. 1977, edited by C. Craddock, Madison, University of Wisconsin Press, 1982, p.985-992, 22 refs. DLC QE350.S95 1977.

Radio echo soundings, Ice sheets, Subglacial observations, Topographic maps, Antarctica-Marie Byrd

Maps depicting the ice-sheet surface and the bedrock topogra-phy of 500,000 sq km of Marie Byrd Land between the Ross Ice Shelf, Byrd Station, and the Transantarctic Mountains have Shelf, Byrd Station, and the Transantarctic Mountains have been compiled from 15,000 km of radio-echo profiles obtained during the 1974-75 season. Five major ice streams are defined, and they are separated by ridges and domes in the ice surface near the Ross Ice Shelf. Further mland the ice sheet shows the typical convex-upward form. The bedrock surface is generally below sea level, being smooth near the ice shelf and becoming rougher inland. A deep channel, aligned with the Shimzu Ice Stream, is evidence of erosion by ice flowing from East Antarctica prior to formation of the West Antarctic Ice Sheet. On the heast of towards have a season by the decided of the near to shiphilded outs for every the control of the ways to the decided of the near to the season of the west and the control of the west and the season of the west and the season of the near the shiphilded outs for every the season of the s basis of topography, the area is subdivided into five parts, the geology of which is discussed with the help of existing seismic gravity, and magnetic data (Auth mod)

36-3135

Sedimentation on the west antarctic continental mar-

Anderson, J.B., et al. International Union of Geological Sciences - Publication - Series B. No 4. Antarctic geoscience - Symposium on Antarctic Geology and Geophysics, University of Wisconsin, Aug. 1977, edited by C. Craddock, Madison, University of Wisconsin Press, 1982, p.1003-1012, 17 refs Kurtz, D., Weaver, F., Weaver, M. DLC QE350.895-1977

Sedimentation, Floating ice, Ice shelves, Ocean currents, Ice rafting, Antarctica,

rents, tee ratting, Antarctica.

Terrigenous deposits of the West Antarctic continental margin reflect deposition from both grounded and floating ice shelves. These glaciogenic sediments are differentiated on the basis of size frequency data, stratification, pebble fabric, and frost content. Glacial sedimentation probably occurs over relatively short intervals of geologic time and is followed by long periods of attensive reworking and redemosition of sediments because. of extensive reworking and redeposition of sediments by of extensive reworking and read-position of sediments by normal marine agents. In those regions where floating ice covers the inner continental shelf, such as in the southern Ross and Weddell Seas, bottom current activity is limited to thermohaline circulation, which is only moderately effective at reworking bottom sediments. Thick, laminated muds of the continental bottom sediments. Thick, laminated muds of the continental slope and rise may result from variations in contour-current intensity. These variations are due to changes in thermohaline circulation, which is a function of sea ice production on the continental shelf. Where the volume of sea-ice produced is sufficient to increase the density of shelf water above that of circumpolar deep waters, mixing occurs at the continental slope and contour currents are diminished. (Auth. mod.)

Antarctic glacial history using spatial and temporal variations of ice-rafted debris and abyssal sediments of the southern ocean.

Watkins, N.D., et al, International Union of Geological Sciences. Publication. Series B. No.4, Antarctic geosciences: Symposium on Antarctic Geology and Geophysics, University of Wisconsin, Aug 1977, edited by C. Craddock, Madison, University of Wisconsip Press, 1992, 8 (03) 2016. Do 66. sin Press, 1982, p.1013-1016, 19 refs. Ledbetter, M.T., Huang, T.-C DLC QE350:S95-1977

Ice rafting, Drill core analysis, Marine deposits, Sedi-

From piston cores collected during cruises of the USNA Firenin, ice-rafted debris (IRD) deposited on the floor of the southern ocean is used as an index of long-term antarctic glacial history. The latitudinal gradient of decreasing IRD accumulainstory. The landumal gradient of decreasing IND accumula-tion rates with increasing distance from Antarctica expected from the earlier study has been obscured in this region by active bottom currents which produced lag deposits of IRD that are not true indices of antarctic glacial activity. We have cor-rected for the effect of lag deposits of IRD by using the accumu-lation rate of management appropriation are an index of hostical lation rate of manganese micronodules as an index of bottom-current winnowing capacity. The latitudinal distribution of the resulting primary IRD shows a general decrease in IRD ac-cumulation rates with distance from the source, but upon this is superimposed a maximum that corresponds to the Antarctic Convergence. The northern limit of icebergs as recon-structed from the zone of IRD deposition, was, on the average. no greater during the past 0.74 m.y. than at present

36-3137

Estimates of Antarctic Ocean seasonal sea-ice cover during glacial intervals.

Cooke, D.W., et al. International Union of Geological Sciences. Publication. Series B. No 4. Antarctic geoscience Symposium on Antarctic Geology and Geophysics, University of Wisconsin, Aug. 1977, edited by C. Craddock, Madison, University of Wisconsin Press, 1982, p.1017-1025, 23 refs.

Hays, J.D. DLC QE350 S95 1977

Sea ice distribution, Climatic changes, Ice rafting.

Sea ice distribution, Climatic changes, Ice rafting. The past seasonal extent of antarctic sea ice is estimated through the use of lithologic changes, sedimentation rate changes, and the distribution of ice-rafted detritus in antarctic deep-sea sediments. Summer sea ice 18,000 years ago was greatly expanded (25 million sq km). Winter ice cover 18,000 years ago (40 million sq km) as winter ice cover 18,000 years ago (40 million sq km) was probably double present winter ice cover (20 million sq km). Changes in sea-ice cover are reflected in antarctic deep-sea sediments by changes from relatively slowly accumulating diatomaccous ooze with small amounts of ice-rafted detritus (sea-ice conditions like today). Detailed biostratigraphic analysis indicates that the lithology changes are synchronous throughout the Antarctic. Study of the sedimentary contacts in cores with accumulation rates of about 30 cm 1000 years indicates that seasonal ice cover changes within 200 years from relatively ice-free summers like today to summers characterized by approximately as much lice as today's winter. The disappearance of large amounts of summerse accuments rate in the last object of extensive sea ice began 80,000 years ago and ended 14,000 years ago. These ice began 80,000 years ago and ended 14,000 years ago. These changes in Southern Hemisphere sea ice either just precede or occur at the beginning stages of important changes of Northern Hemisphere ice volume. (Auth.)

Isostatic gravity anomalies on the Ross Ice Shelf.

Bentley, C.R., et al, International Union of Geological Bentley, C. R., et al, International Chion of Gological Sciences. Publication. Series B. No.4, Antarctic geoscience: Symposium on Antarctic Geology and Geophysics, University of Wisconsin, Aug. 1977, edited by C. Craddock, Madison, University of Wisconsin Press, 1982, p.1077-1081, 9 refs.
Robertson, J.D., Greischar, L. L.
DIC QE350-S95 1977

Gravity anomalies, Isostasy, Ice shelves, Antarctica -Ross Ice Shelf.

Gravity observations covering the Ross Ice Shelf have been reduced to isostatic anomalies assuming perfect local Airy compensation. Roosevelt Island, Crary Ice Rise, and Discovery Deep appear to be isostatically in balance with the surrounding Deep appear to be isostatically in balance with the surrounding regions. The main ridge-trough submarine topography characteristic of the grid western two-thirds of the ice shelf, however, does not appear balanced, suggesting that tectonic structure, not glaciation, is the fundamental control of that topography. Anomalies have been smoothed by averaging over 2 x 2 deg squares. The resulting map shows relative highs in the grid southeastern and southwestern corners of the shelf, with a minimum along the Siple Coast. All anomalies are moderate to strongly negative, but not so negative as the 4th order harmonic field of the Earth. (Auth. mod.)

36-3139

Sca-bottom topography and crustal structure below the Ross Ice Shelf, Antarctica.

Robertson, J.D., et al. International Union of Geologi-Robertson, J.D., et al. International Funds of Geologi-cal Sciences Publication Series B, No.4, Antarctic geoscience: Symposium on Antarctic Geology and Geophysics, University of Wisconsin, Aug. 1977, ed-nied by C. Craddock, Madison, University of Wiscon-sin Press, 1982, p.1083-1090, 19 refs.

Bentley, C.R., Clough, J.W., Greischar, L.L DI C QE350.S95 1977

Bottom topography. Tectonics, Gravity anomalies, Seismic prospecting, Antarctica—Ross Ice Shelf.

Seismic and gravity measurements were made at more than 150 stations on the Ross Ice Shelf during the austral summers of 1973-74, 1974-75, and 1976-77 as part of the Ross Ice Shelf Geophysical and Glaciological Survey (RIGGS). The data have been used to construct maps of sea-bottom topography and gravity anomalies and to calculate seismic velocity columns. The gravity anomalies are inconsistent with seismically derived thicknesses of glacial till, suggesting that tectonic structure and not glaciation is the fundamental determinant of sea-bottom glaciation is the fundational ography. (Auth. mod.) topography

Palcohydrology inferred from salinity measurements on Dry Valley Drilling Project cores from Taylor Val-

M. Ginnis, L. D., et al. International Union of Geological Sciences. Publication Series B. No 4, Antarctic geoscience. Symposium on Antarctic Geology and Geophysics. University of Wisconsin, Aug. 1977, editors of Wisconsin Linconsity of Wisconsin. ited by C. Craddock, Madison, University of Wisconsin Press, 1982, p.1133-1137, 9 refs.

Osby, D.R., Kohout, F.A. DI C.QE350 S95-1977

Ground water, Permafrost hydrology, Drill core anal-ssis, Antarctica—Taylor Valley.

ysis, Antarctica—Taylor Valley.
Poresice salimity curves, derived from permafrost samples collected in three boreholes drilled as part of the Dry Valley Drilling Project in Taylor Valley, indicate three distinct paleohydrologic environments. The variable salimity curves are explained by a grounded ice shelf advancing westward into Taylor Valley, with the ice margin resting for a long time between burcholes 10 and 11. Sediment beneath the ice remained frozen, but a deep, ice-marginal lake in the valley was heated by wilar radiation and produced a permable window through the permafrost (talik) at borehole 11. Water from the lake percolated downward through the unfrozen sediments, producing a relatively homogeneous groundwater system. Farther to the west, shallower impermeable basement rock prevented deep-water circulation, and alpine glaciers isolated the deep freshwater lake marginal to the Ross Ice Sheet from the inland lakes where more value terrestrial conditions prevailed. (Auth.)

Pressure fluctuations in an antarctic aquifer: the freight-train response to a moving rock glacier.

Harris, H.J., et al. International Union of Geological Sciences Publication Series B. No.4, Antarctic sensience Symposium on Antarctic Geology and Geophysics, University of Wisconsia, Aug. 1977, ed-ited by C. Craddock, Madison, University of Wiscon-sin Press, 1982, p.1139-1149, 48 refs.

Citwright, K DEC QE350 595 1977

Hydrogeology, Ground water, Glacial geology, Geo-logic structures, Antarctica - Victoria Land.

Don Juan Pond, an unfrizen pond in southern Victoria Land, receives very cold, highly saline groundwater from a confined aquifer. Rapid, transient fluctuations of fluid pressure in the aquifer were recorded at a borehole drilled in the Don Juan basin. The fluctuations were natural hydrogeologic phenomena of a kind which have not been reported. They are asin. The fluctuations were natural hyd henomena of a kind which have not been reported.

explained in terms of existing theories for the behavior of fluids stressed porous media and are considered to be analogous to in stressed porous media and are considered to be analogous to the effects commonly produced by trains passing over confined aquifers. The fluctuations are interpreted as evidence of movements in a rock glacier lying near the pond. The characteristics of the fluctuations suggest that the causative movements were small and abrupt and involved a large part of the rock glacier.

36-3142

Electrical grounding in areas with high specific

ground resistivities. (Zazemlenie v raionakh s vysokim udel'nym soprotivleniem grunta). Kostenko, M.V., ed. Apatity, 1981, 102p., In Russian. For selected papers see 36-3143 through 36-3149. Refs. passim.

Electrical grounding, Permafrost beneath structures, Permafrost physics, Electrical properties, Design.

Fundamentals of calculations and design of electrical grounding systems in permafrost areas. (Osnovy proektirovanija i rascheta zazemlitelej v rajonakh mnogogruntov₁.

Al'tshuler, E.B., Zazemlenie v raionakh s vysokim udel'nym soprotivleniem grunta (Electrical grounding in areas with high specific ground resistivities) edited by M.V. Kostenko, Apatity, 1981, p.5-12. In Ru. sian.

Electrical grounding, Permafrost beneath structures. Permafrost physics, Electrical properties.

Methods of evaluating the working capacity of electrical grounding systems. [Metodika otsenki rabotos-posobnosti zazemljajushchikh sistem].

Tselebrovskii, IU.V., Zazemlenie v raionakh s vysokim udel'nym soprotivleniem grunta (Electrical grounding in areas with high specific ground resistivities) edited by M.V. Kostenko, Apatity, 1981, p 13-18, In Russian.

Electric power, Stations, Permafrost beneath structures. Electrical grounding.

Balancing the resistance of electrical grounding of mining installations in ground with high ohmic resistance. (Normirovanie soprotivleniia zazemleniia rudnichnykh elektroustanovok v rajonakh vysokoomnykh

Shutskii, V.I., et al. Zazemlenie v rajonakh s vysokim udel'nym soprotivleniem grunta (Electrical grounding in areas with high specific ground resistivities) edited by M.V. Kostenko, Apatity, 1981, p.26-29, In Russian

Naidenov, A.I., Kleerov, IL.M., Shkirpa, K.I Mining, Electric power, Electrical grounding, Perma-

36-3146

Experimental studies of electrical groundings of substations in permafrost areas. [Rezul'taty eksperimental'nykh issledovanii zazemliaiushchikh ustroisty pod-

stantsii v zone mnogolethei merzlotyj. Prokhorenko, S.V., et al. Zazemlenie v raionakh sysokim udel'nym soprotivleniem grunta (Electrical grounding in areas with high specific ground resistivities) edited by M.V. Kostenko, Apatity, 1981, p.53-57. In Russian

Electric power, Stations, Permafrost beneath structures, Electrical grounding, Electrical grounding.

Electric parameters of exposed electrical groundings in permafrost. (Elektricheskie parametry poverkhnostnykh zazemliteler v mnogoletnemerzlykh gruntakh).

Kostikov VI., Zazemienie v raionakh s vys udel'nym soprotivlemem grunta (Electrical grounding in areas with high specific ground resistivities) edited by M.V. Kostenko, Apatity, 1981. p.57-65, In Russian.

Electrical grounding, Permafrost structure, Active laver. Design.

36-3148

Using loop sources of electromagnetic fields in studying geoelectric parameters of permafrost, alspolizavanie petlesykh istochnikos elektromagnitnogo polia dlia issledovaniia geoelektricheskikh parametrov mnogoletnemerzlykh strukturj.

Kartaytsey, A.S., Zazemlenie v raionakh s vysokim udef'nym soprotivleniem grunta (Electrical grounding in areas with high specific ground resistivities) edited by M.V. Kostenko, Apatity, 1981, p.83-86. In Russian 2 refs

Permafrost physics, Liectrical logging, Geoelectricity. Permafrost structure.

36.3149

Electric parameters of cables and strands under permafrost conditions. [Elektricheskie parametry kabelei

i trosov v uslovijakh vechnoj merzlotyj. Bazhenov, N.N., et al. Zazemlenie v rajonakh s vysokim udel'nym soprotivleniem grunta (Electrical grounding in areas with high specific ground resistiv) ties) edited by M.V. Kostenko, Apatity, 1981, p. 90-94. In Russian. 7 refs. Mitrokhin, V.E

Lightning, Electrical grounding, Permafrost beneath structures, Permafrost physics, Electric properties.

Geography and cartography of forest soils (methods, geographic and genetic analysis). (Geografiia i kartografiia lesnykh pochy (metody, geografo-geneticheskii analiz)ı.

Korsunov, V.M., ed. Novosibirsk, Nauka, 1982, 129p In Russian For individual papers see 36-3151 through 36-3155 Refs. passim.

Landscape types, Alpine tundra, Taiga, Cryogenic soils, Mapping, Aerial surveys, Vegetation patterns, Photointerpretation, Soil formation, Podsol, Permafrost hydrology, Thermokarst.

Using aerial photographs in large scale mapping of taiga soils, rKrupnomasshtabnoe kartografirovanie taezhnykh pochy s primeneniem aerofotos"emkij. Konstantinos, V.D., Geografiia i kartografiia lesnykh

pochy (metody, geografo-geneticheskii analiz) (Geography and cartography of forest soils (methods, geographic and genetic analysis)) edited by V.M. Korsunov, Novosibirsk, Nauka, 1982, p.6-31. In Russian 18 refs

Taiga, Cryogenic soils, Mapping, Vegetation pat-terns, Maps, Aerial surveys, Airborne equipment, Photointerpretation.

Peculiarities of structure, the cover of soil and soils in the northern part of the Yenisey Range. (Osobennosti struktury pochvennogo pokrova i pochv severnoi chasti Eniseiskogo kriazhaj.

Korsunov, V.M., et al. Geografiia i kartografiia lesnykh pochy (metody, geografo-geneticheskii analiz) (Geography and cartography of forest soils (methods, geographic and genetic analysis)) edited by V.M. Korsunov, Novosibirsk, Nauka, 1982, p. 32-66, In Russian. 12 refs

Krasekha, E.N., Simonychev, V.V. Alpine landscapes, Cryogenic soils, Permafrost depth, Soil formation, Vegetation patterns, Taiga, Swamps, Permafrost distribution.

36-3153

Podsolized soils in the southern part of the Venisey plain. [Opodzolennye pochvy juzhnoj chasti Eniseis-

koi ravniny).

Korsunov, V.M., et al. Geografiia i kartografiia lesnykh pochy (metody, geografo-geneticheskii analiz) (Geography and cartography of forest soils (methods, geographic and genetic analysis)) edited by V.M. Korsunov, Novosibirsk, Nauka, 1982, p 66-88, In Russian 22 refs.

Vedrova, E f

Plains, Taiga, Cryogenic soils, Podsol, Frost penetration, Soil formation, Soil profiles, Vegetation patterns, Topographic effects.

Geography of forest soils in Priangar'e. [Geografia lesnykh pochy Priangaria,
Gorbachey, V.N., Geografiia i kartografiia lesnykh

pochy (metody, geografo-geneticheskii analiz) (Geography and cartography of forest soils (methods, geographic and genetic analysis)) edited by V.M. Korsunov, Novosibirsk, Nauka, 1982, p.88-110. In Russian 25 rets

Forest soils, Taiga, Cryogenic soils, Vegetation patterns, Peat, Soil formation, Thermokarst, Permafrost hydrology, USSR Angara River.

Soil cover of high altitude belts of the Lake Baykal basin. ¡Pochventy) potrov vysotno-potasnykh kom-pleksov bassema oz. Baikalj. Krasnoshehekov, IUN, et al. Geografija i kartografija

lesnykh pochy (metody, geografo-geneticheskii analiz) (Geography and carrography of forest soils (methods, geographic and genetic analysis) edited by V.M. Korsumov. Novosebirss - Naukai 1982, p.171-128, In Russian - 34 refs

Babintseva, R.M., Cherednikova, H. S.

Alpine landscapes, Cryogenic soils, Vegetation patterns, Taiga, Alpine tundra.

Landscape-geophysical investigations in the Far East. (Landshaftnye geofizicheskie issledovaniia na Dal'nem Vostokej. Gasanov, Sh.Sh., ed. Vladivostok, 1981, 88p., In Rus-

sian. For selected papers see 36-3157 through 36-3162. Refs. passim.

Krylov, I.I., ed. Permafrost distribution, Landscape types, Snow cover distribution, Plains, Mountains, Soil temperature, Slope orientation, Rock streams, Frost penetration, Seasonal freeze thaw, Snow cover effect.

36-3157

Thermal regime and seasonally freezing layer of soils and ground in plains of the eastern BAM area (the Evoron-Chukchagir basin). (Kharakteristika temperaturnogo rezhima i sezonnomerzlogo sloia pochvogruntov ravninnykh territorii vostochnogo uchastka BAM (na primere jugo-zapacinoi chasti Evoron-Chuk-

Chagirskoi depressii).

Marin, A.V., et al, Landshaftnye geofizicheskie issledovaniia na Dal'nem Vostoke (Geophysical investigations of landscapes in the Far East) edited by Sh.Sh. Gasanov and I.I. Krylov, Vladivostok, 1981, p.8-18, In

Russian. 5 refs. Rosman, A.P., Nikulin, S.F.

Landscape types, Permafrost distribution, Snow cover distribution, Cryogenic soils, Soil temperature, Seasonal freeze thaw, Peat, Organic soils, Frost penetration.

36-3158

Seasonal freezing of rocks in low mountain areas of the Central Sikhote-Alin'. (Sezonnoe promerzanie po-rod v nizkogornykh raionakh srednei chasti Sikhote-

Vtiurina, E.A., et al. Landshaftnye geofizicheskie issledovanija na Dal'nem Vostoke (Geophysical investigations of landscapes in the Far East) edited by Sh.Sh. Gasanov and I.I. Krylov, Vladivostok, 1981, p.19-54, In Russian.

Bogomolova, L.F., Marin, A.V.

Mountains, Slope orientation, Soil temperature, Frost penetration, Snow cover effect.

36.3159

Permafrost distribution in Sikhote-Alin' Mountains and its dynamics in late Wurm-Holocene. rVechnaia merzlota Sikhote-Alinia i ee dinamika v pozdnem Viurme-Golotsene3.

Korotkii, A.M., et al. Landshaftnye geofizicheskie issledovaniia na Pal'nem Vostoke (Geophysical investigations of land capes in the Far East) edited by Sh.Sh. Gasanov and i.l. Krylov, Vladivostok, 1981, p.45-57.

In Russian. 16 refs. Vysochin, V.I., Gvozdeva, I.G.

Alpine landscapes, Taiga, Permafrost structure, Paleoclimatology, Permafrost depth, Permafrost thickness. Snow cover effect.

36-3160

Cryalithologic aspect of the correlation between physical and geologic time. [Problema sootrosheniia fizicheskogo i geologicheskogo vremeni (kriolitologicheskii aspekth. Gasanov, Sh.Sh., Landshaftnye geofizicheskie is-

sledovanija na Dal'nem Vostoke (Geophysical investigations of landscapes in the Far East) edited by Sh.Sh. Gasanov and I.I. Krylov, Vladivostok, 1981, p.58-66. In Russian. 21 refs

Geocryology, Permafrost origin, Permafrost dating.

36-3161

Length of snow cover persistence in the southeastern part of Primor'e, (Prodolzhitel'nost' zaleganita snezh nogo pokrova v jugo-vostochnoi chasti Primorskogo krajas.

Rosman, A.P., et al. Landshaftnye geofizicheskie issledovanija na Dal'nem Vostoke (Geophysical investigations of landscapes in the Far East) edited by Sh Sh. Gasanov and I.I. Krylov, Vladivostok, 1981, p 72-83. 5 refs. In Russian.

Nikulin, S.F. Snow cover distribution, Snow depth, Snow surface temperature, Heat transfer, Mass transfer, Topographic effects.

36-3162

Thermal regime of the Myao-Chan rock streams (a scientific report). O termicheskom rezhime kurumov khrebta Miao-Chan (nauchnoe soobshchenie)].

Govorushko, S.M., Landshaftnye geofizicheskie is-sledovanija na Dal'nem Vostoke (Geophysical investigations of landscapes in the Far East) edited by Sh.Sh. Gasanov and I.I. Krylov, Vladivostok, 1981, p.84-85. In Russian. 3 refs.

Alpine landscapes, Slope orientation, Rock streams,

Thermal regime, Ground ice, Snow cover effect.

36-3163

Water and thermal regimes of drained soils in Karelia. Vodnyl i teplovol rezhim osushaemykh pochv Kare-

Nesterenko, I.M., ed, Petrozavodsk, 1981, 112p., In-Russian. For selected papers see 36-3164 through 36-3170. Refs. passim.

Land reclamation, Forest land, Swamps, Drainage, Peat, Cryogenic soils, Thermal regime, Heat balance.

Factors affecting biologic productiveness of meadows developed on drained peat soils. ¿O faktorakh bio-produktivnosti lugovykh soobshchestv na osushen-

nykh torfianykh pochvakh, Kozlov, L.G., et al, Vodnyi i teplovoi rezhim osusha-emykh pochv Karelii (Water and thermal regimes of drained soils in Karelia) edited by I.M. Nesterenko, drained solis in Karena) edited by J.M. Nesterenko, Petrozavodsk, 1981, p.6-20, In Russian. 6 refs. Nesterenko, I.M. Veinberg, L.N., Konovalova, I.M. Swamps, Drainage, Organic soils, Peat, Cryogenic soils, Meadow soils, Grasses, Biomass.

Changes in thermal balance of drained soils in southern Karelia. ¿Izmenenie teplovogo balansa osushaemykh pochy v iuzhnoi Kareliij, Klyputo, V.S., Vodnyi i teplovol rezhim osushaemykh

pochy Karelii (Water and thermal regimes of drained soils in Karelia) edited by I.M. Nesterenko, Petrozavodsk. 1981, p.20-32, In Russian. 9 refs. Swamps, Drainage, Peat, Cryogenic soils, Soil tem-

perature, Heat balance.

36.3166

Controlling thermal regime of drained soils in northern Karelia. [Temperaturnyi rezhim osushaemykh pochv severnoi Karelii i metody ego regulirovaniia]. Germanov, V.P., Vodnyi i teplovol rezhim osusha-emykh pochv Karelii (Water and thermal regimes of drained soils in Karelia) edited by I.M. Nesterenko. Petrozavodsk, 1981, p.32-39, In Russian. 1 ref. Swamps, Peat, Cryogenic soils, Thermal regime, Hy-

drothermal processes, Ground ice, Freeze thaw cycles, Drainage, Snow cover effect.

Subsurface drainage of heavy mineral clay soils in the glacial lake plains of the Karelian ASSR (Olonet-skaya plain taken as an example), (Osushenic tiazhetosuglin:stykh mineral'nykh pochy ozerno-led-niko.ykł ravnin Karel'skot ASSR zakrytym drenazhem (na primere Olonetskoi ravniny)]. Groznov, E.D., Vodnyl i teplovoi rezhim osusha-

emykh pochy Karelii (Water and thermal regimes of drained soils in Karelia) edited by I.M. Nesterenko. , 1981, p.39-46, In Russian. Plains, Glacial deposits, Lacustrine deposits, Clay soils, Cryogenic soils, Subsurface drainage.

Formation of runoff and its separate phases during drainage of forest lands. (Osobennosti formirovaniia stoka i ego otdel'nykh faz pri lesoosusheniii.

Chesnokov, V.A., Vodnyi i teplovoi rezhim osusha-emykh pochy Karelii (Water and thermal regimes of drained soils in Karelia) edited by I.M. Nesterenko, Petrozavodsk, 1981, p.75-87, In Russian 8 refs. Forest land, Paludification, Drainage, Cryogenic soils, Land reclamation, Runoff.

Accounting for peculiarities of ground water alimentation of swamps in draining paluded forests. (Osobennosti gruntovogo pitanija bolot i ego uchet pri

lesoosushenij. Orlov, E.D., Vodnyi i teplovoi rezhim osushacinykh pochy Karelii (Water and thermal regimes of drained soils in Karelia) edited by I.M. Nesterenko, Pesoils in Karcha) edited by IM Notrozavodsk, 1981, p.88-98. In Russian

Swamps, Forest land, Drainage, Land reclamation.

36-3170

Role of lakes in the formation of minimum winter runoff, [Roll ozer v formirovanic zinnego mnimal nogo stokaj,

Karpechko, IU. V., et al. Vodnyr i teplovoi fezhini osushaemykh pochs Karchi (Water and thermal regimes) of drained soils in Karelia) edited by LM. Nesterent of Petrozavodsk, 1981, p.102-107. In Russian 6 refs. Karpechko, V.A.

Runoff, Lakes, Seasonal variations, Subsurface drain-

36-3171

Influence of extreme winter conditions in 1978-79 on seasonal development of plants in the non-chernozem zone in 1979. (Vlijanie ekstremal'nykh uslovu zimy 1978-1979 gg na sezonnoe razvitie prirody Necher-nozem'ia v 1979 goduj.

Kibal chich, O.A., ed. Moscow, 1981, 53p., In Russian, For selected papers see 36-3172 through 36-3176. Plains, Trees (plants), Frost action, Introduced plants, Frost resistance, Cryogenic soils, Plant

ecology, Plant physiology.

Influence of extreme winter conditions in 1978-79 on woody plants of the Russkaya plain. (O vliianii ckstremal'noi zimy 1978-79 gg. na sostoranie drevesnykh

strema not ziny 1978-79 gg, na sostojanie drevesných rastenii Russkoj ravninyj.
Aksenova, N.A., Vlijanie ekstremal'nych uslovu ziny 1978-1979 gg, na sezonnoe razvitie prirody Nechernozemia v 1979 godu (Influence of estreme winter conditions in 1978-79 on seasonal development of plants in the non-chemiozem zone in 1979) edited by O.A. Kibal'chich, Moscow, 1981, p.14-21, In Russian Plains, Trees (plants), Frost action, Frost resistance.

Comparative evaluation of frost resistance of introduced trees after severe winters, (Stavnitel naia otsenka zimostoikosti drevesnykh introdutsentov posle

surovykh zimy.

Aksenova, N.A., et al. Vlinanie ekstremal'nykh uslovir zimy 1978-1979 gg, na sezonnoc razvitic prirody Nechernozemi'a v 1979 godu (Influence of extreme winter conditions in 1978-79 on seasonal development of plants in the non-chernozem zone in 1979) edited by O.A. Kibal'chich, Moscow, 1981, p.22-27, In Russian Frolova, L.A

Introduced plants, Trees (plants), Frost action, Plant ecology. Plant physiology, Cryogenic soils, Snow cover effect.

Overwintering of woody plants in the collection of the Main Botanical Garden of the Academy of Sciences USSR in 1978-1979. [Perezimovka drevesnykh ras-

OSSR v. 1978-1979, prefermitive activeshyln rastemi SSSR v. kollektini glavinogo hotanicheskogo sada AN SSSR v. 1978-1979 gg. j. Plotnikova, L. S., Viname ekstremal nykh uslovu zimy 1978-1979 gg. na sezonnoc razvitie prirody Nechernozemia v. 1979 godu (Influence of extreme winter conditions in 1978-79 on seasonal development of plants in the non-chernozem zone in 1979) edited by O.A. Kibal'chich, Moscow, 1981, p.27-33. In Russian Introduced plants, Frost action, Frost resistance, Plant ecology, Plant physiology.

36-3175

Influence of anomalous weather conditions in 1978-79 on seasonal development of woody plants in the Botanical Garden of the Academy of Sciences of the

Botanical Garden of the Academy of Sciences of the USSR. (Viranic anomal nykh pogodnykh uslovi 1978-79 gg na sezonnoc tazyttie drevesnykh tastemi GBS AN SSSR).

Aleksandrova, M.S., et al. Viranic ekstremal nykh uslovii, zimy 1978-1979 gg na sezonnoc tazytte prirody Nechemozemia v 1979 goda (Influence of extreme winter conditions in 1978-79 on seasonal development of plants in the non-chemozem zone in 1979) edited by O.V. Kihal', hich, Moscow, 1981

Introduced plants, Trees (plants), Frost action, Plant

Effect of extreme winter conditions in 1978-79 on seasonal development of fruit trees and berry plants in the botanical garden of the Moscow State University. ¡Vliianie ekstremal'nykh uslovij zimy 1978-79 gg. na sezonnoe razvitie plodovo-iagodnykh rastenii v us-

loviiak h botanicheskogo sada MGU., Guseva, I.N., et al. Vliianie ekstremal'nykh uslovit zimy 1978-1979 gg. na sezonnoe razvitie prirody Nechernozem'ia v 1979 godu (Influence of extreme winter conditions in 1978-79 on seasonal development of plants in the nonchernozeme in 1970 weldted hy plants in the non-chernozem zone in 1979) edited by O.A. Kibal'chich, Moscow, 1981, p.43-47, In Russian Kocheshkova, T.V.

Introduced plants, Plant ecology, Frost action, Plant physiology.

36-3177

Climate, relief and human activities. [Klimat, rel'ef i deiatel'nost' chelovekaj, Ascev, A.A., ed, Moscow, Nauka, 1981, 279p., In Rus-

sian. For selected papers see 36-3178 through 36-3182. Refs. passim 3182. Refs. passim. Dedkov, A.P., ed.

Plains, Periglacial processes, Glacial erosion, Moraines, Geomorphology, Frost weathering, Perma-frost distribution, Patterned ground, Slope processes, Solifluction.

36-3178

Influence of alternating humid and periglacial climatic conditions on fluvial morpho- and lithogenesis on plains. [Fliuvial nyi morfo- i litogenez na ravninakh pod vliianiem cheredovaniia gumidnykh i perigliat-sial'nykh morfoklimaticheskikh uslovilj.

Asecv. A.A., Klimat, rel'ef i deiatel'nost' cheloveka (Climate, relief and human activities) edited by A.A. Ascev and A.P. Dedkov, Moscow, Nauka, 1981, p.128-135, In Russian. 17 refs.

Plains, Perigiacial processes, Paleoclimatology, Gla-cial erosion, Giacial deposits, Permafrost origin, Per-mafrost distribution, Geocryology, Patterned ground, mafrost distr Solifluction.

36-3179

Periglacial morphogenesis in the eastern part of the Russkaya plain. (Perigliatsial'noe rel'efoobrazovanie na vostoke Russkoi ravninyj,

Babanov, IU.V., et al. Klimat, rel'ef i deiatel'nost' Babanov, IL.V., et al. Klimat, rel'et i deistel nost' cheloveka (Climate, relief and human activities) edited by A.A. Aseev and A.P. Dedkov, Moscow, Nauka, 1981, p. 135-142, In Russian. 15 refs. Butakov, G.P., Mozzherin, V.I. Periglacial processes, Geomorphology, Frost weath-

ering, Patterned ground, Geocryology

36-3180

Varieties of slope shapes depending on their formation under interglacial and in periglacial conditions, [Raznovidnosti sklonov v zavisimosti ot ikh formirovanija v mezhlednikovykh i perigliatsial nykh us-

Khrutskii, S.V., et al, Klimat, rel'ef i deiatel'nost cheloveka (Climate, relief and human activities) edited by A.A. Ascev and A.P. Dedkov, Moscow, Nauka, 1981, p.148-155. In Russian. 7 refs.

Plains, Slope processes, Frost action, Periglacial processes, Slope stability, Frost weathering, Solifluction. Permafrost distribution.

36-3181

Phases in periglacial transformations of rolling morainal topography of the Myadininkay and Ey-shishkes uplands devoid of lakes (Lithuanian SSR). rFazovost' perigliatsial'nogo preobrazovanija rel'efa bezozernykh kholmisto-morennykh vozvyshennostei (na primere Miadinínkskoj vozvyshennosti i Elshishkkogo plato Litovskoi SSR)3.

Basalikas, A.B., et al. Klimat, rel'ef i deiatel'nost' chelwocka (Climate relief and human activities) edited by A.A. Ascev and A.P. Dedkov, Moscow, Nauka, 1981, p.155-163, In Russian, 9 refs.

Shviadas, K.I. Periglacial processes, Geomorphology, Slope processes, Glacial deposits, Moraines, Cryoplanation, Solifluction. 36-3182

Theory and methods of forecasting the development of exogenic processes on slopes. [Teoriia i metody prognozirovanija razvitija ekzogennykh protsessov (na primere sklonovykh protsessov).
Titov, E.E., Klimat, tel'ef i dejatel'nost' cheloveka

(Climate, relief and human activities) edited by A.A. Aseev and A.P. Dedkov, Moscow, Nauka, 1981,

Slope processes, Frost action, Solifluction, Snow cover effect, Ground thawing, Slope stability, Classifications.

36-3183

36-3186.

Complex construction in the non-chernozem zone. (Nechernozem'iu-kompleksnuiu zastroiku), Bukin, IU.K., ed, Moscow, Strofizdat, 1982, 198p., In For selected papers see 36-3184 through

Residential buildings, Houses, Building codes, Standards, Construction materials, Prefabrication, Permafrost beneath structures, Design.

Modern design of residential houses and public buildings. ¡Sovremennye tipovye proekty zhilykh domov i

zdanii obshchestvennogo naznacheniiaj. Mozhaitsev, N.P., Nechernozem'iu-kompleksnuju zastroiku (Complex construction in the nozem zone) edited by IU.K. Bukin and S.K. Kapskii. Moscow, Strolizdat, 1982, p.95-107, In Russian. Residential buildings, Houses, Construction materials, Building codes, Frozen ground.

Standard construction project is given second chance.

[Tipovol proekt priobretaet vtorulu zhizn'], Saburov, V.S., et al, Nechernozem'iu—kompleksnulu zastroiku (Complex construction in the non-chernozem zone) edited by IU.K. Bukin and S.K. Kapskii, Moscow, Strolizdat, 1982, p.143-159. In Russian. Avdeenko, V.F.

Residential buildings, Houses, Standards, Prefabrication, Panels.

Engineering provisions for rural residential points in the non-chernozem zone. [Inzhenernoe obespechenie sel'skikh naselennykh punktov Nechernozemnoj zony RSFSR₁.

Korneev, V.A., Nechernozem'iu-kompleksnuiu zastrolku (Complex construction in the non-chernozem zone) edited by IU.K. Bukin and S.K. Kapskii, Moscow, Strolizdat, 1982, p.159-167, In Russian.

Residential buildings, Water pipes, Sewage, Heating, Permafrost beneath structures.

36-3187

All-Union conference on adaptation of woody plants to extreme environmental conditions. Abstracts of reports. ¡Vsesoiuznoe soveshchanie po voprosam adaptatsii drevesnykh rastenii k ekstremal'nym us-

loviiam sredy. Tezisy dokladovą. Volkov, A.D., ed. Petrozavodsk, 1981, 160p., In Russian with abridged English table of contents enclosed. Introduced plants, Subarctic landscapes, Stations, Cryogenic soils, Research projects, Plant ecology, Plant physiology, Frost resistance.

36-3188

Design of deeply embedded foundations. (Procktirovanie fundamentov glubokogo zalozheniiaj. Silin, K.S., et al, Moscow, Transport, 1981, 252p. In Russian with abridged English table of contents en-Russian with autoget English and Colord. Get ed. Get ed. Get ed. Get efs. Ciotov, N.M., Zavriev, K.S.
Foundations, Footings, Concrete structures. Piles,

Caissons, Piers, Permafrost beneath structures, Permafrost bases, Earthquakes.

Climatic variations and variability: facts and theories. Berger, A., ed. Dordrecht, Holland, D. Reidel Publishing Co., 1981, 795p., Refs. passim. For selected papers see 36-3190 through 36-3193, or F-26408 and

Climatic changes, Paleoclimatology, Ice cores, Albedo, Glacier mass balance, Theories.

36.3190

Kukla, G.J. Climatic variations and variability: facts and theories. Edited by A. Berger, Dordrecht, Holland, D. Reidel Publishing Co., 1981, p.85-109, 65 refs. Albedo, Snow optics, Ice optics, Water, Soils, Vegetation, Surface roughness, Reflectivity, Solar radiation.

36-3191

Glacial and interglacial changes in ocean and atmosphere chemistry.

Broecker, W.S., Climatic variations and variability facts and theories. Edited by A. Berger, Dordrecht, Holland, D. Reidel Publishing Co. 1981, p.111-121, 9 refs.

Carbon dioxide, Ice cores, Paleoclimatology, Ocean water. Water chemistry, Atmospheric composition, Drill core analysis, Theories.

Carbon dioxide content of the atmosphere increases between glacial and interglacial times, have been postulated from gas content studies of long ice cores from Greenland and Antarctica. A hypothesis for this increase involves the loss of phosphere in the content of the conten A hypothesis for this increase involves the loss of phos-phorus from the sea to the shelf sediments during the early postglacial transgression of sea level, reducing the amount of plant matter formed per unit of upwelled water and thereby increasing the CO2 pressure in surface water and the atmo-sphere. (Auth. mod.)

36-3192

Paleo-climatic studies on ice cores.

Dansgaard, W., Climatic variations and variability facts and theories. Edited by A. Berger, Dordrecht, Holland, D. Reidel Publishing Co., 1981, p.193-206.

Ice cores, Ice creep, Drill core analysis, Glaciation, Paleoclimatology, Glacier flow, Precipitation (meteorology), Oxygen isotopes, Air temperature, Volcanoes.

Geophysical and geochemical parameters were obtained from ice cores of Antarctica and Greenland. Data contain paleoice cores of Antarctica and Greenland. Data contain paleo-atmosphere composition, including CO2 content, mean annual precipitation, air temperature, volcanic activity, etc. Long lasting volcanic activity may be the primary cause for climatic fluctuations of mid and high latitudes.

36-3193

Glacier behaviour and recent changes in alpine cli-

Pagliari, M., Climatic variations and variability: facts and theories. Edited by A. Berger, Dordrecht, Holland, D. Reidel Publishing Co., 1981, p.317-330, 22

Glacier mass balance, Glacier flow, Alpine glaciation, Glacier oscillation, Glacier heat balance, Italy-Marmolade Glacier.

36-3194

Snowstorm protection.

Goto, K., Permanent way, Dec. 1979, No.83, p.4-9. Snowstorms, Protection, Snow fences, Snow removal. Railroads, Vegetation, Snowdrifts, Avalanche formation, Equipment.

36-3195

Three avalanche cases on Tadami Line. Shimogaki, T., Permanent way, Dec. 1979, No.83, p. 10-15

Avalanche formation, Countermeasures, Protection. Roads, Railroads, Snow fences,

Snow-melting equipment on Joetsu Shinkansen. Hatano, T., et al. Permanent way, Dec. 1979, No.83, amane, S

Snow melting, Artificial thawing, Equipment, Railroads, Protection, Computer applications.

Snow-protective measures for Tohoku Shinkansen. Hasegawa, Y., Permanent way, Dec. 1979, No.83,

Railroads, Protection, Snow accumulation, Snowfall, Snow melting. Artificial thawing, Snow removal, Winter maintenance.

Dose rate dependence of the yield of trapped electrons in crystalline ice. An evaluation of the reaction rates of the mobile electrons.

Nilsson, G., et al. *Chemical physics letters*, Aug. 15, 1980, 74(1), p.119-124, 22 refs

Pagsberg, P Ice crystal structure, Ions, Temperature effects, Velocity, Electrons.

Solidification of a low Peclet number fluid flow in a round pipe with the boundary condition of the third

Lee, S.L., et al. Canadian journal of chemical engineering. Apr. 1980, 58(2), p.177-184, 20 (cts.) Hwang, Ci J.

Liquid solid interfaces, Solid phases, Liquid phases, Heat transfer, Laminar flow, Pipes (tubes), Tempera-ture effects, Boundary value problems.

Icelandic subglacial volcanism: thermal and physical

studies.
Allen, C.C., Journal of geology, Jan. 1980, 88(1), p.108-117, 29 refs

Subglacial observations, Volcanoes, Heat transfer, Ice melting, Magma, Meltwater, Glaciology, Moun-

36-3201

Rock glaciers in northern Spitsbergen.

Swett, K., et al. Journal of geology, July 1980, 88(4), n.475-482, 11 refs.

Hambrey, M.J., Johnson, D.B.

Rock glaciers, Glacier surfaces, Talus, Meltwater, Freezing, Terraces, Temperature variations, Interstitial ice, Ice wedges, Norway-Spitsbergen.

Elastic diffuse neutron scattering due to D-D correlation functions seen in Ih ice.

Schneider, J., et al. Journal of physics C: solid state physics, Aug. 10, 1980, 13(22), p.4121-4126, 13 refs. Zeven. C.

Ice crystal structure, Neutron scattering, Ion diffusion, Mathematical models.

36-3203

Heat capacity of water at extremes of supercooling and superheating.
Angell, C.A., et al, Journal of physical chemistry, Mar.

18, 1982, 86(6), p.998-1002, 25 refs.

Oguni, M., Sichina, W.J.

Water, Supercooling, Heavy water, Heat capacity, Temperature effects, Pressure, Experimentation.

36-3204

Seepage and heat flow in soil freezing.

Frivik, P.E., et al. Journal of heat transfer, May 1982, 104(2), p.323-328, 15 refs.

Comini, G.

Soil freezing. Artificial freezing, Heat transfer, Freeze thaw cycles, Mass transfer, Permafrost heat transfer, Soil temperature, Seepage, Mining, Frozen ground physics, Mathematical models, Computer pro-

36-3205

On the prediction of pipe freeze-shut in turbulent flow.

Epstein, M., et al. Journal of heat transfer, May 1982, 104(2), p.381-384, 7 refs. Cheung, F.B.

Turbulent flow, Pipeline freezing, Forecasting, Temperature effects, Analysis (mathematics).

36-3206

Piling in frozen ground.

Crory, F.E., American Society of Civil Engineers, Technical Councils. Journal, May 1982, 108(TC1), 112-124, 30 refs.

Pile structures, Frozen ground strength, Permafrost thermal properties, Freeze thaw cycles, Cold weather construction. Loads (forces), Foundations, Frost heave, Bearing strength.

36-3207

Holarctic alpine and Arctic vegetation: circumpolar relationships and floristic-sociological, high-level

Komárková, V., Syntaxonomie. Edited by H. Dierschke, Vaduz, Liechtenstein, J. Cramer, 1981, p.451-475, With German summary. Refs. p.471-475. Vegetation, Alpine landscapes, Mountains, Polar regions. Classifications.

36-3208

Correlation between fragipans and permafrost with special reference to silty Weichselian deposits in Belgium and northern France.

Van Vliet, B., et al, Catena, Apr. 1981, 8(2), p.137-154, With French summary Refs. p.152-154

Langohr, R

Soil compaction. Permafrost. Sediments. Paleoclimatology. Drainage. Ice formation, Freeze thaw cycles, Microstructure, Weathering, Ice wedges, Belgium, France.

36-1209

Public firms in winter maintenance sector. [Le Aziende municipalizzate al servizio della viabilità invernale).

Baiano G. Neve international. Mar. 31, 1982, 24(1), p.24-28. In Italian with French, German and English

Ice removal. Winter maintenance. Road maintenance. now removal, Road icing.

36-3210

Winter maintenance and environmental protection. [Viabilità invernale e tutela dell'ambiente]. Bertolotti, C.G., Neve international, Mar. 31, 1982.

24(1), p.29-34, In Italian with French, German and English summaries

Winter maintenance. Road maintenance, Environmental protection, Salting, Chemical ice prevention, Snow removal, Road icing, Snow melting, Artificial melting, Pollution.

Choice of where to place storage silos of saline solutions by cost/benefit analysis. La scelta della dislocazione dei sili per lo stoccaggio di soluzioni saline con il metodo benefici/costii.

Abruzzese, F., Neve international, Mar. 31, 1982, 24(1), p 35-39, In Italian with French, German and English summaries.

Road maintenance, Winter maintenance, Waste disposal, Solutions, Salting, Road icing, Snow removal, Ice removal, Cost analysis.

Machines and lectures at Davos. [Macchine e conferenze a Davos₃, Neve international, Mar. 31, 1982, 24(1), p.40-48. In Italian with French, German and English summaries.

Winter maintenance, Road maintenance, Salting, Environmental impact, Ecology, Ice removal, Snow removal, Equipment.

Investigation of the electronic structure of ice by high resolution X-ray spectroscopy.

Gilberg, E., et al. Journal of chemical physics, May 15, 1982, 76(10), p.5093-5097, 15 refs. Hanus, M.J., Foltz, B.

Ice crystal structure, X ray analysis, Ice spectroscopy, Molecular structure.

36-3214

Resistance of Beauharnois Canal in winter.

Tsang, G., American Society of Civil Engineers. Hydraulics Division. Journal, Feb. 1982, 108(HY2), p.167-186, 11 refs.

River ice, River flow, Ice cover effect, Hydraulics, Flow rate, Frazil ice, Analysis (mathematics), Channels (waterways).

36-3215

Undisturbed sampling of saturated sands by freezing. Singh, S., et al, American Society of Civil Engineers. Geotechnical Engineering Division. Journal. Feb. 1982, 108(GT2), p.247-264, 44 refs. Seed, H.B., Chan, C.K

Soil freezing, Sampling, Sands, Freeze thaw cycles, Saturation, Stress strain diagrams, Temperature effects, Fines, Drainage, Loads (forces), Pipes (tubes), Tests.

36-3216

Shallow foundations on frozen soil: a bibliography. Committee on Shallow Foundations of the Geotechnical Engineering Division American Society of Civil Engineering Division American Society Engineers. Geotechnical Engineering Journal, Feb. 1982, 108(GT2), p.285-291. Division

Frozen ground strength, Foundations, Bibliographies. Permafrost beneath structures, Bearing strength, Heat flux, Rheology, Soil creep.

Snow crystal observations in summer season at Amundsen-Scott South Pole Station, Antarctica.

Kikuchi, K., et al, Hokkaido Daigaku, Sapporo, Japan. Rigakubu. Journal of the Faculty of Science, Hokkaido University. Series VII Geophysics, 1976, 5(1), p.1-20, 21 refs

Snow crystals, Antarctica—Amundsen-Scott Station. Some crystal observations were carried out, using a polarizing microscope, at Amundsen-Scott Station, during January, 1975. Upper air analysis indicated that on all the days with snowfalls microscope, at Amundsen-Scott Station, during January, 1975. Upper air analysis indicated that on all the days with snowfalls where were inversion layers aloft, lower than 550 mb, typically around 600 mb. Saturation or subsaturation was present within these layers. Generally, there are no visible clouds corresponding to the saturation layers aloft around 600 mb. For this reason, these snowfalls are called cloudless or "clear sky precipitation. It was hypothesized that the presence of saturated layers aloft was a necessary but not a sufficient condition for clear sky precipitation. Naturally occurring ice crystals were collected on precipitation days, and rapidly examined before appreciable sublimation occurred. Several "peculiar" shapes of snow crystals were detected. The c-axis of these crystals, and their crystal structure were defined by polarization microscopy. (Auth mod.)

36-3218

Remeasurement of the axial angle between spatial branches of natural polycrystalline snow crystals.

Uyeda, H., et al. Hokkaido Daigaku, Sapporo, Japan Rigakubu Journal of the Faculty of Science, Hokkaido University Series VII Geophysics, 1976, 5(1). p.21-28, 13 refs

Kikuchi, K

Snow crystals, Snow crystal structure.

Characteristics of debris flows in Xizang.

Tang, B., et al. Ni shi hu lun wen ji (1) (Collected papers on debris flows, No 1). Chungqing, Kexue jishu wenxian chubanshe, 1981, p.6-12, In Chinese with English summary. 1 ref

Rock streams, Slope processes, Glaciers, Snowmelt, Glacial erosion, Avalanches, Water supply, China—

36-3220

Characteristics of movement, erosion and deposition of debris flows in Jiamaqimei gully, Bomi, Xizang. Tian, L., Ni shi liu lun wen ji (1) (Collected papers on debris flows, No.1), Chungqing, Kexuc jishu wenxian chubanshe, 1981, p.90-93, In Chinese with English

Snow melting, Rock streams, Snow accumulation, Avalanches, Slope processes, Roads, Snow, Permafrost, China-Xizang.

36-3221

Debris flows along some highways of Qinghai-Xizang plateau and their prevention and control.

Li, D., Ni shi liu lun wen ji (1) (Collected papers on debris flows, No.1). Changging, Kexue jishu wenxian chubanshe, 1981, p.101-107, In Chinese with English 4 refs summary. Slope processes, Snow melting, Glacial lakes, Dam-

age, Roads, Rock streams.

36-3222

Surface air flow over East Antarctica.

Parish, T.R., Monthly weather review, Feb. 1982, 110(2), p.84-90, 15 refs.

Air flow, Ice sheets, Wind speed, Topographic effects, Antarctica-East Antarctica.

Antarctica—Last Antarctica.

Surface winds over the Antarctic interior occur mainly due to the strong radiational cooling of the ice slopes. As a consequence, such winds exhibit a high degree of persistence with a predominant direction closely related to the terrain orientation. Using detailed contour maps of the interior ice topography and representative values of the mean wintertime strength of the representative values of the mean wintertime strength of the temperature inversion, it is possible to infer the terrain-induced accelerations. A simple diagnostic equation system is formulated, from which a time-averaged surface airflow pattern of East Antarctica is generated. The results appear consistent with observations. The occurrence of localized, anomalously with observations. The occurrence of localized, anomalously strong katabatic winds is explained as a result of topographically forced patterns of cold-air convergence depicted in the airfle analysis (Auth.)

Alluvial fan development at Franklin Bluffs, Alaska. Anderson, G.S., et al, Iowa Academy of Science Proceedings, 1962, Vol.69, p.310-322, 5 refs. Hussey, K.M DLC Q1115

Alluvium, Tundra, Surface drainage, Mass flow, United States-Alaska-Franklin Bluffs.

36.3224

Unusual case of stream piracy.

Reckendorf, F., et al, *Iowa Academy of Science Proceedings*, 1962, Vol.69, p.322-326

Hussey, K.M. Ground thawing, Streams, Coastal topographic features, United States-Alaska-Arctic Coastal Plain.

36-3225

Ground patterns as keys to photointerpretation of

Hussey, K.M., Iowa Academy of Science — Proceedings, 1962, Vol. 69, p. 332-341, 9 refs.

Patterned ground, Slope orientation, Photointerpre-

36.3226

Nucleation rates of ice in undercooled water and aque-

Our solutions of polyethylene glycol. Michelmore, R.W., et al. *Cisobiologs*, Apr. 1982, 19(2), p.163-171, 16 refs.

Sucleation rate. Ice formation, Solutions,

Numerical analysis of freezing domain around inground storage tanks for cryogenic liquids using integrated penalty, and finite difference, methods. Yanagisawa, I., et al, *Cold regions science and tech-nology*. Nov. 1981, 5(2), p.79-94, 9 refs.

Yoshikawa, H.

Soil freezing, Underground storage, Storage tanks, Thermal conductivity, Thermal diffusion, Phase transformations, Temperature effects, Latent heat, Cryogenic structures, Analysis (mathematics).

36-3228

Importance of water migration in the measurement of the thermal conductivity of unsaturated frozen soils. Kay, B.D., et al, Cold regions science and technology. Nov. 1981, 5(2), p.95-106, 29 refs. Fukuda, M., Izuta, H., Sheppard, M.I.

Frozen ground physics, Soil water migration, Thermal conductivity. Heat transfer, Latent heat, Ground ice. Ice mechanics, Water content, Temperature gradients.

36-3229

Wind tunnel study of the aerodynamic roughness as-

with drifting snow.

Kikuchi, T., Cold regions science and technology.

Nov. 1981, 5(2), p.107-118, 22 refs.

Snowdrifts, Wind tunnels, Wind velocity, Surface roughness, Mass flow, Air flow.

Albedo and flux extinction coefficients of impure snow for diffuse short-wave radiation.

Choudhury, B.J., et al, Cold regions science and technology, Nov. 1981, 5(2), p.119-125, 24 refs. Mo. T., Wang, J.R., Chang, A.T.C. Albedo, Saow optics, Saow impurities, Solar radia-

tion, Grain size, Analysis (mathematics), Spectra.

Probabilistic-deterministic analysis of one-dimen sional ice segregation in a freezing soil column.

Guymon, G.L., et al. Cold regions science and technology, Nov. 1981, 5(2), MP 1534, p.127-140, 14 refs. Harr, M.E., Berg, R.L., Hromadka, T.V., II.
Frost heave, Soil freezing, Heat transfer, Soil water migration, Ice formation, Water content, Mathematical metals. Science of the content of t

cal models. Separation.

A deterministic model of frost heave based upon simultaneous A deterministic model of frost neave based upon simultaneous analysis of coupled heat and moisture transport is cascaded with a probabilistic model of parameter variations. The multiparameter, deterministic model is based upon submodels of moisture transport, heat transport, and lumped isothermal freezing processes. The probabilistic model is based upon Rosenblueth's method which only requires knowledge of parameter means and their coefficients of variation.

36-3232

Viscous relations for the steady creep of polycrystalline ice.
Smith, G.D., et al, Cold regions science and tech-

nology, Nov. 1981, 5(2), p.151-156, 8 refs. Morland, L.W.

Ice crystal structure, Ice creep, Rheology, Stress strain diagrams, Viscous flow, Temperature effects, Analysis (mathematics).

36-3233

Method for evaluating shockwave propagation in

Brown, R.L., Cold regions science and technology, Nov. 1981, 5(2), p.151-156, 8 refs. Snow physics, Shock waves, Wave propagation,

Stresses, Analysis (mathematics).

36-3234

Visible and infrared obscuration effects of ice fog. Scagraves, M.A., Cold regions science and technology, Nov. 1981, 5(2), p.157-162, 13 refs.

ice fog, Ice optics, Visibility, Water vapor, Particle size distribution.

36-3235

Modes of ice formation and flow blockage that occur

while filling a cold pipe.

Gilpin, R.R., Cold regions science and technology,
Nov. 1981, 5(2), p.163-171, 18 refs.

Water pipes, Ice formation, Water flow, Dendritic

ice. Water pressure, Supercooling, Freezing points, Ice nuclei, Temperature effects.

Note on the solar elevation dependence of clear-sky snow albedo.

Choudhury, B., Cold regions science and technology, Nov. 1981, 5(2), p.173-176, 17 refs. Snow optics, Albedo, Reflection, Solar radiation, Al-

36-3237

Comment on "Radiative properties of snow for clear

Comment on "Radiative properties of snow for clear sky solar radiation".

Warren, S.G., et al, Cold regions science and technology, Nov. 1981, 5(2), p. 177-179, 14 refs. For original paper see 35-3667. Author's reply, Ibid., 5(3), p.275-276, 2 refs.

Wiscombe, W.J.

Snow optics, Solar radiation, Albedo, Reflection, Radiation absorption, Snow density, Spectra, Grain size. Heating.

36-3238

Joint studies on physical and hiological environments in the permafrost, North Canada; July to August 1980 and February to March 1981.

Kinoshita, S., ed. Sapporo, Japan, Hokkaido University, 1981, 121p., With Japanese summaries. Refs passim. For individual papers see 36-3239 through 36-3246.

Tundra, Permafrost physics, Environments, Thermal regime, Pingos, Vegetation, Freeze thaw cycles, Canada.

36-3239

Microclimatic investigations of the Arctic tundra Aburakawa, H., Joint studies on physical and biological environments in the permafrost. North Canada July to August 1980 and February to March 1981 Edited by S. Kinoshita, Sapporo, Japan, Hokkaido University, 1981, p.1-11. With Japanese summary

Tundra, Microclimatology, Permafrost, Albedo, Thaw depth, Heat balance, Patterned ground, Measuring instruments, Snow accumulation, Air temperature.

36-3240

Oxygen isotopic composition of massive ice at Tuktoyaktuk, North Canada. Kato, K., et al, Joint studies on physical and biological

environments in the permafrost, North Canada; July to August 1980 and February to March 1981. Edited by S. Kinoshita, Sapporo, Japan, Hokkaido University, 1981, p.13-20, With Japanese summary. 6 refs.

Ground ice, Ice composition, Oxygen isotopes, Ice formation, Pingos, Polygonal topography, Climatic factors, Ice crystal structure.

36-3241

Thermal regime of the uppermost layer of tundra and its effect on microtopography.

Fujino, K., Joint studies on physical and biological environments in the permafrost, North Canada; July to August 1980 and February to March 1981. Edited by S. Kinoshita, Sapporo, Japan, Hokkaido University, 1981, p.21-36, With Japanese summary.

1981, p.21-36, With Japanese summary. 3 refs.
Tundra, Thermal regime, Topographic features,
Freeze thaw cycles, Thaw depth, Soil water, Thermal conductivity, Thermal diffusion, Soil temperature, Vegetation, Hummocks, Statistical analysis.

36-3242

Observations of pingo growth near Tuktoyaktuk, N.W.T., Canada.

Fukuda, M., Joint studies on physical and biological environments in the permafrost, North Canada; July to August 1980 and February to March 1981. Edited by Kinoshita, Sapporo, Japan, Hokkaido University, 1981, p.37-44, With Japanese summary. 5 refs.
Pingos, Growth, Permafrost physics, Ground ice,

Freeze thaw cycles, Soil water migration, Ice forma-tion, Lake water, Bottom topography, Thaw depth, Canada—Northwest Territories—Tuktoyaktuk.

Field observations of ice wedge cracking in the permafrost area near Tuktoyaktuk, N.W.T., Canada.

Fukuda, M., Joint studies on physical and biological environments in the permafrost. North Canada: July to August 1980 and February to March 1981. Kinoshita, Sapporo, Japan, Hokkaido University, 1981, p.45-60, With Japanese summary. 12 refs Ice wedges, Cracking (fracturing). Permafrost physics. Patterned ground, Tundra, Temperature gradients, Shear strength, Frozen ground strength

Collections of soil mesofauna in Arctic Canada

Toda, M.J., et al, Joint studies on physical and biological environments in the permafrost, North Canada: July to August 1980 and February to March 1981. Edited by S. Kinoshita, Sapporo, Japan, Hokkaido University, 1981, p.61-72, With Japanese summary.

Kikuchi, Y

Tundra, Animals, Biogeography, Ecology, Classifica-

36-3245

Vegetational changes in relation to topography and soil environments in Arctic tundra.

Yoshie, F., et al, Joint studies on physical and biologi cal environments in the permafrost, North Canada to August 1980 and February to March 1981 Edited by S. Kinoshita, Sapporo, Japan, Hokkaido University, 1981, p. 73-93. With Japanese summary 10 rets Fujino, K

Tundra, Vegetation, Ecology, Active layer, Soil water, Soil microbiology, Topographic effects, Pingos, Thaw depth, Water content

Water status and freezing resistance of arctic plants. Yoshie, F., et al. Joint studies on physical and biologial environments in the permafrost, North Canada. July to August 1980 and February to March 1981 Edited by S. Kinoshita, Sapporo, Japan, Hokkaido University, 1981, p.95-110, With Japanese summary

Sakar A

Tundra, Vegetation, Freezing, Plant physiology, Plants (botany), Cold tolerance.

Climate impact assessment, April 1982; U.S. economic impact of the severe winter of 1982.

U.S. Environmental Data and Information Service Center for Environmental Assessment Services, 1982

Air temperature, Precipitation (meteorology), Snowfall, Floods, Records (extremes). Economic analysis, Environmental impact, United States.

Empirical probabilities of the ice limit and fifty percent ice concentration boundary in the Chukchi and Beaufort Seas.

Webster, B.D., U.S. National Oceanic and Atmo-NOAA technical memoranspheric Administration. dum. May 1982, NWS AR-34, 9p. + figs., Refs. p. Sea ice distribution, Ice conditions, Ice formation, Ice melting, Ice forecasting, Climatic factors, Maps, Statistical analysis, Chukchi Sea, Beaufort Sea.

Hydrogeology of glacial deposits from aerial photographs.
Sauer, E.K., Photogrammetric engineering and remote

sensing. June 1981, 47(6), p.811-822, 28 refs

Hydrogeology, Glacial deposits, Ground water, Glacial processes, Aerial surveys, Photography, Landforms, Moraines.

Across Canada's Arctic. Marine engineering log, Oct. 980, 85(11), p.82-86

Icebreakers. Ice navigation, Exploration, Design.

Perils of iceberg alley. Marine engineering log. Oct. 1980, 85(11), p.88-90. Icebergs, Drift. Ice conditions, Ice detection, Ice

navigation, Remote sensing.

Results of hydrometeorological research and their climatological significance to the solution of water management problems. [Hydrometeorologische Arbeitsergebnisse und ihre klimatologische Bewertung als Grundlage für die Lösung wasserwirtschaftlicher

Aufgaben). Rachner, M., et al. Zeitschrift für Meteorologie, 1981. 31(2), p.98-106. In German with English summars 26 refs

Richter, D., Schonermark, E. von, Schumann, D. Hydrology, Meltwater, Snow melting, Rain, Meteorological factors, Evaporation, Precipitation

36-3253

(meteorology).

Role of meteorology in river flow forecasting models. (Die Rolle der Meteorologie in Durchflussvorhersagemodellen).

Hoffmeyer-Zlotnik, H-J, et al. Zeitschrift für Meteorologic, 1981, 31(2), p 107-116, In German with English summary 18 refs

River flow, Forecasting, Snowmelt, Thermal regime, Meteorological data, Models, Precipitation (meteorology), Evapotraspiration, Water supply.

Application of a numerical sea ice model to the East Greenland area

Tucker, W.B., MP 1535, Monterey, California, Naval Postgraduate School, Dec. 1981, 109p., M.S. thesis. p. 104-106

Sea ice distribution, Drift, Ice growth, Thermodynamics. Mathematical models, Greenland.

A dynamic-thermodynamic sea ice model which employs a vis-cous-plastic constitutive law has been applied to the East Greenland area. The model is run on a 40-km spatial scale at Greenland area. The model is run on a 40-km spatial scale at 1-4-day time steps for a 60-day period with forcing data beginning on Oct. 1, 1979. Results tend to verify that the model predicts reasonable thicknesses and velocities within the ice margin. Thermodynamic ice growth produces excessive ice extent, however, probably due to inadequate parameterization of oceanic beat flux

36-3255

Climate and energy balance on Arctic tundra.

Ohmura, A., Zürcher geographische Schriften. 1981, No.3, 448p., With extended German summary. Refs.

Tundra, Heat balance, Climate, Snow cover effect, Solar radiation, Latent heat, Heat flux.

36-3256

Bathymetry of Alaskan Arctic lakes: a key to resource

inventory with remote sensing methods. Mellor, J.C., College, University of Alaska, May 1982, 342p.: Ph.D. thesis. Refs. p.256-266. Lake water, Ice cover thickness, Ice electric proper-

ties. Snow electrical properties, Lake ice, Remote sensing, Natural resources, Side looking radar, Computer programs, Surface properties, LANDSAT, United States—Alaska.

36-3257

Cold regions engineering in Norway.

Flaate, K., Civil engineering, Apr. 1982, 52(4), p.68-

Cold weather construction, Frost resistance, Thermal insulation, Frost action, Roads, Tunnels, Railroads, Pipelines, Pavements, Crack propagation, Road icing, Frost heave, Norway

36-3258

Snowfall rate obtained from radar reflectivity within a 50 km range.

a 50 km range.

Boucher, R.J., Conference on Radar Meteorology, 20th, Boston, Mass, Dec. 3, 1981, Proceedings; Preprint volume, Boston, Mass., American Meteorological Society, [1982], p.271-275, ADA-109 010, 9 refs. Snowfall, Snow accumulation, Radar echoes, Reflections tivity, Snow optics, Measuring instruments.

36-3259

Deuterium and O-18 variations in the lakes of Schirmacher Oasis (East Antarctica). [Deuterium- und 18-O-Variationen in Seen der Schirmacher-Oase (Ostan-

tarktika). Richter, W., et al. Geodatische und geophysikalische Veröffentlichungen. 1981, Series 1, No.8, p.21-40, In German with English and Russian summaries. 25 refs

Strauch, G.

Ice dams, Lake ice, Geochemistry, Hydrology, Antarctica—Schirmacher Ponds.

tarctica—Schirmacher Ponds.

A snow and icefree rock area, the Schirmacher Oasis is situated on the coast of the Antarctic continent, between inland and shelf ice. The geography is characterized by a great number of lakes. In the glacier and icefree area of the oasis different exogenic conditions have produced multiform lake basins. The ice dammed lakes have been described as new, not connected with glaciers. In spite of their direct connection with the ocean, the shelf lakes are unusually closely associated with the inland lakes. In contrast to salt lakes of the coast oasis, the lakes of Schirmacher Oasis from earlier investigations can be described hydrochemically as being fresh water lakes. In the present re-port first results about isotope hydrological relations in the lakes of the oasis are discussed. The lakes can be classified by isoof the oasis are discussed. The lakes can be classified by iso-tope hydrological parameters into different groups, the classifi-cation depending on in- and outflow, evaporation processes, nature of inflow, and location. The first O-18 measurements suggest a higher differentiation of the water bodies of the polar lakes in the Schirmacher Oasis than was observed using natural m variation. (Auth. mod.)

36-3260

Summer sea ice variations in Prvdz Bay, ¡Sommerliche Eisvariationen in der Olaf-Prydz-Buchty.

Gernandt, H., Geodatische und geophysikalische Veröffentlichungen, 1981, Series 1, No.8, p.52-67, In German with English, German, and Russian summar-10 refs.

Sea ice distribution. Ice volume, Seasonal variations, Antarctica-Prvdz Bav.

The variation of sea ice covering in the region of the antarctic coasts has considerable effect on heat exchange between atmosphere and southern polar ocean Specific morphological, hydrological and meteorological conditions exist in the Olaf Prydz Bay, which affect the sea ice cover in the summer time. Considerable differences occur in this region as to the extent of sea ice from year to year. At the same time the variation of sea ice margins, particularly off the Ingrid Christensen Coast, points to a relatively stable behavior. (Auth.)

Snow cover as an additional thermal insulation of above-ground pipelines, rispol'zovanie snezhnogo pokrova v kachestve dopolniteľnoi teploizoliatsii truboprovodov nadzemnoj prokladkij,

losov, V.L., Promyshlennaia energetika, Mar. 1982, No 3 n 43-44 In Russian

Pipeline insulation, Utilities, Thermal insulation, Snow cover effect.

Snowdrift protection on northern construction sites Protivometelevve meroprijatija pri stroitel stve na

Egorov, IU.A., Promyshlennoe stroitel'stvo. Mar. 1982, No.3, p.31-32, In Russian

Snowstorms, Snowdrifts, Countermeasures

Device for winter slipping of ships. (Ustroistvo dia zimnego slipovaniia sudovj.

Khudiakov, B., Rechnoi transport, 1981, No.11, p.33-34. In Russian.

Docks, Polynyas, Frost protection, Winter maintenance. Ice navigation.

36.3265

Structures on weak grounds, (Sooruzheniia na slabykh gruntakhi. Gurevich. V., Rechnoi transport, 1981, No.12, p.37-

Ports, Docks, Hydraulic structures, Permafrost

beneath structures, Active layer, Foundations, Slope protection, Piles.

Ice-navigation strength of diesel boats. [Ledovaia prochnost' teplokhoda₁, Zheleznov, S., et al, Rechnot transport, 1982, No.1,

n 28-29. In Russian.

Potapov, O., Poliakov, A., Starosel'skii, V Ships, Ice navigation, Ice loads, Propellers.

Reliability of propulsion-steering systems under ice navigation conditions. (Nadezhnost' DRK vo l'dakh). Ratner, E., Rechnoi transport, 1982, No.1, p.29-30, In Russian

Propellers, Ice navigation, River ice, Ice loads, Steering gear.

Testing ships in ice-navigation conditions. [Rezul'taty ispytanii sudov v ledovykh usloviiakh_i.

Mikheev, IU., et al. Rechnot transport, 1982, No.2, p.29-30, In Russian. Burygin, L., Botsan, M.

Ships, Cargo, Ice navigation.

Propelling systems of ice cutting machines. (Dvizhiteli ledoreznykh mashinj.

Nikolaev, A., et al. Rechnot transport, 1982, No.2, p.30-31. In Russian.

Kuliashov, A., IAnkovich, A., Khudiakov, V. Icebound rivers, Ice navigation, Ice cutting.

Improving navigation conditions on the Pur River. (Uluchshenie sudokhodnykh uslovil na reke Purj. Znikin, E., et al. Rechnoi transport, 1982, No 2, p 39. Kozhinov, N

Rivers, Polar regions, Ice conditions, Ice navigation.

36-3271

Winter storms over the San Juan Mountains. Part 1: Dynamic processes.

Marwitz, J.D., Journal of applied meteorology. Aug.

1980, 19(8), p.913-926, 3 refs. Snowstorms, Snow accumulation, Runoff, Cloud seed-

ing. Dynamic properties, Mapping, Mountains, United States—Colorado—San Juan Mountains.

36-3272

Winter storms over the San Juan Mountains. Part 2: Microphysical processes. Cooper, W.A., et al, Journal of applied meteorology.

Aug. 1980, 19(8), p.927-941, 10 refs. Saunders, C.P.R.

Snowstorms, Ice crystal structure, Microstructure, Ice nuclei, Supercooling, Airborne surveys, Mountains, United States—Colorado—San Juan Moun-

Winter storms over the San Juan Mountains. Part 3: Seeding potential.

Cooper, W.A., et al, Journal of applied meteorology, Aug. 1980, 19(8), p.942-949, 5 refs

Marwitz, J.D.

Snowstorms, Snowfall, Cloud seeding, Mountains, United States—Colorado—San Juan Mountains.

Reexamination of cloud-top temperatures used as criteria for stratification of cloud seeding effects in experiments on winter orographic clouds.

Hill, G.E., Journal of applied meteorology, Oct. 1980, 19(10), p.1167-1175, 26 refs.

Cloud seeding, Stratification, Ice nuclei, Temperature distribution, Humidity, Winter, Supercooled clouds. 36-3275

New, icebreaking CN ferry.

Crandall, E., Canadian shipping and marine engineering, Jan. 1980, 51(4), p.26-27.

Ice breaking, Icebreakers, Bubbling, Ice navigation.

Highway maintenance-during and after the freeze. McAlonan, W.S., Municipal engineer, Apr. 1982, 109(4), p.77-80.

Road maintenance, Winter maintenance, Bridges, Frost action, Damage, Salting, Chemical ice prevention, Frost heave.

36-3277

Arctic Ice Dynamics Joint Experiment 1975-1976 physical oceanography data report: profiling current meter data—Camp Blue Fox. Vol.2.

Manley, T.O., et al. Columbia University. Lamont-Doherty Geological Observatory. Technical report. Feb. 1980, No.5, 453p., 13 refs. Hunkins, K., Tiemann, W.

Velocity, Ice mechanics, Sea ice, Drift, Ocean currents, Drift stations, Wind factors, Computer programs, Statistical analysis, Flow rate, Arctic Ocean.

Arctic Ice Dynamics Joint Experiment 1975-1976 physical oceanography data report: profiling current meter data—Camp Snowbird. Vol.3.

Manley, T.O., et al. Columbia University. Lamont-

Doherty Geological Observatory. Technical report. Feb. 1980, No.6, 455p., 13 refs. Hunkins, K., Tiemann, W.

Ocean currents, Drift, Ice mechanics, Sea ice, Drift stations, Wind factors, Velocity, Computer programs, Flow rate, Statistical analysis, Arctic Ocean.

36-3279

Arctic Ice Dynamics Joint Experiment 1975-1976 physical oceanography data report: profiling current

meter data, Camp Big Bear. Vol.4. Manley, T.O., et al, Columbia University. Lamont Manley, 1.O., et al. Common Cimersity. Emmont-Doherty Geological Observatory. Technical report, Feb. 1980, No. 7, 332p.
Hunkins, K., Tiemann, W.
Ocean currents, Drift, Drift stations, Oceanography,

Ice mechanics, Sea ice, Wind factors, Velocity, Computer programs, Statistical analysis, Arctic Ocean.

36-3280

Geophysical data from drifting ice station Fram III. Hunkins, K., et al. Columbia University. Lamont-Doherty Geological Observatory. Technical report, Dec. 1981, No.3, 106p., 5 refs. Tiemann, W., Jackson, R.

Geophysical surveys, Drift stations, Ice floes, Oceanography, Ocean bottom, Seismic reflection, Statistical analysis.

36-3281

Mechanics of ice jam formation in rivers. Final report.

Ackermann, N.L., et al. Potsdam, N.Y., Clarkson College of Technology, May 1982, 33p. + supplement, Project No.: USEAD, Detroit, No.NCE-IA-78-133, 11 refs. For selected papers from Supplement see 36-3042 and 36-3282.

Shen, H.T.

Ice jams, Ice mechanics, River ice, River flow, Channels (waterways), Mathematical models, Computer programs.

36-3282

Surface ice jams in rivers having nonuniform flow. Chiou, K.-F., Potsdam, N.Y., Clarkson College of Technology, Apr. 1982, 167p., Ph.D. thesis. 24 refs. Ice jams, River ice, River flow, Ice conditions, Shear stress, Surface roughness, Channels (waterways), Computer programs.

Microwave depolarization of an earth-space path. Chu, T.S., Bell system technical journal, Jan. 1980, 59(1), p.987-1007, 20 refs.

Microwaves, Polarization (waves), Ice physics, Supercooled clouds, Particles, Analysis (mathemat-

36-3284

Combined ground-thawing technique for increasing earthwork efficiency, (Poxyshenie effektivnosti zim-nikh zemlianykh rabot pri kombinirovannom sposobe

utepleniia₁, Filippov, G.S., Promyshlennoe stroitel'stvo. Mar

1982, No.3, p.32-33, in Russian. 6 refs Soil freezing, Frozen ground, Earthwork, Artificial thawing, Thermal insulation, Cellular plastics.

Glacier outburst floods from "Hazard Lake", Yukon Territory, and the problem of flood magnitude predic-

Clarke, G.K.C., Journal of glaciology, 1982, 28(98), p.3-21, With French and German summaries. 16 refs. Glacial hydrology, Flood forecasting, Subglacial drainage, Lake water, Glacier melting, Water temperature, Channels (waterways), Mathematical models.

Surging of Fisher Glacier, eastern Antarctica: evidence from geomorphology.

Wellman, P., Journal of glaciology, 1982, 28(98), p.23-28, With French and German summaries. 10 refs. Glacier surges, Glacial hydrology, Geomorphology, Moraines, Mountains, Climatic changes, Antarctica -Fisher Glacier.

A study of the geomorphology of the Prince Charles Mountains using color vertical air photographs shows well-preserved old moraines throughout much of the outcrop area. Along Fisher Glacier, lower Lambert Glacier and the Amery Lee Shelf, within the altitude range 50-2,000 m, the old moraines show that none the attitude range 50-2,000 m, the old moraines show that none of the other glaciers had risen significantly in their upper parts; the rise of their lower parts was caused by the rise of lower Lambert Glacier and the Amery Ice Shelf. The changes in ice level are unlikely to be due to climatic change because this would not repeatedly affect only one glacier draining central Antarctica. It is thought that the changes in ice level are caused by repeated surges of Fisher Glacier. (Auth.)

36-3287

Estimate of glacier ablation under a debris layer from surface temperature and meteorological variables. Nakawo, M., et al, Journal of glaciology, 1982, 28(98) p.29-34, With French and German summaries.

Glacier ablation, Glacial deposits, Glacier mass balance, Surface temperature, Meteorological data.

refs.

Melting-refreezing at the glacier sole and the isotopic composition of the ice.

Journal of glaciology, 1982, 28(98) p.35-42. With French and German summaries refs.

Glacier melting, Freezing, Subglacial observations, Ice composition, Isotope analysis, Glacier beds, Ice water interface, Ice solid interface, Phase transformations, Basal sliding, Models

Oxygen-isotope and total beta-radioactivity measurements on 10 m ice cores from the Antarctic Peninsula. Peel, D.A., et al, Journal of glaciology, 1982, 28(98), p.43-55, With French and German summaries. 29 refs.

Clausen, H.B

Ice cores, Oxygen isotopes, Radioactivity, Drill core analysis, Ice temperature, Climatic changes, Air temperature, Air masses, Antarctica-Antarctic Penin-

As part of the Glaciology of the Antarctic Peninsula (GAP) As part of the Glaciology of the Antarctic Peninsula (GAP) program, the snow cover at 25 stations was sampled to 10 m depth for oxygen-isotope and total beta-tadioactivity analysis. The mean annual oxygen-isotope ratio correlates satisfactorily with 10 m temperature despite the complex topography of the area and suggests on average that climatic trends in the region are fairly systematic. The relationship with temperature is similar to that derived from a simple model in which an air mass initially of maritime subtropical characteristics is progressively cooled as it moves towards the region. The detailed isotope profiles show that for future deep drilling the most easily interpretable climatic information will be found in the more contipretable climatic information will be found in the more conti nental areas—on the east coast and on the plateau in the south of the region. The degree of continentality of particular sites is reflected in the amplitude of the annual wave in the upper portion of the isotope-ratio profile as well as in the accumulation rate (Auth.)

36-3290

Geophysical investigations of the tropical Quelccaya ice cap. Peru.

Thompson, I. G., et al. *Journal of glaciology*, 1982, 28(98), p.57-69, With French and German summaries 28 refs

Geophysical surveys, Glacier thickness, Glacier oscillation, Ice dating, Geodetic surveys, Gravity, Mountains, Drill core analysis, Photogrammetry.

Effects of bed inclination and topography on steady

isothermal ice sheets. Morland, L.W., et al. *Journal of giaciology*, 1982, 28(98), p.71-90, With French and German summanes

Johnson, J.R.

Ice sheets, Ice temperature, Ice flow, Basal sliding, Slope orientation, Topographic effects, Surface properties, Mass balance, Gravity, Ice cover thickness. Viscosity, Isostasy, Analysis (mathematics). 36-3292

Radiometric chronology of Neh-Nar Glacier, Kash-

Nijampurkar, V.N., et al, Journal of glaciology, 1982. 28(98), p.91-105, With French and German summaries. 22 refs.
Bhandari, N., Vohra, C.P., Krishnan, V.

Mountain glaciers, Glacier flow, Radioactivity, Radioactive age determination, Distribution, Profiles, History, Models.

36-3293

Geomorphology of the Gor Garang Glaciers, Himachal Pradesh, India.

Kaul, M.K., et al. *Journal of glaciology*, 1982, 28(98), p.107-115, With French and German summaries.

Sharma, A.R., Bhattacharva, D.N.

Glacier surveys, Mountain glaciers, Geomorphology, Glacial lakes, Mapping, India-Gor Garang Glaciers. 36-3294

On the temperature regime of continental-type gla-

ciers in China.

Maohuan, H., et al, *Journal of glaciology*, 1982, 28(98), p.117-128, With French and German summar-18 refs

hongxiang, W., Jiawen, R.

Mountain glaciers, Ice temperature, Glacier heat balance, Profiles, China.

36-3295

Ice movement through Smith Sound in northern Baffin Bay, Canada, observed in satellite imagery.

Ito, H., et al. Journal of glaciology, 1982, 28(98). p.129-143, With French and German summaries refs.

Müller, F

Pack ice, Ice mechanics, Drift, Remote sensing, LANDSAT, Wind factors, Velocity, Canada-Northwest Territories-Baffin Bay.

36-3296

Steady-state preferred orientation of ice deformed in plane strain at -1C. Wilson, C.J.L., et al, Journal of glaciology, 1982.

28(98), p.145-160, With French and German summaries 12 refs

Russell-rlead, D.S

Ice deformation, Ice crystal structure, Strains, Microstructure, Loads (forces), Ice plasticity, Grain size, Temperature effects, Experimentation.

36-3297

Fracture criterion for ice using a dislocation model. Parameswaran, V.R., Journal of glaciology, 1982 28(98), p.161-169. With French and German summaries, 23 refs.

Ice crystal structure, Ice crack. Crack propagation, Dislocations (materials), Mathematical models. 36-3298

Confined compressive strength of polycrystalline ice. Jones, S.J., Journal of glaciology, 1982, 28(98), p.1. 177, With French and German summaries. 17 re Ice crystal structure, Compressive properties, Ice strength, Stress strain diagrams, Pressure, Tests. 36-3299

Inversion for physical characteristics of snow using passive radiometric observations.

Rotman, S.R., et al. Journal of glaciology, 1982 28(98), p.179-185, With French and German summar-13 rets

Fisher, A.D., Staelin, D.H. Snow accumulation, Microwaves, Radiometry, Remote sensing, Snow melting, Spectroscopy, Snow optics, Firn. Temperature effects. Analysis (math-

The Nimbusob Satcilite's Scanning Microwave Spectrometer (SCAMS) mapped the terrestrial surface continuously for eleven months at 22.2 and 31.6 GHz. A semi-empirical method was devised to process these observations of Greenland and Antarctica and to inter-long-term snow accumulation rates, comparison with 3 ratio data suggests the method is generally successful except in certain locations where re-melting is more leady. (3) likely (Auth)

36-3300

Shear tests on snow explained by fast metamorphism. Montmolin V. de. Journ. of gracionogy, 1982 28(98), p.187-198. With Free et al German sammars 28 6 15

Metamorphism (snow), Shear properties, Shear rate, Snow compression, Shear stress, Viscosity, Brittle-

36-3301

Preparation of section planes in snow specimens. Petla, R., Journal of glaciology, 1982, 28(98), p. 204. With French and German's animalies 1.5 Snow physics, Microstructure, Porosity, Microscope

36-3302

Further results on studies of temperature-gradient

Adams, E.E., et al. Journal of enerology, 1982, 28(98). p 205-210, With French and German summaries refs

Metamorphism (snow), Snow temperature, Snow strength, Temperature gradients, Thermodynamics.

36-3303

Naled ice in front of some Spitsbergen glaciers Baranowski, S. Journal of glaciology, 1982, 28(98), p.211-214, With French and German sammuries 6

saleds, Glaciers, Outwash, Plains, Geomorphology, Norway-Spitsbergen.

36-3304

Moisture flow measurements through the frozen soil monitored by the dual-gamma attenuation method. Fukuda, M., Seppyo, Mar. 1982, 44(1), p.1-11. In Japanese with English summary. 18 reis

Soil freezing, Frozen ground thermodynamics, Soil water migration, Unfrozen water content, Water flow, Frost heave, Heat transfer, Moisture transfer,

Numerical analysis of heat-moisture flow during soil

freezing. Fukuda, M., et al. Seppyo, Mar. 1982, 44(1), p.13-21. In Japanese with English sammary 23 rets

Soil freezing, Heat transfer, Moisture transfer, Soil water migration. Frozen ground temperature. frozen water content. Phase transformations, Mathematical models.

Cryptomeria afforesting between pilings on the avalanche-hazardous stope.

Ozeki, Y., et al. Scopio, Mar. 1952, 44(1) p.23-26, In-Japanese 1.151

Avalanche deposits, Avalanche formation, Slope orientation, Protective vegetation, Forestry.

Symposium on Urban Snow Problems, Tokyo, 26 May 1981. Septyon Man 1982, 44(1), p.27-42. In

Snow surveys, Roofs, Streets, Snow removal, Meet-

*udy tour abroad on the snow accretion on transmisines Kuroiwa, D. Scopyro, Mar. 1982, 44(1), p.43(47) to

Transmission lines. Snow accumulation, Power line

36-3309

Scientific basis for reclamation and utilization of soils in the non-chernozem zone of the RSFSR. [Name osnovy incho i S. John reads to adstoria riogio spori zovanna po m. Necice, o e mor zony RSESR Avdoria N. S. et al. Woscon - University - Vestorik Seria (T. Pochisovateria, Ja. Mar. 1982) No. 1, p. 5.

Dobrovofish a Co.V. Zandelova Forest soils, Cryogenic soils, Podsol, Soil temperature. Paludification. Land reclamation, Landscape types, Taiga, Lundra

Podbur-podsol soil series in northern spurs of the Stanovoy Range. (O pochvakh riada podbur-podzol severnykh otrogov Stanovogo khrebta). Vasilenko, V.I., Moscow. Universitet. Vestnik.

Pochvovedenie, Jan.-Mar. 1982, No.1, p.14-

19. In Russian 2 refs.
Alpine landscapes, Taiga, Cryogenic soils, Soil formation, Rock streams, Soil profiles. Freeze thaw cycles, Frost penetration.

36, 3311

Variegation of soil covers in the green-moss-spruce forests of southern taiga in relation to their parcellar structure, ¡Pestrota pochvennogo pokrova zelenomoshnykh el'nikov iuzhnoi taigi v sviazi s ikh partsel-

Remerova, G.L., et al., Moscow, Universitet, Vest-nik, Serija I. Pochvorodome, Jan.-Mar. 1982, No.1, p.19-26, In Russian. 14 refs

Stroganova, M.N.

Taiga, Cryogenic soils, Landscape types, Microrelief, exctation patterns, Geobotanical interpretation, Classifications.

36. 1312

Gleving effect on chemical properties of soils developed on varved clays. (Izmenenie khimicheskikh svoisty pochy na lentochnykh glinakh pod vlijaniem ogleennaj.

Seria 17 Per himedone, Jan Mar. 1982, No.1, p.46-50, In Russian. 7 rets.

mation. Cryogenic soils, Podsol, Soil chemistry.

36-3313

Vertical climatic, structural and geomorphological conditions of mudflow formation. (Vertikal'nye klimaticheskie i strukturno-geomorfologicheskie us-

loviia formirovantia seleij. Kostenko, N.P., et al, Moscow. Universitet. Seria 4 Geologia, Jan.-Feb. 1982, No.1, p.26-33. In Russian

Semova, 1.B.

Mountain glaciers, Snow cover distribution, Glacial erosion, Glacial hydrology, Slope processes, Mo-raines, Meltwater, Thermokarst lakes, Mudflows.

36-3314

Ice wedges in the western part of Bol'shezemel'skaya tundra. [Postorno-zhil'nye I'dy zapadnoi chasti Bol'-

shezemel'skoi tundryj. Kaznacheeva, J.A., et al, Moscow, Universitet. Vestnik, Seriia 4 Geologiia, Jan-Feb. 1982, No.1, Vestnik. Seriia 4 Geologii. p.88-92, In Russian. 6 refs shaposhnikova, E.A.

Tundra, Peat, Frazen fines, Permafrast structure, Ice wedges, Ice formation, Polygonal topography, Patterned ground.

36-3315

Attenuation of narrowly directed beams in snow and sea-ice layers, (Oslablenie uzkonapravlennykh puchkov sveta v slojakh snega i morskogo l'daj.

Bogorodskii, V.V., et al. Akademiia nauk SSSR Doklady, 1982, 263(3), p.591-594, In Russian. Volodin, E.S.

Sea ice, Ice physics, Snow physics, Ice optics, Snow optics. Light transmission. Attenuation

36-3316

Migration of iron in the soils of taiga-forest land-

Nikitin, F.D. Soviet soil science, Sep -Oct. 1980. No.5, p.476-486, Translated from Pochvovedenie. 31 rets

Taiga, Landscape types, Soil composition, Chemical composition, Soil formation, Cryogenic soils, Soil water migration.

36-3317

Time of formation of organic matter in the second humus horizon of secondary podzolic soils.

To chelinikov, R. S., et al. Navier seil science, Sep-Oct. 1980, No.5, p.520-523, Translated from Pochcovedenie 13 refs Kostarev, AS, Tereshenkova 1 A

Cryogenic soils, Soil dating, Fodsol, Soil profiles, Soil composition, Soil formation.

36-3318

Mobile manganese in superficially gleyey tundra soils.

Isypanova, A.M., Soviet soil science, Sep. Oct. 1980. No. 5, p. 538-544, Translated from Pochs wedenic

Tundra, Cryogenic soils, Soil composition, Seasonal

36-3319

Protective screens of oil and gas pipelines. (Zashchitnyi ekran neftegazoprovodovi, Metel'kov, V.P., Nefteprom

Neftepromyslovoe stroate/stvo 1982, No.4, p.2, In Russian.

Petroleum industry, Pipeline insulation, Thermal insulation. Permafrost beneath structures.

Reinforced concrete pipe foundations with sand pil-lows for vertical steel reservoirs. (Osnovanua 17 zhelezobetonnykh svai s peschanoi podushkoi dlia ver tikal'nykh stal'nykh rezervuarovi.

Barskii, B.L., et al, Neftepromyslovoe stroite/stvo. 1982, No.4, p.3, In Russian. Sivash, S.M., Tkach, S.D.

Petroleum industry, Steel structures, Reservoirs, Storage tanks, Foundations, Permafrost beneath structures.

36-3321

Reinforcing ice crossings with freeze-on supports. rUsilenic namorozhennymi ledianykh pereprav oporami₁.

Vislobitskii, P.A., et al, Neftepromyslovoe stroi-tel'stvo. 1982, No.4, p.4-5, In Russian.

Titarenko, A.I., Shirikhin, IU.N. Icebound rivers, Ice crossings, Ice (construction material), Supports, Artificial freezing, Construction equipment.

Plastic pipelines for gas and oil transfer. [Primenenic plastmassovykh truboprovodov v gazoneftepromyslovykh kommunikatsiiakhj.

Zaitsev, K.I., et al. Neftepromyslovoe stroitel'stvo, 1982, No.4, p.6-7, In Russian. Lur'e. I.V.

Petroleum industry, Pipelines, Plastics, Pipeline freezing, Petroleum transportation.

Helicopters used in surveying routes of overhead lines. [Primenenie vertoletov pri s"emke trassy VL]. Azimov, A.A., Energeticheskoe stroitel'stvo, Apr. 1982, No.4, p.26-27, In Russian. Taiga, Swamps, Route surveys, Power lines, Aerial

surveys, Heliconters.

36-3324

Embedment depth of horizontal groundings at substa-

tions. (O glubine ukladki gorizontal nykh zazemlitelei na podstantsiiakh). Katigrob, N.P., Energeticheskoe stroitel stvo. Apr. 1982, No.4, p.33-34, In Russian. 2 refs.

Electrical grounding, Permafrost beneath structures.

36.3325

Complexityan important factor of lowering work ing costs (construction equipment used in Bratsk and -Ilimsk). (Kompleksnost' - vazhnyi faktor snizhenija trudovykh zatrat (Iz opyta mekhanizatsii strojtel'stva promyshlennykh ob"ektov v Bratske i Ust'-

Petrukhno, E.P., Mekhanizatsiia stroitel'stva, May 1982, No.5, p.11-14, in Russian.
Construction equipment, Cranes (hoists), Railroad

tracks, Permafrost beneath structures, Transportation. Concrete structures, Steel structures.

36-3326

Effective excavation equipment, Effektivnoe rykh-

litel'noe oborudovaniej. Balovnev, V.I., et al. Mekhanizatsiia stroitel'stva. May 1982, No.5, p.20-21, In Russian. 1 ref. Khmara, L.A., Shatov, S.V., Khmelevskii, V.

Earthwork, Tractors, Excavation, Equipment, Frozen fines.

36-3327

Causes of foundation destruction in permafrost regions and measures for its prevention.

Polucktov, V.E., et al, Soil mechanics and foundation engineering, Sep.-Oct. 1981(publ. Mar.1982), 18(5), p 176-179, Translated from Osnovanija, fundamenty i mekhanika gruntov

Mezhenskii, V.I., Rumiantsev, S.F.

Foundations, Frost action, Permafrost beneath structures. Concrete structures

16.1128

Sumerical approximations of the thermophysical characteristics of soils.

Gur'ianos, J.E., Soil mechanics and foundation engi neering. Sep.-Oct. 1981(publ. Mar 1982). 18(5). p.187-193. Translated from Osnovania. fundamenty i nekhanika gruntos 21 refs

Soil freezing, Soil water migration, Phase transformations. Heat transfer. Mass transfer.

36-3329

Construction of pile holes in permafrost soils with boulders.

Korosov 1 F Kolosov, I. F., et al., See mechanics and toolidation cognitivities. Sep. Oct., 1981(pub). Mar 1982, 18(5), p. 194-197. It ar suited from Osse, and a fundamenty. mickhar era ar

Foundations, Piles, Permafrost beneath structures,

36-3330

Chemical stratigraphy of polar ice sheets a method

of dating ice cores. Wilson, A. L. et al. Journal of glacionegy (98), 27(95). p.3-9, 6 rets In Fig.ish with French and German summanies Hendy, C.H.

Ice cores, Age determination, Chemical composition. Stratigraphy, Antarctica- East Antarctica.

Studies of the chemical stratigraphy in the snow near Vestok station, which is near the centre of the East Antarctic resisher, show that sodium exhibits annual concentration differences up to a factor of ten. Similar work on the 952 m Vostok recorder. enabled accumulation rates along selected parts of the core to be determined. This in turn enables the core to be dated. The be determined institution reads the core to make a line will allow net to the Ea. Antarette region of the last 50,000 years has been determined and is fled. An interesting result is that the accumulation rate. presented An interesting result is that the accumpost-glacial during the last glacial period is only half that in post-glacial times. Results from the bottom of the core provide some exidence of a past surge in the East Antarctic ice sheet. (Auth.)

Large salt beds on the surface of the Ross !ce Shelf near Black Island, Antarctica.

Brady, H.T., et al. Journal of glaciology, 1981, 27(95), p.11-17, 20 refs. In English with French and German summaries

Ice shelves, Salt ice, Antarctica-Ross Ice Shelf

An extensive system of mirabilite beds has been mapped on the Ross Ice Shelf near Black Island. The salt beds are normally underlain by a thin layer of mud and their surface is covered by anon-marine algal mat and boulder lap. These authors suggest the salt has been formed by the displacement of sub-ice-shelf brines to the ice-shelf surface. Evidence also suggests that other terrestrial mirabilite beds in the McMurdo Sound area were formed in the same manner and deposited by the Ross Ice Shelf durings its Wisconsin retreat from McMurdo Sound. Mirabilite salt in the dry valleys, southern Victoria Land, may have also originated from melt waters which dissolved ice-shelf mirabilite beds. (Auth.)

Variational methods for glacier mechanics problems. Oakberg, R.G., Journal of glaciology, 1981, 27(95), p.19-24, 9 refs.. In English with French and German summaries

Glacier flow, Mechanical properties.

36-3333

Steady profile of an axisymmetric ice sheet.

Johnson, I.R., Journal of glaciology, 1981, 27(95), p.25-37, 4 refs... In English with French and German

Ice sheets, Ice mechanics, Analysis (mathematics).

36-3334

Effect of longitudinal strain on the shear stress ice sheet: in defense of using stretched coordinates. Hutter, K., Journal of glaciology, 1981, 27(95), p.39-56, 16 refs. In English with French and German summaries.

Ice sheets, Ice mechanics, Shear stress, Ice cover thickness, Analysis (mathematics),

Radiation transmittance through lake ice in the 400-700 nin range.

Bolsenga, S.J., Journal of glaciology, 1981, 27(95), p.57-66, 13 refs. In English with French and Ger-

Lake ice, Solar radiation, Photosynthesis

36-3336

Application of the gravity flow theory to the percola-

tion of melt water through firm. Ambach, W., et al. Journal of glaciology, 1981, 27(95), p.67-75, 14 refs.—In English with French and German summaries

Blumenthaler, M., Kirchlechner, P. Water flow, Meltwater, Firm.

36-3337

Sumerical simulation study of avalanches

Brugnot, G., et al. Journal of glaciology, 1981, 27(95), p.77-88, 6 rets. In English with French and German summatics

Mathematical models, Environment simulation, Avalanches.

Analysis of multiple-angle microwave observations of

snow and ice using cluster-analysis techniques.
Rotman, S.R., et al. Journal of glaciology, 1981, 27(95), p.89-97, 28 refs... In English with French and German summaries.

Fisher, A.D., Staclin, D.H. Microwaves, Radiometry, Brightness, Sea ice, Firn. Microwaves, Radiometry, Drigatness, Sea ice, Prin. The Nimbus-6 satellite carries the Scanning Microwave Spectrometer experiment (SCAMS) which continuously maps the Earth's surface at two frequencies (22.235 and 31.65 GHz) and at six angles besides nadir. Cluster analysis was applied to these observations to determine the influence of various geothese observations to determine the inherite of various geo-physical parameters on the radiometric brightness tempera-tures. Characteristic microwave signatures for a variety of ter-rain were obtained by this method; discrete clusters were distinguished for sea ice (with sub-classes for ice age and fractional ice cover) and firm (with accumulation-rate sub-classes). The availability of the angular data greatly facilitated separate determinations of the extent of continuous sea ice and mixtures of sea ice and water. (Auth.)

Altitude effect on the isotopic composition of snow in high mountains.

Niew odniczański, J., et al, Journal of glaciology, 1981, 27(95), p.99-111, 14 refs., In English with French and German summaries.

Grubezak, J., Barański, L., Rzepka, J.

Snow composition. Mountains, Isotope analysis.

36-3340

Some mechanisms of controlled moraine development. Antarctica.

Rains, R.B., et al. Journal of glaciology, 1981, 27(95), p.113-128, 17 refs... In English with French and German summaries.

Moraines, Landscape development, Hummocks, Gla-cier oscillation, Antarctica—Wright Lower Glacter, Antarctica—Webb Glacier.

Antarctica—Webb Glacier.
Contemporary processes of moraine development at the margins of polar glaciers encompass a wide range of subtly different mechanisms. Two types of "controlled" moraine evolution, applicable to hummocks and transverse moraine ridges, are identified from Wright Lower Glacier and Webb Glacier, southern Victoria Land, Antarctica. Type I moraine complexes involve a relatively abundant supply of supraglacial debris, the development of transverse thrust blocks in the abiation-zone ice development of transverse thrust blocks in the ablation-zone ice and the subsequent re-arrangement of ablation debris in ablation cusps and on inactive thrust blocks. Relict landform suites, apparently formed in this manner, reveal large coarse-grained hummocks inset behind moraine ridge remnants. Type 2 moraines may develop where the supply of supraglacial debris is meagre but the growth of ablation cusps concentrates primarily englacial debris into small irregular hummocks. The travel component of this debris is usually of finer texture than for type 1 deposits, reflecting abrasion/attition effects of prior englacial transportation. Transverse moraine ridges may or may not be associated with type 2 hummocks, depending on local variations of ice motion, ice decay, and debris supply. variations of ice motion, ice decay, and debris supply.

36-3341

Creep and fabrics of polycrystalline ice under shear and compression.

Daval, P., Journal of glaciology, 1981, 27(95), p.129-140, 27 refs., In English with French and German

Ice mechanics, Ice creep. Shear strain. Compressive properties.

Preliminary experiments on the formation of elongated air bubbles in glacier ice by stress.

Nakawo, M., et al. Journal of glaciology, 1981, 27(95), p. 141-146, 18 refs. In English with French and Ger-

Wakahama, G

Glacier ice. Bubbles, Compressive properties.

Triaxial testing of frozen sand.

Parameswaran, V.R., et al. Journal of glaciology, 1981. 27(95), p 147-155, 20 refs.. In English with French and German summaries Jones, S.J.

Frozen sand, Mechanical properties, Mechanical tests, Strain tests.

16. 1144

Inexpensive remote snow-depth gauge based on ultraonic wave reflection from the snow surface.

Gibber, H., Journal of glaciology, 1981, 27(95), p.157-163, 3 refs. In English with French and German summaries

Measuring instruments, Precipitation gages, Ultrasomic tests.

36-3345

Flectronic remote snow-drift gauge

Gubler, H., Journal of glaciology, 1981, 27(95), p.164-174, 10 refs. In English with French and German summaries.

Electronic equipment, Snowdrifts, Avlanche forecasting.

36.3346

Field measurement of the liquid-water content of snow.

Morris, E.M., Journal of glaciology, 1981, 27(95), p.175-178, 6 refs., In English with French and German summaries

Snow water content, Temperature measurement.

Inverse problem for valley glacier flow.

Hantz, D., et al. Journal of glaciology, 1981, 27(95), p.179-184, 6 refs., In English with French and German summaries. Diboutry L.

Glacier flow, Valleys, Velocity.

30-3488
Note on the morphology of the Baspa Glacier, Kinnaur District, Himachal Pradesh, India.
Bassi, U.K., et al, Journal of glaciology, 1981, 27(95), p.185-189, In English with French and German summaries hopra, S., Tewari, A.P.

Glaciers, Geomorphology, India-Baspa Glacier.

Flutes on bare bedrock.

Karlén, W., Journal of glaciology, 1981, 27(95), p.190-192, 4 refs.. In English with French and German summaries.

Glacial geology, Geologic structures.

Evidence of the bedrock beneath the Greenland ice sheet near Camp Century, Greenland. Fountain, J., et a), Journal of glaciology, 1981, 27(95).

p.193-197, 5 refs., In English with French and German summaries.

Usselman, T.M., Wooden, J., Langway, C.C., Jr. Glacial geology, Geologic structures, Ice sheets, Rocks, Greenland—Camp Century.

Structure control on cirque-like features in south-east New York state, U.S.A. Liebling, R.S., et al. Journal of glaciology, 1981.

27(95), p.198-200, 3 refs., In English with French and German summaries.

Scherp, H.S. Cirques, Geologic structures.

Active rock glacier, Wavbal Pass, Jammu and Kash-

mir Himalaya, India.

Mayewski, P.A., et al. Journal of glaciology, 1981, 27(95), p.201-202, in English with French and German summaries Jeschke, P.A., Ahmad, N.

Rock glaciers, Geologic structures, India-Waybal Pass.

Reflection coefficient at a dielectric interface. Paren, J.G., Journal of glaciology, 1981, 27(95), p.203-204. 2 refs.

Reflection, Dielectric properties, Ice sheets, Analysis (mathematics).

36-3354

"Global dynamics" of a temperate value y glacier, Merde Glace, and past velocities deduced from Forbes'

Lliboutry, L., et al. Journal of glaciology, 1981, 27(96), p.207-226, 35 refs. In English with French and German summaries. Reynaud, L

Wave propagation, Velocity, Glaciers, Dynamic properties.

36-3355

First-order stresses and deformations in glaciers and

Hutter, K., et al, Journal of glaviology, 1981, 27(96). p.227-270, 24 refs., In English with French and Gerin summaries.

Legerer, F., Spring, U. Ice sheets, Glaciers, Ice mechanics, Ice deformation, Shear stress, Analysis (mathematics).

36. 3356

Mass balance of "Vesper" Glacier, Washington.

Dethier, D.P. et al. Journal of glaciol. 25, 1981-27(96), p.271-282, 24 rets. In English with French and German summaries Frederick, J.E.

Glacier mass balance, Glacier alimentation, Precipitation (meteorology), United States—Washington— Vesper Glacier.

Field and laboratory study of wave damping by grease

Martin, S., et al. Journal of glaciology, 1981, 27(96). p.283-313, 18 refs. In English with French and German summaries.

Kauffman, P

Ocean waves, Sea ice, Ice formation, Meteorological factors.

Growth rate and salinity profile of first-year sea ice in the High Arctic.

Nakawo, M., et al. Journal of glaciology, 1981, 27(96), p.315-330, 23 refs. In English with French and German summaries. Sinha, N.K.

Sea ice, Ice growth, Ice salinity, Canada—Northwest Territories-Baffin Island.

Laboratory studies of the optical properties of young sea ice.

Perovich, D.K., et al. Journal of glaciology, 1981. 27(96), p.331-346, 26 refs. In English with French and German summaries. Grenfell T C

Sea ice. Ice optics, Ice salinity, Temperatu effects, Laboratory techniques.

Estimating ratios of snow accumulation in Antarctica

by chemical methods.

Warburton, J.A., et al. Journal of glaciology, 1981, 27(96), p.347-357, 17 refs. In English with French and German summaries

Young, L.G.

Snow accumulation Firm Snow composition, Snow impurities, Antarctica-Ross ice Shelf.

impurities. Antarctica—Ross ice Shelf.

Snow and firn samples from 2 and 5 m deep pits were analyzed for seven sites on the Ross ice Shelf. Antarctica. Na. Mg. Ca. and K concentrations change with depth, the "ange of concentrations being approximately 10: I for all four elements. The changes in concentration; for the four elements at any one site are highly correlated, suggesting that the impurities are introduced into the snow-pack simultaneously by the same mechanisms. Pronounced periodic structure of the vertical chemical profiles leads to strong correlations of the chemical features from site to site separated by distances up to 440 km. It is suggested that the chemical variations with depth are caused by meteorological events which may have seasonal changes in fregested that the chemical variations with open are caused by meteorological events which may have seasonal changes in frequency and intensity. It is also suggested that the most-favored season for the production of chemical-concentration maxima is autumn because of the documented higher frequency of precipitating storms on the Ross-lee Shelf and the minimum in sea-ice extent at that time of year. (Auth. mod.)

Neoglacial to Recent glacier fluctuations on the volcano Popocatépetl, Mexico.

White, S.E., Journal of glaciology, 1981, 27(96), p.359-363, 10 refs. In English with French and German summaries

Glacier oscillation, Volcanoes, Mexico-Popocatepetl.

Ice motion on deformable sediments.

Haeberli, W., Journal of glaciology, 1981, 27(96), p.365-366, 18 refs. Glacier oscillation, Sediments, Subglacial observa-

Atmospheric effects on electro-optical, infrared, and millimeter wave systems performance.

Gomez, R.B., ed. Society of Photo-Optical Instrumentation Engineers. Proceedings, 1981, Vol.305, 283p. Refs. passim. For selected papers see 36-3364 through 36-3368

Infrared reconnaissance, Light transmission, Optical properties, Microwaves, Snow physics, Snowfall, Meetings, Backscattering, Measuring instruments.

Visible and infrared transmission through snow.

Scagraves, M.A., et al, Society of Photo-Optical In-strumentation Engineers. Proceedings, 1981, Vol.305, p.93-98, 13 refs.

Ebersole, J.F.

Snow optics, Light transmission, Blowing snow, Snowfall, Infrared reconnaissance, Electromagnetic properties, Particle size distribution, Snowflakes. 36-3365

Measurements of infrared and visible extinction in adverse weather.

Gimmestad, G.G., et al. Society of Photo-Optical Instrumentation Engineers. Vol.305, p.99-105, 4 refs. Proceedings, 1981,

Winchester, L.W., Jr., Lee, S.M.

Infrared reconnaissance, Light transmission, Snowfall, Rain, Fog.

36-3366

Measurements of the phase function of natural particles.

Winchester, L.W., Jr., et al. Society of Photo-Optical Instrumentation Engineers. Vol.305, p.106-118, 20 refs. Proceedings. 1981.

Gimmestad, G.G., Lee, S.M.

Snowflakes, Blowing snow, Snowfall, Light transmission, Light scattering, Snow optics, Experimentation, Analysis (mathematics).

Near millimeter wave (NMMW) snow extinction: Atmospheric Sciences Laboratory—MMTRN model and data review

Brown, D.R., Society of Photo-Optical Instrumentation Engineers. Proceedings, 1981, Vol.305, p.235-243, 11 refs.

Snow physics, Microwaves, Wave propagation, Backscattering, Attenuation, Rain, Models.

Characteristics of near-millimeter wave propagation in snow.

Nemarich, J., et al. Society of Photo-Optical Instrumentation Engineers. Proceedings. 1981, Vol.305, p.261-267, 8 refs. Wellman, R.J., Rocha, D., Wetzel, G.B. Snow physics, Wave propagation, Microwaves, At-

tenuation, Backscattering, Snow water equivalent. 36-3369

Synthesis report: environmental geology of lower Cook Inlet, Alaska.

Cook Iniet, Alaska.

Hampton, M.A., U.S. Geological Survey. Open-file report. (1982), No.82-197, 55p., Refs. p.17-20.

Marine geology, Oceanographic surveys, Bottom sediment, Bottom topography, Seismic surveys, United States—Alaska—Cook Inlet.

36-3370

Gravels from the Alaska continental shelf, Beaufort Sea, Arctic Ocean: petrological character and im-

plications for sediment source and transport.
Mowatt, T.C., et al, Alaska. Division of Geological
and Geophysical Surveys. Open file report, [1982],
No.43, 70p., Refs. p. 13-17. Naidu, A.S

Ocean bottom, Bottom sediment, Marine geology, Gravel, Bottom topography, Ice rafting, Beaufort Sea.

36-3371

Direct implementation of latent heat of fusion for a permafrost problem.

Ng. Y.M., Texas. University at Austin. Texas Insti-tute for Computational Mechanics. Report, Sep. 1981, No.81-7, 94p., 18 refs.

Permafrost thermal properties, Latent heat, Heat transfer, Ground thawing, Thermal conductivity, Melting points, Phase transformations, Models, Analysis (mathematics).

36-3372

Colloquium on subantarctic ecosystems. [Colloque sur les ecosystèmes subantarctiquesi.

Towentin, P., ed. Comité national français des recher-ches antarctiques. CNFRA, 1982, No.51, 540p., Nu-merous refs. In French and English.

Massé, L., ed, Tréhen, P., ed. Ecology, Ecosystems, Introduced plants, Animals, Kerguelen Islands, Crozet Islands.

The papers in this volume are classified under the following headings: biogeography—structure of plant communities; biogeography—structure of animal communities; adaptive strategies of invertebrates; adaptive strategies of plants; introduced species and the impact of man; penguin ecology and physiology; acclimatization of Salmonidae; and adaptive strategies leading to coexistence or segregation of species. Abstracts of a number of short presentations are included. 36-3373

Soviet glaciological studies in 1980. ¡Sovetskie gliatsi-

ologicheskie issledovaniia v 1980 goduj. Kotliakov, V.M., et al. Akademiia nauk SSSR. rafii. Materialy gliatsiologicheskikh is-Khronika obsuzhdeniia, 1981, Vol.41, stitut geografii. p.6-13, In Russian. Seregina, M.IU.

Research projects, Ice physics, Snow physics, Mountain glaciers. Ice dating, Radioactive age determina-Avalanche formation, Avalanche engineering, Glacial hydrology, Aerial surveys, Radar echoes, Mapping, Antarctica.

Mapping, Antarctica.

Activities of the Leningrad Arctic and Antarctic Institute included snow surveys along the toutes Pionerskaya-Dome C and Mirnyy-Vostok-Dome B. Velocities and direction of ice surface movement were determined by radio echo sounding. A subglacial lake area of 30 square km. was discovered at the depth of 3560 m. Ice drilling and geophysical studies continued at the Vostok and Pionerskaya Stations and at a 40 km distance from Mirnyy. Core samples of ice were obtained for oxygen-isotope analyses. Snow accumulation and melting were studied at severe lengths. experience analyses. Show accumulation and meeting vere studied at several stations and seasonal geocryologic and glaciologic processes at the Bellingshausen Station. A solution was obtained for numerical modeling of the Antarctic ice-cover thermodynamics, based on the analysis of a two-dimensional nonstationary equation of heat transfer accounting for vertical energy dissipation.

36-3374

Symposium on the processes of glacial erosion and sedimentation in Norway. (Simpozium po protsessam erozii i sedimentatsii lednikov v Norvegiin

Macheret, IU.IA., Akademiia nauk SSSR. geografii. Materialy gliatsiologicheskikh is-Khronika obsuzhdeniia, 1981, Vol.41, p.14-20. In Russian. Glacial erosion, Glacial deposits, Moraines, Soil

freezing, Frost penetration.

36-3375

Glaciology in Switzerland; compilation of the World Glacier Inventory, ¡Gliatsiologiia v Shveitsarii; rabota nad vsemirnym katalogom lednikov₁, Krenkc, A.N., Akademiia nauk SSSR.

Institut geografii. Materialy gliatsiologicheskikh issledovanii. Khronika obsuzhdeniia, 1981, Vol.41, p.20-30, In Rus-

Ice physics, Isotope analysis, Ice dating, Radioactive age determination, Ice composition, Microelement content, Glacier ice, Avalanche engineering, Aerial survevs.

36-3376

Conference on global climatic models. [Konferentsiia po global'nym modeliam klimata₁, Krenke, A.N., Akademiia nauk SSSR. Institut geo-

grafii. Materialy gliatsiologicheskikh issledovanii. Khronika obsuzhdeniia. 1981. Vol.41, p.30, In Rus-

Meetings. Climatology, Models

36-3377

Main problems of glaciology in the eleventh five-year plan. (Glavnye zadachi gliatsiologii v XI piatiletke). Avsiuk, G.A., et al, Akademiia nauk SSSR. Institu Institut Materialy gliatsiologicheskikh is-Khronika obsuzhdeniia, 1981, Vol.41, geografii. sledovanů. p.31-36. In Russian with English summary Kotliakov, V.M.

Research projects, Glaciology, Climatic changes, Polar regions, Alpine landscapes, Construction, Transportation.

36-3378

Application of radioglaciology to the studies of polar regions. [Primenenie radiogliatsiologii v issledovanii poliarnykh rajonovi.

Bogorodskii, V.V., et al, Akademiia nauk SSSR. Institut geografii. Materialy gliatsiologicheskikh issledovanii. Khronika obsuzhdeniia, 1981, Vol.41, p.37-38, In Russian with English summary. Trepov, G.V., Sheremet'ev, A.N.

Polar regions, Glacier ice, Ice shelves, Icebergs, Glacial lakes, Ground ice, Airborne radar, Radar echoes, Antarctica.

Results of radio-echo soundings of ice covers, shelf glaciers, icebergs, glacial lakes and ground ice in Antarctica, S. vernaya Zemlya, Yamal and the drifting Arctic ice islands are briefly discussed.

36.3379

Experience in plotting ES-computerized systems for glaciological data processing. (Opyt postroenija sistemy obrabotki gliatsiologicheskikh dannykh na f:S

Grakovich, V.F., Akademija nauk SSSR Institut Materialy gliatsiologicheskikh is-Khronika obsuzhdeniia, 1981, Vol.41, geografii. sledovanii p.39-45. In Russian with English summary 6 refs Glaciology, Computer applications, Data processing. 36-3380

Engineering glaciology problems related to the development of the Arctic Shelf. (Problemy inzhenernor gliatsiologii sviazamiye s osvoeniem arkticheslogo

Voitkovskii, K.F., et al. Akademiia nauk SSSR stitut geografii - Materialy gliatsiologi, heskikh issledovanii - Khronika obsuzhdenia, 1981, Vol 41, p.46-49, In Russian with English summary - 5 refs p.46-49, In Russian with English summary Kamenskii, R.M

Drilling, Subsea permafrost, Natural resources, Economic development, Petroleum industry, Mining. Construction, Continental shelves, Arctic Ocean.

Similarity versions and methods of modeling snow ice and permafrost deformation and deterioration processes. (Varianty podobiia) metody modelirovaniia protsessoy deformitovanna i razrushenna snega, I da i merzlykh porodj. Iofik, V.Z., Akademia nauk SSSR — Institut geografii

Material; gliatsiologicheskikh issledovanii Khronika obsuzhdenna, 1981, Vol 41, p 49-51. In Rus-

sian with English summary. I ref.

Snow deformation, Snow deterioration, Ice deformation, Ice deterioration, Permafrost transformation, Models.

36.3382

Ground ice and methods of studying it. (Podzemnse I'dy i prikladnye aspekty ikh izuchenijaj. Vtiurin, B.L. et al. Akademija nauk SSSR.

Institut geografii Materialy gliatsiologicheskikh is-Khronika obsuzhdeniia, 1981, Vol.41, sledovanii. .52-55. In Russian with English summary Vtiurina, E.A.

Land ice, Ground ice, Ice formation, Permafrost structure, Permafrost distribution, Mapping

36-3383

Flow deformation of permafrost, [Deformatsii techeniia vechnomerzlykh I'do-gruntovykh sistemi. Gasanov, Sh.Sh., Akademiia nauk SSSR. Ins. geografii. Materialy gliatsiologicheskikh is-Khronika obsuzhdeniia, 1981, Vol.41, p.55-58. In Russian with English summary 10 refs. Slope processes, Permafrost depth, Ground ice, Ice deformation, Permafrost structure, Active layer, Solifluction.

Ground ice in the Central Asia mountains, [Podzem-

Ground ice in the Central Asia mountains, producing Pdy gor Srednei Azii,
Gorbunov, A.P. et al. Akademiia nauk SSSR Institut geografii. Materialy gliatsiologicheskikh issledovanii. Khronika obsuzhdeniia. 1981. Vol 41. p.59-62. In Russian with English summary.

Moraines, Ground ice, Rock glaciers, Alpine landscapes.

36-3385

Origin of ground ice sheets in northern West Siberia. (O proiskhozhdenii plastovykh zalezhei podzemnogo l'da na severe Zapadnoi Sibirij. Koreisha, M.M., et al. Akademiia nauk SSSR.

afii Materialy gliatsiologicheskikh is-Khronika obsuzhdeniia, 1981, Vol.41. stitut geografii sledovanii. p.62-66. In Russian with English summary. Khimenkov, A.N., Bryksina, G.S.

Permafrost structure, Ground ice, Ice sheets, Ice formation.

New data on the thick layers of ground ice in the northern Yenisey River area. Novye dannye o moshchnykh plastovykh zalezhakh podzennogo I'da na Enisciskom Severej. Karpov, E.G., Akademna nauk SSSR – Institut geo-

grafii. Materialy ghatsiologicheskikh issledovanii Khronika obsuzhdenna, 1981, Vol 41, p 67-70, In Russian with English summary 1 ref

Permafrost structure, Ground ice, Ice sheets, Ice formation.

Buried ice of Stanovoy Mountains and its engineering and geological studies. (Pogrebennye podzemnye l'dy Stanovogo nagoria i nekotorye aspekty ikh inzhenerno-geologicheskogo izuchenitaj. Gravis, G.F., et al. Akademija nauk SSSR

geografii Materialy ghatsiologicheski sledovanii Khronika obsuzhdenna, 1981 p.70-75. In Russian with English summary Materialy ghatsiologicheskikh is Khionika obsuzhdenia, 1981, Vol.41 Konchenko, I. A.

Engineering geology, Alpine landscapes, Permafrost distribution, Ground ice, Permafrost structure, Ice

Distribution and regime of river naleds in the central Baykal Amur railroad area. [O rasprostranenii i rezhime naledei rechnykh vod na tsentral'nom uchastke

hime naiedei reennykii vod na iseittiai noin uchasike zony BAMj. Markov, M.L., Akademiia nauk SSSR. Institut geo-grafii. Materialy gliatsiologicheskikh issledovanii. Khronika obsuzhdeniia, 1981, Vol.41, p.75-79, In Russian with English summary. 3 refs.

Permafrost beneath structures, Permafrost hy-

drology, Naleds, Baykal Amur railroad.

36-3389

Variation of naled albedo during melting periods, [12menchivost' al'bedo naledei v period ikh taianiiaj, Deikin, B.N., Akademiia nauk SSSR. Institut geo-Materialy gliatsiologicheskikh issledovanii. Khronika obsuzhdeniia, 1981, Vol.41, p.80-84, In Russian with English summary. 2 refs.

Naleds, Ice melting, Albedo.

Control of ice and thermal regimes of naled-forming streams. [Regulirovanie ledotermicheskogo rezhima

nalednogo vodotokaj.
Potatueva, T.V., Akademiia nauk SSSR. Institut geografii. Materialy gliatsiologicheskikh issledovanii. Khronika obsuzhdeniia, 1981, Vol.41, p.84-89, In Russian with English summary. 2 refs.

Naleds, Alimentation, Springs (water), Icebound rivers, Ice conditions, Water temperature, Temperature control.

36-3391

Medvezhiy glacier in 1980. [Lednik Medvezhii v 1980 goduj, Buinitskii, A.B., et al, Akademiia nauk SSSR.

Materialy gliatsiologicheskikh is-Khronika obsuzhdeniia, 1981, Vol.41, gcografii. sledovanů. p.90, 220, In Russian.

Sorotokin, M.M. Glacier surveys, Mountain glaciers, Glacier flow, Glacier surges, Glacier oscillation.

Frist stage of the new program for observing glacier oscillation. (Osnovnye itogi pervogo etapa rabot po novoi programme nabliudenii za kolebaniiami led-

Kotliakov, V.M., et al, Akademiia nauk SSSR. stitut geografii. Materialy gliatsiologicheskikh is-sledovanii. Khronika obsuzhdeniia, 1981, Vol.41, p.91-103. In Russian with English summary. 37 refs. Voloshina, A.P., Makarevich, K.G., Tsvetkov, D.G. Mountain glaciers, Glacier flow, Glacier oscillation, Glacier surveys.

Mathematical model and numerical computation scheme for thermal regime and mechanics of ice [Matematicheskaia model' skhema rascheta termiki i mekhaniki pokrovnogo lednika₁.

Krass, M.S., Akademiia nauk SSSR. Institut geo-Materialy gliatsiologicheskikh issledovanii. grafii. Khronika obsuzhdeniia, 1981, Vol.41, p.103-115, In 10 refs Russian with English summary.

Ice sheets, Thermal regime, Glacier oscillation, Glacier flow. Mathematical models.

36-3394

Detailed radio-echo sounding of ice thickness and subglacial topography of mountain glaciers. (Detal'naia radiolokatsionnaia s''emka tolshchiny l'da i podlednogo reľefa gornykh lednikovy,

Macheret, IU.IA., et al., Akademiia nauk SSSR. Institut geografii. Materialy gliatsiologicheskikh issledovanii. Khronika obsuzhdeniia, 1981, Vol.41. p.115-133. In Russian with English summary.

Zhuravlev, A.B

Mountain glaciers, Glacier surveys, Ice cover thickness, Radar echoes, Subglacial observations.

36-3395

Velocity variations of the Medvezhiy glacier tongue during quiescence (1974-1979). (Kolebaniia skorosti dvizheniia iazyka lednika Medvezh'ego v period ego vosstanovleniia (1974-1979 gg.)].

Tsvetkov, D.G., et al. Akademia nauk SSSR. geografii. Materialy gliatsiologicheskikh is-sledovanii Khronika obsuzhdeniia, 1981, Vol 41, p.133-142. In Russian with English summary. 33 refs

Saratakin, M.M.

Mountain glaciers, Glacier tongues, Glacier flow, Glacier surges. Flow rate.

Glaciation of the Inguri River basin in Caucasus and peculiarities of its changes in the twentieth century.

pecunarities of its changes in the twentieth century. (Oledenenie basselna r. Inguri na Kaskaze i osobennosti ego izmenenil v XX vekej. Vartanov, G.S., Akademiia nauk SSSR. Institut geografii. Materialy gliatsiologicheskikh issledovanii. Khronika obsuzhdeniia. 1981. Vol. 41, p.142-149. In Purcina with Feelibb temperary. O esferi Russian with English summary. 9 refs.
River basins, Mountain glaciers, Glacial hydrology.

Snow cover distribution, Snow line, Glacier alimentation, Glacier ablation.

36-3397

Variations of external mass transfer on glaciers of the Polar Ural Mountains in 1959-60-1976-77 niia vneshnego massoobmena lednikov Poliarnogo Urala v 1959-60—1976-77 gg.₁. Voloshina, A.P., Akademia nauk SSSR. Institut geo-

grafii. Materialy gliatsiologicheskikh issledovanii. Khronika obsuzhdeniia. 1981. Vol.41. p.149-162. in Russian with English summary. 22 refs.

Mountain glaciers, Glacier ice, Glacier surfaces, Mass balance.

Catastrophic degradation of the MGU glacier in the Polar Ural Mountains. [Katastroficheskaia degradatsiia lednika MGU na Poliarnom Urale₁, Tsvetkov, D.G., et al. Akademiia nauk SSSR.

geografii. Materialy gliatsiologicheskikh is-sledovanii. Khronika obsuzhdeniia, 1981, Vol.41, p.162-172, In Russian with English summary. 11 refs

Tiuflin, A.S.

Mountain glaciers, Glacier surveys, Glacier melting, Aerial surveys.

Ablation and heat balance components of the Obruchev glacier in the Polar Ural Mountains under cerweather conditions, [Polia abliatsii i komponentov teplovogo balansa lednika Obrucheva na Poliarnom Urale pri nekotorykh tipakh pogody, Voloshina, A.P., Akademiia nauk SSSR. Institut geo-

Materialy gliatsiologicheskikh issledovanii. Khronika obsuzhdeniia. 1981, Vol.41, p.173-180, In Russian with English summary. 8 refs.

Mountain glaciers, Glacier ablation, Glacier ice, Snow cover effect, Heat balance.

36-3400

Movement and fluctuations of large glaciers in the Central Caucasus according to the photogeodetic surveying data obtained in 1967-73. Osobennosti dviz-heniia i kolebanii krupnykh lednikov Tsentral'nogo Kavkaza po materialam fotogeodezicheskikh s"emok

Vartanov, G.S., Akademija nauk SSSR. Institut geo-grafii. Materialy gliatsiologicheskikh issledovanii. Khronika obsuzhdeniia, 1981. Vol.41, p.180-187, In Russian with English summary. 3 refs.

Mountain glaciers, Glacier flow, Geodetic surveys,

Glacier oscillation.

36-3401

Shrinkage of the Kupol-Malyy Aktru glacier system in Altai during the 1952-79 period. (Sokrashchenic lednikovoj sistemy Kupol-Malyi Aktru na Altae za

period 1952-1979 gg.₁, Reviakio, V.S., et al, Akademiia nauk SSSR. Materialy gliatsiologicheskikh is-Khronika obsuzhdenija, 1981, Vol.41, sledovanů. p.187-190. In Russian with English summary Mukhametov, R.M.

Mountain glaciers, Glacier flow, Aerial surveys, Photointerpretation, Glacier melting.

36-3402

Mean temperature of large glaciers, ¿O stednet tem-

perature krupnogo fednikaj. Karachenov, A.T., Akademia nauk SSSR Materialy gliatsiologicheskikh is-Khronika obsuzhdeniia, 1981, Vol 41, geografii sledovanii p.191-196, In Russian with English summary

Glacier ice. Ice temperature, Temperature distribution, Mathematical models, Antarctica.

Temperature distribution in the ice of a large antarctic type. axially symmetrical, stationary glacier with a flat circular bottom and parabolic surface is analytically discussed

Using thermal drills in studying temperature regime of Spitsbergen glaciers, clssledovanie stroemia i temperaturnogo rezhima shpitsbergenskikh lednikov s pomoshch'iu termobureniiaj, Zagorodnov, V.S., Akademiia nauk SSSR.

geografii. Materialy gliatsiologicheskikh is-Khronika obsuzhdenia, 1981, Vol 41, p.196-199. In Russian with English summary 3 refs Glacier ice, Ice temperature, Temperature distribution, Ice drills, Thermal drills. 36-3404

Channels inside glacier ice. (Vnutrilednikovye kanalvı.

Zagorodnov, V.S., et al. Akademiia nauk SSSR — In-stitut geografii. Materialy gliatsiologicheskish is-sledovanii. Khronika obsuzhdeniia. 1981. Vol 41. p. 200-202. In Russian with English summary — 6 refs. Zotikov, I.A. Ice cores, Glacier ice, Porosity, Ice crystals, Meltwa-

ter, Seepage.

36-3405

Glaciologic and geophysical studies of the Kozel'skiy

glacier in 1975. Glatstogeofricheskie issledovania lednika Kozel'skogo v 1975 godu, Vinogradov, V.N., et al. Akademia nauk SSSR Institut geografii. Materialy gliatsiologicheskikh issledovanii. Khronika obsurbaleniia, 1981. Vol.41. p.202-209. In Russian with English summary. 8 refs. Balesta, S.T., Zubin, M.I., Farberov, A.I.

Mountain glaciers, Glacier surveys, Glacier ice, Snow cover. Ice drills, Drilling, Borehole instruments. Snow density, Snow temperature, Firn stratification. 36.3406

Snow evaporation in Yakutia and its relation to the elements of meteorological regime. (Isparenie snegu v lAkutii i ego sviaz' s elementami meteorologicheskogo

rezhimaj, Are, A.L., Akademiia nauk SSSR - Institut geografii Materialy gliatsiologicheskikh issledovanii Khronika obsuzhdeniia, 1981, Vol.41, p.209-215, In Russian with English summary. 7 refs.

Snow surveys, Landscape types, Snow cover distribu-tion, Snow evaporation, Snow water equivalent, Seasonal variations.

36-3407

History of periglacial lakes in the Chuyskiy Basin of Altai. [K istorii prilednikovykh ozer Chuiskoi kotloviny v gornom Altaej. Rudoi, A.N., Akademiia nauk SSSR.

Institut occigrafii. Materialy gliatsiologicheskikh issledovanii. Khronika obsuzhdeniia, 1981, Vol.41, p.213-218, In Russian with English summary. 7 refs.

Mountain glaciers, Glacial hydrology, Periglacial processes, Glacial lakes.

First All-Union Conference on the mechanics and physics of ice. [Pervaia vsesoiuznaia konferentsiia po mekhanike i fizike l'daj.

Mazo, V.L., et al, Akademiia nauk SSSR. Institut geografii. Materialy gliatsiologicheskikh Khronika obsuzhdeniia, 1981, Vol.41, sledovanii p.218, In Russian

Tiulina, T.IL

Meetings, Ice physics, Ice mechanics, Icebreakers, Ice navigation, Hydraulic structures, Ice loads. 36.3400

Interdisciplinary symposium on the problems of sea level fluctuations, ice sheets and climatic variations. (Mezhdistsiplinarnyi simpozium po problemam kolebanii urovnia moria, lednikovykh pokrovov i 12-

menei ii klim itaj. ** B. et al. Akademiia nauk SSSR. Institut Materialy ghatsiologicheskikh is-Khiwaika obsuzhdemia. 1981. Vol 41. Buinits! ... sledovanii p.219-220. In Russian

Sorotokin, M.M. Meetings, Sea ice, Ice cover, Isotope analysis, Climatic changes, Paleoclimatology, Snow cover effect.

36-3410 New evidence fuels antarctic ice dehate

Kerr, R.A., Science, May 28, 1982, 216(4549), p.973-

Ice sheets, Age determination.

The history of the debate between geologists and oceanographers regarding the formation of the antarctic ice sheet is resiewed. The most mutually acceptable date has been between stewed. The most mutually acceptance date has ocen recovered and 15 million years ago. Geologists have now presented evidence from Scott Glacier where potassium-argon dating indicated that the sub-glacial lava producing eruptions must have occurred more than 18 a mya. Oceanographers have reservations of these datings and choose to be guided by evidence of marine life in which exygen isotope data give a date of about 14

Asphalt concrete properties and performance in Alaska. Executive summary.

McHattie, R.L., Alaska. Dept. of Transportation and Public Facilities. Report, July 1981, AK-RD-82-2A,

Cold weather construction. Bituminous concretes. Tensile properties, Concrete strength, Pavements, Concrete hardening, Cement admixtures, Fatigue (materials), Climatic factors.

Gun which can also handle heavy ice.

Kuznetsov, N., U.S. Air Force. Foreign Technology Division. Translation, July 1981, FTD-ID(RS)T-0685-81, 7p., ADB-059 026L, Translated from Voz-dushnii transport, Apr. 4, 1981, 41(509), p. 1. Cols. 3-6. Military equipment, Airplanes, Ice melting, Ice surface, Ice strength, Penetration.

Groundwater and meltwater in the snowmelt induced

Bengtsson, L., Hydrological sciences journal, June 1982, 27(2), p.147-158, With French summary. 10

Snowmelt, Meltwater, Runoff, Ground water, Stream

Multisensor analysis of hydrologic features with em-

phasis on the Seasat SAR.
Foster, J.L., et al, Photogrammetric engineering and remote sensing. May 1981, 47(5), p.655-664, 13 refs. Hall, D.K.

Remote sensing, Radar photography, Airborne radar, Snow physics, Clouds (meteorology), Ice surface, Hydrology.

Polynyas in the Canadian Arctic.

Stirling, I., ed, Canadian Wildlife Service. Occasional paper, 1981, No.45, 73p., With French summaries. Refs. passim. Cleator, H., ed.

Polynyas, Sea ice distribution, Ice formation, Ecosystems, Marine biology, Wind factors, Tidal currents,

36-3416

Snow pH and dust loading at Schefferville, Quebec. Drake, J.J., et al, Canadian geographer, Fall, 1980, 24(3), p.286-291, 4 refs.

Mining, Snow composition, Chemical properties, Dust, Human factors, Pollution.

Seasonal and annual variations in ice cover in Baffin

Seasonal and annual variations in the cover in ballin Bay and northern Davis Strait.

Dey. B., Canadian geographer, Winter, 1980, 24(4), p.368-384, With French summary. 21 refs.

Sea ice distribution, Ice cover, Ice forecasting, Infrared reconnaissance, Seasonal variations, Models, Canada—Davis Strait, Canada—Baffin Bay.

Initial application of polarization Lidar for orographic cloud seeding operations.

Sassen, K., Journal of applied meteorology, Mar. 1980, 19(3), 298-304, 5 refs.

Supercooled clouds, Cloud seeding, Ice water interface, Remote sensing, Freezing points, Temperature

Water-ice and water-updraft relationships near -10C within populations of Florida cumuli. Sax, R.J., et al. Journal of applied meteorology. May

1980, 19(5), p.505-514, 5 refs. Keller, V.W.

Ice water interface, Supercooled clouds, Water content, Ice crystal growth, Temperature effects, Wind

Test of the accuracy of an effective pair potential for liquid water.
Morse, M.D., et al. Journal of chemical physics. June

. 1981, 74(11), p.6514-6516, 15 refs. Rice, S.A.

Ice water interface, Ice crystal structure, Liquid phases, High pressure ice. Ions, Tests, Ice physics.

Centrifugal snowplows. [Snegoochistiteli otbrasyvai-

ushchego deistviiaj. Ivanov, A.N., et al. Moscow, Mashinostroenie, 1981. tents enclosed. 28 refs. Mishin V A

Snow removal, Equipment, Roads, Railroads, Winter maintenance, Design.

Moisture transfer and cryogenic structures of dispersed rocks. [Vlagoperenos i kriogennye tekstury v

dispersnykh porodakh, Ershov, E.D., Moscow, Universitet, 1979, 214p., In Russian with English table of contents enclosed.

Frozen fines, Cryogenic structures, Cryogenic textures, Soil freezing, Soil water migration, Frost penetration, Ground ice, Ice melting, Moisture transfer.

Phase composition of moisture in frozen rocks. [Fazo-

vyí sostav vlagi v merzlykh porodakh₁, Ershov, E.D., ed, Moscow, Universitet, 1979, 189p., In Russian with English table of contents enclosed.

Soil freezing, Soil water migration, Frost penetration, Phase transformations, Frozen fines, Moisture transfer, Unfrozen water content, Ground ice, Ice forma-

36-3424

Metallic structures for northern construction. [Metallicheskie konstruktsii dlia stroitei stva na Severe, Solodar', M.B., et al, Leningrad, Stroitzdat, 1981, 208p., I.a Russian with English table of contents enclosed. 69 refs.

Plishkin, IU.S., Kuznetsova, M.V. Metals, Steel structures, Power line supports, Pipelines, Storage tanks, Towers, Cranes (hoists), Permafrost beneath structures, Frost action, Frost resistance, Construction materials, Transportation.

Use of rock wool under severe climatic conditions. (Mineralovatnye utepliteli i ikh primenenie v usloviiakh surovogo klimata).
Tobol'skii, G.F., et al, Leningrad, Stroitzdat, 1981,

176p., In Russian with abridged English table of contents enclosed. 70 refs. Bobrov, IU.L.

Thermal insulation, Minerals, Plastics, Large panel buildings, Reinforced concretes, Cellular concretes, Panels, Walls, Roofs, Linings, Permafrost beneath structures, Subpolar regions, Construction materials.

Fundamentals of geomechanics applied to construction. (Osnovy prikladnoi geomekhaniki v stroitel stve). Tsytovich, N.A., et al, Moscow, Vysshaia shkola, 1981, 317p., In Russian with English table of contents.

Ter-Martirosian, Z.G.

Soil freezing, Frost penetration, Soil water migration, Phase transformations, Frozen rocks, Permafrost hydrology, Organic soils, Peat, Human factors, Buildings, Hydraulic structures, Underground facilities, Shafts (excavations), Tunnels, Foundations, Caissons, Slope stability, Permafrost beneath structures.

Organization of recreation areas, tourism and environmental protection in the North. (Organizatsiia sistem otdykha, turizma i okhrana prirodnoi sredy na Severe1.

Khromov, IU.B., Leningrad, Strolizdat, 1981, 184p., In Russian with abridged English table of contents enclosed. 23 refs.

Polar regions, Economic development, Environmental protection, Landscape types, Permafrost distribu-tion, Taiga, Tundra, Soil erosion, Water pollution, Construction, Standards, Transportation,

Ecologic and biologic bases for increasing the productivity of taiga forests in northern Europe. [Ekologobiologicheskie osnovy povysheniia produktivnosti taezhnykh lesov evropeiskogo Severaj. Leningrad, Nauka, 1981, 231p., In Russian with English table of contents enclosed. Refs. p.207-229.

Subarctic landscapes, Taiga, Cryogenic soils, Plant ecology, Biomass, Soil temperature, Microclimatology, Plant physiology.

Characteristics of autonomous soil formation in a cold humid climate.

okolov, I.A., et al, Soviet soil science, Jan.-Feb. 1981, 13(1), p.25-40. Translated from Pochvovedenie. 11

Gradusov, B.P.

Cryogenic soils, Soil formation, Soil profiles, Podsol, Taiga, Vegetation factors.

Genesis of peat-bog soils in the northern taiga spruce forests of the Kola Peninsula.

Nikonov, V.V., Soviet soil science, Jan.-Feb. 1981, 13(1), p.41-50. Translated from Pochvovedenie 7

Taiga, Paludification, Peat, Soil formation, Soil com-

Evolution and magnitude of spatial patterns in the winter cover of temperate lakes.

Adams, W.P., et al. Fennia, 1981, 159(2), p.343-359, 23 refs.

Lake ice, Snow cover distribution, Ice cover thickness, Snow depth. Ice conditions, Seasonal variations, Colored ice, Infrared photography, Winter, Canada-

Report of pit-wall observations of snow cover in Sap-poro, 1979-80 and 1980-81.

Endo, Y., et al. Low temperature science (Teion kagaku). Series A Physical sciences. Data report, 1981, No.40, p.1-13, In Japanese. 5 refs.

Snow surveys, Snow cover, Snow depth, Snow temperature, Statistical analysis.

Strain rate and stresses of snow on a mountain slope, Toikanbetsu, northern Hokkaido, 4 (1979-1980 and 1980-1981 winter).

Huzioka, T., et al. Low temperature science (Teion kagaku) Series A Physical sciences Data report. 1981, No.40, p.15-25, In Japanese, 7 refs. Shimizu, H., Akitaya, E., Narita, H. Snow strength, Stresses, Strain tests, Mountains,

Slopes.

36-3434

Snow cover observations at Avalanche Research Station, Toikanbetsu, northern Hokkaido, 13 (1979-1980 and 1980-1981 winter).

Huzioka, T., et al. Low temperature science (Teion kagaku). Series A Physical sciences. Data report. 1981, No.40, p.27-45. In Japanese. 12 refs. Shimizu, H., Akitaya, E., Narita, H. Snow cover stability, Snow strength, Snow water

equivalent, Avalanche formation, Snow temperature. Statistical analysis.

Distribution of pack ice off Okhotsk Sea coast of Hokkaido observed with Sea Ice Radar network. January-May, 1981.

Tabata, T., et al. Low temperature science (Teion kagaku). Series A Physical sciences. Data report. 1981, No.40, p.47-77, in Japanese.
Pack ice, Sea ice distribution, Radar photography,

Statistical analysis, Okhotsk Sea

36-3436

Estimation of the frost penetration depth of the

ground by the graphic solution.

Fukuda, M., Low temperature science (Teion kagaku) Series A Physical sciences. Data report, 1981, No.40, p.79-85, In Japanese. 2 refs.

Frost penetration, Soil freezing, Analysis (mathemat-

36-3437

Basic programs for analyses of time series.

Scries A Physical sciences Data report, 1981, No.40, p.87-113, In Japanese 3 refs

Snow surveys, Computer programs, Data processing.

36-3438

Field observations and chemical analysis of vegetation, soils and spoil materials, Jarvis Creek preference coal lease. Alaska.

Gough, L.P., et al. U.S. Geological Survey Open-file report, 1982, No 82-55, 30p., 11 refs

Severson, R.C., Briggs, P.H. Vegetation, Chemical analysis, Environmental im-pact, Soil profiles, Soil texture, Soil chemistry, Coal, Quarries, United States - Alaska - Jarvis Creek.

Temperatures and interval geothermal gradient determinations from wells in National Petroleum Reserve in Alaska. Blanchard, D.C., et al. U.S. Geological Survey.

Open-file report, [1982], No.82-391, 79p., 4 refs. Tailleur 11

Temperature gradients, Geothermometry, Perma-frost depth, Oil wells, Statistical analysis, United States-Alaska.

36-3440

Glaciological studies in Kirgizia. (Gliatsiologicheskie issledovaniia v Kirgiziij.

Zabirov, R.D., ed, Frunze, Ilim, 1981, 151p., In Russian. For selected papers see 36-3441 through 36-3449. Refs. passim. Dikikh, A.N., ed.

Water supply, Mountain glaciers, Water reserves, Glacier ablation, Glacier oscillation, Climatic changes, Atmospheric circulation, Aerial surveys, Photointerpretation, Stereomapping, Ice cover thickness, Radar echoes, Alpine landscapes, Topographic maps.

36-3441

Regularities governing the distribution of recent glaciation in Kirgizia. (Zakonomernosti raspredeleniia

sovremennogo oledenenija po territorii Kirgiziij, Zabirov, R.D., Gliatsiologicheskie issledovanija v Kirgizii (Glaciological studies in Kirgizia) edited by R.D. Zabirov and A.N. Dikikh, Frunze, Ilim, 1981, p.3-34, In Russian. 38 refs.

Water supply, Mountain glaciers, Water reserves, Glacier ablation, Glacial hydrology, Snow cover distribution. Snow water equivalent.

36-3442

Analyzing glacier fluctuations in central Tien Shan Analyzing giacter iluctuations in central tien Shan from surveys made during the International Geo-physical Year and in 1977. [Analiz kolebanii lednikov vnutrennego Tian-Shania po materialam s'emok v period MGG i 1977 g.]. Dikikh, A.N., et al, Gliatsiologicheskie issledovaniia v

Kirgizii (Glaciological studies in Kirgizia) edited by R.D. Zabirov and A.N. Dikikh, Frunze, Ilim, 1981, p.35-56, In Russian. 21 refs.

Kuz'michenok, V.A. Mountain glaciers, Glacier oscillation, Aerial surveys, Photointerpretation, Stereomapping.

36-3443

Movements of glaciers on the Terskey Ala-Tau Range related to climatic changes and atmospheric circulation in the twentieth century. Dinamika lednikov khrebta Terskei Ala-Too v sviazi s kolebaniiami klimata i tsirkuliatsiel atmosfery v XX v.1.

Muratov, Sh.S., Gliatsiologicheskie issledovaniia v Kirgizii (Glaciological studies in Kirgizia) edited by R.D. Zabirov and A.N. Dikikh, Frunze, Ilim, 1981,

p.56-72, In Russian. 20 refs. Climatic changes, Atmospheric circulation, Glacier oscillation, Glacier alimentation, Glacier ablation. Route surveys, Aerial surveys.

36-3444

Solar radiation regime in dissected relief of the northern slope of the Terskey Ala-Tau Range, ¡Solnechnaia radiatsiia i ee izmenchivost' v usloviiakh raschlenennogo rel'efa severnogo sklona khr. Tersket Ala-Tooj, Dikikh, L.L., Gliatsiologicheskie issledovanija v Kirgizii (Glaciological studies in Kirgizia) edited by R.D. Zabirov and A.N. Dikikh, Frunze, Ilim, 1981, p. 72-81,

Solar radiation, Topographic effects, Mountain glaciers, Glacier ablation, Glacial hydrology.

Mertsbakher Lake. ¡Ozero Mertsbakhera], Zabirov, R.D., et al. Gliatsiologicheskie issledovaniia

Kirgizi (Glaciological studies in Kirgizia) edited by R.D. Zabirov and A.N. Dikikh, Frunze, Ilim, 1981, p.82-92. In Russian. 17 refs. Bakov, E.K.

Glacial hydrology, Glacial lakes, Ice conditions, Mountain glaciers, Glacier ice, Ice cover thickness, Radar echoes, USSR—Tien Shan.

36-3446

Unbiased evaluation of glaciologists' requirements concerning the content of topographic maps of high mountain regions. (Ob"ektivnaia otsenka trebovanii gliatsiologov k soderzhaniju topograficheskikh kart

ginatsiongo w soderznami topograficheskich katt vysokogornykh rationovi, Kuz'michenok, V.A., Gliatsiologicheskie issledovaniia v Kirgizii (Giaciological studies in Kirgizia) edited by R.D. Zabirov and A.N. Dikikh, Frunze, Ilim. 1981, p. 92-100, In Russian II refs. Alpine landscapes, Topographic maps, Mapping.

Mountain glaciers.

Peculiarities of development and structures of high altitude hummocks in Tien Shan. [Osobennosti stroeniia i razvitiia kochek v vysokogor'e Tian'-Shaniaj. Tarakanov, A.G., Gliatsiologicheskie issledovanna v Kirgizii (Glaciological studies in Kirgizia) edited by R.D. Zabirov and A.N. Dikikh, Frunze, Ilim, 1981, p.120-134, In Russian. 21 refs.

Alpine landscapes, Rock streams, Cryogenic soils, Hummocks, Ground ice, Frost heave, Microrelief, Geocryology, Patterned ground.

Cataloging the USSR glaciers (opinion of a topographer). ¡Katalogizatsiia lednikov SSSR (mnenie topo-

grafa), Kuz'michenok, V.A., Gliatsiologicheskie issledovanija v Kirgizii (Glaciological studes in Kirgizia) edited by R.D. Zabirov and A.N. Dikikh, Frunze, Ilim, 1981, p.134-143, In Russian. 17 refs.

Topographic maps, Mountain glaciers, Classifica-tions, Geodetic surveys, Aerial surveys, Photointerpretation, Maps, Measuring instruments.

36-3449

Omissions in the cataloging of Kirgiz glaciers. [Pro-

pusk pri katalogizatsii lednikov Kirgizii, Kuz'michenok, V.A., Gliatsiologicheskie issledovaniia v Kirgizii (Glaciological studies in Kirgizia) edited by R.D. Zabirov and A.N. Dikikh, Frunze, Ilim. 1981. p.143-146, In Russian. 4 refs

Mountain glaciers, Classifications, Aerial surveys, spaceborne photography, Photointerpretation, Stereomapping.

Peculiarities of synoptic processes development in the Arctic and their application to medium-range weather forecasts. Osobennosti razvitna sinoptiches-kikh protsessov v Arktike i ikh ispol'zovanie v prognozakh na srednie srokij. Dydina, L.A., Leningrad, Gidrometeoizdat, 1982.

224p., In Russian with English summary and an abridged English table of contents enclosed. 288 refs Meteorology, Climate, Records (extremes), Air temperature. Atmospheric disturbances, Precipitation (meteorology), Snowstorms, Snowfall, Weather forecasting, Long range forecasting, Polar regions, Subpo-lar regions, Meteorological charts, Meteorological

36-3451

Structure and functioning of southern taiga geosy tems in the Irtysh River area. (Struktura i funktsionirovanie iuzhnotaezhnykh geosistem Priirtysh'iaj. Nechaeva, E.G., et al. Novosibirsk, Nauka, 1982, 121p., In Russian with English table of content enclosed. 111 refs.
Taiga, Landscape types, Cryogenic soils, Podsol,

Clays, Forest ecosystems, Plant ecology, Forest canopy, Litter, Microrelief, Vegetation patterns, Paludification, Peat.

36-3452

Measurements of snowdrifts and wind profiles around the huts of Syowa Station in Antarctic Mitsuhashi, H., Antarctic record, Mar. 1982, No.75,

p.37-56, 20 refs. Snowdrifts, Wind factors, Antarctica—Showa Sta-

The author joined in the 19th Japanese Antarctic Research The author joined in the 19th Japanese Antarctic Research Expedition and measured the forms and quantities of snow-drifts around high floor huts located in the major part of Showa Station. He also investigated the characteristics of the wind profile near the huts selectively on days when strong wind was blowing by obtaining the roughness length and power index of mean wind profile on the snow-covered ground. Snowdrifts around the high floor huts formed a wind-scoop and changed into U type with a sharp ridge line on the les ide. The annual accumulation of snowdrifts, measured on the les ide, was 78.3 cu. m. and 181.7 cu. m. around Observation Hut and Ionosphere Hut respectively.

Progress report of POLEX-South programme in 1980 by the 21st Japanese Antarctic Research Expedition. Kobayashi, S., et al. *Antarctic record*, Mar. 1982, No.75, p.57-74, In Japanese with English summary

Ishikawa, N., Ohata, T., Kawaguchi, S. Glacial meteorology.

Glacial meteorology.

The 21st Japanese Antarctic Research Expedition carried out glacial-meteorological observations at Mizuho Station and Showa Station as the second year program of the Japanese POLEX-South. At Mizuho Station projects included observations of surface boundary layer by a 30 m high observation lower, radiation budget, low level radio-sondex, sonic-wave sounder, measurements of sensible heat flux by sonic-anenometer, blowing snow, snow accumulation by sonic-wave snow depth meter, and surface synopic weather. In the vicinity of Showa Station, the failburner student were carried out heat owa Station, the following studies were carried out heat

budget of sea ice, observation of surface inversion layer by budget of sea ice, observation of surface inversion layer by sonic-wave sounder, meteorological observations by an un-manned weather station, airborne survey of radiation budget, surface radiation temp a futer and surface morphology, and ob-servations of frazil ice. This paper describes the installation and performance of the measurement system and preliminary results. (Auth.)

36-3454

SCUBA ice diving along the coast of East Ongul 1s-

land, Antarctica.

Watanabe, K., et al. Antarctic record, Mar. 1982, No.75, p.75-92. In Japanese with English summary 11 rets

akajima, Y., Naito, Y

Cryobiology, Antarctica-Ongul Island.

Cryobiology, Antarctica—Ongul Island. Biological surveys of benthic and ice-associated communities by SCUBA diving were performed on 15-31 January, 1981, at three points near Showa Station. Three biologists of the 21st and 22nd Japanese Antarctic Research Expedition participated in the surveys. Fifteen dives were made and the average duration of a dive was 45 min (max 55 min). Maximum diving depth was 18 m. Diving gear including the dry suit proved to be sufficient for the cold in the summer season of Antarctica About 200 specimens were collected including benthic animals which were new to Showa Station. Underwater pictures were also taken to record the aspects of benthic and ice-associated communities, and the recorded films amounted to about 250. communities, and the recorded films amounted to about 250 frames of 35 mm color filmslides and about 400 feet of 8 mm color color cincfilm. Some observations of divers in the antarctic shallow waters are offered. (Auth.)

Surface reflectance measurements in the ultraviolet from an airborne platform. Part 2.

Doda, D.D., et al. *Applied optics*, Feb. 15, 1981, 20(4), p.636-642, 5 refs. Green, A.E.S

Snow cover, Airborne equipment, Optical properties, Ultraviolet radiation, Surface properties, Reflection, Spectra, Sands, Backscattering, Attenuation.

36-3456

Sea-ice topography of the Arctic Ocean in the region 70W to 25F.

Wadhams, P., Royal Society of London. Philosophical Transactions. Series A, 1981, Vol.302, p.45-85, 39 refs

Sea ice. Ice surface, Ice bottom surface, Pressure ridges. Topographic surveys. Statistical analysis.

36-3457

Microspheres cut density of cement slurry

Harms, W. M., et al. Oil and gas journal, Feb. 2, 1981, 79(5), p.59-66, 6 refs.

Lingenfelter, J.T. Admixtures, Cements, Microstructure, Permafrost, Thermal conductivity, Density (mass volume), Offshore structures, Temperature effects.

Offshore drilling in hostile environments: depth,

waves, wind, current, and ice. Albers, J.C., et al. *Journal of petroleum technology*, Jan. 1980, 32(1), p.111-115, 3 refs. Hammett, D.S.

Offshore drilling, Floating structures, Ice conditions, Ocean waves, Ocean currents, Wind factors, Sea ice distribution, Fast ice.

Simultaneous passive and active microwave observations of near-shore Beaufort Sea ice.

Campbell, W.J., et al. Journal of petroleum technology, June 1980, 32th; p. 1305-1112, 10 rets Gloersen, P., Zwally, H.J., Ramseier, R.O., Elachi, C. Sea ice distribution, Fast ice, Microwaves, Remote sensing, Radar photography, Beaufort Sea.

16, 1460

Fiord oceanography.

Nato Conference on Flord Occanography, Victoria, B.C., 1979, New York, Plenom Press, 1979, 715p. passim For selected papers see 36-3461 through 36, 146 1

Freeland, H.J., ed. Farmer, D.M., ed. Levings, C.D.

DLC GC28 N 57 1979

Oceanography, Sedimentation, Meltwater, Glacier melting, Marine deposits, Coastal topographic fea-

Unusual polynya in an Arctic fjord.

Nadier, H.F., et al. Nato Conference on Fjord Occa-nography, Victoria, B.C., 1979. Fiord occanography edited by H.J. Freeland, D.M. Farmer C.D. Levings. New York, Plenum Press, 1979, p 299-304, 5 rets Serson, HA

Polynyas, Springs (water), Water temperature, Coastal topographic features, Oceanography,

Flocculation, agglomeration, and zooplankton pelletization of suspended sediment in a fjord receiving glacial meltwater

Syvitski, J.P.M., Nato Conference on Fjord Oceanography, Victoria, B.C., 1979. Fjord oceanography, edited by H.J. Freeland, D.M. Farmer and C.D. Levings, New York, Plenum Press, 1979, p.615-623, 8 refs. Suspended sediments, Limnology, Glacier melting, Meltwater, Runoff, Sedimentation, Coastal topographic features, Plankton, Oceanography.

36-3463

Observations of the sedimentary environments of fjords on Cumberland Peninsula, Baffin Island.

Gilbert, R., Nato Conference on Fjord Oceanography, Victoria, B.C., 1979. Fjord oceanography, edited by H.J. Freeland, D.M. Farmer and C.D. Levings, New York, Plenum Press, 1979, p.633-638, 6 refs.

Sedimentation, Marine deposits, Glacier melting, Snow melting, Runoff, Coastal topographic features, Oceanography.

36-3464

Remote sampling device for under-ice water, bottom biota, and sediments.

King, E.W., et al. Limnology and oceanography. Sep. 1980, 25(5), p.935-938, 4 refs.

Sampling, Bottom sediment, Limnology, Ice cover effect, Ice drills, Marine biology.

36-3465

Dispersity effects on the ice nucleation activity of copper acetyl acetonate.

Baklanov, A.M., et al. Journal of aerosol science, 1980, 11(5.6), p.495-504, 16 refs.
Ice nuclei, Nucleating agents, Dispersions, Tempera-

ture effects, Nucleation.

36-3466

Theoretical treatment of the sliding of glaciers in the absence of cavitation.

Fowler, A.C., Royal Society of London. Philosophical Transactions. Series A, 1980, Vol.298, p.637-

Glacier flow, Basal sliding, Cavitation, Glacier beds, Water films, Boundary layer, Stresses, Strains, Surface roughness, Analysis (mathematics).

36-3467

Modular construction for the Arctic.

Lawrence, S.A., Risers, Arctic design criteria, equipment reliability in hydrocarbon processing: a work-book for engineers. Edited by T.J. Kozik, New York, American Society of Mechanical Engineers, 1981, p 199-201, Presented at the 37th Petroleum Mechanical Engineering Workshop and Conference, Dallas, Texas, Sep. 13-15, 1981.

Modular construction, Cold weather construction, Design.

36-3468

Preliminary analysis of meteorological and seasonal influences on crustal gas emission relevant to earth-quake prediction.

Klusman, R.W., et al. Seismological Society of America Bulletin, Feb. 1981, 71(1), p.211-222, 23

Webster I D

Earth crust, Earthquakes, Freeze thaw cycles, Soil temperature, Gas inclusions, Meteorological factors, Seasonal variations, Forecasting,

36-3469

Electron spin resonance studies of OH and O-radicals in irradiated ice. Symons, M.C.R., Chemical Society, London.

ral Faraday transactions I, June 1982, 78(6), p.1953-1959, 24 refs.

Ice crystal structure, Low temperature tests, lons, Cooling, Electron paramagnetic resonance. Ice spectroscopy, Heavy water.

Operational net shortwave radiation model for glacier basins.

Munro, D.S., et al, Water resources research. Apr. 1982, 18(2), p.220-230, 24 refs. Young, G.J.

Glacier surveys, Glacial hydrology, Glacier ablation, Glacier melting, Solar radiation, Meltwater, Spectra, Snow line, Topographic maps, Mathematical models.

Evaporation from the surface of the Arctic tundra on

Axel Heiberg Island.
Ohmura, A., Water resources research, Apr. 1982, 18(2), p 291-300, 18 refs

Tundra, Evaporation, Heat balance, Seasonal variations, Diurnal variations, Surface properties.

Regional water balance on the Arctic tundra in sum-

Ohmura, A., Water resources research, Apr. 1982, 18(2), p.301-305, 5 refs. Tundra, Water balance, Runoff, Altitude, Evapora-

tion, Precipitation (meteorology).

Reorientation during the freezing of supercooled droplets on ice substrates.
Wainscoat, R.J., et al, Journal of crystal growth, May

1982, 57(3), p.613-615, 14 refs Macklin, W.C.

Ice crystal growth, Freezing, Drops (liquids), Supercooling, Ice accretion, Ice surface. Ice water interface, Substrates, Ice physics, Temperature effects.

Don't be a roadway salt-aholic.

Wedel, J.J., American city and county, Apr. 1982, 97(4), p.31-33.

Snow removal, Ice removal, Salting, Equipment, Ice control, Chemical ice prevention.

On the difference in ablation seasons of arctic and antarctic sea ice.

Andrea, E.L., et al. Journal of the atmospheric sciences, Feb. 1982, 39(2), MP 1537, p.440-447, 41

Ackley, S.F.

Sea ice, Seasonal ablation, Meteorological factors, Ponds.

Arctic sea ice is freckled with melt ponds during the ablation Arctic sea ice is freckled with melt ponds during the ablation season; Antarctic sea ice has few, if any. On the basis of a simple surface heat budget, we investigate the meteorological conditions necessary for the onset of surface melting in an attempt to explain these observations. The low relative humidity associated with the relatively dry winds off the continent and an effective radiation parameter smaller than that characteristic of the Arctic are primarily responsible for the absence of melt features in the Antarctic. Together these require a surface-layer air temperature above 0 C before Antarctic sea ice can melt. A ratio of the bulk transfer coefficients CH/CE less than 1 also contributes to the dissimilarity in Arctic and Antarctic also contributes to the dissimilarity in Arctic and Antarctic ablation seasons. The effects of wind speed and the sea-ice roughness on the absolute values of CH and CE seem to moderate regional differences, but final assessment of this hypothesis awaits better data, especially from the Antarctic. (Auth.)

Thermodynamical effects on the Qinghai-Xizang Plateau from the radiation balance and heat balance of the Earth's surface.

Zeng, Q., et al, Kexue tongbao. Aug. 1980, 25(8), p.683-688, 4 refs. Xie. Y

Permafrost thermal properties, Radiation balance, Heat balance, Thermodynamics, Air temperature, Surface temperature, China—Qinghai-Xizang Pla-

36-3478

Preliminary study on some characteristic features of periglacial phenomena on Qinghai-Xizang Plateau Cui, Z., Kexue tongbao, Aug. 1980, 25(8), p.700-705,

Periglacial processes, Permafrost distribution, Landforms, Rock glaciers, Glacial deposits, Climatic factors, Frozen ground mechanics, Pingos, China-Qinghai-Xizang Plateau.

Studies on snow depth and snow runoff with images from NOAA-5 satellite.

Zhang, S., et al. Kevue tongbao, Nov. 1980, 25(11), p.942-946, 3 refs. Zeng, Q., Chen, X., Jin, D.

Snow depth, Snow hydrolog,, Runoff, Remote sensing, Photometry, Radiometry, Mapping, China.

On the structure and mechanics of pack ice in the

Bothnian Bay.
Lennäranta, M., Finnish marine research, 1981. Leppäranta, M. Finnish marine research, 1981. No.248, p.3-86, Refs. p.82-86 Pack ice, Sea ice, Ice mechanics, Ice cover thickness,

Ice deformation, Ice floes, Drift, Analysis (mathematics), Bothnia, Gulf.

Basic characteristics of periglacial landforms in the Oinghai-Xizang Plateau.

Cui, Z., Scientia Sinica (Series B), Jan. 1982, 25(1), p.79-95, 15 refs

Periglacial processes, Permafrost distribution, Landforms, Frost action, Rock glaciers, Frozen ground mechanics, Climatic factors, Pingos, Stratification, China-Qinghai-Xizang Plateau.

36-3482

Effects of ice caps on the global climate in two-dimensional energy balance model. Part 1. Analysis on the stability of the solution.

Chen, Y., Acta meteorologica Sinica, Feb. 1982, 40(1). p.1-12. In Chinese with English summary. 15 refs. Glacial meteorology, Climatology, Heat balance, Analysis (mathematics).

36-3483

On the microclimatological characteristics of icing on

Tan, G., Acta meteorologica Sínica, Feb. 1982, 40(1). p.13-23. In Chinese with English summary. 13 refs. Power line icing, Microclimatology, Ice loads, Icing rate, Wind direction.

Co-operative and quadrupole effects in order-disorder transitions in crystalline ices.

Barnes, P., et al. Chemical Society, London. Faraday discussions, 1980, No.69, p.210-220, 23 refs. Bliss, D.V., Finney, J.L.

Ice crystal structure, High pressure ice, Ions, Models.

Ice caps, forecasters for past (and future?) climate. [Indlandsisen fortaeller om klimaet i fortid (og frem-

Dansgaard, W., Forskning i Gronland, 1977, No.1,

p.10-13, In Danish.

Glacial meteorology, Climate, Forecasting, Greenland.

Radio echo measurement of Greenland's ice cap. [Ra-

dio ekko maling af Grönlands inlandsisj. Gudmandsen. P., et al. Forskning i Grönland, 1977, No.2, p.14-18, In Danish Overgaard, S.

Glacier surveys, Radio echo soundings, Glacier thickness, Greenland.

36-3487

Vegetation studies in sheep pastures in southern Greenland. [Vegetationsundersogelser i fareavlsomraderne i Sydgrönland₁.
Thorsteinsson, L. et al. Forskning i Grönland. 1977,

No.3, p.2-8, In Danish. Egede, K.

egetation, Grazing, Grasses, Greenland.

Snow cover surveys, 1979-80.

U.S. Geological Survey, Silver Spring, Md., U.S. National Oceanic and Atmospheric Administration, Nov. 1981, 21p., Contains data for New York State surveys, Statistical analysis, United States-

New York. 36-3489

Snow cover surveys, 1980-81.

U.S. Geological Survey, Silver Spring, Md., U.S. National Oceanic and Atmospheric Administration, Nov. 1981, 15p. Contains data for New York State. Snow surveys, Statistical analysis, United States-

Roads with 24-hour "on cue" de-icing.

Kelley, J.F., Rural and urban roads, May-June 1982, p 14-16

Road icing, Ice control, Snow removal, Chemical ice

"Over-under" snow control in Fargo. Rural and urban roads, May-June 1982, 20(3), p.16 Snow removal, Equipment.

Small fleet "muscles" out heavy snowfalls. Rural and urban roads. May June 1982, 20(3), p 20-21 Snow remova. Equipment, Cost analysis.

Harrisburg airports lauded for winter runway tactics. Rural and urban roads, Max-June 1982, 20(3), p.23 snow removal, Airports, Equipment, Aircraft landing

Town's snow plan works all year. Rura- and urban roads. May June 1982, 20(3), p.24 Snow removal, Equipment.

Research in glacial, glacio-fluvial, and glacio-lacustrine systems

Guelph Symposium on Geomorphology, 6th, 1980. Norwich, England, Geo Books, 1982, 318p., Refs. passim. For selected papers see 36-3496 through 36-

Davidson-Arnott, R., ed. Nickling, W., ed. Fahey.

Glacial deposits, Glacial erosion, Geomorphology, Landforms, Glacier flow.

36-3496

Subglacial processes and the development of glacial bedforms.

Boulton, G.S., Guelph Symposium on Geom phology, 6th, 1980. Proceedings. Edited by R. Davidson-Arnott, W. Nickling and B.D. Fahey: Research in glacio-fluvial, and glacio-lacustrine systems, Norwich, England, Geo Books, 1982, p.1-31, 33 refs. Glacier beds, Glacier flow, Glacial deposits, Glacial erosion, Geomorphology, Landforms, Subglacial caves.

Till hummock (proto-drumlin) at the ice glacier bed interface.

Menzies, J., Guelph Symposium on Geomorphology. 6th, 1980. Proceedings. Edited by R. Davidson-Arnott, W. Nickling and 6.D. Fahey; Research in glacio-fluvial, and glacio-lacustrine systems, Norwich, England, Geo Books, 1982, p.33-47, 29 refs. Hummocks, Glacial deposits, Glacier beds, Glacier flow, Ice solid interface, Subglacial caves, Glacier

thickness

36-3498

Formation of glacial flutings in east-central Alberta. Jones, N., Guelph Symposium on Geomorphology, 6th. 1980. Proceedings. Edited by R. Davidson-Arnott, W. Nickling and B.D. Fahey: Research in glacio-fluvial, and glacio-lacustrine systems, Norwich, England, Geo Books, 1982, p.49-70, 27 cfs.

Glacial deposits, Landforms, Origin, Glacier flow, Geomorphology, Theories.

36-3499

Contemporary push moraine formation in the Yoho Valley, BC.

Rogerson, R.J., et al, Guelph Symposium on Geomorphology, 6th, 1980. Proceedings. Edited by R. Davidson-Arnott, W. Nickling and B.D. Fahey: Research in glacio-fluvial, and glacio-lacustrine sys wich, England, Geo Books, 1982, p.71-90, 30 refs. Batterson, M.J.

Moraines, Glacial deposits, Glacier flow, Ice mechanics. Models.

36-3500

Subglacial fluvial erosion: a major source of stratified

drift, Malaspina Glacier, Alaska.
Gustavson, T.C., et al. Guelph Symposium on Geo-morphology, 6th, 1980. Proceedings. Edited by R.
Davidson-Arnott, W. Nickling and B.D. Fahey, Research in glacio-fluvial, and glacio-lacustrine systems. Norwich, England, Geo Books, 1982, p.93-116, Refs. p.114-116. Boothroyd, J.C.

Glacier flow, Subglacial drainage, Glacial hydrology. Glacial erosion, Glacial deposits, Sedimentation, Geo-morphology, United Stat s-Alaska-Malaspina

36-3501

Optimization of heat supply systems in Yakutia. [Optimizatsiia sistem teplosnabzheniia v IAkuttij. Shadrin, A.P., ed. Yakutsk, SO AN SSR, 1981, 87p

Shadrin, A... In Russian. For science 13508, Refs. passim. For selected papers see 36-3502 through

Heating, Heat sources, Coal, Nuclear power, Natural gas, Wood, Electric power, Heat pipes, Residential buildings, Industrial buildings, Permafrost beneath structures, Tundra, Subpolar regions, Heat transfer, Construction materials, Walls, Cost analysis.

Trends in the development of heat supply systems and the role of nuclear heat sources. [Osnovnye napravlenija razvitija sistem teplosnabzhenija i rol' jadernykh

Shadrin, A.P., Optimizatsiia sistem teplosnabzheniia s Shadrin, A.P., Optimizativa system tepioshadzhenia i IAkutii (Optimization of heat supply systems in Yakutia) Edited by A.P. Shadrin, Yakutisk, SO. AN. SSSR, 1981, p.3-15, In Russian – 8 refs. Heat sources, Nuclear power, Coal, Wood, Electric power, Heating, Heat pipes, Residential buildings.

power, Heating, Heat pipes, residential amounts. Industrial buildings, Permafrost beneath structures.

36-3503

Formation and evaluation of heat supply schemes in settlements. ¡Osobennosti formirovaniia i otsenka skhein teplosnabzhenija naselennykh punktovj.

Kolodeznikov, R.P., Optimizatsiia sistem teplosnabz-heniia v IAkuui (Optimization of heat supply systems in Yakutia) Edited by A.P. Shadrin, Yakutisk, SO AN SSSR, 1981, p.16-29, In Russian 6 refs

Heat sources, Coal, Wood, Electric power, Heating, Heat pipes, Residential buildings, Industrial buildings, Permafrost beneath structures.

Heat supply in tundra settlements. [Teplosnabzhenic naselennykh punktov v tundrovor zonej

vova, Z.M., Optimizatsiia sistem teplosnabzhenija v IAkutii (Optimization of heat supply systems in Yakuria) Edited by A.P. Shadrin, Yakutsk. SO.A.S. SSSR, 1981, p.30-35, In Russian. 2 refs. Tundra, Residential buildings, Houses, Industrial

buildings, Permafrost beneath structures, I sources, Coal. Wood, Environmental protection. Permafrost beneath structures, Heat

36-3505

Determining the optimal district heating coefficient for atomic heat and power plants. (Opredelente optimal'nogo koeffitsierta teplofikatsii dlia atomiiykh

Petrova, N.A., et al, Optimizatsiia sistem teplosnabzheritova, N.A., et al., Optimizatsina sixtem tepioonabrhenia v IAkutii (Optimizatsina of heat supply systems in Yakutia) Edited by A.P. Shadrin, Yakutsk, SO AN SSR, 1981, p.36-43, In Russian. 4 refs. Kuz'min, A.N., Platonov, N.N. Heating, Heat sources, Nuclear power, Residential

buildings, Industrial buildings, Permafrost beneath structures.

Using electric power in centralized heat supply to dispersed consumers, rPrimenenie elektroenergii dlia tsentralizovar nogo teplosnabzheniia rassredotochen-

nykh potrebiteleij.
Kapitonov, V.N., Optimizatsiia sist, m teplosnabzheniia v lAkutii (Optimization of heat supply systems in Yakutia) Edited by A.P. Shadrin, Yakutia, SO AN SSSR, 1981, p.44-51, In Russian. 4 refs.

Heat sources, Electric power, Buildings, Heating,

Permafrost beneath structures, Subpolar regions.

Effectiveness of using natural gas in district heating in western Yakutia. [Effektivnost' ispol'zovaniia prirodnogo gaza dlia teplosnabzheniia v Zapadnoi IAkutiij. Popov, V.E., Optimizatsiia sistem teplosnabzheniia v Akutii (Optimization of heat supply systems in Yakutia) Edited by A.P. Shadrin, Yakutisk, SO AN SSSR, 1981, p.52-59, In Russian. 2 refs.

Buildings, Permafrost beneath structures, Heating, Heat sources, Natural gas, Subpolar regions.

Determining enlarged heat consumption norms for residential buildings. (Metod opredeleniia ukrupnennykh norm raskhoda tepla na otoplenie zhilykh zda-

nija. Li, G.S., et al. Optimizatsija sistem teplosnabzhenija v IAkutii (Optimization of heat supply systems in Yakutia) Edited by A.P. Shadrin, Yakutsk, SO AN SSSR, 1981, p.79-86, In Russian. 1 ref. Fedorova, T.K.

Residential buildings. Permafrost beneath structures. Heating, Walls, Heat transfer, Construction materials. Cost analysis.

Variations in nitration intensity of ervoyenic meadow-chernozem soils due to decomposition of litter. (Izmenenie aktivnosti azotfiksatsii v lugovo-chernozemnoi merziotnoi pochve pri razlozhenu rastitel'nykh ostatkovj. Garmaeva, N. Is., Voprosy metabolizma pochvennykh

mikroorganizmov (Metabolism of soil isms) edited by 11. Klevenskara, Novosibirst, Nauka, 1981, p.77-88, In Russian 11 refs

Forest soils, Meadow soils, Cryogenic soils, Nutrient cycle, Soil microbiology. Litter, Decomposition.

Glaciation of the Gissar-Alay mountains, ¡Oledeneme

Gissaro-Alaia,
Gissaro-Alaia,
Shehetiinikov, A.S., Leningrad, Gidrometeoizdat, 1981, 119p. In Russian with English table of contents enclosed. 74 refs.

Mountain glaciers, Glacier surveys, Glacier ice. Glacier alimentation, Snow cover distribution, Glacial hydrology, Snow line, Ice volume, Glacial crosion, Glacier surges, Moraines, Mapping.

36-3511

Mathematical models and digital computer modeling in glaciology. [Matematicheskie modern in ghabac togua modelitovanie

Krass, M.S. Moscow, Universitet, 1981, 500p. In Russian with English table of cortexts. 80 rets.

Mathematical models, Glaciology, Ice physics, Glacier ice. Ice mechanics, Glacier beds, Ice loads, Earth crust, Computerized simulation, Models, Glacier surveys. Data processing, Heat transfer, Mass balance,

Effectiveness criteria of anchors, [Kriteria effective nosti ankernykh astroistyj.

Arabskii, A.K., et al. Stroitel'stvo truboprovodov, May 1982, No 5, p. 17-18. In Russian. Postnikov, V.V.

Petroleum industry, Pipelines, Anchors, Permatrost beneath structures. Swamps.

36-3513

Effectiveness of environmental protection measures in pipeline construction. (Effektivnost' prirodookhrannykh meropriiatu pri stroitel'stve magistral'nykh truboprovodovi.

Novikov, I.P., et al. Stroitel'stvo truboprovodov, May 1982, No 5, p. 19-21. In Russian

Shor, L.D.

Petroleum industry, Pipelines, Permafrost beneath structures, Seasonal freeze thaw, Environmental protection, Swamps, Peat.

Along the way of scientific and technical progress, (Po puti nauchno-tekhnicheskogo progressaj.

Sokolov, N.D. Stroitel'sivo truboprovodov, May 1982, No.5, p.28-30, In Russian

Petroleum industry, Pipelines, Permafrost beneath structures, Swamps, Earthwork, Construction materials, Thermal insulation.

Observation data obtained in mountain glacier basins of the USSR during the International Hydrological Decade. Vol.1, 1965-1969. Materialy nabhudenn na gornoledmkovykh basseinakh mezhdunarodnogo gidrologicheskogo desiatiletija v Sovetskom Sojuze. Wyp 1, 1965-1969].
Bochin, N.A., ed. Leningrad, Gidrometeoizdat, 1980.

236p., In Russian with English preface and table of

contents. 26 refs Krenke, A.N., ed.

Mountain glaciers. Mass balance, Glacier alimentation, Ablation, Snow line, Snow accumulation, Snow depth, Firn stratification, Glacier ice, Glacier flow, Flow rate, Water balance, Heat transfer.

Marine geologic studies in the Beaufort Sea, Alaska. 1980; location, data type, and records obtained. Kampema, E., et al. U.S. Geological Survey — Open-file report, (1981), No. 81-241, 3 leaves + 8 maps, 1

Reimnitz, E., Barnes, P.

Marine geology. Bottom sediment, Ice conditions, United States -- Alaska - Harrison Bay.

Properties of concrete at low temperatures: primary investigation. [Betonin ominasundet alhaisissa lam-

potiloissa. Esitutkimus). Rissanen, E. et al. Finland — Technical Research Con-tice — Research (epons). 1982. No 83, 71p., In Finnish with English summary — 45 refs Jokela, J., Kukko, H.

Concrete strength, Concrete hardening, Low temperature tests. Freeze thaw tests, Temperature effects. Elastic properties. Deformation.

Vertical mixing and restratification in the Bay of Bothnia during cooling.

Omstedt, V. et al. Swedish Meteorological and Hy-drological Institute — Reports Hydrology and occu-nography. Mar. 1982, RHO 32, 39p., Rets. p. 33-36.

Water temperature, Cooling, Convection, Stratifica-tion, Temperature distribution, Profiles, Salinity, Mathematical models, Bothnia, Gult,

Fighting the Russians in winter: three case studies Chew, A.L., Learnman the purpose Dec. 1981, No.

Military operation, Cold weather operation, Snow cover effect. Trafficability, Cold weather survival, Winter, USSR.

Climate impact assessment, United States.

U.S. Environmental Data and Information Service,

Climatic factors, Snowstorms, Environmental impact, Precipitation (meteorology), Cost analysis, United

36-3521

Glaciological investigations at Oamanarssup Sermia; field report 1979-1981 and appendix tables.

Braithwaite, R.J., et al. Gronlands geologiske under-Gletscher-hydrologiske meddelelser, Mar. sogelse Gletscher-hydrologiske meddelelser, Mar. 1982, No.82, 2, 32p + append. With Greenlandic and Danish summaries 14 refs Olesen, O.B.

Glacier surveys, Glacier mass balance, Glacier flow, Climatic factors, Diurnal variations, Mapping.

C-CORE annual report, 1980-81.

Memorial University of Newfoundland Centre for Cold Ocean Resources Engineering, Saint John's, Newfoundland, [1982], 17p.

Sea ice, Ice mechanics, Research projects, Oil spills, Ice (construction material), Icebergs, Environmental impact, Remote sensing.

16.1571

Preparation of pure ice.

Seki, M., et al, Kotai butsori (Solid state physics), Dec. 1980, 15(11-12), p.756-760, In Japanese. 8 refs.

Artificial ice, Ice crystal growth, Distilled water,

36-3524

Water regime of cryophilic cushion plants of eastern

Irmaitova, N.N., Soviet journal of ecology, Mar.-Apr. 1977(Pub. Nov. 1977), 8(2), p.106-110, Translated from Ekologiia. For Russian original see 31-4005.

Plant ecology, Plant physiology, Ecosystems, Alpine landscapes, Cryogenic soils.

36-3525

Influence of freezing and thawing on soil organic matter in the Ob' forest tundra.

Dergacheva, M.I. et al. Soviet journal of ecology. Mar.-Apr. 1977(Pub. Nov. 1977), 8(2), p.111-118, Translated from Ekologiia. For Russian original see 31-4006. 32 refs. Dedkov, V.S.

Forest tundra, Landscape types, Cryogenic soils, Soil composition.

Influence of late-spring frosts on spruce growth.

Dolgolikov, V.I., et al. Soviet journal of ecology, Mar-Apr 1977(Pub. Nov. 1977), 8(2), p.150-153, Trans-lated from Ekologiia. For Russian original see 31-

Martynov, A.N

Forestry, Plant ecology, Seasonal freeze thaw, Plant physiology.

36-3527

Primary plant successions on technogenic sand outcrops in oil and gas producing regions in the Central Ob' valley.

Shilova, I.I., Soviet journal of ecology, Nov.-Dec. 1977(Pub. Sep. 1978), 8(6), p.475-482, Translated from Ekologiia. For Russian original sec 32-2662.

Petroleum industry, Landscape types, Taiga, Cryogenic soils, Sands, Soil pollution, Soil erosion, Revegetation.

36-3528

Results of an experiment over many years in decontaminating radium-bearing and uranium-radium-bearing pollutants in the central taiga.

Vavilov, P.P., et al, Soviet journal of ecology, Nov.-Dec. 1977(Pub. Sep. 1978), 8(6), p.496-500, Translated from Ekologiia. For Russian original see 32-

Taiga, Landscape types, Cryogenic soils, Soil pollution. Radioactive wastes. Decontamination.

36-3529

Cyclical variations in the radial growth of pine forests of the central taigs to the west of the Urals.

Olemin, S.M., Soviet journal of ecology, Nov.-Dec. 1977(Pub. Sep. 1978), 8(6), p.526-529, Translated from Ekologiia. For Russian original see 32-2664.

15 refs Taiga, Landscape types, Cryogenic soils, Plant ecology, Plant physiology.

36-3530

Geobotanical characteristics and indicator properties of high-mountain vegetation of the Greater Caucasus (within Azerbaidzhan).

Gadzhiev, V. D., et al. Soviet journal of ecology, Nov-Dec. 1977(Pub. Sep. 1978), 8(6), p.531-532, Translated from Ekologiia. For Russian original see 32-2665. 4 refs. Bairamalibeili, E.T.

Alpine landscapes, Cryogenic soils, Plant ecology, Ecosystems.

Algoflora of technogenic sands of oil and gas-extracting regions in the middle part of the Ob' Basin and the effect of oil pollution on it.

Neganova, L.B., et al, Soviet journal of ecology, May-June 1978(Pub. Jan. 1979), 9(3), p.223-228, Trans-lated from Ekologiia. For Russian original see 33-586. 23 refs. Shilova, I.I., Shtina, E.A.

Taiga, Petroleum products, Soil pollution, Sands, Soil microbiology, Algae, Cryogenic soils.

Anthropogenic shift in the upper boundary of the forest zone and its phytoindication.

Gorchakovskii, P.L., et al. Soviet journal of ecology, Sep.-Oct. 1978(Pub. May 1979), 9(5), p.399-410. Translated from Ekologiia. For Russian original see 33-1647. 51 refs. Shiiatov, S.G.

Alpine landscapes, Forest lines, Cryogenic soils, Plant ecology, Mosses, Lichens, Human factors, Bib-

Ecological pattern of altitudinal zonation of vegetation cover in Pamiro-Alai.

Agakhaniants, O.E., Soviet journal of ecology, Sep.-

Oct. 1978(Pub. May 1979), 9(5), p.411-416. Translated from Ekologiia. For Russian original see 33-30 refs.

Alpine landscapes, Cryogenic soils, Bibliographies, Plant ecology, Plant physiology, Ecosystems.

Ecology of the moss Thamnium neckeroides (Hook.) Jaeg .- a nemoral relict in the taiga of Gornaya Sho-

Sudoshnikov, S.V., Soviet journal of ecology, Sep.-Oct. 1978(Pub. May 1979), 9(5), p.466-467, Trans-lated from Ekologiia. For Russian original see 33-1649. 9 refs.

Taiga, Alpine landscapes, Crycrenic soils, Plant ecology, Mosses.

36-3535

Dispersal of algae in the atmosphere in the winter. Kuziakhmetov, G.G., Soviet journal of ecology, Sep.-Oct. 1978(Pub. May 1979), 9(5), p.473-475, Translated from Ekologiia. For Russian original see 33-1650. 7 refs

Algae, Propagation, Wind factors, Snow cover, Snow composition.

36-3536

Photosynthesis and new growth of leaf apparatus in Arctic plants.

Nazarov, S.K., Soviet journal of ecology, Nov.-Dec. 1978(Pub. July 1979), 9(6), p.551-553. Translated from Ekologia. For Russian original see 33-2840.

Arctic landscapes, Plant ecology, Plant physiology, Photosynthesis.

Accumulation of Strontium 90 and Cesium 137 in live and dead lichens. Nifontova, M.G., et al, Soviet journal of evology, Jan.

Feb. 1979(Pub. Sep. 1979), 10(1), p.73-76, Translated from Ekologiia. For Russian original see 33-3295

Lebedeva, A.V., Kulikov, N.V. Tundra, Landscape types, Cryogenic soils, Lichens, Radioactive isotopes.

Successions of communities of lithophilic lichens in the highlands of northern Ural.

Magomedova, M.A., Soviet journal of ecology, May-June 1979(Pub. Jan. 1980), 10(3), p.197-204. Translated from Ekologiia. For Russian original sec 34-

Alpine tundra, Lichens, Plant ecology, Ecosystems.

Pinus sibirica- an indicator of habitat conditions of Khamar-Daban and on the Tunkinskiy mountains.

Tarakanov, A.G., Soviet journal of ecology, May-June 1979(Pub. Jun. 1980), 10(3), p.238-243, Translated from Ekologia - For Russian original sec 34-105

Alpine landscapes, Forest soils, Forest ecosystems, Geocryology, Solifluction, Snow cover distribution, Slope orientation.

Seasonal rhythm of plant communities of Ural alpine tundra.

Gorchakovskii, P.L., et al. Soviet journal of ecology, July-Aug. 1979(Pub. Mar. 1980), 10(4), p.280-286. Translated from Ekotogna - For Russian original sec-34-822 12 rets.

Plant ecology, Alpine tundra, Ecosystems,

36-3541

Elevation distribution patterns of steppe communities in the Alash Plateau in the Tuya ASSR.

Namzalov, B.B., Soviet journal of ecology, July Aug. 1979(Pub. Mar. 1980), 10(4), p.302-310, Translated from Ekologiia - For Russian original see 34-823 - 10

Alpine landscapes, Vegetation patterns.

Landscape-ecological bases for the forest amelioration and biological reclamation of land along the course of the Tobol-Amu Dar'ya Canal.

Chibiley, A.A., Soviet journal of ecology, July-Aug. 1979(Pub. Mar. 1980). 10(4), p 345-347, Translated from Ekologiia. For Russian original see 34-824. Land reclamation, Forestry, Swamps, Taiga.

Ecological and biochemical characteristics of the northern taiga forests of the Kola Peninsula.

Nikonov, V.V., et al. Soviet journal of ecology, Sep.-Oct. 1979(Pub. May 1980), 10(5), p.394-399, Translated from Ekologiia. For Russian original see 34-1718. 6 refs.

Manakov, K.N.

Taiga, Landscape types, Plant ecology, Soil chemistry, Biomass.

Periodic variation in the growth indices of Siberian larch in the Tazovskaya forest tundra and its forecasting.

Berri, B.L., et al. Soviet journal of ecology. Nov.-Dec. 1979(Pub. July 1980), 10(6), p.514-517, Translated from Ekologiia. For Russian original see 34-2627. 5 refs.

Liberman, A.A., Shiiatov, S.G.

Forest tundra, Plant ecology, Plant physiology.

36-3545

Effect of zonality and ecological conditions on the horizontal structure of the phytocenoses of the flat hummocky peat bogs of western Siberia.

Moskalenko, N.G. Soviet journal of ecology, May-June 1980(Pub. Jan. 1981), 11(3), p.135-140, Translated from Ekologiia For Russian original see 34-4142. 13 refs.

Swamps, Frost mounds, Vegetation patterns, Plant ecology, Ecosystems, Microrelief.

Experimental modelling of ecological consequences of winter recreations.

Banderin, V.V., Societ journal of ecology, May-June 1980(Pub. Jan. 1981), 11(3), p.140-147. Translated from Ekologiia. For Russian original see 34-4143.

Forest soils, Thermal regime, Models, Seasonal freeze thaw, Snow cover effect.

36-3547

Composition and structure of vegetation in the patterned bog complex.

Boch, M.S., et al, Soviet journal of ecology, May-June 1980(Pub. Jan. 1981), 11(3), p.147-154, Translated from Ekologiia - For Russian original see 34-4144

Vasilevich, V.I.

Swamps, Drainage, Vegetation patterns, Plant ecology, Mosses, Lichens.

Analysis of the temperature dependence of photosynthesis in closely related plant species of arctic and temperate latitudes.

Plankov, V.L. Soviet journal of ecology, May-June 1980(Pub. Jan. 1981), 11(3), p.159-163, Translated from Ekologia — For Russian original see 34-4145

Plants (botany), Arctic landscapes, Photosynthesis, USSR-Wrangel Island.

Mosses as accumulators of radionuclides. Molchanova, I.V. et al, Soviet journal of ecology, May-June 1980(Pub. Jan. 1981), 11(3), p.163-168. Franslated from Ekologiia. For Russian original see 13 refs. Bochenina, N.V.

Swamps, Tundra, Forest tundra, Taiga, Litter, Biomass, Mosses, Radioactive isotopes, Fallout, Composition.

36-3550

Changes in vegetation of pastures grazed by reindeer

in Chukotka.
Polezhaev, A.N., Soriet journal of ecology, Sep.-Oct.
1980(Pub. May 1981), 11(5), p.255-262, Translated from Ekologiia. For Russian original see 35-1036.

Tundra, Cryogenic soils, Arctic landscapes, Mosses, Plant ecology, Grazing, Lichens, Ecosystems, USSR —Chukotskiy Peninsula.

Microclimate of habitats of moss and lichen synusiae

in green moss-lichen pine forests. Ipatov, V.S., et al, Soviet journal of ecology, Sep.-Oct. 1980(Pub. May 1981), 11(5), p.262-268, Translated from Ekologiia. For Russian original see 35-1037.

Lukhova, T N

Forest soils, Cryogenic soils, Mosses, Lichens, Plant ecology. Microclimatology.

Features of the leaf photosynthetic apparatus in some plants from subalpine meadows in the Central Cauca-

Groyshina, T.K., et al. Soviet journal of ecology, Sep.-Oct. 1980(Pub. May 1981), 11(5), p.268-273, Trans-lated from Ekologia. For Russian original see 35-Klictsoriam, I. D.

Alpine landscapes, Meadow soils, Plant physiology, Photosynthesis.

36-3553

Water balance and productivity of Cobresia alpine meadow in eastern Khangai (MPR).

Bounkova, I.A., et al. Soviet journal of ecology, Sep.-Oct. 1980(Pab. May 1981), 11(5), p.274-281, Trans-Lited from Ekologiia. For Russian original see 35-1039 12 rets

Alpine landscapes, Biomass, Meadow soils, Plant ecology, Alpine tundra, Taiga.

Formation of a water sol in a hydrocarbon medium at low temperatures.

Averbakh, K.O., et al, Colloid journal, Nov.-Dec. 1966, 28(6), p.627-629, Translated from Kolloidnyi Phonai Trets Golden, G.S., Denagin, B.V., Smirnov, O.K.

Hydrocarbons, Water, Dispersions, Freezing nuclei, lee crystal nuclei.

Freezing of water sorbed by hardened cements.

By ass. V.M., et al. Colloid journal, May-June 1970. (203), p.283-286. Translated from Kolloidnyi zhurnal.

Milhadov NA

Concrete freezing, Cements, Porosity, Water, Adsorption, Unfrozen water content.

Migration of water into air bubbles in concentrated cement suspensions.

Kortsevich, O.V., Colloid journal, Sep.-Oct. 1970, 52(5) p.600-604, Translated from Kolloidnyi zhurnal

Concrete hardening, Air entrainment, Water content, Concrete freezing, Concrete strength

Investigation of the physicochemical factors in breakdown of set cement with large amounts of added calcium chloride.

Andreeva, E.P., et al, Colloid journal, Nov.-Dec. 1971. 33(6), p.661-664, Translated from Kolloidnyi zhurnal 15 refs

Stukalova, N.P., Rebinder, P.A

Concrete retarders, Concrete freezing, Concrete admixtures, Concrete durability, Corrosion.

Kinetics of isothermal crystallization of supercooled water droplets constituting the disperse phase in an emulsion of the water-oil type. Kozlov, G.A., et al. Colloid journal. Nov -Dec. 1971.

33(6), p.707-712, Translated from Kolloidnyi zhurnal 10 refs

Hydrocarbons, Water, Dispersions, Supercooling, Ice crystal nuclei, Ice crystal growth.

36-3559

Thermal expansion and density of water in pores. Expansion in independent cylindrical capillaries Zheleznyi, B.V., et al, Colloid journal, Sep.-Oct. 1972, 34(5), p.608-611. Translated from Kolloidnyi zhurnal 14 refs. Sobolev, V.D.

Porous materials, Water content, Capillarity, Low temperature tests, Density (mass/volume).

Lifetime of double-sided films of melt water. Khentov, V.J.A., et al. Colloid journal, Sep.-Oct. 1972. 34(5), p.721. Translated from Kolloidnyi zhurnal.

Nikitash, V.G., Vasil'eva, V.V., Vlasov, IU.V. Meltwater, Water films, Water structure.

36-3561

Initial stages of decomposition of plant litter in

spruce forests of southern taiga.

Malishevskaia, V.V., et al, Soviet journal of ecology.

May-June 1977, 8(3), p.215-221, Translated from Ekologiia. For Russian original see 31-4505.

Titos II. V

Taiga, Landscape types, Cryogenic soils, Plant ecology. Plant physiology, Litter, Decomposition, Transpiration.

36-3562

Controls on CO2 exchange in two Polytrichum moss species. 1. Field studies on the tundra near Barrow. Alaska.

Sveinbjornsson, B., et al, Oikos, 1981, 36(1), p.114-128. Refs. p.126-128. Oechel. W.C.

Arctic landscapes, Tundra, Plant physiology, Mosses, Franspiration.

Modification of the aerial environment of plants. Barfield, B.J., ed, St. Joseph, Michigan, American Society of Agricultural Engineers, 1979, 538p. (pertinent p.281-370). Refs. passim. Gerber, J.F., ed.

Plants (botany), Frost protection, Environmental impact, Modification.

Protection of communication devices and of the sigchita ustroisty syiazi i STsBj.
Evseev, I.G., Moscow, Transport, 1982, 176p. (Perti-

nent pp. 6x-92). In Russian 17 rets Electric power, Transmission lines, Railroads, Light-ning, Electrical grounding, Permafrost beneath struc-

36-3565

Physics and mechanics of material failure at low temperatures, ¡Fizika mekhanika razrushenna matena-

lov pri ponizhennykh temperaturakh, Cherskii, N.V., ed. Yakutsk, Izdee, IAkut fil SO AN SSSR, 1978, 173p. In Russian For selected papers see 36-3566 through 36-3570 Refs. passim

Metals, Welding, Joints (junctions), Brittleness, Frost resistance, Steel structures, Cold weather performance. Low temperature tests.

Methods of determining cold resistance of materials and calculating the strength of structures. Metods optedelenia soprotivictira mais il raschety konstruktsii na prochrost j vort al. Fizika – mekharaka tazik

Makhitov, N.A., et al. Toria, a mechanika raztu shemia materialov pri ponzheni yeh temperaturakn (Physics and mechanics of material lataure at low temperatures) edited by N.V. Cherskii, Varasty, Izdya IAkut fil. SO. XX.888. [978. p. 525. E. Rassan, Oct. 2007.] 10 rets

Moskyichev, VA

Metals, Steels, Aluminum, Brittleness, Frost resistance, Construction materials, Cold weather perform-

36-3567

Theory of determining cyclic cold brittleness of materials. [K teorii opredefemia tsiklicheskoi tresh

chinostorkosti materialovi. Panasiuk, V.V., et al. Fizika i mekhanika razi ashenna materialov pri ponizhennykh temperaturakh (Physics and mechanics of material failure at low temperatures) edited by N.V. Cherskii, Yakutsk, Izd-e IAkut 1ti SO AN SSSR, 1978, p.35-52, In Russian 23 rets

Metals, Fatigue (materials), Low temperature tests, Laboratory techniques, Analysis (mathematics),

36-3568

Resistance of the 15Kh2NMFA steel to fracturing at normal and at low temperatures, ¡Soprotivlenic stali 15Kh2NMFA razvitiiu treshchin pii normal noi i nizkikh temperaturakh_i,

Krasovskii, A.I.A., et al. Fizika i mekhanika razru-sheniia materialov pri ponizhennykh temperaturakh (Physics and mechanics of material failure at low temperatures) edited by N.V. Cherskii, Yakutsk, Izde-IAkut, fil. SO AN SSSR, 1978, p.80-84, In Russian 2 refs.

Vainshtok, V.A., Kashtalian, H.A., Nadezhdin, G. Steels, Frost resistance, Low temperature tests, Analysis (mathematics).

36-3569

Influence of metal fatigue on the tendency of welded joints to brittle failure. (Vinanie ustalostnykh rezhdenji na sklonnost' svarnykh soedinenji k khrunkomu razrushemiuj. Larionov, V.P., et al. Fizika i mekhanika razrushemia

materialov pur ponizhenných temperaturach (Physics and mechanics of material failure at low temperatures) edited by N.V. Cherskii, Yakutsk, Izd-e IAkut, fil. SO AN SSSR, 1978, p.113-118, In Russian Stebakov, I.M., Tulokhonov, K.N. Metals, Welding, Joints (junctions), Brittleness,

Frost resista. e.

Evaluating frost resistance of steel by standard dynamic bending tests. (Ob otsenke khladostorkosti stali standartnymi ispytaniiami na dinamicheskii izgibj. Gladshtein, I. I., et al. Fizika i mekhanika razrushenia materialov pri ponizhennykh temperaturakh (Physics and mechanics of material failure at low temperatures) edited by N.V. Cherskii, Yakutsk, Izd-e l'Akut, fil SO AN SSSR, 1978, p.119-134, In Russian - 13 refs Goritskii, V.M.

Steel structures, Metals, Frost resistance, Brittleness, Impact strength.

36-3571

Countermeasures for icing of hydraulic structures. [Bor'ba's obledenemem gidrotekhnicheskikh soorii/henm.

Alemikov, S.M., et al. Moscow, Energoizdat, 1982 98p. In Russian with English table of contents en-closed 47 (cfs Paninishkini, AA

Hydraulic structures, Icing.

Paragenesis of ground waters and perennially frozen rocks. [Parazer ezis podzennykh vod i mnogofet-

rocky, promos an nemerzlykh porody Subbodol'sku, S.F., Moscow, Nauka, 1982, 152p., In nemers andosed Sukhodol'skii, S.F., Moscow, Nauka, 1982, 152p., In Russian with English table of contents enclosed Rets. p 143-151

Permafrost origin, Permafrost hydrology, Taliks, Thermokarst, Subpermafrost ground water, Su-prapermafrost ground water, Permafrost thermal properties. Classifications.

inges in biologic activity of peat soils due to land reclamation. (Izmenenie biologicheskoi aktivnosti tor-

fianykh poch, pod vozdetstviem melioratsii, Piavchenko, N.L. ed. Leningrad, Nauka, 1982, 163p., In Russian with abridged English table of contents enclosed. Refs. p.151-162.

Subpolar regions, Swamps, Cryogenic soils, Peat, Oric soils, Ground ice. Land reclamation, Soil microbiology.

Hydrologic and optical peculiarities of small Trans-baikal lakes (Ivano-Arakhleyskie lakes taken as an example). [Gidroopticheskie osobennosti malykh ozer

Zabaikal'ia (na primere Ivanovo-Arakhleiskikh)₁, Vologdin, M.P., Novosibirsk, Nauka, 1981, 133p., In Vologdin, M.P. Vologdin, M.P., Novosiorisk, Nauka, 1901, 1995. ... Russian with English table of contents enclosed. Refs. p.119-131

Lake ice, Snow cover distribution, Icebound lakes, Lake water, Transparence, Light transmission, At-tenuation, Light scattering, Albedo, Snow cover, Ice cover.

36-3575

Technical-economic basis for the design of roads and bridge crossings, Tekhniko-ekonomicheskoe obosnovanie pri proektirovanii avtomobil'nykh dorog i mostovykh perekhodov (spravochnoe posobie);. Boldakov, E.V., ed. Moscow, Transport, 1981, 207p. (Pertinent pp. 137-202). In Russian with abridged English table of contents enclosed. 80 refs.

Roads, Bridges, Permafrost beneath structures, Permafrost hydrology, Flooding, Snow roads, Ice roads.

36-3576

Earthquake effect on buildings and structures. [Seïsmicheskie vozdelstvija na zdanija i sooruzhenijaj. Rasskazovskii, V.T., ed. Tashkent, Fan, 1981, 327p. In Russian. For selected papers see 36-3577 and 36-3578. Refs. passim.

Hydraulic structures, Dynamic loads, Earthquakes, Ice cover effect.

36-3577

Application limits of the premise on the accounting for ice at the water surface, when calculating oscilla tions of hydraulic structures. [Granitsy primenimosti predposylki ob uchete l'da na poverkhnosti vodoema raschete kolebanii konstruktsii gidrotekhniches-

Shames, M.P., Selsmicheskie vozdelstviia na zdaniia i sooruzheniia (Earthquake effect on buildings and structures) edited by V.T. Rasskazovskii, Tashkent,

Fan. 1981, p.72-87, In Russian. 5 rcfs. Hydraulic structures, Dynamic loads, Earthquakes, Icebound lakes, Ice loads, Design.

Stress-strains in massive swelling and sagging grounds. [K prognozu napriazhenno-deformirovannogo sostojanija massivov nabukhajushchikh i prosadochnykh gruntov₃, Ter-Martirosian, Z.G., et al. Seismicheskie vozdeist-

viia na zdaniia i sooruzheniia (Earthquake effect on buildings and structures) edited by V.T. Rasskazovskii, Tashkent, Fan, 1981, p.88-96, In Russian. 14 refs.

Karapetov, G.IA., Mirzacv, A.G. Soil compaction, Porosity, Capillarity, Soil water migration, Thermal stresses, Settlement (structural). Earthquakes.

36-3579

Lightning protection of trunk cables in permafrost areas. (Grozozashchishchennost' kabelei sviazi v raionakh vechnoi merzlotyj.

Kostikov, V.L., et al. Grozozashchita v rajonakh s vysokim udel'nym soprotivleniem grunta (Lightning protection in regions with high specific resistance of ground) edited by M.V. Kostenko, Apatity, 1981, p.117-124, In Russian. 6 refs. Bazhenov, N.N. Mitrokhin, V.E. Thunderstorms, Lightning, Transmission lines, Electrical grounding, Permafrost beneath structures.

Hydraulic power and complex utilization of water resources in the USSR. [Gidroenergetika i kompleksnoe ispol'zovanie vodnykh resursov SSSR₃. Neporozhnji, P.S., ed. Moscow, Energoizdat, 1982.

599p. In Russian with abridged English table of con-tents enclosed. 146 refs.

tents enclosed. 146 refs.
Electric power, Hydraulic structures, Buildings, Concrete structures. Dams, Earth dams, Permafrost beneath structures, Foundations.

36-3581

West German polar icebreaker "Polarstern" takes shape. Shipbuilding and marine engineering international, May 1982, 105(1258), p.226-228 Icebreakers, Oceanographic ships.

Engineering and operational details are presented of the new German antarctic icebreaker being fitted out for delivery later

36.3582

Highway beneath the Ghulkin.

Derbyshire, E., et al. Geographical magazine, July 1981, 53(10), p.626-635. Miller K

Mountain glaciers, Roads, India-Ghulkin Glacier.

36-3583

Stochastically-driven climatic fluctuations in the sea-ice, ocean temperature, CO2 feedback system. Saltzman, B., *Tellus*, Apr. 1982, 34(2), p.97-112, 23

Climatic changes, Sea ice, Water temperature, Carbon dioxide.

36-3584

Controls on CO2 gas exchange in Arctic Polytrichum

Sveinbjörnsson, B., Montreal, McGill University, Jan. 190p., Canadian Theses on Microfiche, With French summary No.47450, Ph.D. thesis. Refs. passim.

Mosses, Tundra, Carbon dioxide, Photosynthesis, Microclimatology, Vegetation, Temperature effects.

36-3585

Arctic data buoy program.

Untersteiner, N., et al. Polar record. May 1982. 21(131), p.127-135, 11 refs.

Thorndike, A.S.

Drift stations, Electronic equipment, Meteorological

36-3586

Experiences of Scott's northern party; evidence for a relationship between winter katabatic winds and the Terra Nova Bay polynya. Bromwich, D.H., et al. *Polar record*. May 1982.

21(131), p.137-146, 24 refs. Kurtz, D.D.

Wind direction, Wind velocity, Polynyas, Antarctica —Terra Nova Bay.

The experiences of Scott's northern party in 1912/1913 are briefly reviewed. Meteorological records for Inexpressible Is-land which were maintained by the northern party through the period of their stranding are examined and analyzed. The strong, constant katabatic winds which swept over the Island from Reeves Glacier then and now are regarded as a major factor which kept and keeps Terra Nova Bay free of winter ice. This correlation strongly supports the author's model for poly-

36-3587

Farthest south and highest occurrences of vascular plants in the Antarctic. Smith, R.I.L., *Polar record*. May 1982, 21(131), p.170-

173, 13 refs

Plants (botany), Vegetation patterns, Tundra biome. The arctic and antarctic biomes are compared: 100 vascular plants occur to 84 N, while only 2 survive south of 56 S. The two species occur only in the maritime Antarctic in the region of the Antarctic Peninsula around Marguerite Bay. The region and its soils are described and the growth pattern of vascular and its soils are described and the growth pattern plants is shown along with other vegetation types

36-3588

Grounded iceberg in Fram Strait.

Vinje, T., Polar record, May 1982, 21(131), p.174-175.

Icebergs, Grounded ice, Polynyas, Greenland-Fram

36-3589

Source and climatic implication of the reactive iron and reactive silicate concentration found in a core from Meserve Glacier, Antarctica. Mayewski, P.A., et al. Geophysical research letters.

Mar. 1982, 9(3), p.190-192, 18 refs. Lyons, W.B

Glacier ice, Ice cores, Geochemistry, Climate, Antarctica-Meserve Glacier.

laciochemistry has recently provided a useful tool in the study of accumulation rates and the elucidation of long-term climatic change as well as the definition of aerosol/precipitation source change as well as the definition of aerosol (precipitation source areas. Recent glaciochemical work from Antarctica has suggested that although cations associated with sea salt. (Na. Mg. Ca and K) decrease in concentration as one proceeds inland. crustally-derived chemical species such as Al and Fer remain relatively constant in snow and ice. This paper presents the first data suggesting that there is in some cases a local source for the crustally-derived material that enters Antarctic precipi-tation. (Auth.)

36-3590

Frost heaved formations in the Laurentian Shield. rFormes d'éjection periglaciaires dans le Boucher lauentidien. Quebecj.

Dionne, J.C., Revue de geomorphologie dynamique, 1981, 30(4), p.113-124. In French with English sum-33 refs

Frost heave, Permafrost, Periglacial processes, Wind factors, Seasonal freeze thaw

36-3591

Icebreaking capabilities of the German polar research vessel. [Die Eisbrecheigenschaften des deutschen Polar-Forschungsschiffesj.

Schwarz, J., Hansa, Oct. 1980, 117(19), p.1580-1585. In German with English summary. 6 refs

Icebreakers, Oceanographic ships, Polar regions.

In order to fulfil the requirements for becoming a full member of the Antarctic Treaty Countries, the Government of the Federal Republic of Germany has decided to build a polar research vessel. This ship will be used for research purposes in ice-covered waters as well as for the supply of the German Antarctic Station (Fichner Station). The hull form of the research vessel has been designed by the Hamburg Ship Model Basin. This report covers ice-technological aspects of the ship and reports on model test results in ice. The most important achievement was the development of ship lines which prevent the ingestion of ice into the propellers. Propeller damage is avoided and propeller. into the propellers. Propeller damage is avoided and propeller efficiency is increased. Extrapolation of the model test results to fullscale predicts that the polar research vessel will be able to break 1.0 m thick level ice at 5.2 knots. (Auth.)

36-3592

Glaciology of mountainous regions, (Gliatsiologija

gornykh oblastej. Suslov, V.F., ed. Sredneaziatskii regional nyi nauchnoissledovatel'skii institut. Trudy. 1982. Vol. 84, 148p. In Russian. For selected papers see 36-3593 through 36-3604. Refs. passim.

Getker, M.L. ed. Glacier Mountain glaciers, ice, Ablation, Climatology, Ice air interface, Ice cracks, Snow cover distribution, Snow surveys, Aerial surveys, Gamma irradiation. Helicopters, Spacecraft, Snow water equivalent, Mathematical models.

Physico-statistical model of the summary-melting process in a glacial area. ¡Fiziko-statisticheskaia model' protsessa summarnogo taiania v gliatsial noi oblastin

Konovalov, V.G., Sredneaziatskii regional'nyi nanchno-issledovateľskii institut Trudy, 1982, Vol.84, p.3-20, In Russian. 13 rets

Mountain glaciers, Glacier ice, Melting, Heat balance, Mass balance, Mathematical models,

Mountain glacier effect on the mesoclimate. ¡Otsenka diianiia gornykh ledníkov na mezoklimaty.

Glazyrin, G.E., Sredneaziatskii regional'nyi nauchnoissledovateľskii institut. Trudy, 1982, Vol.84, p.21-14 rets 24. In Russian.

Mountain glaciers, Climatology, Ice air interface,

Surface runoff and its effect on glacier ablation, its dnikovye vodnye potoki i ikh vlijanie na abliatsijuj. Akbarov, A.A.: Sredneaziatskii regional'nyi nauchi oissledovateľskii institut. Trudy, 1982, Vol 84, p 25 29, In Russian 8 refs

Glacial hydrology, Glacier surfaces, Runoff, Ice cracks, Ice melting, Glacier ablation. Water balance

36.3596

Evaluating statistical structure of snow cover field in Central Asia mountains, (Otsenka kharakteristik statisticheskoi struktury poha snezhnogo pokrova v gorakh Sredner Azin. Getker, M.L. et al. Srednea natskii regional nyi nauch-

ostitut Trudy, 1982, Vol 84, 10 jets no-issledovateľskii institut p.48-58, In Russian

Alnine glaciation, Snow cover distribution, Snow surveys, Aerial surveys, Helicopters, Snow water equiva-

36-3597

Variations in snow cover distribution over the Abramov glacier, plastedovante izinenehivosti ras predelenta snezbuogo pokrova na ledn. Abramovaj, Neupokoev, V.A., Steedneazritskii regional iivi nai. norissledovatel škli - iiistitat — Triidv. 1982. Vo. 8 p.59-66. In Russian — 5 rets Irids, 1982, Vo. 84

Glacier ice. Snow cover distribution, Snow water equivalent, Snow surveys, Mapping

Errors in calculating snow reserves in mountains from aerial snow survey data. (O pogreshnostiakh rascheta snegozapasov pri ispol'zovanii aerosnegos"emki v gorakhj,

Kolesnikov, E.L. et al. Sredneaziatskii regional'ny nauchno-issledovateľsků institut. Trudy. 1982. Vol.84, p.67-76, In Russian. 5 refs.

Alpine landscapes, Snow cover distribution, Snow surveys, Aerial surveys, Snowdrifts, Snow depth, Snow density, Snow water equivalent.

36-3599

Improving the gamma-surveying technique for snow cover in mountains. Razrabotka i usovershenstvovanie metodiki gamma-s"emki snezhnogo pokrova v gorakhi

Getker, M.I., Sredneaziatskii regional'nyi nauchno issledovateľsků institut. Trudy. 1982, Vol.84, p.77-96. In Russian. 11 refs.

Alpine landscapes, Snow cover distribution, Snow water equivalent, Snow surveys, Gamma irradiation, Data processing.

36-3600

Using helicopters in gamma surveys of snow cover for establishing snow water equivalent in mountain basins. (Rezul'taty i perspektivy primeneniia metoda vertoletnoi gamma-s'emki snezhnogo pokrova dlia opredelenia snegozapasov y gornom basseine, Getker, M.L. Sredneariatskii regional'nyi nauchnoissledovatel skii institut. Trudy. 1982, Vol.84, p.97-

108, In Russian. 10 refs. Snow surveys, Aerial surveys, Helicopters, Gamma irradiation, Airborne equipment, Snow water equiva-

Aerial gamma surveys in mountains when both the snow cover and the atmosphere are regarded as irradiation-absorption media. (Gamma-snegomernaia aeros emka v gorakh pri izluchaiushche-pogloshchaiushchikh snezhnom pokrove i atmosferej,

Moskalev, IU.D., Sredneaziatskii regional nyi nauchno-issledovateľskii institut. Trudy, 1982, Vol.84, p.109-117, In Russian. 10 refs. Snow surveys, Mountains, Aerial surveys, Gamma ir-

radiation, Data processing.

36-3602

Calculating route-network for gamma surveys of snow cover in mountains. [Metod rascheta seti marshrutov gamma-s"emki snezhnoge pokrova v gorakhj.

Getker, M.L. et al. Sredneaziatskii regional nyi nauch-no-issledovatel skii-institut. Trudy. 1982. Vol.84, p.118-130, In Russian. 11 refs. Shentsis, LIU

Mountains, Snow surveys, Aerial surveys, Gamma irradiation, Helicopters, Snow water equivalent.

36-3603

Evaluating parameters of the flow of pertinent satellite information for analyzing snow cover dynamics in mountains. ¡Ob otsenke parametrov potoka informatsii s ISZ prigodnoj k analizu dinamiki snezhnogo pok-

Snow cover distribution.

36-3604

Forecasting runoff hydrographs for the Amudar'ya River from satellite information on the dynamics of snow covered areas. ¡Prognoz gidrografa stoka r. Amudar'i na osnove sputnikovoj informatsii o dinamike ploshchader zasnezhennostij.

Isares, B.K. Sredneaziatskii regionalinyi nauchno-issledovatel skii institut. Trudy, 1982, Vol.84, p.136-141, In Russian. 2 rets

River basins, Snow surveys, Aerial surveys, Spacecraft, River flow, Snow water equivalent.

Construction equipment for overhead power lines. Mekhanizatsiia stroitel'stva vozdushnykh linii elektroperedachij.
Malkov, E.S. Energeticheskoe stroitelstvo. May
1982, No.5. p.5.9, In Russian.
Productions Piles, Permafrost beneath

Power lines, Foundations, Piles, Permafrost beneath structures. Earthwork, Construction equipment.

36-3606

Equipment for power line construction in mountains. tMekhanizatsiia rabot pri stroitel'stve linii elektroperedachi v gornykh usloviiakh₁.

Frolov, I.D., et al, *Energeticheskoe stroitel'stvo*, May 1982, No.5, p.9-11. In Russian. Chestnokov, N.A.

Alpine landscapes, Slope processes, Avalanches, Power lines, Construction equipment.

Monocable transportation. [Monokanatnye transportnye ustroistva₁,

Gvelesiani, K.Sh., et al. Energeticheskoe stroitel'stvo. May 1982, No.5, p.12-14, In Russian. Tskvitinidze, A.Sh.

Alpine landscapes, Power lines, Construction equipment, Transportation, Cable railways.

36-3608

Universal tractor-crane trailer. [Universal'nyi prit-

sepnoi traktornyi kranj, Komaro", L.L., et al, *Energeticheskoe stroitel'stvo*. May 1982, No.5, p.14-16, In Russian. Vinogradov, D.E.

Construction equipment, Cranes (hoists), Tractors.

Combined workshops for the construction of the Kama-Achinsk fuel and energy complex. [Ob edinen-nyl korpus masterskikh UPTK RPKB KATEKa], Kuzin, E.G., et al. Energeticheskoe stroitel stvo. May 1982, No.5, p.29-30, In Russian. Zemtsov, A.F., Gutrov, A.S., Ivanova, L.N

Electric power, Fuels, Buildings, Foundations. Snow loads, Frozen ground, Construction materials.

Determining frost resistance of concrete from the degree of its critical water saturation. [Otsenka morozostojkosti betona po kriticheskoj stepeni vodonasvsh-

cheniia, Glebova, F.Kh., et al. Energeticheskoe stroitel'stve. May 1982, No.5, p.75-77, In Russian. Denisov, A.L. Korableva, L.A.

Concrete freezing, Frost resistance, Freeze thaw cycles. Water content.

36-3611

Railroad of the century under construction, (Strana stroit magistral' vekaj, Transportnoe stroitel'stvo. June 1982, No.6, p.3-6, In Russian.

Taiga, Railroad tracks, Permafrost beneath structures, Residential buildings, Industrial buildings, Urban planning, Baykal Amur railroad, Economic development.

36-3612

Tynda-Urgal section of the Baykal Amur railroad. chastok BAMa of Tyndy do Urgala1.

Pozin, V.A., Transportnoe stroitel stvo, June 1982, No.6, p.7-9, In Russian.

Taiga, Permafrost distribution, Swamps, Aerial surveys, Railroad tracks, Buildings, Foundations, Baykal Amur railroad.

Calculating the efficiency of scrapers designed for frozen ground. [Prognozirovanie proizvoditel'nosti rykhlitelei merzlogo gruntaj.

Pronin, A.I., Transportnoe stroitel'stvo, June 1982, No.6, p.51, In Russian.

Earthwork, Excavation, Equipment, Frozen ground.

36-3614

Dielectric measurements of ice at low frequencies.

Takei, I. et al. Low temperature science (Teion kagaku). Series A Physical sciences, 1981, Vol 40, p.1-10. In Japanese with English summary 7 refs kagaku). p.1-10. In Japanese with English summary Maeno, N

Ice electrical properties. Ice physics, Electrical resistivity, Temperature effects, Ions, Dielectric proper-

36-3615

Structure and orientation of frozen droplets on ice surfaces.

Mizuno, Y., Low temperature science (Teion kagakii) Series A Physical sciences, 1981, Vol 40, p.11-25, In

Japanese with English summary 16 rets Ice crystal structure, Drops (liquids), Freezing, Supercooling, Ice surface, Microstructure, Orientation, Temperature effects, Experimentation, Photography.

36-3616

Studies of the behavior of a snow cover on mountain slope: Pt.8—a supplement to paper 7. Yoshida, Z., I ow temperature science (Teion kagaku)

Series A Physical sciences, 1981, Vol 40, p 25-35, In Japanese with English summary 4 rets

Snow cover stability, Slope orientation, Snow creep. Strains, Stresses, Snow stratigraphy, Mountains

Studies of the behavior of a snow cover on mountain slope; Pt.9—a reformed method for calculating internal stresses from the strain rates measured in a snow cover on mountain slope.

Yoshida, Z., Low temperature science (Teion kagaku) Series A Physical sciences, 1981, Vol.40, p.37-49, In Japanese with English summary. 9 refs.

Snow cover stability, Slope orientation, Stresses, Strains, Surface properties, Viscoelasticity, Analysis (mathematics), Mountains.

36-3618

Characteristics of the snow cover in melting season in Hokkaido.

Akitaya, E., et al. Low temperature science (Teion kagaku). Series A Physical sciences, 1981, Vol.40 p.51-59, In Japanese with English summary 8 ref Series A Physical sciences, 1981, Vol 40,

Snow cover, Snow melting, Snow density, Snow water content, Snow hardness, Calorimetry, Freeze thaw cycles. Temperature effects. Analysis (mathematics).

36-3619

Time lag between the centroid of snowmelt and the peak runoff rate. Kobayashi, D., Low temperature science (Teion

kagaku). Series A Physical sciences, 1981, Vol.40, p.61-66, In Japanese with English summary. 11 refs. Snowmelt, Runoff, Snow depth, Watersheds, Time factor.

Effect of climatic change on ablation of mountain snow and estimated annual accumulation during the Ice Age in Hokkaido, Japan.

Naruse, R., et al. Low temperature science (Teion kagaku). Series A Physical sciences, 1981, Vol 40, p.67-81. In Japanese with English summary 48 refs Takahashi, S., Fujiki, T

Ablation, Snow cover, Climatic changes, Snow accumulation, Mountains, Latent heat, Pleistocene, Solar radiation, Wind factors, Humidity, Japan-Hokkaido.

36-3621 Nonsteady motion of drifting sea ice.

Nonsteady motion of distring scalect.

Nonguchi, Y., Low temperature science (Terov. kagaku). Series V. Physical sciences, 1981, Vol.40. kagaku) 83-99. In Japanese with English summary 6 rets Sea ice, Drift, Ice mechanics, Radar echoes, Wind velocity, Ocean currents, Velocity, Ice water interface. Mathematical models.

36-3622

Studies on wind stress on sea ice.

Shirasawa, K., Low temperature science (Teion kagaku). Series A Physical sciences, 1981, Vol.40, p 101-118. In Japanese with English summary refs

Sea ice, Drift, Ice mechanics, Wind pressure, Surface properties, Ice surface, Wind velocity, Anemometers. 36-3623

On sea ice near Syowa Station, Antarctica; Pt.2salinity profile of sea ice.

Wakatsuchi, M. Low temperature sc. e (Teion kagaku). Series V Physical sciences, 1981, Vol.40. 119-125. In Japanese with English summary Fast ice. Sea ice. Ice salinity. Ice cover thickness, Snow cover effect. Snow ice interface, Ice growth, Seasonal variations, Antarctica-Showa Station.

Seasonal variations, Antarctica—Snowa Station. Seasonal variations in admity profile of a fast tee were observed near Showa Station. Antarctica in 1976. The thickness of the fast tee was about 1 m in late. April and it increased during the winter season to about 2 m. Therefore, the fast ice was composed of two layers the one from the last summer and the other was formed to indeed to the action the state. was formed under it in the current winter. An interface between these two layers of the ice cover can be identified clearly by the presence of a facer where the ice satints increases remarkably. The results of observations are described. (Authority)

36-3624

On the extinction coefficient of sea ice.

Notae M., etc. of Low temperature science of Eco Kagakar - Series A. Prysson Sciences (1981). Vol. 40 Kagakut 127-135. In Japanese with English summary 2016ts Ishikawa, M.

Sea ice, Ice optics, Solar radiation, Transmissisity, Snow cover effect. Ice cover thickness, Ice structure

sote on an "ice sandwich" permeameter.

Horiguchi, K., et al, Low temperature science (Teion kagaku). Series A Physical sciences, 1981, Vol.40, 137-145, In Japanese with English summary. 4 refs. Miller, R.D.

Ice water interface, Mass transfer, Hydraulics, Temperature gradients. Ice physics.

36-3626

Moisture migration in soils during freezing monitored

by the neutron-scattering method. Fukeda, M., Low temperature science (Teion kagaku) Series A Physical sciences, 1981, Vol.40, p.147-154, In Japanese with English summary. 11 refs.

Soil freezing, Soil water migration, Frost heave, Neutron scattering, Analysis (mathematics).

36-3627

Peculiar shapes of ice crystals formed in a cloud

Aburakawa, H., Low temperature science (Teion Agasku). Series A Physical sciences. 1981, Vol.40. p.155-157, In Japanese. 5 refs. Ice crystal structure, Artificial ice, Cloud chambers,

Cloud droplets, Freezing.

Tapping compression of snow collected from a surface layer during the blowing of snow.

Kobayashi, S., Low temperature science (Teion kagaku). Series A Physical sciences, 1981, Vol.40, kagaku). Series A Physical ser. p.159-163, In Japanese. 6 refs.

Snow compression, Blowing snow, Snow density, Snow hardness.

36-3629

Avalanche in Niseko ski area, Hokkaido.

Akitaya, E., et al. Low temperature science (Teion Series A Physical sciences, 1981, Vol.40, p. 165-169, In Japanese. 4 refs. Endo, Y., Onodera, H., Sakatani, Y.

Avalanche formation, Slope orientation, Snow mechanics, Temperature effects.

36.3630

Freezing-thawing experiments of recently erupted pumices from Mt. Usu-

Fukuda, M., Low temperature science (Teion kagaku). Series A Physical sciences, 1981, Vol.40, p.171-174, In Japanese. 3 refs.

Freeze thaw tests, Soil freezing, Volcanoes, Ground thawing, Pumices.

36-3631

High-speed avalanches at Shigi-Dani, Kurobe Canyon in winter of 1980-1981.

Kawada, K., et al. Low temperature science (Teion Lagaku). Series A Physical sciences, 1981, Vol.40, p.175-179, In Japanese. 3 refs.
Avalanche formation, Avalanche mechanics, Velocity,

Snow depth. Mountains.

36-3632

Freeze crystallization: new water-processing tool. lammartino, N.R., Chemical engineering, June 23, 1975, 82(13), p.92-93.

Water treatment, Freezing, Crystals, Waste treatment, Desalting, Equipment, Water pollution.

14.3633

Greenland ice sheet evidence of post-glacial volcanism and its climatic impact.

Hammer, C.U., et al. *Nature*, Nov. 20, 1980, 288(5788), p.230-235, 37 refs. Clausen, H.B., Dansgaard, W.

Ice sheets. Ice composition, Volcanoes, Climatic changes, Ice cores, Drill core analysis, Temperature effects. Greenland

36-3634

Soil moisture and texture controls of selected parameters of needle ice growth.

Meentemeyer, V., et al. Earth surface processes and landforms. Mar -Apr. 1981, 6(2), p.113-125, 27 refs.

Soil freezing, Soil water, Soil texture, Ice needles, Ice growth, Grain size, Soil temperature, Fines.

36-3635

Ice-lobe formation and function during the deglaciation in Finland and adjacent Soviet Karelia. Kurimo, H., Borcas, 1982–11(1), p.59-78, Refs. p.75-

Glacier flow, Ice mechanics, Glacier oscillation, Landforms, Paleoclimatology, Finland, USSR-Karelia.

36-3636

Sedimentology of glacial and glacial marine deposits on the George V-Adelie continental shelf. East An-

Domack F.W. Roress, 1982, 11(1), p.79,97, Refs.

Sedimentation Glacial denosits. Glacial erosion Marine deposits, Glacier oscillation, Glacier beds, Subglacial observations, Antarctica—George V Coast, Antarctica—Adélie Coast.

Mineralogic and textural data suggest that glacial ice derived from the region of the present day Cook Ice Shelf extended to the edge of the d'Urville Sea continental shelf. As part of this the edge of the d'Urville Sea continental shelf. As part of this glacial maximum, basal tills and glacial marine sediments were deposited over an irregular subglacial surface. Extensive redeposition of eroded material took place in the middle and outer portions of the continental shelf. Retreat of glacial ice was relatively rapid and was associated with widespread deposition of a thin residual glacial marine unit and turbidity current. deposits in the far western and eastern parts of the region. To day, sedimentation of the continental shelf of the d'Urville Sea is controlled by biogenic and physical oceanographic processes. Deposition of ice-rafted detritus from icebergs undoubtedly oc curs but is relatively insignificant. Glacial advances along this periphery of East Antarctica appear to be regulated by adjacent outlet glaciers rather than direct advance of the grounded ice

Offshore theater dominates action along the West Coast.

Williams, B., Oil and gas journal, June 21, 1982. 80(25), p.130-132.

Natural resources, Exploration, Offshore drilling, Beaufort Sea, United States-Alaska-North Slope.

36-3638

Hydrologic and glaciologic investigations in Caucasian mountains, ¡Gidrologicheskie i gliatsiologicheskie sian mountains, conditionagh tesser glassin agus sias issledovaniia v gorakh Kavkaza).
Tsomaia, V.Sh., ed, Zakavkazskii regional nyi nauch

no-issledovatel'skii institut. Trudy, 1982, Vol 77, 136p., In Russian. For selected papers see 36-3639 through 36-3646. Refs. passim.

Alpine landscapes, Snow cover distribution, Avalanche formation, Avalanche triggering, Avalanche forecasting, Glacial rivers, Alimentation, Runoff, Glacier ablation, Snow water equivalent, Mathematical models, Computerized simulation.

36.3639

Avalanche forecasts based on the distribution-free discriminant analysis method. rPrognoz skhoda snezhnykh lavin na osnove neparametricheskogo diskriminantnogo analizay. Simoniia, T.K., Zakavkazskii regional'nyi nauchno-

issledovateľsků institut. Trudy, 1982, Vol.77, p.3-9, In Russian. 7 refs.

Avalanche forecasting, Avalanche triggering, Ava-lanche formation, Mathematical models.

36-3640

Influence of human activities on the discharge of Kura and Rioni rivers. [Vlijanie antropogennoi deiatel'nosti na stok rek Rioni i Kuryj,

Khmaladze, G.N., Zakavkazskii regional'nyi nauchnoissledovateľski institut. Trudy, 1982, Vol.77, p.10-23, In Russian. 25 refs. Alpine landscapes, Glacial rivers, Drainage, Alimen-

tation, Glacier ablation. Human factors, Irrigation.

Forecasting winter drainage of glacial rivers in Transcaucasia. ¡Zimnii stok lednikovykh rek Zakavkaz'ia i ego prognozirovaniej.

Sidorova, L.V., Zakavkazskii regional'nyi nauchno-issledovatel'skii institut. Trudy, 1982, Vol.77, p.32- In Russian. 6 refs. Alpine landscapes, Glacial rivers, Runoff forecasting.

Snow cover compaction, (K voprosu ob uplotnenii

snezhnogo pokrovaj, Sesiashvili, L.D., Zakaskazskii regional nyi nauchnoissledovateľskii institut. Trudy, 1982, Vol.77, p.50-52, In Russian 2 refs.

Alpine landscapes, Snow cover distribution, Snow density, Snow compaction, Mathematical models.

Subdivision of an area according to the degree of avalanche danger, rRaionirovanie territorii po stepeni

Kaldani, L.A. Zakavkazskii regional'nyi nauchno-issledovatel'skii institut. Trudy. 1982, Vot 77, p.53-61. In Russian. 18 refs.

Avalanche forecasting, Avalanche formation. Mapping, Snow surveys, Aerial surveys, Avalanche trig-

36-3644

Peculiarities of avalanche differentiation according to altitude zones of Georgia. Osobennosti different-siatsii lavin po vysotnym zonam na territorii Gruzin, Abdushelishvili, K.L., et al. Zakaskazskij regional'ny nauchno-issledovatel'skij institut Trudy, 198 Trudy. 1982. Vol.77, p.62-67, In Russian 6 Kaldani, L.A., Salukvadze, M.E. 6 rets

Avalanche formation, Snowfall, Snow accumulation, Avalanche triggering, Avalanche mechanics, USSR-

36-3645

Characteristics of snowfalls during the period of mass descent of snow avalanches in Georgia. [Kharakteris tika snegopadov pri massovom skhode snezhnykh lavin na territoru Gruzin.

Salukvadze, M.E., Zakavkazsků regional ovi nauchnoissledovateľskii mstitut - Trudy, 1982, Vol ? 72. In Russian. 15 rets.

Snowfall, Snow accumulation, Avalanche formation. Avalanche triggering, Avalanche forecasting,

Snow transfer during snowstorms in the mountain pass areas of Caucasus, (Perenosy snega pri metehakh

v raionakh perevalov Kavkazaj. Tsomaia, V.Sh., et al. Zakavkazskii regional nyi nauch no-issledovateľsků institut Trudy, 1982, Vol. p 83-96. In Russian 6 refs Kharbediia, I. V

Alpine landscapes, Snowstorms, Snowdrifts, Snow accumulation, Roads, Snow retention.

Some problems of geocryological forecasting, (Nekotorye problemy geokriologicheskogo prognoza), Grechishchev, S.E., *Inzhenernaia geologiia*, May-June 1982, No.3, p.3-13, In Russian 15 refs.

Geocryology, Periglacial processes, Cryogenic soils, Permafrost structure, Ground ice, Permafrost transformation. Engineering geology, Human factors, Environmental protection, Models, Statistical analysis, Computerized simulation.

36.3648

Mapping of soils. [Gruntovye tolshchi i ikh otobrazhe-

nie na kartakh₁. Trofimov, V.T., et al. *Inzhenernaia geologiia*. May-June 1982, No.3, p.26-35. In Russian 8 refs. Fadeev, P.I.

Engineering geology, Cryogenic soils, Ground icc. Permafrost structure, Organic soils, Peat, Mapping, Classifications.

Replacing "criopegs" (unfrozen brines) with fresh water during the ground level construction phase. [O zameshchenii kriopegov presnot vodot pri sooruzhenii nulevogo tsiklaj,

Mul'nikov, P.L., et al., *Inzhenernaia geologiia*, May-June 1982, No.3, p.117-119, In Russian. 6 refs. Gubanov, B.A., Konosayskii, P.K.

Foundations, Permafrost beneath structures, Ground ice. Brines, Unfrozen water content, Artificial freezing, Permafrost control.

Hardening of concretes containing alkaline slag cements at subzero temperatures, [Issledovanic tverdenija shlakoshchelochnykh betonov pri otritsatel'nykh temperaturakh).

Glukhovskii, V.D., et al. Russia. Ministerstvo vysshego i srednego spetsial nogo obrazovanija. - Izvestija vysshikh uchebnykh zavedenii. Stroitel'stvo i arkhitektura, 1982, No.3, p.78-81. In Russian 5 rets Rumyna, G.V., Koksharev, V.N., Gots, V.I. Winter concreting, Concrete aggregates, Cements,

Concrete hardening, Concrete strength.

Determining rational technology of frozen ground excavation, ¡K opredeleism ratsional noi tekhnologii razabotki merzlykh gruntosj.

Behalov, IU. L. et al. Russia Ministersivo vyssheed i srednego spetsial nogo obrazovanna – Izvestna vysshikh iichebiiykh zavedenli - Stroitel'sivo i arkhitektura, 1982. No 3, p.88-92, h. Russian - 3 refs Galimullin, V.A., Ovcharynko, V.A.

Earthwork, Excavation, Equipment.

Studying and calculating the warming of frozen bases with elastic electric heating devices. Assledovaniia i raschet obogreva merzlogo osnovaniia gibkimi elektronagrevateľ nymi ustroistvamij. Zubkov, V.I., Russia. Ministerstvo vysshego i sred-

nego spetsial nogo obrazovanija. Izvestija vysshikh uchebnykh zavedenii. Stroitel stvo i arkhitektura,

1982, No.3, p.106-111, In Russian. 3 refs.
Winter concreting, Foundations, Permafrost bases,
Artificial thawing, Permafrost control, Electric heat-

36-3653

Origin and properties of sandy soils in Karelia. (Genezis i svoistva peschanykh pochy Karelii). Kozlovskaia, L.S., ed. Leningrad, Nauka, 1982, 144p., In Russian. For selected papers see 36-3654 through 36-3656. Refs. passim.

Morozova, R.M., ed.

Taiga, Soil formation, Cryogenic soils, Podsol, Soil profiles, Swamps, Peat, Hydrothermal processes, Nutrient cycle.

36-3654

Studying space-time aspects of soil formation in Karelin, iK voprosu izuchenija prostranstvenno-vremennykh aspektov pochvoobrazovaniia na territorii Kare-

Erukov, G.V., Genezis i svoistva peschanykh poch Karelii (Origin and properties of sandy soils in Karelia) edited by L.S. Kozlovskaia and R.M. Morozova, Leningrad, Nauka, 1982, p.5-21, In Russian. 22 refs. Taiga, Soil formation, Podsol, Cryogenic soils, Soil profiles, Forest soils, Swamps, Peat.

36-3655

Hydrothermal regime of pine forest soils. [Gidrotermicheskii rezhim pochv sosnovykh lesovj.

Erukov, G.V., et al. Genezis i svoistva peschanykh pochs Karelii (Origin and properties of sandy soils in Karelia) edited by L.S. Kozlovskaia and R.M. Morozova, Leningrad, Nauka, 1982, p.46-63, In Rus-5 refs.

Taiga, Cryogenic soils, Forest soils, Hydrothermal processes.

36-3656

Seasonal variations in the content of mineral elements in pine forest soils. ¿Sezonnaia izmenchivost soderzhanija elementov mineral nogo pitanija v poch-

vakh sosnovykh lesovj, Fedorets, N.G., et al. Genezis i svoistva peschanykh pochy Karelii (Origin and properties of sandy soils in Karelia) edited by L.S. Kozlovskaia and R.M. Morozova, Leningrad, Nauka, 1982, p.102-115, In Russian, 11 refs

Leont'eva, R.V., Kharin, V.N. Taiga, Cryogenic soils, Nutrient cycle.

Plant communities of Tuva, (Rastitel'nye soobsh-

chestva Tuvyj. Kuminova, A.V., ed. Novosibirsk, Nauka, 1982, 208p.. Topological papers see 36-3658 through For selected papers see 36-3658 through 36-3663. Refs. passim.

Alpine landscapes, Alpine tundra, Taiga, Cryogenic soils, Plant ecology, Ecosystems, Plant physiology.

36-3658

Vegetation of the Ulug-Khem region in the Tuva ASSR. ¡Rastitel'nyi pokrov Ulug-Khemskogo raiona Tuvinskoi ASSRJ. Kuminova, A.V., Genezis i svoistva peschanykh pochv

Karelii (Origin and properties of sandy soils in Karelia) edited by L.S. Kozlovskaia and R.M. Morozova, Leningrad, Nauka, 1982, p.5-28, In Russian. 13 refs. Alpine landscapes, Landscape types, Alpine tundra, Taiga, Cryogenic soils, Plant ecology, Ecosystems.

36-3659

Vegetation of the Ulug-Khem River valley. [Rastitel's nosť doliny r. Ulug-Khemj. Maľtseva, T.V., Genezis i svoistva peschanykh pochv

Karelii (Origin and properties of sandy soils in Karelia) edited by L.S. Kozlovskaia and R.M. Morozova, Leningrad, Nauka, 1982, p.28-45. In Russian. 4 refs. River basins, Valleys, Landscape types, Forest land, Meadows, Swamps, Cryogenic soils, Frost penetration. Plant ecology. Ecosystems.

Alpine steppe vegetation of western Tuva. ${}_{\Gamma}K$ kharakteristike stepnoi rastitel'nosti gor Zapadnoi Tuvyj. Ershova, E.A., Genezis i svoistva peschanykh pochs Karelii (Origin and properties of sandy soils in Karelai edited by L.S. Kozlovskaia and R.M. Morozova, Leningrad, Nauka, 1982, p.109-121, In Russian 20

Alpine landscapes, Steppes, Cryogenic soils, Frost penetration, Alpine tundra, Forest soils, Plant ecology, Ecosystems.

36-3661

Vegetation of the Kantegir River basin, western Sayan. [Rastitel'nost' basseina r. Kantegir (Zapadnyi Saian)1.

Maskaev, IU.M., Genezis i svoistva peschanykh pochy Karelii (Origin and properties of sandy soils in Karelia) edited by L.S. Kozlovskaia and R.M. Morozova. Leningrad, Nauka, 1982, p.174-183, In Russian.

River basins, Landscape types, Taiga, Cryogenic soils, Meadows, Plant ecology, Ecosystems.

Geobotanical characteristics of dwarf shrub tundras western part of the Sangilen highlands. [Geobotanicheskaia kharakteristika ernikovykh tundr zapadnoi chasti nagor'ia Sangilen₁.

Sedel'nikova, N.V., et al, Genezis i svoistva pes-chanykh pochy Karelii (Origin and properties of sandy soils in Karelia) edited by L.S. Kozlovskaia and R.M. Morozova, Leningrad, Nauka, 1982, p.183-194, In 11 refs. Russian.

Sedel'nikov, V.P Alpine tundra, Plant ecology, Plant physiology, Eco-

36-3663

Phytocenotic role of the species in the dryad and dwarf shrub tundras. (O fitotsenoticheskoi roli vidov driadovykh i ernikovykh tundry.

Boguslavskaia, L.S., Genezis i svoistva peschanykh pochv Karelii (Origin and properties of sandy soils in Karelia) edited by L.S. Kozlovskaia and R.M. Morozova, Leningrad, Nauka, 1982, p.194-200. In Russian. 11 refs

Alpine tundra, Plant ecology, Plant physiology, Eco-

36-3664

Cycle of chemical substances in forests. ¡Krugovorot

khimicheskikh veshchesty v Iesuj. Molchanov, A.A., ed. Moscow, Nauka, 1982, 110p., For selected papers see 36-3665 through In Russian. Refs. passim

Taiga, Landscape types, Cryogenic soils, Forest fires, Revegetation, Litter, Biomass, Nutrient cycle, Plant physiology, Photosynthesis.

36-3665

Larch forests of northern Europe. (Listvennichniki

Evropeiskogo Severaj. Molchanov, A.A., Krugovorot khimicheskikh veshchesty v lesu (Cycle of chemical substances in forests) edited by A.A. Molchanov, Moscow, Nauka, 1982, p.5-20, In Russian.

Taiga, Cryogenic soils, Landscape types, Biomass, Soil formation, Soil chemistry, Soil composition.

Nitrogen and mineral element cycle in low-productivity spruce forests of northern taiga. (Krugovorot azota i mineral nykh elementov v nizkoproduktivnykh el'nikakh severnoi taigii.

er nikakn severnot (algi). Vakurov, A.D., et al. Genezis i svoistva peschanykh pochv Karelii (Origin and properties of sandy soils in Karelia) edited by L.S. Kozlovskaia and R.M. Morozova, Leningrad, Nauka, 1982, p.20-43, in Rus-12 refs

Poliakova, A.F. Taiga, Cryogenic soils, Biomass, Nutrient cycle, Soil

36-3667

Dynamics of nutrient reserves in young growth of pine under the northern taiga conditions. (Dinamika zapas-nykh pitatel'nykh veshchesty v pobegakh sosny v usviiakh severnoi taigij.

Gaidukova, L.V., Krugovorot khimicheskikh vesh-chesty v lesu (Cycle of chemical substances in forests) edited by A.A. Molchanov, Moscow, Nauka, 1982, p.54-68, In Russian 9 refs. Taiga, Cryogenic soils, Nutrient cycle, Plant physi-ology, Phocounthesis.

ology, Photosynthesis.

36-3668

Decomposition of conifer litter in two basic types of taiga forests and on burned-out areas. ¡Raziozheme khvomogo opia!a v dviikh tipakh kotennykh taezh

Kudriasheva TV et a. Kragovorot khimicheskikh veshehesty v esi. (Cycle of chemical substances in forests) edited by A.V. Molehanov, Moscow, Nauka. 1982, p.68-80, Ir. Russian

Poliakova, A.F.

Forest soils, Taiga, Forest fires, Revegetation, Cryogenic soils. Litter.

Structural neculiarities, testing results and problems of improving devices for ultrasonic control of welded seams in main gas pipelines in the Far North. (Osobennosti konstruktsii, rezul'taty ispytanii i zadachi sovershenstvovanna ustanovki ul'trazvukovogo kontrolia svarnykh soedinenn trubi.

Bobrov, VT, et al. Nerazrushaiushchie metody ispytanii svarnykh socainenii (Nondestructive methods of testing welded joints) edited by V.A. Troitskii, Kiev. IES, 1981, p.49-52. In Russian - 4 rets Zabarovskii, O.R., Fal'kevich, S.A., U.Shchak, P.T.

Gas pipelines, Welding, Joints (junctions). Test equipment.

36-3670

Mesoclimatic studies for evaluating the representativeness of meteorological stations under complicated geomorphologic conditions. [Mezoklimaticheskie is sledovanija pri otsenkakh reprezentativnosti meteorologicheskikh stantsii v slozbnykh geomorfologicheskikh uslovnakhj.

Romanova, E.N., et al. Leningrad Glavnaia geoficis cheskaia observatorna - Trudy, 1982, Vol 461, p.8-18,

In Russian, 8 rets. Kalashnikov, A.V.

Mountains, Permafrost distribution, Weather stations, Meteorological instruments. Topographic effects, Baykal Amur railroad.

Methods and results of calculating radiation balance and its characteristics in northern West Siberia. tMetodika i rezul'taty raschetov radiatsionnogo balansa i opredelianishchikh ego kharakteristik severa raschetov radiatsionnogo Zapadnor Sibirij. Lazareva, N.A. et al. Leningrad

Glavnaia geofizicheskaia observatoriia. Trudy, 1981, Vol 454, p 45-In Russian. 12 refs.

Maleyskii-Maleyich, S.P. Petroleum industry, Permafrost forecasting, Active layer, Thaw depth.

36-3672

Mountain forest soils of the Bashkir ASSR. [Gornolesnye pochvy Bashkirskoi ASSR₁. Mukatanov, A.Kh., Moscow, Nauka, 1982, 148p., In

Russian with abridged English table of contents en-Refs. p.140-14 closed.

Alpine landscapes, Permafrost distribution, Cryogenic soils, Nutrient cycle, Soil chemistry, Microelement content, Soil microbiology.

Conditions for ore deposit development in the Far Sorth, ¡Usloviia ekspluatatsii mestorozhdenii tverdykh poleznykh iskopaemykh Krainego Severaj. Skuba, V.N., et al, Novosibirsk, Nauka, 1982, 144p., In Russian with abridged English table of contents enclosed. 37 refs.

Mining, Coal, Excavation, Permafrost physics, Permafrost thermal properties. Subsea permafrost, Placer mining, Dredging.

Operation and maintenance of equipment in gas industry, ¡Opyt ekspluatatsii i remonta oborudovania v gazovom khoziaistvej. Alekseev, N.S., et al. Saratov, Privolzhskoe kiuzhiioe

17d-vo. 1981, 127p. (Pertinent p.22-27), In Russian 5 refs.

Gas pipelines, Permafrost beneath structures, Earthwork, Equipment, Abrasion, Winter maintenance.

36-3675

Automorphic soils of mountain taiga in southern Transbaikal, rAytomorthyc pochyy gornor taigi IU zh-

aransonisan (1992) nogo Zabaikal'taj. Storoshin VA, Novissbysk, Nauka, 1982, 176p. In controls, enclosed. Russian with English table of contents enclosed Refs p 161-176

Alpine landscapes, Landscape types, Taiga, Cryogenic soils, Soil formation, Podsol, Organic soils,

Determining bearing strength of elevated gas pipelines in naled formation areas. [Opredelenie nesushsposobnosti nadzemnogo gazoprovođa na

chti spisioloisti hadreiniogi gazopissoa na naledeopasnykh uchastkakhj. Kharionovskii, V.V., et al. *Stroitel isivo truboprovodov*. June 1982, No.6, p. 28-29, In Russian. Nikolaev, V.N., Podkol'zin, V.P., Usin, A.A.

Gas pipelines, Icing, Ice accretion, Ice loads, Bearing

36-3677

Installing thermal insulation under adverse weather conditions. [Vypolnenie izoliatsionno-ukladochnykh

rabot v slozhnykh pogodnykh uslovitakh; Mukhametdinov, Kh.K., Stroitel/stvo truboprovodov, June 1982, No.6, p 32-33. In Russian. Pipelines, Thermal insulation, Cold weather con-

struction, Construction materials.

Soil moisture control on oil fields during roadbed construction. [Regulirovanie vlazhnosti grunta pri stroitel'stve zemlianogo polotna neftepromyslovykh avtomobil'nykh dorogj. Semenov, V.A., et al, Neftepromyslovoe stroitel'stvo.

1982, No.5, p.3-4, In Russian.

Roadbeds. Soil moisture migration, Frost penetration, Thermal insulation, Snow cover effect.

36-3679

Deformations of storage tanks built on weak soils as observed in models and in the field. [Deformatsii model'nykh i naturnykh rezervuarov na slabykh gruntakhj. Konovalov

et al, Neftepromyslovoe stroitel'stvo, 1982, No.5, p.7-9, In Russian. Lismanov, R.A.

Petroleum industry, Storage tanks, Settlement (structural), Peat, Clays.

36.3680

Contemporary sedimentary environments on Baffin Island, N.W.T., Canada: glaciomarine processes in fiords of eastern Cumberland Peninsula.

Gilbert, R., Arctic and alpine research, Feb. 1982, 14(1), p.1-12, 37 refs.

Sedimentation, Glacial deposits, Marine deposits, Sediment transport, Suspended sediments, Echo sounding, Canada—Northwest Territories—Cumberland Peninsula.

36-3681

Pingos in the Brooks Range, northern Alaska, U.S.A. Hamilton, T.D., et al. Arctic and alpine research. Feb. 1982, 14(1), p.13-20, 15 refs.

Pingos, Distribution, Paleoclimatology, Altitude, United States-Alaska-Brooks Range.

16-3682

Formation of vertical edges on antarctic moss peat banks.

Fenton, J.H.C., Arctic and alpine research, Feb. 1982, 14(1), p.21-26, 18 refs.

Mosses, Peat, Permafrost, Active layer, Growth, Distribution. Radioactive age determination. Antarctica. Moss peat banks, which can be up to 3 m deep, greater than 2500 sq m in area, and up to 5000 yr old, occur in the Antarctic. 2300 sq m in area, and up to 3000 yr old, occur in the Anticrict. Radiocarbon dates show that the peat accumulation rate has varied from 0.25 to 2.00 mm/yr. These peat banks have an abrupt vertical edge of exposed peat, which does not appear to be due to crossion of a once-larger peat bank. These edges seem to have arisen because, as peat accumulates and the moss banks become deeper, increased snow-lie prevents outward growth of the banks at their edges. (Auth.)

Carbon dioxide flux from three Arctic tundra types in north-central Alaska, U.S.A.

Poide, D.K., e. al. Arctic and alpine research. Feb 1982, 14(1), p.27-32, 21 refs Miller, P.C

Tundra, Carbon dioxide, Lichens, Vegetation, Ecosystems. Seasonal variations.

Distribution of ephemeral herbaccous plants near treeline in the Sierra Nevada, California, U.S.A. Jackson, I. E., et al. Arctic and alpine research, irch 1982, 14(1), p.33-42, 25 refs.

Vegetation, Distribution, Alpine landscapes, Forest lines, Mountains, Altitude, Classifications.

36-3685

Comparative study of metabolic activities of bacteria in three ecoregions in the Colorado Front Range. U.S.A.

Shulls, W.A., et al, Arctic and alpine research, Feb 1982, 14(1), p.53-58, 14 refs. Mancinelli, R.L

Soil microbiology, Bacteria, Alpine tundra, Moun-

36-3686

Non-cored hot point drills on Hans Glacier (Spitsbergen), method and first results. Grzés, M., Polish polar research, 1980, 1(2-3), p.75-

Ice drills, Ice coring drills, Glacier ice, Thermal drills, Norway—Spitsbergen.

36-3687

Construction and work of magnetic observatory Arctowski (King George Island, South Shetland Islands). Szymański, A., Polish polar research, 1980, 1(2-3), p.105-115, 3 refs.

Construction, Cold weather construction, King George Island.

In summer 1978 a geophysical laboratory was constructed with a magnetic station Arctowski. Construction of two magnetic pavilions, instruments for registration of changes of a magnetic field and other instruments for registration are described. field and other instruments for registration are described. Parameters of registration instruments as well as geographic and geomagnetic co-ordinates of the observatory are presented as well as values of D, H, Z and F(T) of geomagnetic field at the beginning of the station's work. Examples of magnetic registrations of magnetically quiet, and disturbed days are included.

36-3688

Seismic observatory at Arctowski's Station (King George Island, South Shetland Islands).

alski, T.J., Polish polar research, 1980, 1(2-3), p.117-128.

Construction, King George Island.

The Laying foundations for a seismic observatory at Arctowski Station in the beginning of 1978 is discussed. Descriptions of registration of seismic instruments are included. Conditions of registration and parameters of instruments are noted. Registration sequence of seismic tremors from March 1978 to Octo-ber 1979 is described. Preliminary statistics of tremors are also

36-3689

Last stages of Trolltunga drift in the Weddell Sea, Antarctica.

Birkenmajer, K., et al, Polish polar research, 1980, 1(2/3), p.235-237, 4 refs. Kumoch, L., Zubek, K.

Icebergs, Drift, Weddell Sea.

The Trolltunga iceberg, long drifting in the Weddell Sea, was tracked one last time in March of 1978 before it entered the southern ocean. This report on the berg traces its progress since its formation in 1967; further tracking may be difficult since the heavier seas of the ocean will cause it to break up.

Energy balance of crystallization front.

Vodák, F., Physica A Europhysics journal, May 1982 112A(1/2), p.256-264, 13 refs.

Crystals, Stefan problem, Heat balance, Liquid solid interfaces. Phase transformations, Mathematical models.

Butane is nearly "ideal" for direct slurry freezing.
Randall, C.W., Water and wastes engineering, May Randall, C.W., Wate 1978, 15(3), p.43-49.

Sludges, Waste treatment, Freezing, Sewage treat-Latent heat, Chemistry, Experimentation, Dehydration.

Freeze treatment of alum sludge.

Wilhelm, J.H., et al. American Water Works Associa-Journal, June 1976, 68(6), p.312-314, 1 ret Silverblatt, C.E.

Sludges, Waste treatment, Freeze thaw cycles, Waste disposal, Cost analysis, Dehydration.

Persistence of poliovirus 1 during the freezing-thawing of hydroxide sludges from a water treatment plant under laboratory conditions.

Block, J.C., et al. European journal of applied microbiology and biotechnology, 1978, Vol.5, p.331-340, 16.

Joret J.C. Moriot M., Fonguet, I.M.

Sludges, Waste treatment, Freeze than cycles, Water treatment, Microbiology, Solids, Pollution, Bacteria.

36-3694

Experimental investigation of natural convection in the melted region around a heated horizontal cylin-

Bathelt, A.G., et al. *Journal of fluid mechi.*, r.s. 1 79, 90(2), p.227-239, 24 refs

Viskanta, R., Leidenfrost, W.

Freeze thaw tests, Liquid solid interfaces, Melting, Convection, Phase transformations, Pipes (tubes), Surface temperature. Heat transfer.

Effect of petroleum products on the snow-ice cover of

the Arctic. Izmailov, V.V., *Polar geography and geology*. Oct-Dec. 1981, 5(4), p.235-241. For Russian original see 4 refs

Oil spills, Snow cover, Ice cover, Pollution, Petroleum products, Polar regions.

Study of a 200-m core from the Lomonosov Ice Plateau on Spitsbergen and the paleoclimatic implica-

Gordienko, F.G., et al. *Polar geography and geology*. Oct.-Dec. 1981, 5(4), p.242-251. Translated from Izvestiia Vsesoiuznogo geograficheskogo obshchestva SSSR, 1980, No.5, p.394-401 9 refs. Kotliakov, V.M., Punning, IA-M.K., Varrmae, R. Glacial meteorology, Glacier ice, Drill core analysis,

Glacier mass balance, Ice temperature, Palco-climatology, Isotope analysis, Oxygen isotopes, Sea-sonal variations, Norway—Spitsbergen.

36.3697

Ten year construction program planned for 3,100 mile

Kaustinen, O.M., Pipeline, June 1982, 54(4), p.14-16 Gas pipelines, Cold weather construction, Route survevs.

36-3698

Sponsors certain Alaska gas line will be built. Klinger, O., Pipeline, June 1982, 54(4), p.19-20. Gas pipelines, Cold weather construction, Route surveys, United States-Alaska, Canada.

36-3699

Alaska Waterflood Projects need 200 miles of pipeline.

Edmondson, C., Pipeline, June 1982, 54(4), p.22-24. 60 63

Pipe laying, Water pipelines, Cold weather construction, Floods, Countermeasures, Cost analysis, United States-Alaska-Prudhoe Bay.

36,3700

Foothills Pipeline Project prebuild being completed. Stewart, M.E., Pipeline, June 1982, 54(4), p.26-35. Cold weather construction, Gas pipelines, United States-Alaska, Canada.

Preprints

Conference on Mountain Meteorology, 2nd, Steamboat Springs, Colorado, Nov. 9-12, 1981, Boston, Mass., American Meteorological Society, 1981, 408p. Refs. passim through 36-3708 For selected papers see 36-3702 Meteorology, Mountains, Snowstorms, Supercooled

clouds, Icing, Precipitation (meteorology).

Case study of severe icing on Monte Cimone in the

Apennine Mountains of Italy. Schaub. W.R., Jr., Conference on Mountain Meteorology, 2nd, Steamboat Springs, Colorado, Nov 9-12, 1981 – Preprints, Boston, Mass, American

Meteorological Society, 1981, p.41-45, 1 ref Icing, Ice accretion, Towers, Ice loads, Meteorologi-cal data, Mountains, Telecommunication, Italy— Monte Cimone.

Winter drought in the Colorado mountains,

Winter drought in the Connectione on Me it an Meteorology, 2nd St. authoral Springs, Colorado, Nov. 9-12 (1981). Preprints, Boston, Mass., American 9-12, 7981 Preprints, Boston, Ma Meteorologica, Soviety, 1983, p.57-58 Shater, B.A., McKee, J.B.

Snow accumulation, Snow water content, Snowmelt, Water supply. Stream flow, Runoff, Climatic factors, Mountains, Winter, United States - Colorado.

Climate of water input in the northeastern mountains. Mountain Hendrick, R.L., Conference on Meteorology, 2nd, Steamboat Springs, Colorado, Nov. 9-12, 1981. Preprints, Boston, Mass., American Meteorological Society, 1981, p.59-62, 2 refs.

Snowfall, Water balance, Climatic factors, Mountains, Rain, Hydrology, Precipitation (meteorology), Seasonal variations, Altitude.

Doppler radar observations of upslope snowstorms. Lilly, D.K., Conference on Mountain Meteorology. 2nd, Steamboat Springs, Colorado, Nov. 9-12, 1981 Preprints, Boston, Mass., American Meteorological Society, 1981, p.346-353, 2 refs.

Snowstorms, Slope orientation, Radar echoes, Mountains, Meteorological data, Wind factors, Temperature effects.

36-3706

Snowfall forecasting in the Colorado mountains.

Armstrong, R.L., et al. Conference on Mountain Mcteorology, 2nd, Steamboat Springs, Colorado, Nov. 9-12, 1981. Preprints, Boston, Mass., American Preprints, Boston, Meteorological Society, 1981, p.386-390, 2 refs. Williams, K.

Snowfall, Forecasting, Mountains, Precipitation (meteorology), Models, United States—Colorado.

36-3707

Supercooled water zones in stably stratified flow over a mountain barrier.

Rauber, R.M., et al, Conference on Mountain Meteorology, 2nd, Steamboat Springs, Colorado, Nov. 9-12, 1981. Preprints, Boston, Mass., American Meteorological Society, 1981, p.395-400, 3 refs.

Supercooled clouds, Aircraft icing, Cloud droplets, iquid phases, Mountains, Spectra, Storms, Models, United States-Colorado.

16-3708

Utility of mountaintop rime-ice measurements.

Hindman, E.E., et al, Conference on Mountain Meteorology, 2nd, Steamboat Springs, Colorado, Nov. 9-12, 1981 Preprints, Boston, Mass., American 9-12, 1981 Preprints, Boston, Mass., Ameri Meteorological Society, 1981, p.404-408, 12 refs. Grant, L.C

Hoarfrost, Supercooled clouds, Icing, Cloud droplets, Freezing, Measurement.

36-3709

State standards index of the USSR, 1981. (Gosu-State standards index of the Oscia, con-pulled durstvennye standarty SSSR. Ukazatel', 1981). Gosudarstvennyi komitet standartov. Russia ... Izdatel'stvo standartov, 1981, 3 volumes, In Rus-No microfiche available

Standards.

36-3710

Late Holocene glacier advances in Revdalen. Spitsbergen.

Karczewski, A., et al. Polish polar research, 1981. 2(1-2), p.51-61, 19 refs Kostrzewski, A., Marks, L.

Moraines, Geomorphology, Maps, Glacial geology, Norway—Spitsbergen.

36-3711

Deformations of unstatically layered gravel-clay sys tem on a chosen example from the Kaffioyra Lowiand (Oscar II Land, Spitsbergen).

Wojcik, C., Polish polar research, 1981, 2(1-2), p.63-4 rofs

Perigiacial processes, Deformation, Geomorphology. Sediments, Norway-Spitsbergen.

36-3712

Degree of tundra degradation in the surroundings of the Hornsund Polar Station (Spitsbergen)-reaction of the environment to human impact.

Krzyszowska, A., Polish polar research, 1981, 2(1-2). 73-86, 15 refs

p.73-86, 15 refs. Tundra, Pollution, Water pollution, Soil pollution, Fuels, Norway-Spitsbergen.

36-3713

Tracer techniques in hydrology, (Tracermethoden in

der Hydrologie, Leibundgut, C., ed. Beitrage zur Geologie der Schweiz Hydrologie, 1982, 28(1), 552p., In German and English For selected papers see 36-3714 through 36-

Weingartner, R., ed

Hydrology, Glacial hydrology, Isotopic labeling, Runoff, Meltwater, Alpine landscapes, Switzerland.

36-3714

Quantitative dye tracing in a glacierised alpine karst. Smart, C.C., et al, Beiträge zur Geologie der Schweiz --Hydrologie, 1982, 28(1), p.191-200, 7 rets Ford, D.C

Karst, Alpine landscapes, Alpine glaciation, Ground water, Meltwater, Surveys, Isotopic labeling.

Tritium and oxygen-18 as natural tracers in the complex hydrology of the alpine basin of Grindelwald (Switzerland).

Schotterer, U. Beiträge zur Geologie der Schweiz-Hydrologie, 1982, 28(1), p.435-444, With German-summary. 7 refs

Alpine landscapes, Hydrology, Isotopic labeling, Ground water, Snowmelt, Surveys, Switzerland-

36-3716

Contribution of ground water in meltwater and rain runoff in the Swiss catchment basin Dischma. [Bestimmung des Grundwasseranteils im Schnee- und Regenabfluss im Einzugsgebiet Dischmaj,

Martinec, J., Beitrage zur Geologie der Schweiz Hvdrologie, 1982, 28(1), p.459-470, In German with English summary 11 refs.

Runoff, Meltwater, Ground water, Rain, Alpine landscapes, Isotopic labeling.

Flow-routing of meltwater in an alpine glacier as in-

dicated by dye tracer tests.
Collins, D.N., Beiträge zur Geologie der Schweiz Hydrologie, 1982, 28(1), p.523-534, 11 refs. Glacial hydrology, Glacial rivers, Meltwater, Water flow, Isotopic labeling, Alpine glaciation, Runoff.

Economic criteria for the formation of populated areas in the North. [Ekonomicheskie kriterii formirovaniia severnykh naselennykh mest]. Murav'eva, I.IU., Leningrad, Strofizdat, 1981, 61p., In

Russian with abridged English table of contents enclosed. 21 refs.

Economic development, Urban planning, Natural resources.

Operation of construction machines in the North. ¡Tekhnicheskaia ekspluatatsiia stroitel'nykh mashin na Severej.
Bardyshev, O.A., et al, Leningrad, Strojizdut, 1981.

184p., In Russian with abridged English table of contents enclosed. 26 refs. Garkavi, N.G., Teslenko, N.G.

Polar regions. Cold weather construction, Construction equipment. Winter maintenance, Cold weather operation, Fiels, Lubricants.

36-3720

Navigable rivers of Siberia and the Northern Sea Route. (Sudokhodnye reki Sibiri i Severnyi morskoi

Antonov, V.S., Gidrometeorzdat, 1970, 11p., In Russian

DLC GB1355 A57

Polar regions, Transportation, Ice navigation, Icebound rivers. River diversion, Environmental impact, Arctic Ocean.

36-3721

Computer calculation of the mean strength of artificially frozen rocks, depending on freezing schemes and temperatures. (Raschet sredne) prochnosti zamorozhennykh porod s pomoshch'iu elektronnykh tsifrovykh mashin v zavisimosti ot skhemy i temperatury

zamorazhivanija, Man'kovsku, G.L. et al, Moscow, 1966, 21p. In Rossian with English table of contents enclosed. Stepanova, E.

Artificial freezing, Frozen rock temperature, Frozen

36-3722

DLC TN 292 M63

Long range forecasting of ice conditions in the southern Barents Sea. [Metod dolgosrochnogo iedovogo prognoza dha iuzhnoi chasti Barentseva moriaj. Sobchenko, E.A., Murmarsk Poliarnyi madehno-issledovateľskii institut morskogo rybnogo kno-ziarstva i okcanografii. Trudy, 1973. Vol. 54. p. 1-8. 138. In Russian 6 rets DLC SHI M8

Polar regions. Sea water freezing, Ice conditions, Ice forecasting, Long range forecasting.

Studying hydrogeothermal fields under phase transi-

from conditions, placetonic reliable to the conditions of the cond

Melamed, V.G., Chiznov, A.B. DLC GB1004 PTo

Permafrost formation. Ground ice. Permafrost hydrology. Phase transformations, Classifications. Theories.

Register of snow avalanches in the Teberda River hasin, ¡Katalog st ezhr yen lavin bassema (eki Teber-Zarudnev, V.M., Leningrad, Gidrometeoizdat, 19 59p., In Russian with English table of contents codosed DLC OCASA VENSA

River basins, Slope processes, Avalanches, Charts, 36-3725

General description of studies of the 1975-76 season. (Sezonnye assledovania 1975-76 g. obstiched apisa)

ar taristicheskara, erspeditsija. untarktichekskaja ekspeditsija - Trudy, (981-No.) p.9-72. In Russian

Sedov, O.K. . 1

Research projects, Antarctica.

This report on the 1975-76 Soviet Antarctic Expedition covers organization and conduct of the expedition, ship observations, establishment of Druzhnaya Base, and a summary of research and other activities at Soviet stations and by teams on traverse

Features of the ice in the eastern Weddell Sea. (Osobennosti ledovogo rezhima vostochnoi chasti moria eddellaj.

Kozlovskii, A.M., Sovetskaja antarkticheskaja ek-speditsiia. Trudy. 1981, No.73, p.73-78. In Russia.

Sea ice, Pack ice, Weddell Sea.

A description of the eastern and southern edges of the Weddell Sea ice pack is given. Conclusions about the nature of ice dy-namics are also offered on the basis of observations from Nov 1975 until Feb. 1976

36-3727

Characteristics of coastal features of the eastern and southern portions of the Weddell Sea. (Kharakteristika beregovoi cherty vostochnoi i tazhnoi chastemoria Leddellaj.

Grikurov, G.E., et al. Novetskara antarkti, hessara ere speditsiia. Frudy. 1981, No.73, p.79-82, Dr.Russia. Kozlovskii AM

Pack ice, Ice wharves. Sea ice distribution, Weddell

Data on the coastline along the eastern and southern sections Data on the costonic atong the eastern and solution vections of the Weddell Sea gathered by reconnaissance flights and ship-board observations in 1975-76 are presented. They can bused to plan station and camp sites, loading docks and other temporary installations

36-3728

Morphological teatures of the edges of the Filchner and Ronne ice shelves, (Mortangachesiae osobenia kraevor zony she torych edinkov Friebre.)

Kozlovskii, VM., et al. Societskiia arctiritischesia i ekspeditsiia – Lady, 1981, No.73, p.83-88, P. R.S. sian 2 rets Tret'iakov, N D

Ice wharves, Ice shelves, Glacier flow, Antarctica

Filchner Ice Shelf, Antarctica Ronne Ice Shelf. A description of the morphology of the Filchner and Ronne ice shelves, their rate of flow at various points, data on thickness and depth of the sea below are given-likely cargo unloading areas are made Recommendations of

36-3729

Teeberg drift in the southern ocean, $\{O,1\}$ as to a sec-

gov v II obvious or en e.; Bottni ov V N So e observa or hierare lessare et s sua - Tradis (1981) No 7 v p 96-98 (1 - Rosse)

Drift, Icebergs, Antarctica,

Analysis of reberg drift in the Indian and Atlantic sectors of the southern ocean is provided based on the example of a man more reberg which calved from the Amery Les Species 1964 and was tracked until 1975.

36-3730

Destruction of the ice island Poheda. Robbs a Bottoor VN (Car Notes in the research section of the r

Materials A.E. Schollo K. Charlet A. Icebergs, Drift, Ice islands, AntarcticaResults of analysis of the position of the ice island Pobeda until March 1976 are given. The island underwent considerable movement. Reasons for this shifting and the periods during which it occurred are discussed.

Using satellite data for ice navigation in the Antarctic (1975/76) on board the Mikhail Somor. (ispoi'zovanie ledovoj ir formatsii so sputnikov dlia provodki vo ľdakh Antarktiki nes 'Nikhail Somov' v navigatsiiu

1975-76 g.). Botnikov, V.N., et al. Sovetskaia antarkticheskaia ekspeditsiia. Trudy, 1981, No.73, p.101-103, In Rus-

Sedov, O.K.

Ice navigation, Spaceborne photography.

Use of satellite television pictures for navigation on the Mikhail Somov in antarctic waters is described. Recommendations for fixing the coordinates of such satellite photographs are offered.

Results of radiosounding to determine thickness and flow rate of ice cover, summer 1975/76. [Rezul'taty radiolokatsionnykh izmerenii tolshehiny i skorosti radiolokatsionnykh izmerenii tolshehiny i skorosti dvizheniia lednikovogo pokrova v letnii sezon

1975/76 g.j. Bogorodskii, V.V., et al, Sovetskaia antarkticheskaia ekspeditsiia. Trudy, 1981, No.73, p.104-111, In Rus-2 refs.

Trepov, G.V., Sheremet'ev, A.N., Stepanov, V.N. Glacier thickness, Glacier flow, Antarctica-Hayes Glacier, Antarctica-Shinnan Glacier, Antarctica Campbell Glacier.

Results of measuring flow rate and thickness of the Hayes, Campbell and Carnebreen Glaciers using radiosondes are pre-sented. The technique is also briefly described.

Thermal core drilling at Vostok-1 station. (Burenieprotaivanie skvazhiny na stantsii Vostok-ly. Kovalenko, V.I., et al. Sovetskaia antarktiehoskaia ek-

speditsiia. Trudy, 1981, No.73, p.112-116, In Rus-

Moiscey, B.S., Zagrivnyi, E.A. Ice drills, Ice sheets, Thermal drills, Ice coring drills, Antarctica-Vostok Station.

The logistics and execution of thermal core drilling of the ice sheet at Vostok are described. Optimal working ranges for such drilling at all stages of the process are given.

36-3734

Arctic marine commerce study; executive summmary. Arctic Institute of North America, Aug. 1973, 37p., 13

Marine transportation, Pipelines, Economic development. Natural resources, Ports, Polar regions.

Colorado snow-avalanche area studies and guidelines for avalanche-hazard planning.

Mears, A.L. Colorado Geological Survey. Special publication, 1979. No.7, 123p., 6 refs.

Avalanche formation, Avalanche tracks, Avalanche mechanics, Countermeasures, Si ow fences, Mapping.

hir photo interpretation of Great Lakes ice features. Marshall, E. W. Michigan University Great Lakes Research Division Special report, 1966, No.25. 92p. 15 refs

Lake ice, Ice formation, Aerial surveys, Photointerpretation, Freezeup, Ice structure, Ice sheets, Snow cover effect, Water, Turbulent flow, Wind factors, United States-Great Lakes.

Geomorphological reconnaissance in the extreme north of Labrador and New Quebec: a contribution to the study of basement-rock landforms in cold envirunments, ¿Reconnaissance dans l'extrémité nord du Labrador et du Nouveau Québec Contribution à l'é-tude geomorphologique des socles des milieux froids). Codard. A. Revine de geomorphologie dynamique. 1979. 28(4), p. 125-142. In French with English sum-

Periglacial processes, Landforms, Weathering, Frost shattering, Geomorphology, Frost heave.

Characteristics of air-bubble systems in hardened concrete produced by three types of air entraining agent-plasticizer combination.

Chatterp. S., et al. Silicates industriels (Solid and liquid stric columns), July-Aug. 1978, 43(7-8), p.153-156, 9

Confoundsson, H., Jensen, A.D. Concrete hardening, Air entrainment, Bubbling, Freeze than cycles.

36-3739

Satellite-based study of sea ice dynamics in the central Canadian Arctic Archipelago.

Marko, J.R., Contractor report series 77-4, Victoria. B.C., Institute of Ocean Sciences, July 1977, 106p., 6 refs.

Sea ice distribution, Drift, Ice mechanics, Remote sensing, Ice conditions, Ice breakup, Ice floes, Wind factors, Canada-Arctic Archipelago.

Evaluation of sonar equipment and techniques for application in the Beaufort Sea. Final report.

Hutchins, R., Contractor report series 80-4, Sidney, B.C., Institute of Ocean Sciences, 1980, 4 vols., 64 refs. Pingos, Acoustic measurement, Ocean bottom, Sub-sea permafrost, Detection, Frost mounds, Mapping, Mathematical models, Statistical analysis, Beaufort

Study of pingo-like features detected in the Beaufort

Coast Pilot Ltd., Contractor report series 80-6, Sidney, B.C., Institute of Ocean Sciences, 1980, 20p.

Pingos, Ocean bottom, Subsea permafrost, Echo sounding, Detection, Statistical analysis, Beaufort

36-3742

Study on the acoustic target strength of the PLF's found in the Beaufort Ses.

Simpkin, P.G., Contractor report series 80-7, Sidney, B.C., Institute of Ocean Sciences, 1980, 60p., 31 refs. Pingos, Detection, Acoustic measurement, Ocean bottom, Remote sensing, Backscattering, Models, Subsea permafrost, Beaufort Sea.

36-3743

Frost action effects on pavements. Volume 1-Technical report; Volume 2-Data summary.

Hoffman, G.L., et al, Pennsylvania. Department of Hollman, O.L., et al., remisyrsania. Department of Transportation. Bureau of Materials, Testing and Re-search. Report, May 1979, 1970-1978, FHWA-PA-RD-68-30-2, 377p., PB80-198 559, PB80-198 567, For

extensive summary see 36-1313. 22 refs.
Cumberledge, G., Bhajandas, A.C.
Frost action, Pavements, Freeze thaw cycles, Frost heave, Frost penetration, Freezing indexes, Sub-grades, Forecasting.

36-3744

CRREL 2-inch frazil ice sampler.

Rand, J., U.S. Army Cold Regions Research and Engineering Laboratory, May 1982, SR 82-09, 8p. Frazil ice, Samplers, Antarctica-Weddell Sea.

Trazil ite. Samplers, Antarcticia—vedueli Sea.

The CRREL 2-inch frazil ice sampler is a tubular device for obtaining undisturbed samples of frazil ice from beneath a floating ice cover. It fits through a 2 1/2 in.-diameter hole drilled in the ice. A liquid-tight seal at the bottom of the sampler prevents the loss of frazil ice and/or water from the tube while the unit is being raised. The sampler was used for the first time in the floes in the Weddell Sea, Antarctica in austral summer, 1990 1981. (Auth. and Inc.) 1980-1981. (Auth. mod.)

36-3745

Multi-year pressure ridges in the Canadian Beaufort

Wright, B. et al. Coastal engineering, Oct. 1981, 5(2.3), MP 1514, p.125-145. For another source of the article and abstract see 33-4609 (MP 1229). 16 refs. Hnatiuk, J., Kovacs, A.

Sea ice, Pressure ridges, Ice structure, Models 36-3746

Ice pile-up and ride-up on arctic and subarctic beaches.

Kovaes, A., et al. *Coastal engineering*, Oct. 1981, 5(2-3), MP 1538, p.247-273. For another source of the article and abstract see 33-4610 (MP 1230) 22 refs Sodhi, D.S.

Sea icc. Pressure ridges, Ice push.

Development and present status of German periglacial research in the polar and subpolar regions.

Karte, J. Polar geography and geology, Jan Mar 1982, 6(1), p.1-24, For German original sec. 35-2640

Periglacial processes, Altiplanation, Nivation, Research projects, Polar regions, Terminology, Ger-

36-3748

Seasonal distribution and numbers of waterfowl on the Malozemel'skaya tundra.

Mineev, IU.N., Polar geographs, and geologic Jac-Mar. 1982, 6(1), p.41-46, Translated form, Workenia nauk SSSR - fzvestna - Se 1981, No.4 p.119-122 - Eref Seriia geograficheskaia

Tundra, Ecosystems, Animals, Seasonal variations,

36-3749

Effect of snow drifting on gamma snow survey results. Cork. H.F., et al. Journal of hydrology. Aug. 1980. 48(1/2), p.41-51, 10 refs.

Loijens, H.S.

Snow surveys, Snowdrifts, Blowing snow, Snow water equivalent, Gamma irradiation, Attenuation, Radiation measuring instruments, Analysis (mathematics).

36-3750

Measurement of tensile strength of concrete at very low temperatures.

Elices, M., et al. American Concrete Institute. Journal, May-June 1982, No.3, p.195-200, 12 refs. Planas, J.

Concrete strength, Concrete aggregates, Tensile properties, Compressive properties, Low temperature tests, Cryogenics, Prestressed concretes, Liquefied gases, Analysis (mathematics).

36-3751

Influence of riverbed processes on flood plain landscapes (the Vilyuy River). (Vilianie ruslovykh protsessov na landshafty rechnykh poim (na primere Nizh-

nego Viliuia)₃. Dronin, N.M., et al. Moscow. Universitet. Vestnik Seriia 5 Geografiia, May-June 1982, No.3, p.48-53, In Russian. 8 refs. Chernov, A.V.

River basins, Landscape types, Valleys, Polygonal topography, Permafrost beneath rivers, Cryogenic soils. Plant ecology, Permafrost structure, Ice wedges, Flood plains, Soil temperature.

Freezing of moist ground, Promerzanic ylazhnogo

gruntaj.
Palagin, E.G., Leningrad. Gidrometeorologicheskii institut. Trudy, 1975, Vol.52, p.74-85, In Russian. 7 refs

Soil freezing, Frost penetration, Soil water migration, Phase transformations, Ground ice, Ice formation, Mathematical models.

Calculating freezing depth of water hodies and coarse. grained grounds. [Raschet glubiny promerzaniia vodo-

emov i krupnozernistykh gruntovj. Natanzon, G.A., et al, Leningrad. Gidrometeorologicheskii institut. Trudy. 1975, Vol.52, p.86-92. Palagin, E.G.

Icebound lakes, Ice growth, Ice cover thickness, Soil freezing, Soil water migration, Frost penetration.

Utilization of floating nuclear power plants in northern regions.

Golovin, A.L. et al. Soviet atomic energy, Aug. 1981 (Publ. Feb. 82), 51(2), p.497-501. Translated from Atomnaia energia. 5 refs. Petroleum industry, Floating structures, Electric

power, Nuclear power, Plants (industries), Polar regions.

Heat balance of taiga geosystems in western Siberia. (Teplovo) balans taezhnykh geosistem Zapadnor

Anan'ey, J.P. Wademiia nauk SSSR Institut geograffi Materialy meteorologicheskikh isoledovanii, 1982, No.5, p.100-111, In Russian. 17 refs. River diversion, Taiga, Swamps, Landscape types.

Heat balance. Forest canopy, Litter, Heat transfer, Wind factors.

Radiation balance of the forest and swamp geosystems of taiga in western Siberia. (Radiatsionny) rezhim lesnykh i bolotnykh geosistem zapadnosibirskoi taigij.

Abdullaev, VA Akademiia nauk SSSR Institut geografii Materialy meteorologicheskikh is-sledovanii, 1982 No.5, p.112-118, In Russian, 13 refs

Forest land, Swamps, Taiga, Solar radiation, Radiation absorption, Albedo, Radiation balance,

Urban influence on the formation of snow reserves. Whattee goroda na formitovanie snegozapasovy.
Mikhailov IV - Wadenma nauk SSSR - Institut geo-

grafi – Materialy meteorologicheskikh issledovanii. 1982 – No. 5 - p. 151–154 - In Russian – 5 tets

Municipal engineering, Snow cover distribution, Pollution. Buildings. Roads. Snow surveys. Snow melting, Snow water equivalent, Urban areas.

Sixth meeting of the editorial board of the World Atlas of Snow and Ice Resources, (Shestoe rasedanie redkollegii Atlasa snezhno-ledovykh resursov miraj. Dieter, N.N.: Akademira nauk SSSR. Institut geo Diejer. Institut 2co-Materialy gliatsiologicheskikh issledov Altronika obsuzhdenija, 1981. Vol.42, p.5-7. In Rus-

Meetings, Maps, Avalanches, Snow cover distribu-tion, Glacial hydrology, Spaceborne photography, Glacier surveys, Snow surveys.

16-1750

Working session of the authors of avalanche maps of the World Atlas of Snow and Ice Resources. (Rabothee soveshehanie aytorov lavinnykh kart Atlasa suczhno-ledovykh resursov miraj.

Mingkov, S.M., et al. Akademija nauk SSSR. Institut geografii. Materialy gliatsiologicheskikh is-sledovanii. Khronika obsuzhdeniia. 1981, Vol.42, geografii. p 8-9. In Russian.

Glazovskaja, T.G.

Meetings, Maps, Avalanches, Glaciology.

36-3760

Peculiarities of compiling the maps of glacier morphology for the World Atlas of Snow and Ice Resources. (Osobennosti sostavleniia kart morfologii lednikov v Atlase snezhno-ledovykh resursov miraj. Vinogradov, O.N., et al, Akademiia nauk SSSR. Institut geografii. Materialy gliatsiologicheskikh is-sledovanii. Khronika obsuzhdeniia. 1981, Vol.42, p.9-12, In Russian with English summary. 3 refs. Mountain glaciers, Glacier surfaces, Glacier surveys, Snow surveys, Mapping.

Compiling small-scale maps of glacier regime for little explored areas. [Opyt sostavleniia melkomasshtabnykh kart rezhima lednikov na maloizuehennye ter-

Zverkova, N.M., et al. Akademiia nauk SSSR. stitut geografii. Materialy gliatsiologicheskikh is-sledovanii. Khronika obsuzhdeniia, 1981, Vol.42, p.12-17, In Russian with English summary. 8 refs.

Mountain glaciers, Mapping, Charts.

Use of space images in mapping mountain glaciers. (Ispot'zovanie kosmicheskikh snimkov v grafirovanii gornogo oledeneniiaj.

Kraytsova, V.L., Akademiia nauk SSSR. Institut geografii Materialy gliatsiologicheskikh issledovanii. Ahronika obsuzhdeniia. 1981, Vot.42, p.18-22, In Russian with English summary. 15 refs

Mountain glaciers, Mapping, Spaceborne photography.

36-3763

Results of experimental studies of Karakorum glaciers from board of the orbital station "Saliut-6". [Rezul'taty eksperimenta po izucheniiu oledeneniia Karakoruma's borta orbital'noi stantsii "Saliut-6"). Desmoy, I.V., et al., Akademia nauk SSSR. Institut geografii Sk-lovanii Khronika obsuzhdeniia, 1981, Vol.42, p. 22-40. In Russian with English summary 8 refs. Institut Nunchenkov, A.S., Kotliakov, V.M., Nosenko, G.A. Mountain glaciers, Spaceborne photography, Space-

Compiling maps of heat resources of the alpine zone. (Nekotorye problemy sostavlenija kart teplovykh resursov vysokogornoi zony).

Davidovich, NV., Akademia nauk SSSR - Institut geografii Materialy gliatsiologicheskikh is-skilovanii Khronika obsuzhdenna, 1981, Vol 42, geografii p.41-46. In Russian with English summary. Mountain glaciers, Ice surface, Air temperature, Maps.

Snowmelt and the glacial runoff of the Altai rivers. (Taly) snegovor i lednikovy) stok rek Gornogo Altaiaj, Shantykova, L.N., Akademija nauk SSSR geografi Materialy gliatsiologicheskikh is-sledovanii Khronika obsuzhdeniia. 1981, Vol.42. p 46-48. In Russian with English summary. 5 refs. Mountain glaciers. Ablation, Snowmelt, Runoff. Mapping.

Morphological characteristics of the Heilo Patagonico Sur. [Morfologicheskaia kharakteristika IU zhnogo Patagonskogo lednikovogo piatoj. Glebova, L.N., et al. Akademiia nauk SSSR

geografii. Materialy gliatsiologicheskikh is-sledovanii. Khronika obsuzhdeniia. 1981. Vol.42, p.48-57. In Russian with English summary. 20 refs. Koriakin, V.S., Loseva, I.A.

Glaciation, Glacial lakes, Glacial hydrology, Spaceborne photography, Andes.

Morphological reconstruction of Wurm glaciers in the Alps. (Morfologicheskaia rekonstruktsiia viurmskikh lednikov Al'pilskoi gornoi oblasti).

Serebriannyi, L.R., et al, Akademiia nauk SSSR Institut geografii. Materialy gliatsiologicheskikh issledovanii. Khronika obsuzhdeniia, 1981, Vol 42, p.57-65. In Russian with English summary. 15 rets.

Alpine landscapes, Glaciation, Paleoclimatology.

Using space photographs of Arctic glaciated regions for compiling the World Atlas of Snow and Ice Resources. [Ispol'zovanie kosmicheskikh snimkov na lednikovye rajony Arktiki pri rabotakh po Atlasu snezhno-ledovykh resursov miraj.

Koriakin, V.S., Akademija nauk SSSR. Institut geo-grafii. Materialy gliatsiologicheskikh issledovanii. Khronika obsuzhdeniia. 1981, Vol.42, p.65-74, In Rus-

sian with English summary. 11 refs.
Glaciation, Spaceborne photography, Polar regions.

Workshop on the problems of ecology in polar regions. ¡Shkola-seminar "Problemy ekologii poliarnykh Glazovskii. A.F., Akademiia nauk SSSR. Materialy gliatsiologicheskikh is-Khronika obsuzhdeniia, 1981, Vol.42, geografii. sledovanii p.74, In Russian with English summary. Meetings, Ecology, Polar regions.

36-3770

Criterium of ice structure inhomogeneity in mountain glaciers. (Kriterií neodnorodnosti stroeniia l'da v massive gornykh lednikovi.

Tiulina, T.IU., Akademija nauk SSSR. Institut geografii. Materialy gliatsiologicheskikh issledovanii. Khronika obsuzhdeniia, 1981, Vol.42, p.75-83, In Russian with English summary. 7 refs.

Mountain glaciers, Glacier ice, Ice structure, Ice

36-3771

Oroglaciohydrological zonation of the Pamirs and Gissar-Alai ranges. (Orogliatsiogidrologicheskoc raionirovanie Pamira i Gissaro-Alaia). Kemmerikh, A.O., Akademiia nauk SSSR, Insute

Materialy gliatsiologicheskikh is-Khronika obsuzhdeniia, 1981, Vol.42, geografii. sledovanu. .83-89. In Russian with English summary Mountain glaciers, Glacial hydrology, Runoff, Map-

36-3772

Analyzing snow conditions in mountainous regions of the USSR for forecasting avalanche danger. (Analiz uslovii snezhnosti v gornykh rajonakh SSSR dlia ot-

senki lavinnoi opasnostij. Kondakova, N.L., Akademiia nauk SSSR. geografii Materialy gliatsiologicheskikh is-sledovanii Khronika obsuzhdeniia, 1981. Voj.42. p.89-94. In Russian with English summary. Snow surveys, Snow cover stability, Avalanche forma-tion, Avalanche forecasting.

36-3773

Synoptic conditions for snow avalanche formation in western Tien Shan. (Sinopticheskie usloviia skhoda snezhnykh lavin v gorakh Zapadnogo Tian'-Shaniaj, Sezin, V.M., Akademiia nauk SSSR, Institut geografii. Materialy gliatsiologicheskikh issledovanii Khronika obsuzhdeniia, 1981, Vol.42, p.94-100, In Russian with English summary 12 refs.

Avalanche formation. Snow cover stability, Ava-

lanche triggering. Avalanche forecasting, Synoptic meteorology

Holocene glaciation of Spitsbergen from paleobotanical data, ¡Ob istorii oledenenna Shpitsbergena v golotsene po dannym paleobotanicheskikh issledovanny. Surova, T.G., et al. Akademna mauk SSSR Institut geografi Materialy gliatsiologicheskikh is sledovanii, Khronika obsuzhdenna, 1981, Vol 42 p.100-106. In Russian with Friglish summary

Troitskii, L.S., Punning, IA-M.K. Ice dating, Paleobotany, Palynology.

Dynamics and erosive-accumulative activities of glaciers. (Dinamika i erozionno-akkumuliativnaja dejatel'nost' lednikovj. Shumskii, P.A., Akademiia nauk SSSR — Institut geo-

grafii Materialy gliatsiologicheskikh issledovanii Khronika obsuzhdeniia, 1981, Vol.42, p.107-115, In-Russian with English summary 2 rets Mountain glaciers, Glacier ice, Glacial erosion, Gla-

cial deposits, Moraines.

Thermal stability of ice sheets, Teplovaia ustor-

chivost lednikovykh pokrovovy. Krass, M.S., Akademia nauk SSSR. Institut geografii. Materialy gliatsiologicheskikh issledovanii Khronika obsuzhdeniia, 1981, Vol.42, p.115-121, In Russian with English summary. 11 refs

Glacier ice, Ice sheets, Ice thermal properties, Glacier surfaces, Friction, Ice temperature.

cier surfaces. Friction, Ice temperature. The ice sheet steady state depends on the temperature of the basal ice layer. The solution of stationary one-dimensional problem may not exist for some combinations of the defining parameters, owing to the nonlinear production of heat. The advection nonlinearly dependent on temperature plays the essential role. The solution of non-stationary thermal problem under the conditions of phase transition permits to evaluate the thickness of layer heated up to the melting point and the volume of water produced within it. The "warmed" system has a stationary thermal regime. A model of numerical parameters of climatic warming effect is developed and applied to several localities in Antarctica, Greenland and the Laurentide ice sheet

Interaction of temperature and hydrodynamic fields in stationary dome-like glaciers. (Vzaimodeistvie temperaturnykh i gidrodinamicheskikh polet v statsjonarnykh kupolovidnykh lednikakhj.

Salamatin, A.N., Akademiia nauk SSSR Institu geografii, Materialy gliatsiologicheskikh is sledovanii, Khronika obsuzhdeniia, 1981, Vol 42 geografii. p.122-128. In Russian with English summars.

Glacier ice, Ice temperature, Heat transfer, Ice mechanics, Mathematical models.

36-3778

Dynamics of the Shumskiy Glacier in Dzhungarskiy Alatau. (Dinamika lednika Shumskogo v Dzhungarskom Alataus.

Shumskii, P V. et al. Akademna nauk SSSR Institut Materialy ghatsiologicheskikh is-Khronika obsuzhdenna, 1981, Vol 42. geografii p 128-134, In Russian with English summary Krass, M.S., Cherkasov, P.A. Ice mechanics, Glacier flow

36.3770

Regimes of the motion and mally arid periods. [Rezhim lednikov Severnogo Tian-Shama v anomal no zasushiny) periodj. Makarevich, K.G., et al. Akademia nauk SSSR—Institut geografii. Materialy ghatsiologicheskikh isstedovani. Khromka obsurbidemia, 1981. Vol 42. Regimes of the northern Tien Shan glaciers in abnorp 135-139. In Russian with English summary 5 rets Mountain glaciers, Glacier alimentation, Glacier ablation, Mass balance.

Possible evolution of the Medvezhiy glacier under varying degradation conditions of its tongue. (Voz-mozhnaia evoliutsiia lednika Medvezh'ego pri (z-

menenii uslovii degradatsii ego kontsa). Osipova, G.B., Akademia maik SSSR — Institut geo-grafii.— Materialy gliatsiologicheskikh issledovanii Khromka obsochdenia, 1981. Vol.42. p. 130-144. [n. Russian with English summary

Glacier oscillation, Glacier tongues, Glacial erosion,

Forms of glacial tectonics as indicators of glacier surges and their use in forecasts. Formy ledovoi tektoniki kak indikator mekhanizma dvizheniia pul'siruiushchikh lednikov i ikh ispol'zovanie v tseliakh prog-

Dolgushin, L.D., Akademiia nauk SSSR. Materialy gliatsiologicheskikh is-Khronika obsuzhdeniia, 1981, Vol.42, geografii. sledovanii. p.145-149, In Russian with English summary.

Glacier tongues, Glacier surges, Spaceborne photography, Glacier surveys, Antarctica.

Reflections of glacier dynamics in ice surface morphology and the forms of ice tectonics visible on aerial and spaceborne the forms of ice tectonics visible on aerial and spaceborne photographs of the antarctic ice cover were studied. Photographs of faults in peripheral parts of the cover were used in estimating ice movement rates and directions. Mean annual flow rates of 100 floating glacier tongues were determined from fractures and pressure ridges. Deviations in the results of aerial observations, compared to land surveying data, did not exceed 4-8 percent. Analyses of data on the morphology and dynamics of surging glaciers, obtained in different parts of the world, sustained the direct relationship between ice tectonics and flow mechanism of surging glaciers. and flow mechanism of surging glaciers.

Influence of geological and geomorphological environment on glacier regime in Central Asia. (Vliianie geologo-geomorfologicheskoi sredy na lednikovyi rez-

him v usloviiakh Srednei Azii; Kreiter, A.A., et al, Akademiia nauk SSSR. geografii. Materialy gliatsiologicheskikh is-sledovanii. Khronika obsuzhdeniia. 1981, Vol.42, p.150-154. In Russian with English summary.

Mountain glaciers, Glacier ice, Ice structure, Glacier

Glaciers as the cause of water reservoir silting in Central Asia. (Ledniki istochniki zaileniia vodokhranilishch Srednei Azii), Shcheglova, O.P., Akademiia nauk SSSR. Institut

flow, Mass balance. Environmental impact.

Institut geografii. Materialy gliatsiologicheskikh is-sledovanii. Khronika obsuzhdeniia, 1981, Vol.42, p. 154-160, In Russian with English summary. 8 rcfs. Lakes, Glacier abiation, Runoff, Water storage.

Observation of the Fedchenko Glacier and its tributaries in 1976-1978, [Nabliudeniia v 1976-1978 gg. na

lednike Fedehenko i ego pritokakh, Kuznetsov, N.A., et al. Akademiia nauk SSSR. In-stitut geografii. Materialy gliatsiologicheskikh is sledovanii. Khronika obsuzhdeniia. 1981. Vol.42, p.160-164. In Russian with English summary. 4 refs. Kvachev, V.I.

Mountain glaciers, Glacier surveys, Ice volume, Ice (water storage), Glacier alimentation, Ablation, Mass

Recent variations in the glaciation of the Kamchatka volcanic areas. [Izmenchivost' sovremennykh led-

nikov vulkanicheskikh ratonov Kamchatkij, Vinogradov, V.N., et al, Akademia nauk SSSR. In-stitut geografii. Materialy gliatsiologicheskikh is-skedovani. Khronika obsuzhdenia. 1981. Vol.42, p.164-170, In Russian with English summary. refs.

Volcanoes, Glaciation, Glacier ice, Glacier tongues, Ice growth, Glacier oscillation, Glacier alimentation.

36-3786

Interpretation of long-term glacier mass balance measurements. ¡Rezul'taty analiza mnogoletnikh ria-dov izmerenii balansa massy lednikovj.

Chizhov, O.P., Akademiia nauk SSSR. Institut Reografii. Materialy gliatsiologicheskikh issledovanii. Khronika obsuzhdeniia. 1981. Vol.42, p.170-177. In Russian with English summary. 22 refs.

Mountain glaciers, Glacier mass balance, Alimenta-tion, Ablation, Mass balance.

Recent climatic fluctuations and ice cover dynamics in the Arctic Ocean, (Sovrement) ve kolebanija klimata i dinamika ledianogo pokrova Severnogo Ledovitogo

Liubarskii, A.N., et al, Akademiia nauk SSSR. stitut geografii. Materialy gliatsiologicheskikh is-sledovanii. Khronika obsuzhdeniia, 1981, Vol.42. p.177-185, In Russian with English summary. refs

Sea ice, Ice conditions, Climatic changes.

36-3788

Field meeting on the glaciation of the northern Yenisey River area. [Polevoe soveshchanie po oledeneniiam Prieniseiskogo Severaj.

Grosval'd, M.G., et al. Akademiia nauk SSSR. Institut geografii. Materialy gliatsiologicheskikh isstitut geografii. Khronika obsuzhdeniia. 1981, Vol.42. p.185, In Russian. Steklenkov, A.P.

Meetings, Glacial deposits, Paleoecology, Moraines,

Data assembled for the World Atlas of Snow and Ice Resources in France, Switzerland and Austria. [Sbor materialov dlia Atlasa snezhno-ledovykh resursov

mira vo Frantsii, Shveitsarii i Avstriij, Dreier, N.N., et al, Akademiia nauk SSSR. geografii. sledovanii. Materialy gliatsiologicheskikh is-Khronika obsuzhdenna, 1981, Vol.42, p.186. In Russian. otliakov, V.M.

Meetings, Glaciology, Mountain glaciers, Snow cover, Maps.

Mathematical reconstructions of paleoclimates from deep drilling data obtained in the antarctic ice sheet. matematicheskoi rekonstruktsii paleoklimatov pe dannym glubokogo buremia Antarkticheskogo led-

dannym gludokogo nikovogo pokrovaj.
Efimov, V.A., et al. Akademiia nauk SSS? Institut geografii. Materialy gliatsiologichesi.th issledovanii. Khronika obsuzhdeniia. 1981. Vol 42.

Govorukha, L.S. Evseev, M.P.

Ice sheets, Ice coring drills, Paleoclimatology, Ice dating, Antarctica.

Preliminary outline of reconstructions of atmospheric temperature and pressure fields of basic climatic epochs in the southern hemisphere involved studies of a global atmospheric circulation model, data from deep ice drilling and the stratigraphy of some antarctic ice outcrops. There were two main mathematical problems: analytical extension of solutions over the whole globe, and the mathematical description of evaporation from ocean surfaces in relation to the state of the atmosphere elled. Comparison of ice drilling data from Antarctica and nland showed the synchronism of climatic changes during main epochs.

Variations in the position of the Filchner ice shelf barrier during 1912-1976. (Osobennosti izmenenii polozheniia bar'era shel'fovogo lednika Fil'khnera za

Talkharov, V.G., Akademiia nauk SSSR. Institut geo-grafii. Materialy gliatsiologicheskikh issledovanii. Khronika obsuzhdeniia, 1981. Vol.42, p.191-196. In

Russian with English summary. 11.

Ice shelves, Glacier flow, Aerial surveys, Glacier ice, Stress concentration, Calving, Icebergs, Antarctica-Filchner Ice Shelf.

Dynamics of the Filchner ice shelf is discussed in the light of recent satellite data. Space images of the Weddell Sea coast showed considerable variations in the position of its front and showed considerable variations in the position of its front and area due to iceberg calving, the irregularity of its frontal advance, changes in the tension-compression zones south of the shoreline narrowing in the glacier bay, and possible periodic iceberg calving in the western Gould Bay. Cyclic fluctuations of the Filchner ice front at abour 30 year intervals are considered. ered possible

Water-ice balance of Spitsbergen glaciers in the 1978-79 balance year. [Vodno-ledovyi balans lednikov Shpitsbergena v 1978-79 balansovom goduj. Guc'kov, A.S., Akademiia nauk SSSR. Institut geo-

Guc'kov, A.S., Akademiia nauk SSSR. Institut geo-grafii. Materialy gliatsiologicheskikh issledovanii Khronika obsuzhdeniia, 1981, Vol.42, p.197-200. In Pussian with Enalth.

Russian with English summary. 3 rcfs.

Glacier mass balance, Seasonal variations, Glacier surveys, Mountain glaciers.

36-3793

Water balance of the Bol'shaya Khadata river basin and mass balance of the Polar Ural glaciers in the 1978-79 balance year, (Vodnyi balans basseina r. B Khadata i balans massy lednikov Poliarnogo Urala v

1978-79 balansovom goduj. Gokhman, V.V., et al. Akademiia nauk SSSR. stitut geografii. grafii. Materialy gliatsiologicheskikh is-Khronika obsuzhdeniia, 1981, Vol.42. sledovanii. p.200-204. In Russian with English summary Shehepin, G.B.

Mountain glaciers, Glacier mass balance, Seasonal variations, Glacier surveys.

36-3794

Microelements in the snow dust from snow cover of Zailiyskiy Alatau. (Mikroelementy v pyli iz snezh-nogo pokrova nekotorykh raionov Zailiiskogo Alatau), Glazovskii, N.F., et al. Akademia nauk SSSR. Inifii Materialy gliatsiologicheskikh is-Khronika obsuzhdeniia, 1981, Vol.42. stitut geografii p.204-208, In Russian with English summary. 4 refs Glazovskii, A.F

Alpine landscapes, Snow cover distribution, Snow composition, Microelement content.

Ice cover strength in the Yenisey and Gydan bays. (Prochnost' I'da Enisciskogo i Gydanskogo zalivov). Latalin, D.A., Akademia nauk SSSR, Institut geografii. Materialy gliatsiologicheskikh issledovanii. Khronika obsuzhdenija. 1981. Vol.42, p.208-210, In Russian with English summary. 1 ref. Russian with English summary.

Sea ice, Ice cover strength, Ice physics, Ice mechan-

36-3796

Workshop on glaciology in the Institute of Geography, the USSR Academy of Sciences. (Nauchny) seminar po ghatsiologi v Institute geografii AN SSSR, Akademia nauk SSSR Institut geografii. Materialy gliatsiologicheskikh issledovanii Khronika obsuzhdenija, 1981, Vol.42, p.210, In Rus-

Meetings, Glaciology, Mapping,

36-3797

Glaciological observations along the the route Mirn-Oraciological osservations along the the four Kirra-yy-Dome C in 1981, (Ghatsiologicheskie nabliudeniia pokhode ot stantsu Mirry) do kupola C v 1981 g.j. Diurgerov, M.B., et al. 4kademiia nauk SSSR. In-stitut geografii. Materialy gliatsiologicheskikh is-sledovanii. Khronika obsuzhdeniia. 1981. Vol.42. p.211, In Russian with English summary Koroley, P.A.

Snow surveys, Glacier surveys, Expeditions, Ice coring drills, Ice cores, Sampling, Antarctica.

ing drills. Ice cores, Sampling, Antarctica.

Glaciological observations along the Mirnyy-Dome C route started in 1977 and continued according to the program of the International Antarctic Glaciological Project. Automatic equipment and instruments were installed at selected proving grounds on the route for year-round monitoring of the Earth's magnetic field variations. There were also facilities for snow and ice surveys, observations and sampling in shafts. Seven proving grounds were established over a 1150 km distance starting from the Pionerskay Station. A special thermoelectric proving grounds were established over a 1130 km distance start-ing from the Pionerskaya Station. A special thermoelectric core-drilling assembly was installed 670 km from Mirnyy for a well 500 m deep and 168 mm in diameter. Ice core samples were obtained to the depth of 305 m, the remaining distance to be completed in the summer 1982.

36-3798

Snow and avalanche service; activities of the 1979/80 winter. ¿Servizio neve e valanghe: attivita dell'inverno 1978/80₁.

Veneto, Italy. Dipartimento Foreste, Padova, 1982. 21p. + graphs, In Italian

Snow surveys, Avalanche formation, Winter maintenance, Statistical analysis, Meteorological data, Mountains, Winter, Italy.

Under-ice biota at the Pond Inlet ice edge and in

adjacent fast ice areas during spring. Cross, W.E., Arctic, Mar. 1982, 35(1), p 13-27, With

French summar; 42 rets Cryobiology, Ice cover effect. Marine biology, Ecology, Ice edge, Fast ice, Ice bottom surface, Chlorophylls.

36-3800

Coastlines of the eastern Arctic. Sempels, J.M., Arctic, Mar. 1982, 35(1), p.170-179, With French summary. 12 refs.

Coastal topographic features, Beaches, Geomorphology, Glacier ice, Sediments, Canada—Northwest Territories-Baffin Island.

36-3801

Major features of the summer near-surface circulation of western Baffin Bay, 1978 and 1979

Fissel, D.B., et al. 47676. Mar. 1982, 35(1), p.180-200. With French summary 25 refs. Lemon, D.D., Birch, J.R.

Ocean currents, Sea ice distribution, Oceanography, Wind factors, Baffin Bay.

36-3802

Iceberg motion in Lancaster Sound and northwest Baffin Bay, summer 1978.

Battin Bay, summer 1976.

De Lange Boom, B.R., et al. Arche, Mar. 1982, 35(1)
p.219-233. With French Summary. Trets

MacNeill, M.R., Buckley, J.R.

Leebergs, Drift, Ice mechanics, Radar photography.

Radar echoes, Velocity, Canada - Northwest Territo-

ries-Lancaster Sound, Baffin Bay.

Study of long-term satellite-tracked iceberg drifts in

Baffin Bay and Davis Strait. Marko, J.R., et al., Arctic, Mar. 1982, 35(1), p.234-240. With French summary. 6 refs. Birch, J.R., Wilson, M.A.

Icebergs, Drift, Ice mechanics, Remote sensing, Fast ice, Grounded ice. Baffin Bav. Davis Strait.

36-3804

Survey of aircraft icing simulation test facilities in North America.

North America.

Olsen, W., U.S. National Aeronautics and Space Administration. Technical memorandum. Feb. 1981, No.81707, 15p. + figs., N81-19078, 14 refs.

Aircraft icing, Ice accretion, Temperature effects,

Wind tunnels, Tests.

Influence of salt on the unfrozen water in frozen clays.

Cheung. C.H., Montreal, McGill University, July 1979, 243p., Canadian Theses on Microfiche. No.47319, Ph.D. thesis. Refs. p.237-243. Soil freezing, Unfrozen water content, Salinity, Clays, Soil water migration. Salting, Freezing points,

Calorimetry, Mathematical models, Tests.

Method for measuring the thickness of an ice sheet. Pan, R.B., et al, U.S. Patent Office. Patent, Sep. 1, 1981, 6 col. USP-4,287,472.

Templeton, J.S., III.

Ice sheets. Ice cover thickness, Measuring instruments, Electrical resistivity.

36-3807

Proceedings.

Workshop on Clathrates (Gas Hydrates) in the National Petroleum Reserve in Alaska, Menlo Park, California, July 16-17, 1979. U.S. Geological Survey. Open-file report. [1981]. No.81-1298, 164p., Refs. passim. For selected papers see 36-3808 through 36-3813.

Hydrates, Natural gas, Exploration, Meetings, Offshore drilling, Permafrost, Subsea permafrost, United States—Alaska.

36-3808

Hydrates in the Arctic islands.

Franklin, L.J., U.S. Geological Survey. Open-file re-port, [1981], No.81-1298, p.18-21, 1 ref. Hydrates, Natural gas, Offshore drilling, Ice condi-tions, Offshore landforms, Shores, Well casings.

36, 3809

Hydrates: drilling and completing wells in the North American Arctic.
Goodman, M.A., U.S. Geological Survey. Open-file

report. [1981]. No.81-1298, p.22-39. Hydrates, Natural gas, Permafrost, Drilling, Well

casings, Freeze thaw cycles, Detection, United States
—Alaska, Canada, USSR.

36-3810

Recognition of hydrates by use of open hole logs of NPRA wells.
Hall, G. U.S. Geological Survey. Open-file report. (1981). No.81-1298. p.40-43.
Hydrates, Exploration, Detection, Permafrost, Well

casings, Coring. Drilling, United States-Alaska.

36-3811

Geothermal gradients on the North Slope Lawver, L.A., U.S. Geological Survey. Open-file re-port, (1981), No.81-1298, p.81-83. Hydrates, Offshore drilling, Temperature gradients,

Geothermy, Wells, Water temperature, Water structure, United States-Alaska-Prudhoe Bay.

Gas hydrate evaluation and recommendations, National Petroleum Reserve-Alaska.

Pratt. R.M. U.S. Geological Survey. Open-file re-port. [1981], No.81-1298, p.114-143, Refs. p.141-143. Hydrates, Natural gas, Freezing points, Exploration, Permafrost depth, Petroleum products, United States

Potential fuel resource of coal-gas clathrate in northwestern Alaska.

Tailleur, I L., et al. U.S. Geological Survey. Open-file report, (1981), No.81-12-8, p.148-150, 3 refs. Bowsher, A L

Fuels, Hydrates, Natural resources, Natural gas. Coal, United States—Alaska.

36-3814

Arctic Ice Dynamics Joint Experiment 1975-1976; physical oceanography data report: salinity, temperature and depth data, Camp Big Bear. Volume 4. Bauer, E., et al. Columbia University Lamont-Doherty Geological Observatory. Technical report. May 1980, CU-11-80, No.11, 374p., Refs. p.59-61 Hunkins, K., Manley, T.O., Tiemann, E. Salinity, Water temperature, Profiles, Drift stations,

Snow melting, Ice mechanics, Statistical analysis,

36-3815

Arctic Ocean.

Russian strength standards for commercial ships. Suhir, E., et al. Society of Naval Architects and Ma-rine Engineers, Mar. 1982, 61p., Paper for the Mar. 10. 1982 Meeting of the Chesapeake SNAME Section 106 refs

Raskin, Y., Tunik, A. Ice navigation, Ice loads, Ships, Strength, Standards, Ocean waves, USSR.

Successful conclusion of 18th INACH expedition. Geometrico de desarrollo la expedición científica INACH No.18, Santiago de Chile. Instituto Antártico Chileno. Bolefin Antártico Chileno. Jan.-Feb. 1982, 2(1), p.1-18, In Spanish.

Research projects. Research projects.

After a brief general report on the accomplishments of the 18th INACH Expedition, individual programs are discussed separately: marine mammals; benthic communities; plant communities of Maxwell Bay; fish ecology; geodesy and glaciology; geology; renovation of a seismic station; oceanographic data gathering in Maxwell Bay; satellite data collection; ascent of Mount Français by the Italian Alpine Club supported by the Chileans; and study into the possible presence of aboriginal man in Austracia.

36-3817

Life in antarctic lakes and rivers.

Vincent, W.F., New Zealand. Department of Scientific and Industrial Research. Science Information Alpha series, Jan. 1982, No.18, 5p.

Lakes, Lake water, Salt lakes, Salinity, Limnology,

A review of the subject of antarctic lake biology, this leaflet considers coastal lakes and ponds and inland lakes, often marked by fresh water on top of brackish bottom water. The short-lived rivers and streams of glacial meltwater are also con-

Long-term impacts of increasing atmospheric carbon

MacDonald, G.J., ed, Cambridge, Mass., Ballinger Publ. Co., 1981, 252p., Refs. passim. DLC TD885.5.C3L66

Ice sheets, Glacier flow, Rheology, Glacier melting, Climate, Climatic changes, Sea ice, Ocean currents, Antarctica—West Antarctica.

Antarctica—West Antarctica.

Two chapters in this book relate to the Antarctic. Chapter 11 is concerned with deep ocean currents and polar warming Chapter 12. The Effect of Chimatic Warming on West Antarctic Ice Sheets, considers the following questions: uce cover, literature review; creep models of ice stream flow; mass-conservation model of ice sheet disintegration; possible consequences of warming; recent instabilities; and the effect of disintegration of West Antarctica on climate. An appendix applies the basic equation to a floating ice shelf.

Coastal zone '80.

Symposium on Coastal and Ocean Management, 2nd. Hollywood, Florida, Nov. 17-20, 1980, New York, American Society of Civil Engineers, 1980, 3 vols. Refs. passim. through 36-3822. For selected papers see 36-3820 Edge, B.L., ed.

Natural resources, Shores, Ocean environments, Environmental impact, Management.

36-3820

New Coast Guard icebreakers for the Fourth Coast. Gracewski, A.S., Symposium on Coastal and Ocean Management, 2nd. Hollywood, Florida, Nov. 17-20, 1980. Proceedings. Coastal zone 80. Edited by B.L. Edge, New York, American Society of Civil Engineers, 1980, p 624-633, 2 refs

Icebreakers, Lake ice. Ice breaking, Ice navigation,

Bubbling, Great Lakes.

36-3821

Management of coastal resources in Arctic Alaska. Keiser, G., et al, Symposium on Coastal and Occas-Management, 2nd, Hollywood Florida, Nov. 17-20. 1980. Proceedings. Coastal zone '80. Edited by B.L. Edge, New York, American Society of Civil Engineers, 1980, p 1480-1496, 12 refs. Pichon, W

Natural resources, Shores, Economic development, Environmental protection, Exploration, Sea ice, Offshore structures, Management, United States-Alaska-North Slope.

36.3877

Soil-cement for protection of shorelines.

Soli-cement for protection of shorelines. Dinchak, W.G., Symposium on Coastal and Ocean Management, 2nd, Hollywood, Florida, Nov. 17-20, 1980. Proceedings. Coastal zone 180. Edited by B.I. Edge, New York, American Society of Civil Engineers, 1980, p.2203-2217, 10 refs.

Shore erosion. Countermeasures, Soil cement, Embankments, Protection, Management.

36-3823

Simultaneous measurement of falling velocity and

Sasaki, O., et al. Applied optics, Apr. 1, 1980, 19(7), p.1151-1153, 9 refs. Abe, T. Shimizu, T

Snowflakes, Falling bodies, Rain, Drops (liquids), Snow optics, Lasers, Velocity, Grain size.

36-3824

Three high peaks of the Kunlun Mountains.

Cui. Z., High mountain peaks in China newly opened to foreigners. People's Sports Publishing House of China, 1981, p.26-28, Supervised by Chinese Mountaineering Association

Mountain glaciers, Topographic features, Glacial meteorology. Geomorphology, China-Kunlun Mountains.

36-3825

Complex river terrace development in the Nenana

Valley near Healy, Alaska.

Ritter, D.F., Geological Society of America.

Bulletin, Apr. 1982, Vol 93, p. 346-356, 23 tefs.

Terraces, Rivers, Banks (waterways), Topographic

features, Origin, Erosion, Outwash, Paleoglaciology, United States—Alaska—Nenana River.

36.3826

Cold weather masonry construction: introduction. (Revised). Brick Institute of America, McLean, Va Technical notes, July 1981, No.1, 4p., Originally pub-lished in Dec. 1967.

Cold weather construction, Masonry, Building codes, Standards.

36-3827

Cold weather masonry construction: construction and protection recommendations. Brick Institute America, McLean, Va. Technical notes, Jan. 1968.

Cold weather construction, Masonry, Protection, Air temperature. Temperature effects.

36-3828

Cold weather masonry construction: winter building techniques in Europe. Brick Institute of America.
McLean, Va. Technical notes. Dec. 1980, No.1B.
10p., Originally published in May 1968.
Cold weather construction, Masonry, Buildings, Win-

ter, Europe. 36-3829

Winter tire testing.

Davis, J.B., et al. Society of Automotive Engineers Technical paper series, 1980, No 800838, 6p. Wild, J.R., St. John, N.W.

Tires, Cold weather performance, Skid resistance,

36-3830

On the problem of Pleistocene ice-cover patterns in West China.

esur, C., Acta geologica Sinica, May 1964, 4-p 229-245, In Chinese with English summary refs Acta geologica Sinica, May 1964, 44(2),

Snow line, Alpine glaciation, Pleistocene, Topographic features. Moraines, Altitude, Dendritic ice. Paleoclimatology, China.

36-3831

Ice vs. marine piling.

Wortley, CA: Ice and ice covers. Associated Pile and Filling Corp. GEO-Pile Conference, Atlanta, Georgia, March 1981, [1981], p.71-87, 4-refs. Lake ice, Ice removal, Ice adhesion, Pile structures.

Ice pressure. Ports, Damage, Heat transfer, Countermeasures, Offshore structures.

Recommended practices for cold weather masonry construction. International Masonry Industry All-Weather Council, Dec. 1970, 21p., 5th printing—Feb.

19, 1975. Cold weather construction, Masonry, Construction materials, Heating, Temperature effects, Protection.

Sump studies: 1. Terrain disturbances.
French, H.M., Canada. Department of Indian and Northern Affairs. Environmental studies, 1978, No.6, 52p., Refs. p.44-46.

Wells, Topographic features, Drilling fluids, Waste disposal, Freeze thaw cycles, Environmental impact, Permafrost, Tundra, Canada—Northwest Territories -Mackenzie River Delta.

Wildlife and wildlife habitat in the Great Slave and Great Bear Lake regions, 1974-1977.

Jacobson, R., et al. Canada. Department of Indian Northern Affairs. Environmental studies, Spring 1979, No.10, 134p., Refs. p.95-99.

Tundra, Vegetation, Ecosystems, Animals, Canada—Northwest Territories—Grea Slave, Canada—Northwest Territories—Great Beat Lake.

Sump studies: 2. Geothermal disturbances in permafrost terrain adjacent to Arctic oil and gas wellsites. French, H.M., et al, Canada. Department of India and Northern Affairs. Environmental studies. 1980. No.14, 61p., 15 refs. Smith M W

Permafrost thermal properties, Geothermal thawing, Wells, Drilling fluids, Waste disposal, Environmental impact, Natural resources, Canada.

36-3836

Sump studies: 3. Biological changes in permafrost terrain adjacent to High Arctic oil and gas wellsites. Smith, D.W., et al, Canada. Department of Indian and Northern Affairs. Environmental studies, June 1979, No.16, 150p., Refs. p.147-150. James, T.D.W

Permafrost, Wells, Drilling fluids, Waste disposal, Vegetation, Environmental impact, Soil pollution, Chemical analysis, Ions.

36-3837

Degradation of crude oil in northern soils.

Mackay, D., et al. Canada. Department of Indian and Northern Affairs. Environmental studys, 1980. No.18, 36p., Refs. p.28-30.

Ng, T.W., Shiu, W.Y., Reuber, B. Tundra, Environmental impact, Taiga, Soil pollution, Oil spills, Degradation, Crude oil, Permafrost.

Dating of cold firn and ice in a drill core from Colle Gnifetti, Monte Rosa. Datierung von kaltem Firn und Eis in einem Bohrkern vom Colle Gnifetti, Monte

Schotterer, U., et al. Schweizerische Naturforschende Gesellschaft. Jahrbuch, Wissenschaftlicher Teil, 1978, p.48-57, In German with French summary. 19

Haeberli, W., Good, W., Oeschger, H., Röthlisberger,

Ice dating. Firm, Drill core ar lysis, Ice coring drills. Isotopes, Stratigraphy, Switzerland-Monte Rosa.

36-3839

Dynamics of glaciers and large ice masses. Hutter, K., Annual review of fluid mechanics, 1982,

Vol.14, p.87-130, Refs. p.126-130.

Glacier flow. Ice sheets. Ice mechanics. Glacier oscillation, Basal sliding, Ice water interface, Subglacial caves. Analysis (mathematics).

San Juan Mountains avalanche study; evaluation and prediction of avalanche hazard; meteorological and avalanche observations, 1980-1981.

Armstrong, R.L., et al, U.S. Bureau of Reclamation. Office of Atmospheric Resources Research. Final report, Oct. 1981, Nov. 1980-Oct. 1981, 27p., Includes Appendix by B.R. Armstrong: A quantitative analysis of avalanche hazard on U.S. Highway 550, southwestern Colorado. 19 refs.

Armstrong, B.R.

Avalanche formation, Avalanche forecasting, Snow accumulation, Weather observations, Mountains, Air temperature, United States—Colorado—San Juan

36-3841

Is evaporation an important component in high alpine hydrology.

Lang, H., Nordic hydrology, 1981, Vol.12, p.217-224. 15 refs

Evaporation, Glacial hydrology, Water balance, Heat flux, Glacier ablation, Glacier heat balance, Snow evaporation, Solar radiation.

Some characteristics and consequences of snowmelt during rainfall in western Oregon. Harr, R.D., Journal of hydrology, 1981, Vol.53, p.277-

304, 37 refs

Snowmelt, Stream flow, Rain, Runoff, Heat transfer. Erosion, Hydrology, Watersheds, Floods, Landslides.

Determination of trace pollutants in urban snow using PIXE techniques.

Jervis, R.E., et al, Nuclear instruments and methods, 1982, Vol.193, p.323-329, 14 refs. Landsberger, S., Lecomte, R., Paradis, P., Monaro, S

Snow composition, Pollution, Chemical analysis ray diffraction, Health, Air pollution, Detection, Pro-

Environmental effects of dams and impoundments in Canada: Experience and prospects.

Baxter, R.M., et al. Canada. Fisheries and Aquatic Sciences. Bulletin, 1980, No.205, 34p., Refs. p.27-Glaude, P.

Dams, Reservoirs, Environmental impact, Human factors, Permafrost, Water chemistry, Canada.

Combat in winter. U.S. Army Foreign Science and Technology Center. Technical translation. Apr. 5, 1982, FSTC-HT-138-82, 11p., Translated from Kampf im Winter, Oct. 1980, Jägerschule, 13p.

Military operation, Survival, Snow houses, Shelters, Cold weather operation, Winter.

Heat and low temperature resistant inner tubes from vulcanizates based on a blend of chlorinated butyl ubber with SKI-3 and SKD.

Mikhailova, N.P., et al. U.S. Army Foreign Science and Technology Center. Technical translation, Mar. 25, 1982. FSTC-HT-1346-81, 8p., Translated from Kauchuk i rezina, 1980, No.6, p.48-50. 3 refs. Sapronov, V.A., Kirsanova, G.A., Chesnokov, V.V. Tires, Low temperature tests, Rubber, Plasticity tests, Thermal properties, Strength, Tensile properties, Stresses, Brittleness,

Infantry movements in mountains, particularly in winter. U.S. Army Foreign Science and Technology Center. Technical translation, Apr. 1, 1982, FSTC-HT-137-82, 17p., Translated from Infanteriebewegungen im Gebirge unter besonderer Berücksichtigung der winterlichen Verhältnisse, Oct. 1980, Jägerschule,

Military transportation, Military operation, Mountains. Snow cover effect, Topographic effects, Route survevs.

36.3848

Manual on physico-chemical strengthening of freezing and thawing soils. National Research Council. Canada. Technical translation, 1981, NRC/CNR TT-1978, 98p., Translated from Rukovodstvo po tekh nologii fiziko-khimicheskogo ukrepleniia promerzai-ushchikh i ottaivaiushchikh gruntov; Nauchnoissledovatel'skil institut fundamentov i podzemnykh sooruzhenil, Moscow, Gosstrolizdat, 1977.

Soil freezing, Ground thawing, Soil strength, Cold weather construction, Manuals, Frost heave, Frozen ground settling, Frozen ground physics, Countermeasures. Analysis (mathematics)

SNiP-11-57-75 construction standards and rules. Part 2. Design standards, Chapter 57: Loads exerted on hydraulic structures by waves, ice and ships. National Research Council, Canada. Technical translation, 1980, 1968, 22p., Translated from Russian, Moscow, Gosstrofizdat, 1976.

Standards, Hydraulic structures, Ice loads, Ice adhesion. Ocean waves, Building codes, Ships, Offshore structures, Analysis (mathematics).

36-3850

Fireline reclamation on two fire sites in Interior Alaska.

Knapman, L. U.S. Bureau of Land Management Alaska. Resource management note, May 1982, BLM AK RMN-82 01, 23p

Fires, Countermeasures, Permafrost, Erosion, Land reclamation, United States-Alaska

36-3851

Glacier flow.

Hutter, K., American scientist, Jan -Feb. 1982, 70(1).

p.26-34, 46 refs. Glacier flow, Mountain glaciers, Basal sliding, Ice mechanics, Ice creep, Velocity.

36-3852

Ultimate safe conditions for ship's operation in ice. Tunik, A., Calgary, Alta., Society of Naval Architects and Marine Engineers, May 15, 1982, 14p., 2 refs. Ice navigation, Safety, Ships, Ice loads, Ice cover thickness, Bearing strength, Velocity, Analysis (mathematics).

36-3853

Seasat views oceans and sea ice with synthetic-aperture radar.

Fu, L.-L., et al, California. Institute of Technology, Pasadena. Jet Propulsion Laboratory. JPL publica-tion. Feb. 15, 1982, No.81-120, 200p., Refs. p.19] 200 Holt, B

Sea ice distribution, Drift, Ocean waves, Ocean currents, Bottom topography, Remote sensing, Side looking radar, Radar photography, Ships, Microwaves, Statistical analysis.

36-3854

Major late-winter features of ice in northern Bering and Chukchi Seas as determined from satellite im-

Shapiro, L.H., et al. Alaska. University. Geophysical Institute. Sci. 236, 7p. + 9 figs. Burns, J.J. Scientific report, June 1975, UAG R-

Sea ice distribution. Ice conditions, Remote sensing, Fast ice, Pack ice, ERTS imagery, Polynyas, Drift, Wind factors, Bering Sea, Chukchi Sea.

Report on improving forecasts of icing conditions for aviation. U.S. Federal Coordinator for Meteorological Services and Supporting Research. (Report). Feb. 1982, FCM-R4-1982, 15p.

Aircraft icing, Ice forecasting, Ice detection, Measuring instruments, Accidents.

36-3856

Deicing of underpass using ground water and heat pipes.

Griffin, R.G., Jr., et al. U.S. Federal Highway Ad-Colorado Department of Highways ministration. Report, Dec 1981, CDOH-DTP-R-81-10, 21p., 4 rets Hutter, W

Ice prevention, Ground water, Road icing, Heat pipes, Geothermy, Heat transfer, Solar radiation, Electric heating.

36.3857

Proceedings of the 1977 conference on geomorphology. [Zhongguo di li xue hiii 1977 nian di mao xue shu tao lun hui wen jij. Chinese Geographical Society

Geomorphology Committee, Peking, Science Press, 1981, 391p., In Chi

Geomorphology, Glacial geology, Glaciology, Snow.

Introduction to contemporary glaciers and glacial geomorphology in Western China.

Shi, Y., et al. Zhongguo di li xue hui 1977 nian di mao xue shu tao lun hui wen ji (Proceedings of the 1977 conference on geomorphology of the Chinese Geographical Society). Peking, Science Press, 1981, p 137-144. In Chinese. 13 refs

Glaciology, Glacier surveys, Fossil ice, Glaciation, Glacial geology, Snow, Snow line, Snow melting, Ava-

36-3859

Glacial geomorphology and questions on glacial periods of the upper course of Ala Gou River in Xinjiang. Ren, B., Zhongguo di li xue hui 1977 nian di mao xue shu tao lun hui wen ji (Proceedings of the 1977 conference on geomorphology of the Chinese Geographical Society), Peking, Science Press, 1981, p.149-151, In

Glacial geology, Glaciology, Frozen ground, Mountain glaciers. Fossil ice, Glacial till, China-Ala Gou River, China -- Toksun Basin.

Changes and evolution of Mt. Qilian's glaciers-a

preliminary research. Lanzhou Institute of Glaciology and Cryopedology. Zhongguo di li vue hui 1977 nian di mao xue shu tao lun hui wen ji (Proceedings of the 1977 conference on geomorphology of the Chinese Geographical Society). Peking, Science Press, 1981, p.152-155, In Chinese.

Glaciology, Glacier surveys, Snow, Snow lines, Snow melting, Climatic changes, China—Qilian Mountain.

Antarctica: wilderness at risk.

Brewster, B., San Francisco, Friends of the Earth Books, 1982, 125p., Refs. passim. DLC G860.B73

Pollution, Ice sheets, Oil spills, Radioactive wastes, Economic development, Antarctica.

Economic development, Antarctica.

This book describes the considerable damage which has already been done to the fragile antarctic ecosystem by human activity, in spite of its limited scale and, at least recently, fairly tight international regulation. Were the continent opened up to commercial activity, even strict regulation would fail to preserve the wilderness. Tureats to Antarctica lie primarily in oil exploration, nuclear waste storage, and heavy krill harvesting, which would strike at the base of the vast food chain. The implications of commercial exploitation of the area are considered and alternatives offered. Pressures on each of the nations involved in antarctic research or development are discussed to demonstrate the complexity of what is essentially a political problem.

36-3862

Soviet glaciologists in the USA at the Antarctic sessions. [Sovetskie gliatsiologi v SShA na antarkticheskikh zasedaniiakhj,

Kotliakov, V.M., et al, Akademiia nauk SSSR. Institut geografii. Materialy gliatsiologicheskikh issledovanii. Khronika obsuzhdeniia. 1982, Vol.43. p.5-17, In Russian.

Meetings, Ice physics, Land ice, Sea ice, Glaciology,

Ice shelves.

Objectives of the 3rd International Symposium on Antarctic Glaciology were discussions of new ideas, concepts and results on all aspects of the antarctic glaciology, including ice cover stability, modeling, sea ice, shelf glaciers, history of glaciation, glacial geology, stratigraphy, atmospheric and surface processes. Several special sessions were devoted to the International Antarctic Glaciological Project. A list of all the reports heard at the symposium is presented with short accounts of papers on the physics of continental and sea ice.

All Union workshop on the interactions of volcanism and glaciation. [Vsesoiuznyi seminar po izucheniiu zaimodeistviia vulkanizma i oledeneniiaj,

Glazovskii, A.F., Akademiia nauk SSSR. Materialy gliatsiologicheskikh is-Khronika obsuzhdeniia, 1982, Vol.43, geografii. sledovanů. p.17-29, In Russian.

Meetings, Volcanoes, Glaciation, Mountain glaciers, Snow cover distribution, Glacier alimentation.

Glaciological investigations on North East Land. [Gliatsiologicheskie raboty na Severo-Vostochnot Ze-

Zagorodnov, V.S., et al, Akademiia nauk SSSR. stitut geografii. Materialy gliatsiologicheskikh is-sledovanii. Khronika obsuzhdeniia. 1982, Vol.43, p.30, In Russian. Zinger, E.M.

Glaciation, Snow surveys, Glacier surveys, Glacier ice, Ice coring drills, Thermal drills, Norway-Sval-

36.3865

36-3805
Snow cover stability on mountain slopes. [Control Snow cover stability on mountain slopes. [Control Snow cover should be should Slope processes, Snow cover stability, Snow depth, Avalanche formation.

Calculating avalanche parameters in the zone of slow-down and stopping. (Raschet parametrov lavin v zone

tormozhenija i ostanovkij, Eglit, M.E., Akademija nauk SSSR Institut geografii Materialy gliatsiologicheskikh issledovanii. Khronika obsuzhdenna. 1982, Vol 43. p. 35-39, In Rus-

sian with English summary. 2 refs. Avalanche triggering, Avalanche mechanics, Ava-lanche engineering.

36-3867

Calculating avalanche ejection distances. (O raschetakh obespechennosti dal'nosti vybrosa lavinj Losev, K.S., Akademiia nauk SSSR. Institut geografii. Materialy gliatsiologicheskikh issledovanii. Khronika obsuzhdeniia, 1982, Vol.43, p.39-43, In Russian with English summary. 5 refs. sian with English summary

Avalanche mechanics, Avalanche forecasting, Avalanche engineering.

Determining design values of avalanche pressure against protective structures. (Opredelenie raschetnykh davlenii snezhnykh lavin na zashchitnye sooruzheniia].

Isaenko, E.P., Akademiia nauk SSSR grafii. Materialy gliatsiologicheskikh issledovanii. Khronika obsuzhdeniia. 1982, Vol.43, p.44-46, In Russian with English summary. 1 ref.

Avalanche forecasting, Avalanche mechanics, Impact strength, Avalanche engineering.

Methods and efficiency of avalanche protection in economically developed areas of Kirgizia. (Metody i protivolavinnogo obespecheniia narodeffektivnost' nogo khoziaistva Kirgiziii.

nogo knoziaistva Kirgin; Maksimov, N.V., et al., Akademiia nauk SSSR. Institut geografii. Materialy gliatsiologicheskikh issledovanii. Khronika obsuzhdeniia, 1982. Vol.43, p.47-49, In Russian with English summary. 3 refs. Solodkov, P.A., Shaikhutdinov, R.Sh., Aizin, V.B. Slope processes, Snow cover distribution, Snow depth, Avalanche formation, Avalanche forecasting, Avalanche triggering, Avalanche engineering.

Snow structure and its relation to avalanche formation, "Struktura snega i ee sviaz" s lavinoobrazovaniem₁.

Bolov, V.R., Akademiia nauk SSSR. Institut geo-Materialy gliatsiologicheskikh issledovanii. Khronika obsuzhdeniia. 1982, Vol.43, p.49-55, In Russian with English summary. 16 refs.

Snow cover structure, Snow crystal structure, Snow

cover stability, Avalanche formation, Avalanche trig-

Forecasting time of avalanche formation in the Baykal Amur railroad area. [Prognozirovanie vremeni lavinoobrazovaniia v rajonakh Bajkalo-Amurskoj magistralij.

Kharitonov, G.G., Akademiia nauk SSSR. Materialy gliatsiologicheskikh is-Khronika obsuzhdeniia. 1982. Vol.43, geografii. sledovanii. p.55-59. In Russian with English summary. 7 refs. Avalanche forecasting, Snow cover distribution, Snow cover stability, Avalanche formation, Snowdrifts, Baykal Amur railroad.

Long range forecasting of glacial mudflows in Tien Shan. Dolgosrochnoe prognozirovanie gliatsial nykh selei Tian'-Shania₁.

Kubrushko, S.S., et al, Akademiia nauk SSSR. Institut geografii. Materialy gliatsiologicheskikh issledovanii. Khronika obsuzhdeniia, 1982. Vol. 43. p.60-62. In Russian with English summary. 3 refs. Shatravin, V.I.

Alpine landscapes, Glacial hydrology, Slope processes, Mudflows.

Forecasting glacial mudflows in Zailiyskiy Alatau. (Gliatsial'nye seli Zailiiskogo Alatau i puti ikh prog-

Tokmagambetov, G.A., et al., Akademiia nauk SSSR, Institut geografii. Materialy gliatsiologicheskikh issledovanii. Khronika obsuzhdeniia, 1982, Vol.43, p.63-68, lin Russian with English summary. 4 refs. Sudakov, P.A., Plekhanov, P.A.

Alpine landscapes, Mountain glaciers, Glacial hydrology, Mudflows.

36-3874

Regime of the Kavarta placier—an active source of mudflows in Central Caucasus. [Rezhim lednika Kaiarty na Tsentral'nom Kavkaze aktivnogo selevogo ochaga₁.

ochagaj.
Zolotarev, E.A., et al. Akademiia nauk SSSR. In-stitut geografii. Materialy ghatsiologicheskikh is-sledovanii. Khronika obsuzhdeniia. 1982. Vol 43. p.69-75. Iu Russian with English summary. 3 rets opovnin, V.V., Semova, I.B

Alpine landscapes, Mountain glaciers, Glacial hydrology, Mudflows.

36-3875

Protecting high voltage and traction substations by artificial melting of snow. (Metod iskusstvennoge snegotajanna v sisteme mer snegobor by na tiagovykh

shegotarama's sisteme mer snegobor by na fragovykh ryspokovof mykh podstantsnakh;
Al'tshulet, Z.E., Akaacimia mauk SSSR — Institut geografii. — Material)—ghatvoologicheskah isokedovanii Khronika obsazhdenna, 1982, vol 43, p. 76, 79, In Russian with English summary—2 rets.
Electric power, Buildings, Snow loads, Snowdrifts, Snow removal Artificial militing.

Snow removal, Artificial melting,

36.3876

Solid precipitation and snow transfer under arctic conditions. (Tverdye osadki i spegoperenos v arkti-

conditions. Greaty observed the state of the skills uslovitakly.

Briazgin, N.N., et al. Akademia nauk SSSR — Institut geografii.

Materialy glassiologicheskikh issledovanii — Khronika obsuzhdenna, 1982, Vol 43, p. 79-88. In Russian with English summary — 4 rets Voskresenskii, A I

Snowfall, Snowdrifts, Snow accumulation, Polar regions.

36-3877

Mapping snow depth in the southeastern Primor'e. rKartografirovanie vysoty snezhnogo pokrova iugo-

Kartograurovanic, vostoka Primorija, vostoka Primorija, vostoka Primorija, Rosman, A.P., Akademija nauk SSSR — Institut geografii. Materialy ghatsiologicheskikh issledovanic Khronika obsuzhdenia, 1982, Vol. 43, p.85-92, In Rustina with English summary. 12 refs.

sian with English summary. 12 refs.

Snow surveys, Snow depth, Mapping, Snow cover distribution, Mountains.

Hydroacoustic method of mass transfer control at the bottom surface of ice shelves and icebergs. [Gi-droakusticheskii metod kontrolia massoobmena na nizhnet poverkhnosti shel'fovykh lednikov i aisber-

Zagorodnov, V.S., Akademiia nauk SSSR. geografii. Materialy gliatsiologicheskikh is-sledovanii. Khronika obsuzhdeniia. 1982, Vol.43 p.93-103. In Russian with English summary. 41 refs. Ice shelves, Ice drills, Ice bottom surface, Ice water interface, Ice accretion, Ice melting, Ice acoustics, Heat transfer, Mass transfer, Antarctica-Ross Ice

Special conditions of heat and mass transfer between ice and sea special conditions of fleat and flass trained between the and sea are found at the bottom surfaces of continental glaciers extend-ing into shelf ice, and icebergs. Drilling of wells through the ice permitted direct observations of thermophysical processes at the ice-sea water interface. Hydroacoustic instruments were designed for observing ice accretion and melting at the bottom of icebergs and shelf glaciers. Combinations of such instruments were used in the central part of the Ross glacier for direct measurements and control of ice growth and thawing processes. Such instruments can perform at high hydrostatic pressures and provide high resolution. Two scanning istruments, used on the Ross Ice Shelf in 1978-79, are described in detail.

Develoing methods for studying structure and properties of glacier ice. [Metodicheskie razrabotki dlia izu-

tles of gracier lee, interocinensia i azraonki dia iza-cheniia struktury i svoisty lednikovogo l'daj. Zagorodnov, V.S., et al. Akademiia nauk SSSR — In-stitut geografii — Materialy gliatsiologicheskikh is-sledovanii. — Khronika obsuzhdeniia, 1982. Vol.43. p.103-108, In Russian with English summary. refs. Samoilov, O.IU

Glacier ice, Ice coring drills, Drill core analysis, Thin sections.

36-3880

Mathematical and numerical modeling of glacial processes. [Matematicheskoe i chislennoe modelirovanie ledníkovýkh protsessovj,

Akademiia nauk SSSR. Institut geo-Krass, M.S., grafii. Materialy gliatsiologicheskikh issledovanii Khronika obsuzhdenia, 1982, Vol 43, p 108-113, In Russian with English summary 13 refs

Glacier ice, Mathematical models, Computer pgro-

Computer calculation of some characteristics of melting and its thermal sources, (Raschety nekotorykh kharakteristik taianiia i ego teplovykh resuisov s pomoshch iu EVM₁.

Barbash, V.R., et al. Akademila nauk SSSR Institut geografii. Materialy gliatsiologicheskikh is sledovanii Khromka obsuzhdenna, 1982, Vol 43 p 114-119. In Russian with English summary 5 re Bocharova, N.G., Davidovich, N.V., Krenke, N.N.

Glacier surfaces, Glacier ablation, Air temperature, Mathematical models, Antarctica - Mirnyy Station. Computer programming of standard glaciological computations is illustrated by several examples including Antarctica. Data obtained at the Mirnyy Station is used in plotting a curve of the dependence of summary ablation of glacier surfaces on the mean summer air temperature, using the Khodskov-Krenke empirical formula. Better approximation of the formula is obtained by varying several parameters according to the gradient lowering method.

36-3882

Studying pollen morphology of Spitsbergen plants for paleoglaciologic purposes. ¡Primenenie palinomor-fologicheskikh issledovanii rastenii Shpitsbergena dlia tselei paleogliatsiologii₁.

Surova, T.G., Akademiia nauk SSSR. Institut Reografii. Materialy gliatsiologicheskikh issledovanii. Khronika obsuzhdeniia. 1982, Vol.43, p.119-124, In

Russian with English summary. 6 refs.
Paleoclimatology, Glaciology, Paleobotany, Pollen, Paleoecology.

36-3883

Thermal mechanism of secondary layering processes in mountain glaciers. ¡Teplovoi mekhanizm obrazovaniia vtorichnoi sloistosti v gornykh lednikakh_j, Mazo, V.L., Akademiia nauk SSSR.

Institut geo-Mazo, V.L., Akademia nauk SSSK. Institut geo-grafii. Materialy gliatsiologicheskikh issledovani. Khronika obsuzhdeniia, 1982, Vol.43, p.125-128, In Russian with English summary. 9 refs. Mountain glaciers. Glacier ice, Ice structure, Layers,

Ice temperature, shermal regime, Analysis (math-

36-3884

Glaciological observations in Mongolia in April 1981. (Gliatsiologicheskie nabliudeniia v Mongol'skoi Narodnoi Respublike v aprele 1981 g.j. Khodakov, V.G., Akademiia nauk SSSR. Materialy gliatsiologicheskikh is-Khronika obsuzhdenia, 1982, Vol.43, geografii. sledovanii p.129-131, In Russian with English summary. 2 refs. Mountain glaciers, Glacier surveys, Naleds, Space-borne photography, Snow cover distribution.

36.3885

Using jet sprinklers in experiments with artificial accretion of ice. ¿Eksperimenty po fakel'nomu namorazhivaniiu l'da₃, Gordeichik, A.V., et al. Aledemiia nauk SSSR.

stitut geografii. rafii. Materialy gliatsiologicheskikh is-Khronika obsuzhdeniia, 1982, Vol.43, p.131-135, In Russian with English summary. 5 refs. Sosnovskii, A.V.

Ice (construction material), Ice dams, Ice accretion, Hydraulic jets.

Naleds in the Baksan Valley, Central Caucasus, Naledi v Baksanskoi doline na Tsentral'nom Kav-

Kirpichenkov, S.IA., et al, Akademiia nauk SSSR. Institut geografii. Materialy gliatsiologicheskikh is-sledovanii. Khronika obsuzhdeniia, 1982, Vol.43, p.135-139, In Russian with English summary. 2 refs Semova, LB.

River basins, Valleys, Naleds, Ice growth, Alimenta-

36-3887

Possible mechanism of inclined ice wedge formation in the Edoma deposits of northern Yakutia. [O vozmozhnom mekhanizme formirovanija naklonnykh ledianykh zhil v edomnoj tolshche Severnoj IAkutija, Bozhinskii, A.N., et al. Akademiia nauk SSSR. Institut geografii. Materialy gliatsiologicheskikh issledovanii. Khronika obsuzhdeniia, 1982, Vol.43, p.139-143, In Russian with English summary. 8 refs. Konishchev, V.N

Loess, Clay soils, Frozen fines, Permafrost structure, ice wedges.

36-3888

Moscow glaciation in southern Timan. (O kharaktere moskovskogo oledenenija na IUzhnom Timanej, Ostanin, V.E., Akademiia nauk SSSR. Institut geo-grafii. Materialy gliatsiologicheskikh issledovanii. Khronika obsuzhdeniia. 1982, Vol.43, p.143-146, In Russian with English summary. 2 rcfs. Glacial deposits, Moraines, Aerial surveys, Photointerpretation.

Chemical composition and microelement migration in the Marukh glacier, Caucasus. [Khimicheskii sostav i migratsija mikroelementov v lednike Marukh na Kav-

Korkina, N.M., et al. Akademiia nauk SSSR. Institut Materialy gliatsiologicheskikh is-Khronika obsuzhdeniia, 1982, Vol.43, Reorrafii. sledovanii. p.146-153, In Russian with English summary.

Filitsiian, E.S.

Mountain glaciers, Glacier ice, Ice composition, Chemical composition, Microelement content.

Chemical studies of snow and ice of the Dzhankuat glacier, Caucasus. Pezul'taty khimicheskogo is-sledovaniia snega i l'da lednika Dzhankuat na Kav-

Evseev, A.V., et al, Akademiia nauk SSSR. Materialy gliatsiologicheskikh is-Khronika obsuzhdeniia. 1982, Vol.43, sledovanů. p.153-156, In Russian with English summary. 4 refs. Boiarskaia, T.D., Sukhova, T.G. Mountain glaciers, Glacier ice, Ice composition,

Snow composition, Impurities.

36-3891

Recent spore-pollen spectra of glaciated areas of Spitsbergen. [Subretsentnye sporovo-pyl'tsevye spektry lednikovykh rajonov Shpitsbergena]. Surova, T.G., Akademiia nauk SSSR. Institut geo-grafii. Materialy gliatsiologicheskikh issledovanii. Khronika obsuzhdeniia, 1982, Vol.43, p.157-160, In Russian with English summary. 10 refs.
Paleoclimatology, Arctic landscapes, Glaciology,
Plant ecology, Pollen, Paleoecology.

Annotated list of Soviet publications on glaciology (1979). [Annotirovannyi spisok sovetskoi literatury po

gliatsiologii za 1979 god]. Kotliakov, V.M., et al, Akademiia nauk SSSR. stitut geografii. Materialy gliatsiologicheskikh is-sledovanii. Khronika obsuzhdeniia. 1982, Vol.43, p.161-229, In Russian. 585 refs.

Chernovaia, L.P. Bibliographies, Glaciology.

Bibliographies, Glaciology.

This list contains Soviet publications on glaciology, published in Russian (or having summaries in Russian) in periodicals, proceedings and transactions of conferences for 1979. It is the continuation of similar bibliographies for 1956-1978. In addition to literature for 1979 the list comprises some publications of previous years omitted in earlier bibliographies. The annotated papers are organized in the following sections: Organization of studies, scientific meetings, conferences (1-26), Methods of studies (27-61), General problems of glaciology (62-104), Physics and chemistry of ice (105-129), Sea ice (130-204), River and lake ice (205-247), Underground ice and aufeis (248-282), Paleoglaciology (283-328), The Antarctic and the Arctic (329-364), The Caucasus (365-373), Central Asia and Kazakhstan (374-422), Siberia and Soviet Far East (423-436), Snow avalanches and glacial mudflows (437-502), Snow cover, hail, hoar frost and glaze (503-561), Seasonal snow cover outside the areas of the present-day glaciers (562-585). Name index. (Auth.)

Symposium on the antarctic climate. (Simpozium po klimatu Antarktidy₁,

Aver'ianov, V.G., et al, Akademiia nauk SSSR. stitut geografii. Materialy gliatsiologicheskikh is-sledovanii. Khronika obsuzhdeniia, 1982, Vol.43, p.229-230, In Russian.

Briazgin, N.N., Petrov, L.S.

Briazgin, N.N., Petrov, L.S.
Climatology, Meetings, Antarctica.
The symposium, dedicated to the 25th anniversary of Soviet studies in Antarctica, was organized by the Arctic and Antarctic Scientific Research Institute together with the Interdepartmental Commission on Antarctic Research, the Academy of Sciences of the USSR, the Commission of Polar Meteorology of the Interdepartmental Geophysical Committee of the Academy of Sciences, USSR, and the Geographic Society of the USSR. Scientists from 24 research organizations presented 80 papers, most on the formation and regime of antarctic snow and ice covers. Some of the authors are mentioned and topics of their papers briefly discussed.

Icebreakers of Canada and the USA. [Ledokoly SShA Kanady₁. Arikainen, A., et al. Morskoi flot, 1982, No.6, p.56-59,

In Russian.

Ice navigation, Icebreakers,

Weakening frozen rocks with superhigh frequency fields. (Osnovy razuprochneniia merzlykh porod SVCh-poliamij. Misnik, IU M., Leningrad, Universitet, 1982, 210p., In

Russian with English table of contents enclosed. refs.

Frozen rocks, Electric fields, Electromagnetic properties, Frozen fines, Excavation, Equipment, Electric heating.

36-3896

New evidence for multiglaciation in the high mountains of Japan. 1. New observations in Hakuba (Shirouma)-dake.

Schlüchter, C., et al. Nihon Gakushiin. Proceedings. Series B. Oct. 1981, 57(8), p.296-299, 2 refs. Heuberger, H., Horie, S

Mountain glaciers, Alpine glaciation, Glacial geology, Geomorphology, Paleoclimatology, Japan-Hakuba-

New evidence for multiglaciation in the high mountains of Japan. 2. New observations in Lateyama. Schluchter, C., et al. Nihon Gakushiin. Proceedings. Scries B. Oct. 1981, 57(8), p.300-303, 3 refs.

Heuberger, H., Horic, S. Alpine glaciation, Mountain glaciers, Glacial geology, Geomorphology, Paleoclimatology, Tateyama Mountain. Japan-

Formation of ice crystals and dissipation of supercooled fog by artificial nucleation, and variations of

crystal habit at early growth stages.

Kumai, M., Journal of applied meteorology. Apr. 1982, 21(4), MP 1539, p.579-587, 14 refs.

Fog dispersal, Ice crystal nuclei, Artificial nucleation, Supercooled fog, Microstructure, Electron microscopy, Plates, Ice formation, Water vapor, Tempera-

ture effects. The early stages of icc crystal formation in supercooled fogs were studied in detail by electron microscopy, and ice nucleation experiments using liquid propane seeding were conducted in a thermostatically controlled coldroom. Ice crystals, formed by rapid cooling created by the evaporation of liquid propane from a fine nozele at temperatures from -0.1 to -40C, were collected and replicated on filmed grids for electron microscope examinations. Most of the ice crystals formed immediately after the liquid propane seedings were spherical (although approx. 20% were hexagonal) with diameters ranging from 0.3 to 3 micrometer and with a mean diameter of 1.5 micrometer. Electron microscopy revealed a grain boundary in some of the ice crystals.

Physical scale modelling of electrothermic thawing of permafrost for alleviation of frost heave problems in chilled gas pipelines.

Vermeulen, F.E., et al, Journal of Canadian petroleum technology; July-Sep. 1981, 20(3), p.102-111, 5 refs. Chute, F.S., Cervenan, M.R.

Artificial thawing, Permafrost thermal properties, Permafrost beneath structures, Gas pipelines, Electric heating. Frost heave, Ground thawing, Models.

36.3900

ariability of the annual maximum ice extent of the Baltic Sea. Alenius, P., et al, Archiv für Meteorologie, Geophysik

und Bioklimatologie. Ser. B. 1981, Vol. 29, p.393-398, With German summary. 18 refs. Makkonen, L

Sea ice distribution, Ice conditions, Statistical analysis, Periodic variations, Baltic Sea.

36-3901

Study of the de-icing properties of the ASDE-3 roto-

Goulding, M.K., U.S. Federal Aviation Administra Report. Apr. 1982, DOT-FAA-RD-81-112, c75p., 29 refs

Antennas, Aircraft icing, Ice prevention, Ice detection, Thermal analysis, Ice adhesion, Walls, Forecasting, Electric heating, Equipment.

Temperature and salinity cycles at the Marine Sciences Research Laboratory, Logy Bay, Newfound-

Steele, D.H., Memorial University of Newfoundland Marine Sciences Research Laboratory. Technical report. July 1974, No.12, 21p., 12 refs

Sea water, Salinity, Water temperature, Icebergs, Surface temperature, Drift, Seasonal variations, Canada—Newfoundland.

Cold weather masonry construction: contemporary bearing wall buildings. Brick Institute of America. McLean, Va Technical notes on brick construction. McLean, Va. Technical notes on brick construction. July 1981, No.1C, 5p., Originally published in Oct. 1968.

Cold weather construction, Masonry, Walls, Buildings. Bearing strength.

Physics of the mechanically-driven atmospheric boundary layer as an example of air-sea ice interac-

Joffre, S.M., Helsinki, University, Department of Meteorology, Report, 1981, No.20, 75p., Refs. p.73-Joffre, S.M., Helsinki.

Ice air interface, Sea ice, Ice sheets, Boundary layer, Mechanical properties, Wind factors, Temperature distribution, Pressure ridges, Heat transfer, Flow

Theoretical and empirical study of the atmospheric boundary layer dynamics over a frozen sea. Joffre, S.M., Helsinki. University. Department of Meteorology. Report, 1981, No.21, 7p., 5 refs.

Sea ice, Ice sheets, Ice air interface, Boundary layer, Dynamic properties, Wind factors, Heat flux.

Geographic problems in the redistribution of Siberian water resources. [Geograficheskie problemy pri pere-

raspredelenii vodnykh resursov Sibirij. Saks. V.N., ed. Novosibirsk, Nauka, 1982, 200p., In Russian. For selected papers see 36-3907 through 36-3912. Refs. passim.

River basins, River diversion, Aerial surveys, Spaceborne photography, Water reserves, Snow water equivalent, Mapping, Engineering geology.

36-3907

Using satellite data in studying variations in natural conditions of western Siberia. ¿Ispol'zovanie sputnikovoj informatsii dlia izuchenija dinamiki prirodnykh uslovii Zapadnoi Sibirij,

Beirom, S.G., et al, Geograficheskie problemy pri pereraspredelenii vodnykh resursov Sibiri (Geographic problems in the redistribution of Siberian water resources) edited by V.N. Saks. Novosibirsk. Nauka, 1982, p.11-15, In Russian. 7 refs. Vostriakova, N.V.

Spaceborne photography, Water reserves, River basins, Snow cover distribution, Snow water equivalent, Ice cover, Landscape types, Mapping.

36-3908

Mineralization of meltwaters, snow and river waters in western Siberia in spring. (Osobennosti formirovaniia mineralizatsii talykh, snegovykh i rechnykh vod v Zapadnoi Sibiri vesnoij.

Panin, P.S., et al, Geograficheskie problemy pri pere-raspredelenii vodnykh resursov, Novosibirsk, Nauka. 1982, p.40-47, In Russian. 6 refs. Kazantsev, V.A.

Snow water equivalent, Meltwater, Minerals, Land-scape types, Taiga, Cryogenic soils, Snow accumula-tion, Snow composition.

36-3909

Engineering-geological regionalization of the Novosibirsk area. [K voprosu inzhenerno-geologicheskogo rajonirovanija Novosibirskoj oblastij,

Chernousov, S.I., et al. Geograficheskie problemy pri pereraspredelenii vodnykh resursov Sibiri (Geo-graphic problems in the redistribution of Siberian wa-ter resources) edited by V.N. Saks. Novosibirsk. Nauka, 1982, p.47-56, In Russian. 13 refs.

Shevchenko, A.A.
Mapping, Engineering geology, Landscape types,
Geocryology, Permafrost hydrology, Cryogenic soils.

36-3910

Inflow of salts with atmospheric precipitation and their distribution by meltwaters in Baraba. Postuplenie solei s atmosfernymi osadkami i ikh pereraspredelenie snegotalymi vodami v Barabej, Melesk, Kh.Kh., Geograficheskie problemy pri pere-

raspredelenii vodnykh resursov Sibiri (Geographic problems in the redistribution of Siberian water resources) edited by V.N. Saks, Novosibirsk, Nauka, 1982, p. 90-97, In Russian, 4 refs

Precipitation (meteorology). Snow composition, Salinity, Meltwater, Water chemistry.

Thermal regime of the Krasnovarsk water reservoir. rTermicheskii rezhim Krasnoiarskogo vodokhranilish-

Kosmakov, I.V., Geograficheskie problemy pri pere-Rosmakov, I.V., Geograficheskie problemy pri percaspredelenii vodnykh resursov Sobiri (Geographic problems in the redistribution of Siberian Water resources) edited by V.N. Saks, Novosibirsk, Nauka, 1982, p.159-164, In Russian, 2 refs.

Lake water, Water temperature, Icebound lakes,

Heat transfer, Seasonal variations.

36-3912

Characteristics of soils in the northern part of the Ob-Irtysh interfluve. ¡K kharakteristike pochy sever-noi chasti Ob-Irtyshskogo mezhdurech aj. Ovchinnikov, S.M., et al. Geograficheskie problemy

pri pereraspredelenii vodnykh resursov Sibiri (Geographic problems in the redistribution of Siberian water resources) edited by V.N. Saks, Novosibirsk, Nauka, 1982, p.178-186, In Russian. 7 refs. Kul'shin, V.A.

River basins, Flood plains, Cryogenic soils, Podsol. Moraines, Lacustrine deposits, Swamps, Frost pene-tration, Sporadic permafrost, Soil formation, Taiga.

Attenuation and scattering of infrared radiation by 8-12 micron ice flakes and circular cylinders. [Oslablenie i rasscianie infrakrasnogo izlucheniia 8-12 mkm ledianymi plastinkami i krugovymi tsilindramij.

Petrushin, A.G., Leningrad. Institut eksperimental'noi meteorologii. Trudy, 1981, Vol.26, p.107-113, In Russian, 15 refs.

Ice physics, Ice crystals, Infrared radiation, Attenuation, Scattering.

36-3914

Possibility of determining sea ice age according to radio-frequency emissions. K vozmozhnosti opredeleniia vozrastnykh kharakteristik morskogo l'da

po radioizlucheniiu₁, Zhukov, A.V., et al, Leningrad. Glavnaia geofizi cheskaia observatoriia. Trudy. 1981, Vol.448, p.94-99, In Russian. 4 refs.

Shul'gina, E.M. Ice physics, Sea ice, Microwaves, Ice dating, Radio waves, Telemetering equipment.

36-3915

Pipeline for the Arctic.

Dixon, C., Geos. Spring 1976, p.13-15.
Gas pipelines, Pipes (tubes), Steels, Low temperature tests, Microstructure, Brittleness, Aluminum, Cold weather performance.

36-3916

Building islands in the Beaufort Sea. Brown, A.D., Geos. Spring 1976, p.19-20. Artificial islands, Offshore landforms, Cold weather construction, Offshore drilling, Beaufort Sea.

Features of Peyto Glacier, Traits du glacier Peytoj, Tremblay, J.D., Geos, Fall 1976, p.8-9. In French. Glacier flow, Glacial erosion, Mountain glaciers, Climatic factors.

Measuring Arctic ice—a joint experiment. Hobson, G., Geos. Fall 1976, p.15-17 Ice surveys, Research projects, Ice pressure, Structures, Measurement, Polar regions.

Surveying in periglacial regions. (Pour maitriser le pergélisoly. Veillette, J., et al. *Geos.* Fall 1979, p.15-17, In French

Nixon, M Permafrost, Drilling, Geological surveys, Cores.

Equipment. 36, 3920

Avalanche deflection wall, [Muro deviatore di va-

langhej. Grava, L., Esperienze di difesa del suolo e di sistemazione idraulico-forestale nel veneto (Experience in s protection and development of a hydraulic and forestry system for Venezia, Edited by M. Crespi and S.

Lacedelli, Padova, Italy, Regione del Veneto, Dipa-timento Foreste, 1982, p. 34-37. In Italian Avalanche formation, Avalanche tracks, Walls, Pro-tection, Deflection, Italy.

36-3921

Geometry and permittivity of snow at high frequen-

Colbeck, S.C., Journal of applied physics, June 1982 53(6). MP 1545, p 4495-4500, 37 refs

Snow electrical properties, Snow density, Porosity, Snow crystal structure, Snow physics, Temperature gradients, Liquid phases, Wet snow, Dielectric prop-

or ties.

The geometry and purosity of dry snow varies widely depending on the history of conditions. The permittivity of dry snow increases with increasing ice content but is not greatly affected by the shapes of the ice particles. In wet snow the permittivity increases with liquid content and the geometry is very important However, the liquidilike layer has little effect on permittivity. The permittivity is described using Polder and van Santen's mixing formulae and approximations of the geometries at high and low liquid contents. It is shown that the common assumption of liquid shells over ice spheres is both physically incorrect and leads to large errors. and leads to large errors.

36-3922

Emission from a Rayleigh layer with irregular boun-

Fung. A.K., et al. Journal of quantitative spectroscopy and radiative transfer, Nov. 1981, 26(5), p.397-409, 18 refs Eom, H.J

Snow electrical properties, Boundary layer, Scattering, Microwaves, Analysis (mathematics). Electromagnetic properties.

36-3923

Does the concept of the ice-like structure of water agree with its radial distribution function.

Korsunskii, V.I., et al. Journal of structural chemistry Mar. 1981, 21(5), p.624-629. Translated from Zhurnaf strukturnoi khimii, Sep -Oct 1980, 21(5), p 76-81 29 refs.

Naberukhin, It I.

Hydrogen bonds. Water, Ice crystal structure. Molecular structure.

36-3924

Moisture detection in roofs with cellular plastic insu--West Point, New York, and Manchester, New Hampshire.

Korhonen, C.J., et al. U.S. Army Cold Regions Research and Engineering Laboratory, May 1982, SR 82-07, 22p. ADA-117 872, 6 refs Coutermarsh, B.A

Moisture detection, Roofs, Cellular plastics, Thermal

insulation, Thermal regime, Infrared photography. New roofs with cellular plastic insulation and a bituminous built-up membrane were surveyed with a hand-held infrared camera to determine its effectiveness in detecting damp and weit insulation. Wet areas were found and defined with the help of 2-in-diam core samples. The results of the tests showed the infrared camera can be useful and effective as an inspection tool within the infrared camera can be useful and effective as an inspection tool within the infrared camera can be useful and effective as an inspection tool. within the time constraints of the typical one-year warranty period. The tests also underlined the importance of core sam ples for verification.

36-3925

Snowpack profile analysis using extracted thin sections

Harrison, W.L., U.S. Army Cold Regions Research and Engineering Laboratory, May 1982, SR 82-11, 15p., ADA-117-839, 3 rets

Snow survey tools, Profiles, Equipment.

A method is presented for obtaining snow profiles for analysis. The method and required equipment replace former methods such as the "roaring bonfire" technique and the use of dyes.

Aggregate clast form characteristics of deposits near the margins of four glaciers in the Jotanheimen Massif. Norway.

Ballandy) C. C.K. Norsk geografisk tidsskrift, 1982. Glacial deposits. Periglacial processes, Geomor-

phology. Aggregates. Weathering. Glacier flow.

Availability and utilization of resources in tundra eco-

systems.

Miller P.C. cd. Holarchic ecology, Apr. 1982, 5(2) p.82-220. Refs. passur.

Workshop on the Availability and Unitzation of Resources in Lundia Ecosystems. San Diego. Calif., Oct.

Tundra, Ecosystems, Vegetation, Snow cover effect. Alpine tundra, Plant physiology, Meetings, Evapo-transpiration, United States—Alaska.

Analysis of freeze-up ice jams on the Peace River near Taylor, British Columbia.

Keenhan, T., et al, Canadian journal of civil engineering. June 1982, 9(2), p.176-188, With French summary. 7 refs.

Panu, L.S., Kartha, V.C. fcc jams, Freezeup, River ice, Ice cover thickness, Dams, Water level, Air temperature, Models.

Resistance coefficients from velocity profiles in icecovered shallow streams.

Calkins, D.J., et al. Canadian journal of civil engineermg. June 1982, 9(2), MP 1540, p.236-247, With French summary. 7 refs. Deck. D.S., Martinson, C.R.

ice cover strength, Stream flow, Velocity, Shear stress, Analysis (mathematics).

Surges from ice jam releases: a case study. Beltaos, S., et al. Canadian journal of civil engineering. June 1982, 9(2), p.276-284, 11 refs. Krishnappan, B.G.

Ice jams, Ice mechanics, River flow, Ice breakup, Velocity.

36-3931

Countermeasures against snow for the Tohoku Shinkansen

Emoto, Y., Japanese railway engineering, 1981, 21(1), p.21-23

Snow removal, Railroads, Ice control, Heating, Snow melting, Snow accumulation, Countermeasures.

36-3932

Dewatering sludges by a freezing-melting process. Terada, T., Japan. Patent Office. Patent, June 26, 1979, No.79684, p.537-540, In Japanese.

Sludges, Freeze thaw cycles, Waste treatment, Equip ment, Dewatering.

36-3933

Unit operations for treatment of hazardous industrial —suspension freezing. ek, J.P., Pollution technology review, 1978,

Tratnyck, J.P., Pollution technology review, 1978, Vol.47, p.581-589, 13 refs.
Sludges, Waste treatment, Freeze thaw cycles, Solids,

Environmental impact, Economic analysis, Dewateriny.

16, 1914

Progress in radar snow research.

Stiles, W.H., et al. Kansas. University: Space Technology Center. Remote Sensing Laboratory. Technical report. Feb. 1981. RSL TR 410-1, 167p., N82-12510. NASA CR 166709, Refs. p.86-87.

Liby, F.T., Fung, A.K., Aslam, A. Remote sensing, Snow cover effect, Snowdrifts, Microwaves, Radar echoes, Snow water equivalent, Water content. Diurnal variations, Surface roughness,

16.1935

Roads and avalanches. (Strade e valanghe),

Jaccard, C.F., Neve international, 1982, 24(2), p.21-23, In Italian with French, German and English sum-

Avalanche formation, Countermeasures, Roads, Snow fences, Avalanche deposits.

Effects of winter salt and its additives on roadside segetation. (Gli effetti del sale per uso invernale e dei suoi additivi sulla vegetazione lungo i bordi delle stradej.

Saarela, A., Neve international, 1982, 24(2), p.24-27, In Italian with French, German and English summar-

Salting, Chemical ice prevention, Damage, Vegetation, Road icing, Environmental impact.

Kinematical study on terminus of the Batura Glacier. Huang, M., et al. Kexue tongbao, June 1981, 26(6), p. 544-547, 3 rcfs. Sun, Z., Liu, Z

Glacier flow, Glacier oscillation, Strains, Glacier surfaces. Surface migration. China-Batura Glacier.

16.1918

Potholes: the problem and solutions. Faton, R.A., Military engineer, Apr. 1982, 74(479), MP 1504, p.160-162.

Pavements, Damage, Road maintenance, Freeze tha cycles. Drainage. Frost heave, Fatigue (materials), Precipitation (meteorology), Cracks, Potholes.

36-3939

Interaction induced light scattering. The transla-

tional spectrum of ice I(h) single crystals.
Mazzacurati, V., et al. Molecular physics. Dec. 10, 1981, 44(5), p.1163-1175, 26 refs.
Ice crystal structure, Ice optics, Spectra, Light scattering, Ice acoustics, Models.

36.3040

Arctic research programs.

U.S. National Science Foundation, U.S. National Science Foundation. Program report, Jan. 1980, 3(9).

Glaciology, Ecology, Oceanography, Meteorology, Research projects, Polar regions.

36-3941

Some consequences of a phase transition of water ice on the heat balance of comet nuclei.

Klinger, J., Icarus, Sep. 1981. 47(3), p.320-324, 12 refs Extraterrestrial ice, Ice water interface, Heat bal-ance, Phase transformations, Ice crystal structure, Temperature effects.

36-3942

Spectrum of ice.

Johari, G.P., Contemporary physics, Nov.-Dec. 1981, 22(6), p.613-642, 53 refs.

Ice optics, Spectra, Ice crystal structure, Molecular structure. Temperature effects. Ice volume. Reflectivity, Radio waves, Analysis (mathematics).

Transfer of nitrogen fixation genes into Pseudomonas putida isolated from Finnish tundra soil.

Lehtinen, H., et al, Antonie van Leeuwenhoek, Dec 1981, 47(5), p.405-410, 14 refs. Mäntsälä, F

Tundra, Soil microbiology, Nutrient cycle, Finland.

36-3944

Silver-blue cloudlets again: nucleation and growth of

ice in the mesosphere. Gadsden, M., Planetary and space science, Oct. 1981. 29(10), p.1079-1087, 26 refs.

Supercooled clouds, Ice crystal growth, Ice crystal cture, Ice crystal nuclei, Cloud droplets, Air temperature. Water vapor.

36-3945

Study on ice faulting and icequake activity in the Lake Suwa; 3) Icequake activity and thermal stresses in ice plate.

Goto, K., et al, Tohoku University: Science Series 5. June 1980, 27(1), p.27-37, 20 refs Hamaguchi, H., Wada, Y

Lake ice, Icequakes, Thermal stresses. Ice elasticity. Air temperature, Ice temperature, Compressive properties, Tensile properties, Ice cracks, Experimenta-

Acid snow in the Canadian high Arctic.

Koerner, R.M., et al. Nature. Jan. 14-20, 1982, 295(5845), p.137-140, 16 refs Fisher, D.

Snow composition, Pollution, Chemical properties, Snow accumulation, Seasonal variations, Ice composition, Polar regions.

Studies of ice conditions in Arctic seas and methods of calculation and forecasting. (Issledovanic ledovykh uslovii arkticheskikh morei i metody rascheta i prognozai.

Kuznetsov, I.M., ed. Leningrad. Arkticheskii i aninstitut. tarkticheskii nauchno-issledovatel skir Trudy, 1981, Vol.384, 139p., In Russian For in-dividual papers see 36-3948 through 36-3965. Refs.

Smetannikova, A.V., ed.

Ice navigation, Sea ice, Pollution, Ice cover strength, Compressive properties. Pressure ridges. Wind factors, Icebreakers, Ice londs. Ice surveys, Ice forecasting, Ice deterioration

36-3948

Allowing for ice diffusion processes in numerical models of ice cover redistribution. ¡Uchet protsessa diffuzii l'da y chislennoi modeli pereraspredelentia ledianogo

Appel', I.L., et al. Leningrad — Arkticheskii i antarkti-cheskii nauchno-issledovatel'skii imstitut — Trudy. 1981, Vol 384, p.4-11, In Russian.—17 refs

Sen ice distribution, Turbulent diffusion, Pack ice. Ice cover thickness, Mathematical models, Drift.

36-3949

Numerical calculation of ice distribution in the western Soviet Arctic section in summer, [Rezul'taty chislennykh raschetov raspredelenija I da v zapadnom rasovetskoi Arktiki v letnii periodj.

Appel', I.L., et al. Leningrad Arkticheskii rantarkti-cheskii nauchno-issledovatel skii institut. Trudy. 1981, Vol.384, p.12-20. In Russian. 3 refs.

Ice navigation, Ice conditions, Ice cover thickness,

36.3950

Development and evaluation of operational calculations and forecasting ice distribution in the Kara Sea. (Opyt razrabotki i otsenki operativnykh raschetov i prognozov raspredelenija I'da v Karskom more (1977-1978 gg.)₁. Appel', I.L., Leningrad. Arkticheskii i antarktiches-

Apple 1.1.2. Learnigial. Africanskii ramarkii: neskii nauchno-issledo atelskii institut. Trudy. 1981. Vol.384. p.21-27. In Russian. 3 refs. Ice navigation, Sea ice distribution, Ice forecasting,

Ice cover thickness, Pack ice, Ice conditions.

Method of short range computer forecasting of ice cover compression. (Metodika kratkosrochnogo chis-lennogo prognoza szhatiia Edov). Vocvodin, V.A., et al. Leningrad. Arkticheskii i an-

Trudy, 1981, Vol.384, p.28-33, In Russian. 3 refs. tarkticheskii Kolesov, S.A., Kulakov, I.IU., Timokhov, L.A.

Sea ice distribution, Drift, Ice cover thickness, Compressive properties, Pack ice, Ice conditions, Ice forecasting, Computerized simulation.

36-3952

Computer forecasting of ice compression in the southwestern Kara Sea. (Opyt chislennogo prognozirovanija szhatija ľ dov v jugo-zapadnoj chasti Karkogo moriaj.

Kolesov, S.A., et al. Leningrad Arkticheskii i antarkticheskii nauchno-issledovateľskii institut. 1981, Vol.384, p.34-37, In Russian. Pavlova, G.A.

Ice navigation, Sea ice, Drift, Pack ice, Ice cover thickness, Computerized simulation.

36-3953

Automatic system "Pegas" for long range forecasting of ice conditions. [Ispol'zovanic avtomatizirovannon sistemy "Pegas" dlia dolgosrochnykh ledovykh prog-

Kovalev, E.G., Leningrad. Arkticheskii i antarkticheskii nauchno-issledovatel skii institut. Trudy. 1981, Vol.384, p.38-44, In Russian. 2 refs. Ice navigation, Ice forecasting, Sea ice, Ice condi-

36-3954

Presentation of ice edge position by means of splitting natural orthogonal components (the Davis Strait). (Predstaylenie polozhenija kromki l'da por-redstvom razlozhenija na estestvennye ortogonal'nye sostavliaiushchie (na primere Devisova proliva),

Mironov, E.A., Leningrad, Arkticheskii i antarkti-cheskii nauchno-issledovatel skii institut. Trudy, 1981, Vol.384, p.45-52, In Russian, 11 refs.

Ice navigation, Ice conditions, Ice edge.

Using statistical analyses for evaluating the depnendence of ice conditions in the Kara Sea on river drainage. [Primenenie statisticheskogo analiza dha otsenki zavisimosti ledovykh uslovu Karskogo moria ot rech-

Gudkovich, Z.M., et al. Leningrad. Arkticheskii i antarkticheski nauchno-issledovateľski mstitut. Trudy, 1981, Vol.384, p.53-60, In Russian, 8 refs. Karklin, V.P., Romantsova, 1.F., Teiteľbaum, K.A. Ice navigation. Sea ice. Ice forecasting. Statistical

36-3956

Evaluating the balance of sea ice volume in the northern hemisphere. ¡Otsenka balansa ob"ema morskogo

ern hemisphere. (Otsenka oudani) da v severnom polusharu Zemlij. da i Teningrad Arkticheskii i an-Lebedev, A.A., et al. Leningrad tarkticheskii nauchno-issledov tarkticheskii nauchno-issledovateľskii institut Trudy, 1981, Vol 384, p.61-77, In Russian 48 refs raios

Sea ice, Ice volume, Mass balance, Seasonal variations.

Evaluation of annual ice exchange cycle between the Arctic basin and the seas of northern Atlantic. [Rezul'taty otsenki godovogo tsikla ledoobmena Arkticheskogo basseina s moriami Severnoi Atlantikij,

Lehedev, A.A., et al. Leningrad. Arkticheskii i antarkticheskii tarkticheskii nauchno-issledovateľskii institut. Trudy, 1981, Vol.384, p.78-89, In Russian. 19 refs. nauchno-issledovateľsků Uralov, N.S.

Ice conditions, Ocean currents, Water transport, Sea ice, Drift, Ice forecasting, Arctic Ocean.

36-3958

Evaluating the phase transformation heat of sea ice in the northern hemisphere. (Rezul'taty otsenki tepla fazovykh prevrashehenii morskogo l'da v severnom

polusharii Zemlij. Lebedev, A.A., et al, Leningrad. Arkticheskii i antarkticheskii nauchno-issledovateľskii institut. Trudy, 1981, Vol.384, p.90-98, In Russian. 8 refs.

Sea ice, Ice physics, Phase transformations, Ice water interface, Heat transfer.

36-3959

Twenty-two year cycle of solar activity and air temperature in the northern hemisphere. [Dvadtsatid-vukhletnii tsikl solnechnol aktivnosti i temperatura vozdukha v severnom polusharii Zemlij, Sleptsov-Shevlevich, B.A., Leningrad. Arkticheskii i

antarkticheskii antarktichesků nauchno-issledovateľsků institut. Trudy, 1981, Vol.384, p.99-104, In Russian. 8 refs. Climatic changes, Solar activity, Air temperature, Records (extremes), Meteorological charts.

36, 3060

Wind effect on ice cover compression in Arctic seas. O vlijanij vetra na szhatie ľdov v arkticheskikh mo-

riakh₁. Vocvodin, V.A., et al, Leningrad. Arkticheskii i antarkticheskii nauchno-issledovateľ sků Trudy, 1981, Vol. 384, p. 105-111, In Russian. 16 refs. Gudkovich, Z.M.

Ice conditions, Ice cover thickness, Drift, Wind factors, Arctic Ocean.

36-3961

Snow cover effect on fast ice melting in Arctic seas. vlijanji snezhnogo pokrova na tajanje pripalnogo

I'da v arkticheskikh moriakhj.
Kuznetsov, I.M., Leningrad, Arkticheskh i antarkticheskh nauchno-issledovateľskh institut. Trudy,
1981, Vol.384, p.112-116, In Russian. 8 refs.
Ice conditions, Fast ice, Ice melting, Snow cover ef-

fect. Arctic Ocean.

36-3962

Changes in the quantity of ice as a result of thawing. (Ob izmenenii kolichestva l'dov v rezul'tate talaniia; Kuznetsov, I.M., Leningrad, Arkticheskli i antarkti-cheskli nauchmo-issiedovateľskli institut. Trudy. 1981, Vol.384, p.117-122, In Russian. 20 refs.

Sea ice, Ice melting, Ice navigation, Ice cover thickness. Ice deterioration.

36-3963

Deterioration of sea ice. [K voprosu o razrushennosti morskikh ľdovy. Kuznetsov, I.M., Leningrad. Arkticheskii i antarkti-

cheskii nauchno-issledovateľskii institut. Trudy. 1981, Vol.384, p.123-129, In Russian. 11 refs. Sea ice, Ice surveys, Ice deterioration, Ice cover

strength, Ice temperature

36-3964

Formation of polluted ice in Arctic seas, rObrazovanic zagriaznennykh ľdov v arkticheskikh moriakhj. Komov, N.I., et al, Leningrad. Arkticheskii i antarkticheskii nauchno-issledovatel skii institut. Trudy, 1981, Vol.384, p.130-134, In Russian Snichkin, V.A

Sen ice, Pollution, Icebound rivers, Water pollution, Runoff, River ice, Impurities.

36-3965

Effect of ice cover compression on ice navigation. (K voprosu o vlijanij szhatija ľdov na sudokhodstvoj. Voevodin, V.A., Leningrad. Arkticheskii i antarkti-cheskii nauchno-issledovatel skii institut. Trudy. 1981, Vol 384, p.135-138, In Russian. 4 refs. Icc navigation, Sea icc, Icc conditions, Icebreakers,

Ice cover thickness, Pressure ridges, Compressive properties, Icc loads.

36-3966

Tectonic studies in the Scotia Arc region and West

Antarctica.
Dalviel, I.W.D., Antarctic journal of the United States. 1981, 16(5), p.7-8, 1 ref

Radio echo soundings, Subglacial observations, Ice sheets, Glacier ice, Antarctica—West Antarctica.

Two major tectonic field studies carried out in the Scotia Arc rwo major tectonic neto studes carried out in the Scotia Arc region and in West Antarctica during the 1980-81 austral summer are described. The first involved a detailed structural traverse in the Ultima Esperanza district of the Andean Cordillera from the outcrop of the Upper Jurasic Tobifera Formation through the folded and thrusted Lower and Upper Cretaceous strata of the foreland fold and thrust helt to the strata of the foreland fold and thrust belt to the outcrop of the Tertiary. The structures in the area are briefly described. The second was a cooperative Lamont-Doherty-British Antarctic Survey geophysical study involving radar ice-echo sounding by a BAS "Twin Otter" aircraft. The main objective was to improve knowledge of the morphology and interrelationships of the obvious continental blocks of the Antarctic Peninsula, Ellisworth Mountains, and Thurston I, areas. Profiles were also obtained across major glaciers and along gravity traverses. The survey delimited the catchment area of Pine Island Glacier and state yet when in forest the contract of the state valuable information on the nature of the sub-ice surface well as the sub-ice topography itself.

36-3967

McMurdo Sound upper crustal geophysics.

Wilson, D.D., et al, Antarctic journal of the United States, 1981, 16(5), p.31-33, 3 refs.

McGinnis, L.D., Burdelik, W.J., Fasnacht, T.L Sea ice, Subsea permafrost, Seismic refraction, An--McMurdo Sound.

This article describes field operations, instrumentation, and preliminary interpretations of gravity and seismic measurements made from sea ice 2.8 m thick during Nov. and Dec. 1980 along an east-west profile crossing McMurdo Sound. Excellent reflections from sledgehammer blows struck on the sea ice were obtained from the seafloor, due to the high velocities and consequent large acoustic impedance of the seafloor sediments. The large range of seafloor velocities, from 1.81 to 3.06 km/sec, indicates a variety of sediment characteristics, possibly including the seafloor sediment characteristics. indicates a variety of sediment characteristics, possibly including differential overcome. Jation, cementation, or perhaps permafrost. A sub-seaf or refractor having a P-wave velocity averaging 3.25 km/t. probably represents the top of the oldest glaciomarine sequence in the McMurdo Basin. An unusual characteristic of this sequence is the apparent lack of a vertical velocity gradient normally present in clastic sediments. The deepest layer of sediment characterized by average velocities of 4.00 km/sec is interpreted as Beacon sandstone. A geologic cross section based on seismic refractors is illustrated, which is suggestive of a rift-graben structure centered beneath Ross I.

Magnetostratigraphy and sedimentology of late enozoic glaciogenic deposits, eastern Taylor Valley. Elston, D.P., et al, Antarctic journal of the United States, 1981, 16(5), p.39-41, 4 refs. Bressler, S.L., Robinson, P.H.

Glacial geology, Antarctica—Taylor Valley.

joint U.S.-New Zealand stratigraphic, paleomagnetic, and dimentologic study was undertaken in eastern Taylor Valley to investigate the nature, age, and distribution of deposits un-derlying a veneer of drift that accumulated during incursion of the Ross Sea ice in late Pleistocene time. The Ross Sea drift the Ross Sea ice in late Pleistocene time. The Ross Ses appears to consist of two units where it is exposed along appears to consist of two units where it is exposed along Commonwealth Stream. A silty commonly well-sorted finegrained lower unit about 5-13 m thick is overlain by a coarser, poorly sorted deposit that contains boulder-size detritus and locally is as much as 10 m thick. A relatively thick sand body, informally called the "Coral Ridge sand," underlies Ross Sea drift in the floor of Taylor Valley. The source and age of the sand have not yet been resolved. Except for a 2-m-thick section of reversely polarized sand near the top of hole DVDP-11, all of the ice-cemented sand in cores of DVDP-11 and ETV-12, and in outcrops in Wales and Commonwealth Streams has been found to be normally polarized which suggests a Bruhnes (less than 730,000 yr old) age.

Soil development in the Quartermain Range and the Wright Upper Glacier region.

Bockheim, J.G., et al. Antarctic journal of the United States. 1981, 16(5), p.41-42, 6 refs.

Soil science, Weathering.

Field observations are reported on soils examined at three locaried observations are rejoired on soils examined at time loca-tions in the Quartermain Range—upper Arena Valley, Beacon Valley, and an unnamed cirque north of Tabular Mountain— and on Mount Fleming the Wright Upper Glacie, region. The primary objectives of the study were to use soils as relative-age indicators for studying the behavior of local alpine glaciers and indicators for studying the behavior of local alpine glacters and the east antarctic ice sheet, and to determine the nature, distribution, and origin of salts in soil profiles, snow, and ice in the McMurdo Sound area. Surface-boulder weathering features were recorded at 17 sites; 26 soil descriptions were taken; 100 soil samples were collected for analyses of ion chemistry of soil water extracts, particle-size distribution, and clay mineralogy; 12 samples of salt encrustations were obtained for chemical and mineralogical characterization; and samples of snow and glacial ice were collected for chemical analysis. Soil data from the unnamed cirque and Mount Fleming suggest that the elevation of the east antarctic ice sheet has not changed significantly in the upper Taylor and Wright Valleys region in approx the past 7-10 my. Soil chronosequences in the upper Arena Valley, Beacon Valley, and on Mount Fleming contain member soils that range in age from 3.100 to possibly 7-10 my. Based on analyses of 1,000 soils and salt encrustations to date for water-soluble salts, a regional picture of salt distribution is evolving for the McMurdo Sound region which relates to precipitation patterns the east antarctic ice sheet, and to determine the nature, distri-

36-3970

Partial geochemical analysis of the Onyx River. Green, W.J., et al. Antarctic journal of the United States, 1981, 16(5), p.42-45, 10 refs. Canfield, D.E.

Glacier ice, Ice composition, Antarctica-

As part of a study of the transport, speciation, and fate of biologically important trace metals and nutrients in the Vanda-Onyx system, a number of chemical constituents in the river have been determined under a range of flow conditions. have been determined under a range of flow conditions. Tables list the concentrations of major ions and silica in the Onyx River, concentrations of nutrients and selected trace elements, and major ions and nutrients determined at various locations along the river and in the ice of Wright Lower Glacier. The waters of the Onyx were found to be slightly basic and generally saturated with dissolved O2. The ionic content of the Onyx is considerably lower than that of average world river water and there is little change in ionic concentration with flow rate change. High concentrations of Cl ion and Fe were noted, while total pH values were low. High nitrate nitrogen values obtained early in the season fell rapidly with time. The probable derivations of various chemical constituents are discussed.

36-3971

Provenance of feldspar in till on Mount Fleming, southern Victoria Land.

Faure, G., et al. Antarctic journal of the United States 1981, 16(5), p.45-46, 4 refs. Taylor, K.S.

Glacial deposits, Glacial geology, Antarctica-Victoria Land.

Feldspar in till samples from the southeast flank of Mount Feldspar in till samples from the southeast flank of Mount Fleming have been analyzed for dating by the rubidium-strontium (Rb-Sr) method. The feldspar has a skewed distribution with an abundance peak in the 63- to 123-micron fraction. The ratio of potassium-feldspar to plagioclase of the Mount Fleming till increases with grain size. Feldspar plus quartz concentrates were separated from four size-fractions of till: 1) 500-1,000 micron, 2) 250-500 micron 3) 125-250 micron, and 4) 67-125 micron. Fractions 1 and 2 fit a 400-my-old reference isochron, whereas the finer fractions 3 and 4 plot significantly above it. The oldest date derivable from feldspar fraction 4 is 1.460 my. However, this date is being checked. The abunabove it. In closest date derivable from feldspar fraction 4 is 1,460 m.y. However, this date is being checked. The abundance of quartz grains and sandstone clasts in the till suggests that a large portion of the feldspar in the sand-size fractions of the Mount Fleming till originated from rocks of the Beacon Supergroup, even though the abundance of feldspar in these rocks is generally less than 5%.

36-3972

Geomorphic processes in Victoria Valley.

Miotke, F.-D., Antarctic journal of the United States, 1981, 16(5), p.50-52, 3 refs.

Weathering, Sands, Salinity, Antarctica-Victoria Valley.

Gleomorphological fieldwork within the dune area at Packard Glacier is discussed. Temperature profiles of dune and slope sand, daily temperature variations in sand and rocks, and sand sand, daily temperature variations in sand and rocks, and sand moisture and salt concentrations in different depths were measured. The temperature of dune sand declines within the upper meter to below -20°C. Migration rates of dune crests depend on wind velocity and dryness of the sand. Average wind velocities measured 6 to 8 m/sec. During one month, dune crests migrated from 2 to more than 6 m from east to west. Measurements of ion concentrations within the Packard Glacier River showed little variation along the river course from the glacier snout to the main valley floor, but during low discharge, concentrations nearly doubled.

Antarctic search for meteorites, 1980-1981.

Cassidy, W.A., et al. Antarctic journal of the United States, 1981, 16(5), p.61-62, 2 refs. Annexstad, J.O.

sheets, Ablation, Ice sampling, Antarctica-Allan Hills, Antarctica—Reckling Peak

Meteorites were collected furing the 1980-81 austral summer at the Alian Hills site and the ice-core moraine at 16 km west of Reckling Peak. Recoveries at the latter site were sparse and the majority of specimens were small and concentrated in or near firm areas at the northern edge (i.e., the downwind margin) of the ice patch. The absence of meteorite finds in the Dry Valleys suggests that these valley surfaces are quite young. The terrestrial ages of the Alian Hills meteorites are apparently no greater than about 800,000 yr. Ablation values resulting from remeasurement of the triangulation network for ice movement and ablation at Alian Hills are tabulated. Most ablation values are substantially lower than those for the previous vars. the Allan Hills site and the ice-core moraine at 16 km west of are substantially lower than those for the previous year face ice samples were collected for various measurements, including measurement for C136, a cosmogenic isotope that is ing importance in determining the terrestrial ages of an tarctic meteorites.

Glacial geology of Seymour Island. Elliot, D.H., Antarctic journal of the United States, 1981, 16(5), p.66-67, 11 refs.

Glacial geology, Glacial deposits, Seymour Island. Seymour Island lies southeast of the northern end of the Antarcseymour issand lies southeast of the northern end of the Antarc-tic Peninsula. The island can be divided into two physio-graphic provinces: 1) in the northeast a meseta that is the rem-nant of an erosion surface and is covered by glacial dirft, and 2) in the southwest a ridge and valley topography underlain by a homoclinal sequence of Cretaceous sediments and lacking a cover, or evidence of a former cover, of glacial drift. Pebble counts of cleats in the drift on top of the meseta show a range of rock types that can be matched with the bedrock exposed in the northern Antarctic Peninsula. Large glacial erratics, first noted by Andersson (1906), are scattered over the top of the meseta and on the meseta flanks. The occurrence of these large erratics around the flanks suggests that the northern part of Seymour 1 has a glacial history different from the southern part. The composition of the cleats in the glacial drift on the rothern error of Saymour 1 implies research to be from the northern part of Seymour I. implies transport by ice from the

36-3975

Glacial geology in the McMurdo Sound region: 1980-1981.

Denton, G.H., Antarctic journal of the United States.

1981, 16(5), p.68-69, 5 refs. Gincial geology, Ice sheets, Moraines. Antarctica-McMurdo Sound.

McMarao Souad.

Studies of two aspects of antarctic glacial history made in the McMurdo Sound region during the 1990-81 summer field season are discussed. First, a long-term project involving detailed geologic mapping and soil studies of moraines adjacent to blue ice margins in uppermost Taylor and Wright Valleys, as well as on Mount Fleming and elsewhere along the inland mountain flank was nearly completed. Combined with similar mapping in the middle and lower reaches of the valleys, the results indicate that all moraines representing advances of Taylor Glacier within the last 3.9 m.y. approach the present ice surface near the inland margin of the mountains. Also, inland of the McMurdo Sound area the east antarctic ice sheet has not been significantly Sound area the east antarctic ice sheet has not been significantly thicker than it is now since Pilocene time. The second aspect of these studies involved continued mapping of the Quartermain, Asgard, and Olympus Ranges. Two basic imprints of glacier erosion antedate 4.2 m.y. The oldest is a system of flords and valleys, with associated cirques, in inter-valley mountain blocks. The younger imprint records two episodes of strong overriding ice flow and mountain submergence. The features of the younger imprint correlate with the glacial stratigraphy on the floor of Wright Valley. Sound area the east antarctic ice sheet has not been significantly

36-3976

Ice mass fluctuations in Victoria Land, Antarctica. Mayewski, P.A., et al, Antarctic journal of the United States, 1981, 16(5), p.74-75, 4 refs. Hassinger, J.M.

Mass balance, Glacial deposits, Glacier oscillation,

Name of the property of the pr iened to assess the responsiveness of Rennick Glacier and two alpine glaciers, and studies of the relative age and origin of glacio-geomorphic deposits located in the North Fork of Wright Valley and of rock glaciers found throughout the ice-free valleys. Data from 15 sites were used to summarize the weathvalleys. Data from 15 sites were used to summarize the weath-ering of deposits found in the North Fork. A total of 32 seis-mic refraction profiles and 52 resistivity profiles were used to characterize the subsurface structure of the rock glaciers in the ice-free valleys, as well as the glacial deposits found in the North Fork region. The dynamics of nine rock glaciers have been examined in detail by means of velocity/strain networks and micromovement studies, and environmental variables as sociated with rock glacier sites have been investigated

Analysis of air bubble composition, crystal size, and ore shape in firm from South Pole Station, 1980-

Stauffer, B., Antarctic journal of the United States, 1981, 16(5), p.76-78, 1 ref. Ice composition, Gas inclusions, Firn, Antarctica—

Amundsen-Scott Station.

Amanuseur-Scott Station.

In connection with the Polar Ice Coring Office (PICO) coredrilling project at South Pole Station, the following work was undertaken: 1) sample collection and analysis of air that fills the pore space in firm; 2) investigation of variations in the size of ice crystals with depth; and 3) observations of the evolution of the shape of pores in firm as depth increases. The experiments and some preliminary results are described.

36-3978

Ice core drilling, 1980-1981.
Kuivinen, K.C., Antarctic journal of the United States,

1981, 16(5), p.78, 1 ref. Drilling, Ice coring drills, Ice cores, Antarctica-

Amundsen-Scott Station

Amundsen-Scott Station.

The Polar Ice Coring Office (PICO) conducted field tests of an intermediate-depth ice core drill at Amundsen-Scott South Pole Station during Dec. 1980. Ice cores collected from two test holes of 49 m and 108 m were logged, packaged, and stored at the station for future sampling by other investigators. The objective during this season was to test a drill, designed, built, and previously tested in Greenland by the U.S. Army Cold Regions Research and Engineering Lab. (CRREL) to a depth of 500 m. Drilling proceeded to a depth of 49 m; beyond that the drill could not penetrate vertically. Four days of drilling produced promising results. However, repeated incidents of cable damage necessitated returning the drill to the PICO workshop for further engineering research. The PICO core-drilling program at South Pole Station was augmented by studies conducted by the Physics Inst., Univ. of Bern, of the process of gas enclosures in ice and the composition of air enclosed in bubbles in cold ice.

36-3979

Nitrogenous chemical composition of antarctic ice and snow.

Parker, B.C., et al. Antarctic journal of the United States, 1981, 16(5), '4P 15041, p.79-81, 10 refs. Zeller, E.J., Gow, A.J.

Ice composition, Snow composition, Firn, Chemical analysis, Antarctica—Amundsen-Scott Station, Antarctica—Vostok Station.

This report emphasizes nitrate ion (NO3) concentrations in antarctic snow and firn from pits and cores. Chemical analyses conducted or planned on antarctic snow, firn, and ice are outlined. Computer curves compare the variation in NO3 over the past 1,000 yr in firn cores from South Pole Station and Vostok and present the NO3 concentration record for the entire Vostok core over the past 3,000 yr. South Pole firn core dates have been calculated using data which date back to 1750. Fourier analysis of the NO3 data from both South Pole and Vostok cores reveals strong periodicities in the NO3 concentration occurring at approx 11-. 22-, and 66-yr intervals. Data have previously been reported supporting the hypothesis that the 11-yr fluctuations in NO3 either coincide with the solar activity max or the auroral max. A table lists 14 potential sources or mechanisms for NO3 in antarctic snow or firn. Solar-mediated pl:-nomena appear to be the more likely sources. The results of NO3 sampling in a 10-m-deep snowpit are discussed. This report emphasizes nitrate ion (NO3) concentrations in

36-3980

Analysis of Dome C data, 1980-1981.

Bentley, C.R., et al, Antarctic journal of the United States, 1981, 16(5), p.81-82, 5 refs.
Blankenship, D.D., Gassett, R.M., Shabtaic, S.

Ice cover thickness, Seismic prospecting, Antarctica -Dome C.

The detailed bedrock map of Dome C, determined from profiling on the surface shows that the area is characterized by a rugged subglacial topography. The dominant feature is a central plateau with an elevation of -400 m. In some areas, radar trai plateau with an elevation of -400 m. In some areas, radar profiling shows abnormally strong bottom echoes from a smooth, flat surface 300 m below sea level, suggesting reflections from subglacial water channels. Preliminary results yield velocities in the firm layers that are 20 m/microsec or more higher than previously assumed. Ground-based magnetic and gravity measurements were made at many points on the local 100-aq-km grid. In an effort to determine the extent of crystalline anisotropy in the ice sheet, a seismic wide-angle reflection experiment was performed during the 1979-80 field season. Preliminary results for one of the three lines shot—a plot of average wave speed over the travel path vs angle of incidence—are shown. Seismic short refraction data from Dome C are being reduced and analyzed.

Dome C glaciology.
Whillans, I.M., Antarctic journal of the United States. 1981, 16(5), p.82-83, 1 ref.

Ice cores, Firn, Ice temperature, Snow stratigraphy, Antarctica—Dome C. Data collected during the 1978-79 and 1979-80 field seasons at

Dome C have been analyzed, and most results were presented at the Third International Symposium on Antarctic Glaciology in Sep. 1981. This article summarizes the studies of several authors. The studies include snow stratigraphy, grain size and firn-structural variations in cores, temperature profiles, and the interpretation of stable oxygen isotopic ratio data.

Airborne radio-echo sounding Ellsworth Land and Ronne Ice Shelf.

Doake, C.S.M., et al, Antarctic journal of the United

States, 1981, 16(5), p.83-84, 5 refs Crabtree, R.D., Dalziel, I.W.D.

Ice sheets, Radio echo soundings, Aerial surveys, Ice shelves, Glacier ice, Antarctica—West Antarctica, Antarctica—Ronne Ice Shelf.

Antarctica—Ronne Ice Shelf.

A Twin Otter belonging to the British Antarctic Survey (BAS) carried out 60 hr of airborne radio-echo sounding in Feb. 1981 as part of a joint National Science Foundation (NSF)/BAS program to study the tectonics of West Antarctica and the geological relationship between East and West Antarctica. A total of 12,000 km of track was flown in ten flights, covering the half-million sq km area of Ellsworth Land between Pine Island Glacier in the west and the base of the Antarctic Peninsula in the east. Ten flights were made between 6 and 17 Feb. 1981. Five flights were over the previously unsounded area of Ellsworth Land to the north and west of the Ellsworth Mountains. Two of these flights ranged as far as Pine Island Glacier, measuring transverse and longitudinal profiles of an outlet glacier thought to play an important role in determining the stability of the west antarctic ice sheet. Soundings were also made of an area to the east of Siple Station, the Newcomer, Nimitz, Minnesota, and Union Glaciers within the Ellsworth Mountains, and the Ronne lee Shelf.

Analysis of RIGGS data, 1980-1981.

Sentley, C.R., et al, Antarctic journal of the United States, 1981, 16(5), p.84-85, 14 refs. Greischar, L.L., Lingle, C.S., Shabtaic, S. Ice shelves, Ice sheets, Iceberg towing, Gravimetric

prospecting, Antarctica—Ross Ice Shelf.

Analysis of gravity data from the Ross Embayment continues at the U. of Wisconsin Geophysical and Polar Research Center.

Sea-shelf gravity data from cruises 32, 51, and 52 of the USNS Eltanin have been used to extend the Ross Ice Shelf Geophysical and Glaciological Survey (RIGGS) gravity data to the edge of the Ross Sea continental shelf. A free-air gravity anomaly map of the Ross Embayment is presented. Except for a few isolated anomalies, free-air gravity anomaly values in the area are negative. A spectral analysis technique described by Lewis and Dorman (1970), applied to the free-air anomaly, Bouguer anomaly and bathymetry maps of Ross Embayment (see all that anomaly and bathymetry maps of Ross Embayment (see all that anomaly and bathymetry maps of Ross Embayment (see all that anomaly and bathymetry maps of Ross Embayment (see all that anomaly and bathymetry maps of Ross Embayment (see all that anomaly and bathymetry maps of Ross Embayment (see all that anomaly and bathymetry maps of Ross Embayment (see all that anomaly and bathymetry maps of Ross Embayment (see all that anomaly and bathymetry maps of Ross Embayment (see all that anomaly and bathymetry maps of Ross Embayment (see all that anomaly and bathymetry maps of Ross Embayment (see all that anomaly and bathymetry maps of Ross Embayment (see all that anomaly and bathymetry maps of Ross Embayment (see all that anomaly and bathymetry maps of Ross Embayment (see all that anomaly and bathymetry maps of Ross Embayment (see all that anomaly and bathymetry maps of Ross Embayment (see all that anomaly and bathymetry maps of Ross Embayment (see all that anomaly and bathymetry). and Dorman (1970), applied to the free-air anomaly, Bouguer anomaly, and bathymetry maps of Ross Embayment, reveal that topographic loads with wave lengths greater than 500 km appear to be overcompensated. Models of the 204 km of local gravity profiling done in the vicinity of the three RIGGS base camps, Q-13. C-16, and J-9, were computed using the Talwani method. Many of the complexities in the ice shelf that have been revealed by recent geophysical and glaciological in-estigations could be important in iceberg structure. Many features could substantially modify the hydraulics of iceberg towing, or lead to disintegration in the course of transport. As part of a project to study the history of the ice sheet in the Ross Embayment, a program has been developed to solve Mahaffy's (1974, 1976) equations for computation of time-dependent thickness changes in ice sheets and has been applied to a digitized version of the Hughes and others (1981) reconstruction of the antarctic ce sheet as it existed during the late Wisconsin glacial maxice sheet as it existed during the late Wisconsin glacial max

36-3984

Byrd Glacier: 1978-1979 field results

Hughes, T., et al. Antarctic journal of the United States, 1981, 16(5), p.86-89, 4 refs. Fastook, J.L

Glacier oscillation, Glacier surfaces, Photogrammetry, Antarctica-Byrd Glacier.

try, Antarctica—Byrd Glacier.

The ultimate objective of this study is to combine photogrammetric determinations of the surface velocity and elevation of Byrd Glacier with radio-echo determinations of ice thickness and basal grounding to provide data for a finite-element analysis of the Byrd Glacier-Ross Ice Shelf interaction. This report illustrates and discusses the 1978-79 field results. Figures show the survey work on Byrd, Hatherton, and Darwin Glaciers, surface velocities of these glaciers determined from ground surveys, surface elevations and velocities along centerline targets, five transverse velocity profiles from the north fiord wall to the centerline of Byrd Glacier, and the changing tidal rise and fall of Byrd Glacier with distance up Byrd Glacier fiord.

Microparticle record from Q-13: Preliminary report. Mosely-Thompson, E., et al. Antarctic journal of the United States, 1981, 16(5), p.89-90, 7 refs hompson, L.G.

Drill core analysis, Ice shelves, Particle size distribution, Ice cores, Antarctica—Ross Ice Shelf.

tion, Ice cores, Antarctica—Ross Ice Shelf.
A total of 2,611 samples representing the entire length of a 100-m core drilled on the Ross Ice Shelf at site Q-13 were analyzed for microparticle concentration and size distribution. A figure illustrates the concentration of total particles, including estimated annual accumulation rate and the data for each 5-m increment. Much of the material deposited at Q-13 today is locally derived and most of it is thought to be transported in association with the cyclonic storm systems that move into the Ross Sea. A very substantial increase in particle concentrations is noted between 1920 and 1940. Size distribution data indicate that the material is locally derived and consists of great quantities of large (greater than 1.0 micron) fragments. The mechanism proposed to account for the transport of this great quantity of poorly sorted material to site Q-13 is either an increase in the annual frequency of storms entering the Ross Sea or deeper penetration of the depressions onto the Ross Ice Shelf.

Gas in Allan Hills and Byrd Station core ice.

Fireman, E.L., et al. Antarctic journal of the United States, 1981, 16(5), p.90-92, 13 refs. Norris, T.

Ice composition, Gas inclusions, Geochronology, An-

Ice composition, Gas inclusions, Geochronology, Antarctica—Allan Hills, Antarctica—Byrd Station.

Gas extracted from 5 to 30 kg samples of Allan Hills and Byrd core ice was analyzed and its carbon-14 content measured to date the ice and obtain information on its history and the composition of the ancient atmosphere. Table 1 gives the amounts of gas, the percentage of CO2, the C-14 activity, and the C 14 ages of four Allan Hills ice samples. A second table gives the nitrogen and argon abundances, the variation of nitrogen-15 relative to room-air nitrogen, and the argon-40 to argon-36 ratios. The surface ice at stakes 12 and 18 in the Allan Hills showed a high CO2 content which is indicative of melting and ratios. The surface ice at stakes 12 and 18 in the Allan Hills showed a high CO2 content which is indicative of melting and refreezing. Very high CO2 abundances were obtained in gas from frozen distilled water. The Byrd core had gas contents ranging from 58 cu cm to 118 cu cm/kg. The highest gas contents were in the 1.068-1.071- and 1.469-m samples from the Byrd core. High C-14 specific activities in the surface ice at Allan Hills indicate the presence of nuclear debris

36-3987

Micrometeorites from antarctic ice cores

King, E.A., et al. Antarctic journal of the United States, 1981, 16(5), p 92-93, 4 refs. Wagstaff, J

Ice cores, Particles.

The most abundant particles in the ice cores consist of irregular particles, shards, and spheres with the major elements Si-Ai-Fe-Ca-K-S-O or Si-Ai-Fe-Ca-K-O that almost certainly are derived from terrestrial volcanoes. Particles assigned to an extraterrestrial origin include Fe-S and Fe-O spheres and also irregular particles with various proportions of Ai-Mg-Fe-Ni-S-P-Ai-O

and Fe-Cr-Ni-SO with overall appearances and textures similar to particles described by Brownlee et al (1976) and others. Several classes of particles of problematic origin have been found. These are described. A long range goal of this work is to attempt to correlate the populations of particles in certain core intervals with the apparitions of dusty context or particularly spectacular cometary meteor displays to try to identify populations of extraterrestrial particles that originated from comets. In the most micrometeoroid-rich sample intervals, the cores contain approx 1 extraterrestrial particle in 10,000 terrestrial ones. The possibility of concentrating volumes of extraterrestrial particles by various separation techniques is anticinated. ticipat

36-3988

Physical and structural characteristics of sea ice in McMurdo Sound.

Gow, A.J., et al, Antarctic journal of the United States, 1981, 16(5), MP 1542, p.94-95, 5 refs. Weeks, W.F., Govoni, J.W., Ackley, S.F.

Sea ice, Ice structure, Physical properties, Calving, -McMurdo Sound Anterctics-

Antarctics—McMurdo Sound.

This sesson's study of the physical and structural properties of sea ice in McMurdo Sound was restricted to sea ice that had formed since Apr. 1980. Multiyear ice was observed and sampled at only one location, near Cape Chocolate on the western edge of McMurdo Sound. The locations of the sample sites are shown. The sampling program included an over-ice traverse of the bay-flast ice in McMurdo Sound. Extensive recent calving of the Koettlitz Olscier ice tongue was observed in the vicinity of the Dailey Is. Preliminary investigations of the crystal structure of samples from 28 locations revealed widespread formation of congelation ice but only minimal smounts of frazilice. Formation of a sub-ice platelet layer with individual plates measuring up to several cm in length was observed at the majority of sampling sites. Petrographic structures and c-axis orientations in at exhibited much in common with short-flast ice of the arctic coast of Alaska. n with shore-fast ice of the arctic coast of Alaska

34.3089

tecting sea ice and current alinement under the Ross Ice Shelf.

Morey, R.M., et al, Antarctic journal of the United States, 1981, 16(5), MP 1543, p.96-97, 5 refs. Kovacs, A.

Sea ice, Radar echoes, Ice shelves, Antarctica-Ross Ice Shelf.

Ice Sheff.

The objectives of the Jan. 1981 field season were (1) to evaluate the fessibility of using a high-resolution impulse radar profiling system to detect the existence of sea ice which coring had revealed on the bottom of the Ross Ice Sheff at 1-9, and 2) if successful in that effort, to try to detect the preferred horizontal C-axis azimuthal direction of the sea ice crystals using the voltage amplitude of the radar reflection. The instrumentation used is described. A table lists the radar parameters used for calculating the maximum radar range, and the maximum radar range, and the maximum radar range for the two antennas used is plotted. The results obtained with the radar system were inconclusive, and several possible explanations are outlined. Brine infiltration into the McMurdo Ice Shelf was also investigated.

36-3990

rvations of the antarctic east wind drift current 1980,1981

Tchernia, P., Antarctic journal of the United States. 1981, 16(5), p.98, 1 ref.

Techergy, Drift, Ocean currents.
The radio beacon N-Argos 1068 was set up, from the USCGC Polar See, stop a tabular iceberg drifting at 73 deg 33 min \$160 deg 48 min W. The track of the drift was recorded fron Jan. 21, 1980 until Feb. 22, 1981. The drift track is very briefly ou-

36-3991

Weddell deep water: source and variability.
Gordon, A.L., Antarctic journal of the United States.

Gordon, A.L., Anterctic journal of the United States, 1981, 16(5), p.99-100, 6 refs.

Polynyas, Water temperature, Weddell Sea.

This investigation is concerned with the source of the warmsaline signal within the Weddell oceanic regime and the alteration of Weddell deep water which appearently occurred during
the middle 1970's. Differences in the conditions of the WDW
in 1973 and in 1977-78 are compared. The warm-saline deep
water west of Maud Rise showed more cooling and freshening
during the middle 1970's. The most intensive cooling and
freshening occurred in a region about the size and position of during the middle 1970's. The most intensive cooling and freshening occurred in a region about the size and position of the winter Weddell polynya, as observed in satellite images made during the middle 1970's. The position of this "cold spot" drifted westward at a rate of 1.4 cm/sec between the austral summers of 1976-77 and 1977-78; this is also the rate of drift of the polynya. It is suggested that the heat deficit within the WDW of 1977-78 is caused by excess oceanic heat loss that must have been associated with the polynya. Further differences between the 1977 and 1973 conditions are explored. The process that initiated the polynya condition during the mid-1970's is not known, though some speculation is offered. 14,3002

Growth of the antarctic ice sheets and the Neogene ment of the Maurice Ewing Bank

Cicsielski, P.F., et al. Antarctic journal of the United States. 1981, 16(5), p.114-117, 38 refs. Ledbetter, M.T., Ellwood, B.B.

Ice sheets, Ice shelves, Ice growth, Giacial geology. micropaleontologic, magnetostratigraphic, and sedimen-ogic analysis of 56 piston cores was the basis of a geologic

atudy of the late Miocene to Recent depositional and erosional history of the intermediate-depth Maurice Ewing Bank located at the eastern extremity of the Falkland (Malvinas) Plateau, southwest Atlantic Ocean. This article presents the major conclusions of this study. Fluctuations through time in the position of the Polar Front and in the intensity of the ACC probably have been the dominant influence on the depositional history of the Maurice Ewing Bank since the initiation of the ACC flow over the bank during the Miocene. The depositional and ero-sional history of the Maurice Ewing Bank may be correlated with globally significant paleoceanographic events and epi-sodes. Extensive ice shelves formed in the Ross and Weddell sodes. Extensive ice shelves formed in the Ross and Weddell Seas during the late Miocene in response to expansion of the east antarctic ice sheet and fu. her reductions in ocean and atmospheric temperatures. During the late Miocene, the west antarctic ice shelf rapidly thickened by basal and surface accretion until it grounded below sea level to form the west antarctic ice sheet. Formation of the west antarctic ice shelf and subsequent formation

36.3993

Early Miocene to Pleistocene fluctuations in icerafted debris at DSDP site 274.

Judson, M.H., et al. Antarctic journal of the United States, 1981, 16(5), p.120-121, 14 refs Williams, D.F., Ehrlich, R

Ice sheets, Glacial deposits

Ice sheets, Glacial deposits.

Since the recovery of ice-rafted debris (IRD) off Antarctica during the IM.S. Challenger expedition (Murray and Renar-1981), attempts have been made to distinguish IRD in deep-sea sediments from other terrigenous components. Guidelines have been set forth for recognizing individual grains of glacial origin by correlating surface microfestures on quartz (determined by scanning electron microscopy) with source environment and modes of transport. In this study Fourier grain shape analysis is used to determine the deposition of IRD onto the antarctic continental rise at Deep Sea Drilling Project (DSDP) site 274 since the early Miocene. Fourier analysis of quartz from the 45- to 63-micron size fraction from DSDP site 274 identifies several major fluctuations in the IRD during the time interval II.2 to 3.1 m.y.a. The peaks in IRD can be related to previous paleoclimatic reconstructions of the west antarctic ice sheet. This study shows that the shape variation within a specified size fraction of quartz can be used to distinguish the ice-rafted component, rether than the size range of particles found within each sample or surface microfeatures. found within each sample or surface microfeatu

36-3994

Sea-ice microbial communities in McMurdo Sound. Sullivan, C.W., et al, Antarctic journal of the United States, 1981, 16(5), p.126-127, 5 refs.

Palmisano, A.C. Sea ice, Microbiology, Cryobiology, Antarctica-

The population and physiological ecology of the sea-ice mi-crobial communities in McMurdo Sound were studied. Among the factors investigated were the distribution and abun-dance of sea-ice organisms, interactions between members of the community, adaptation to low light and low temperature conditions, and the capacity of ice microalgae to survive the antarctic winter. No significant differences were found be-tween chlorophyll a levels associated with the oligotrophic West Sound area and the eutrophic East Sound. The lower sections of ice cores contained high bacterial concentrations. The bacteria were relatively large, often occurred as paired or dividing cells, and frequently were found in chains of cells. In the upper sections, the bacterial concentrations were lower, and the size sections, the bacterial concentrations were lower, and the size and morphology of the bacteria were strikingly different. Bacterial cells were also frequently found in close physical association with certain dominant species of the genus Amphiprora. The results of the controlled light experiments are currently being analyzed. Survivorship of cells subjected to a 30-day summer-winter transition, then kept in complete darkness at OC for 6 mo, ranged from 0.1 to 10 percent of the population. Studies have indicated that the sea ice-microbial community is very rich and active. very rich and active.

36-3995

Endolithic microorganisms in the dry valleys of Antarctica.

Friedmann, E.I., Antarctic journal of the United States. 1981. 16(5), p.174-175, 1 ref.

Cryobiology, Freeze thaw cycles.

Cryobiology, Freeze thaw cycles.
The microorganisms and microclimate in the mountainous regions of the dry valleys are discussed. On the basis of their infrequent sexual stages, three genera of cryptoendolithic lichems (Buellia, Lecidea, and Acaragopra) could be identified. These genera are unrelated and belong to different families, yet their cryptoendolithic stages are morphologically similar and distinguishable only on the basis of chemical characteristics. Studies of the microclimatological parameters of rock showed a rapid alternation of freezing and thawing on the rock surface which limits life forms. The cryptoendolithic life inside porous rocks pre-supposes a morphogenetic adaptation that enables organisms to penetrate the rock substrate, thus evading the extreme and streasful conditions on the surface.

24.1904.

Antarctic data at the World Data Center-A for Glaciology (Saow and Ice).

MacKinnon, P.K., et al, Antarctic journal of the United States, 1981, 16(5), p.229-230, 1 ref. Barry, R.G.

Ice, Snow, Glaciology, Research institutions.

The World Data Center-A for Glaciology (Snow and Ice) (WDC-A) is responsible, under international exchange agreements, for storing and disseminating data and information relating to all forms of snow and ice. Several data sets of particular antarctic interest are outlined. Flyers describing the data and procedures for acquiring data are available from the Center. The WDC-A sponsors workshops and maintains an extensive glaciological library. Investigators and institutions are encouraged to communicate information on potential new data or data needs to the Center. data needs to the Center

36-3997

Programs for antarctic mapping, 1978-1981.

Southard, R.B., Antarctic journal of the United States, 1981, 16(5), p 230-231

Glacier ice, Ice shelves, Mapping, Geodetic surveys, Topographic surveys.

Topographic surveys.

During the austral summers of 1978-79 and 1979-80, topographers from the U.S. Geological Survey (USGS) were involved in efforts to map Byrd Glacier, the Darwin Glacier-Hatherton Glacier-area areas in and around the Ronne-Flichner lee Shelf, and peaks in the Sentinel Range. This article describes their activities and other USGS activities in Antarctica. During 1981, a revised Indea to Topographic Maps. Antarctica, was published. Work is continuing on the Ronne Ice Shelf, Berkner I. and Flichner Ice Shelf satellite image maps (scale I.000.000), the Shackleton Mountains topographic reconnaissance map (scale I.250.000), several sheets for a map of the Antarctic Pennisula (scale I.250.000), and the newly named Deep Freeze Range International Map of the World (IMW) at 1.000.000 scale. The USGS maintains the antarctic cartographic and air photo library and assists antarctic investigators, both foreign and domestic, who need such materials. 36-3999

36-3999

Public works, Deep Freeze 81.

Fulgham, J.G., Antarctic journal of the United States, 1981, 16(5), p.241-243.

Ice roads, Heat transfer, Fuels, Ice runways, Waste disposal, Antarctica-McMurdo Station.

Improvements made in energy conservation, environmental protection, industrial safety, waterfront facilities, aviation facilities, and ice roads during Deep Freeze 81 are summanzed Deep Freeze energy conservation efforts contributed to an overin diesel fuel consumption over Deep Freeze 80. Water pollution and ocean dumping related to disposal of McMurdo solid waste were halted with the closing of the McMurdo dump and construction of the Fortress Rocks sanitary landfill. Occupational safety, health awareness, and safety records in McMurdo were improved markedly over Deep Freeze 80. The use of wooden 'deadmen' as tie-off points for securing the ice wharf to shore proved unreliable. Long-term parking of a C-141 aircraft at the ice runway parking apron provided experience with ice load-bearing capacity and creep in the ice when subjected to a consistent load. The survivability of the transition ramp between land and the annual sea ice w improved with installation of the ramp at the ice wharf inster of at its usual location

36-4000

Search for cosmic materials in antarctic ice. ¡Suche nach kosmischer Materie im antarktischen Naturwissenschaftliche Rundschau, p.259-260, In German.

Ice sheets, Chemical analysis, Cosmic dust.

ace success, Chemical analysis, Cosmic dust.

Briefly reviewed here is recent work on analysis of chemicals found in the "Blue Ice Field" as a result of cosmic dust deposits and on meteorites collected by Japanese and U.S. geologists. After completing installations at the German antarctic station it is planned to conduct helicopter-aided searches for meteorites in the blue ice fields. in the blue ice fields.

36-4001

Late Miocene-Earliest Pliocene glaciation in southern Argentina: Implications for global ice-sheet his-

Mercer, J.H., et al. Palaeogeography, palaeoclimatology, palaeoecology, July 1982, 38(3/4), p.185-206, Numerous refs.

Ice sheets, Paleoclimatology.

Between 7 m.y. and 4.6 m.y. ago widespread cooling of the ocean surface in middle latitudes, worldwide marine regression and change in the oxygen isotopic composition of ocean water occurred. From these events, major late Miocene expansion of the Antarctic Ice Sheet has been inferred, on the assumption that the history of North Atlantic ice rafting precludes the existence of Northern Hemisphere ice sheets until 3 m.y. ago. This is disputed, first because precipitation in Antarctica would probably have decreased at temperatures below today's, second because the Antarctic Ice Sheet cannot expand appreciably unbecause the Antarctic ice Sheet cannot expand appreciably un-til buildup of Northern Hemisphere ice sheets has lowered sea level, third because virtually no late Miocene sediments are presented at the Labrador Sea DSDP sites that are critical to the reconstruction of North Atlantic ice rafting history, and fourth because the scale of late Miocene glaciation in Alaska is at least permissive for simultaneous buildup of ice at similar latitudes further east. (Auth. mod.)

36-4002

Effects of inundation on six varieties of turfgrass.

Erbisch, F.H., et al, U.S. Army Cold Regions Research and Engineering Laboratory. May 1982, SR 82-12, 25p., ADA-117 838, Refs. p.17-25. Stark, K.L.

Grasses, Growth, Flooding, Damage, Plant physiology. Tests.

Six cold-adapted grasses were given ten-day dark and inunda-tion stress treatments. Nugget Kentucky bluegrass grown in soil or gravel exhibited the best survival. Sydsport bluegrass did well in gravel. Meadow foxtail and manchar brome surdid well in gravel. Meadow foxtail and manchar brome survived the treatments when grown in silt soil, but did not when grown on gravel soil. Rhizomes were regenerated by most of the grasses. Root transverse sections did not show any stress-related damage, but leaf sections did. The damage in the sections paralleled that observed macroscopically. Electrophoretic analysis for the peroxidase enzyme complex showed significant banding pattern differences before external damage was visible. This technique may prove to be a digarnostic tool for visible. This technique may prove to be a diagnostic tool for determining stress damage. Seedlings of all grasses except sydsport bluegrass survived a 15-day inundation.

36-4003

Electric heating of buildings in the North. [Elek-

trootoplenie zdanii na Severej, Orlov, V.A., et al, Leningrad, Stroiizdat, 1981, 64p., In Russian with English table of contents enclosed. 20

Kvach, I.K., Krotov, IU.G.

Residential buildings, Industrial buildings, Electric beating.

36-4004

Frozen zone in the lithosphere of western Siberia and trends in its development. [Merzlaia zona litosfery Zapadnoi Sibiri i tendentsii ee razvitiia,

Shpolianskaia, N.A., Moscow, Universitet, 1981, 168p., In Russian with English table of contents enclosed. Refs. p.158-166.

Permafrost distribution, Permafrost thickness, Permafrost depth, Frozen rock temperature, Active layer, Seasonal freeze thaw, Paleoclimatology.

36-4005

Underground mining of perennially frozen placer deposits. Podzemnaja razrabotka mnogoletnemerzlykh rossypch.

Emel'ianov, V.I., et al. Moscow, Nedra, 1982, 240p., In Russian with abridged English table of contents 50 refs. enclosed.

Mamaev, IU.A., Kudlaĭ, E.D.

Placer mining, Shaft sinking, Permafrost physics, Permafrost structure, Frozen fines, Drilling, Blasting. Excavation, Transportation.

36-4006

Main underground pipelines (design and construction). [Podzemnye magistral'nye truboprovody (pro-

ektirovanie i stroitel'stvo);. Borodavkin, P.P., Moscow, Nedra, 1982, 384p., In Russian with abridged English table of contents enclosed. 7 refs.

Underground pipelines, Permafrost beneath structures. Swamps. River crossings, Construction equipment, Transportation.

36,4007

Possibility of using the method of space derivatives in

the polar cap for depth sounding.

Volkomirskaia, L.B., et al, Geomagnetism and aeronomy, 1981, 20(5), p.685-687, Translated from Geomagnetizm i aeronomiia. 5 refs. anian, L.L.

Electromagnetic prospecting, Arctic Ocean.

36-4008

Modular construction in Siberia. [Vnedrenie komplektno-blochnogo metoda na sibirskikh stroikakhj. Smirenko, V.P., Stroitel stvo truboprovodov, July 1982, No.7, p.21, In Russian.

Petroleum industry, Modular construction, Transportation, Buildings, Pipelines, Construction equipment. 36-4009

Transportation means for large modular construction elements. (Vybor transportnykh sredstv dlia perevozki krupnogabaritnykh blochno-komplektnykh ustrofstv₃. Rastorguev, G.V., Stroitel'stvo truboprovodov, July 1982, No.7, p.23-24, In Russian. 3 refs.

Modular construction, Construction equipment, Pre-fabrication, Buildings, Pipelines, Transportation, River crossings.

36-4010

Overland flow: an alternative for wastewater treat-

Martel, C.J., et al, *Military engineer*, Apr. 1982, 47(479), MP 1506, p.181-184, 6 refs.

Lee, C.R. Waste treatment, Water treatment, Runoff, Land reclamation, Slope orientation.

36-4011

Roof moisture surveys.

Tobiasson, W., Military engineer, Apr. 1982, 47(479), MP 1505, p.163-166, 4 refs.

ofs, Waterproofing, Moisture detection, Drainage Infrared photography, Leakage.

36-4012

Geostrophic adjustment in highly dispersive media: an application to the marginal ice zone.

Röed, L.P., et al, Geophysical and astrophysical fluid dynamics, 1981, 18(3/4), p.263-278, 15 refs.

Ice mechanics, Ice edge, Pack ice, Geophysical surveys, Velocity, Pressure.

Mineral resources of the Trans-Alaska pipeline corri-

Mulligan, J.J., U.S. Bureau of Mines. Information circular, 1974, No.8626, 24p. + 3 maps, 30 refs. Natural resources, Minerals, Pipelines, Route surveys. United States-Alaska. 36.4014

Snowmelt, glacier melt, and high arctic streamflow

Marsh, P., et al. Canadian journal of earth sciences. Aug. 1981, 18(8), p.1380-1384, With French sum-6 refs.

Snowmelt, Glacier melting, Stream flow, Runoff, Nival relief, Rain, Air temperature.

Traffic and parking control for snow emergencies. Institute of Transportation Engineers, Washington, D.C. Journal. Jan. 1982, 52(1), p.9-10

Roads, Snow removal, Trafficability, Snow accumulation.

36-4016

Process for chemical ice destruction and its application to northern mining problems.

Parsons, R.C., Canadian mining and metallurgical bulletin, Mar. 1982, 75(839), p.164-166.

Chemical ice prevention, Structures, Mining, Cold weather operation, Ice accretion, Icing, Antifreezes. 36-4017

Polymer/concrete composites—a review

Kirlikovali, E., Polymer engineering and science, Mid-June, 1981, 21(8), p.507-509, 2 refs.

Concrete aggregates, Concrete strength, Polymers, Freeze thaw cycles, Shear strength, Temperature effects, Microstructure, Cement admixtures. 36,4018

Where is the ice in comets.

A'Hearn, M.F., et al, Astrophysical journal, Sep. 15, 1981, 248(3), p.L147-L151, 22 refs.

Dwek, E., Tokunaga, A.T. Extraterrestrial ice, Spectra, Photometry, Particles, Comets.

36-4019

Snow and ice control. Rural and urban roads, June 1981, 19(6), p.26-55, 63-64, Includes 5 articles. For selected articles see 36-4020 through 36-4023.

Snow removal, Ice control, Ice removal, Streets, Road maintenance, Winter maintenance, Equipment. 36-4020

How winter maintenance affects energy and safety Sheflin. M.E., Rural and urban roads, June 1981, 19(6), p.36, 64.

Snow removal, Winter maintenance, Road maintenance, Safety, Cost analysis.

36-4021 Complacency can jeopardize snow programs.

Dickinson, W., Rural and urban roads, June 1981,

19(6), p.40.

Snow removal, Chemical ice prevention, Ice control. Winter maintenance, Road maintenance, Ice removal, Streets, Salting, 36-4022

Thermal control of bridge deck icing.

Pell, K., et al. Rural and urban roads. June 1981, 19(6).

Nydahi I

Bridges, Ice control, Heat pipes, Heating, Thermal effects, Ice removal, Road icing. 36-4023

City snowplow crew size: the Cincinnati survey. Jester, J., et al. Rural and urban roads. June 1981. 19(6), p.53-55.

Meyer. R. Snow removal, Winter maintenance, Road maintenance, Human factors, Cost analysis.

36-4024 Effects of petroleum hydrocarbons on plant litter mi-

crobiota in an Arctic lake. McKinley, V.L., et al., Applied and environmental microbiology, Jan. 1982, 43(1), p.129-135, 32 refs. Federle, T.W., Vestal, J.R.

Litter, Microbiology, Hydrocarbons, Lake water, Plant ecology, United States—Alaska—Toolik Lake.

36-4025

Reinforced earth techniques and structures Rainbow, A.K.M., Civil engineering, Feb. 1981, p.17-

Embankments, Earth fills, Frost resistance, Soil strength, Construction materials, Earthwork. 36-4026

Calculating shear stresses of a mudflow mass. (K metodike rascheta staticheskogo napriazheniia sdviga

Gavrishina, L.N., *Sclevye potoki*, 1982, Sbornik 6, p.5-15. In Russian. 16 refs.

Slope processes, Glacial hydrology, Sands, Clays,

Shear stress, Flow rate, Mathematical models. 36-4027

Calculating the resistance to the movement of a body in a viscoplastic medium. (K opredeleniiu soprotivleniia dvizheniiu tela v viazko-plastichnoï sredej, Gavrishina, L.N., et al. Selevye potoki, 1982, Sbornik 6, p.15-20, In Russian. 6 refs Stepanov, B.S.

Slope processes, Mudflows, Viscosity, Plastic flow, Flow rate, Aggregates.

36-4028

Calculating mudflow-arrest slopes. [K opredeleniu uklona ostanovki selevykh potokovj,

Gavrishina, L.N., et al. Selevye potoki, 1982, Sbornik 6, p.20-25, In Russian. 3 refs. Stepanov, B.S.

Slope processes, Mudflows, Countermeasures, De-

36-4029

Minimum displacement angles for loose clastic rocks. O minimal'nykh uglakh sdviga rykhlooblomochnykh

Tsukerman, I.G., Selevye potoki, 1982, Sbornik 6. p.25-29, In Russian. 7 refs.

Talus, Creep, Slope processes, Solifluction, Mud-

flows.

36-4030

Calculating critical discharge of streams (erosion-displacement mudflows). [K raschetu kriticheskogo raskhoda vodnogo potoka (erozionno-sdvigovyi protsess)1, Elistratova, G.P., Selevye potoki, 1982, Sbornik 6 p.30-34, In Russian. 4 refs.

Slope processes, Mudflows, Aggregates, Viscosity, Plastic flow, Rocks, Mathematical models.

36-4031

Calculating flood hydrographs for bursting mountain takes. [Metody rascheta gidrografov pavodkov pri pro-

ryve gornykh ozerj. Mochalov, V.P., et al. *Selevye potoki.* 1982, Sbornik 6. p.34-50, In Russian. 42 refs.

Tsukerman, I.G Glacial lakes, Flood control, Mudflows, Aggregates, Bibliographies.

36-4032

Stereophotogrammetric techniques of studying mudflows. (Primenenie stereofotogrammetricheskikh metodov v izuchenii sklonovykh selei).

Kirpichenkov, S.IA., et al, Selevye potoki, 1982, Sbornik 6, p.51-55, In Russian, 3 refs Seinova, I.B.

Slope processes, Avalanches, Mudflows, Snow water equivalent, Glacial hydrology, USSR—Caucasus. 36-4033

Large scale models for studying stress-strain states of latticed reinforced concrete mudflow-intercepting structures. [Issledov anic napriazhenno-deformirovannogo sostoianiia zhelezobetonnogo seleulovitelia skvoznogo tipa na krupnomasshtabnykh modeliakhj, Bukeikhanov, S.R., et al, Selevye potoki, 1982, Sbornik 6, p.55-59, In Russian. 1 ref.
Bainatov, Zh.B., Kuziutin, A.D., Esenov, U.E.

Mudflows, Countermeasures, Concrete structures, Reinforced concretes, Models.

36-4034

Mudflows on Putarana mountains. [Sclevye iavleniia na Putaranaj. Keremkulov, V.A., Selevye potoki, 1982, Sbornik 6,

.88-96, In Russian. 4 refs.

Subarctic landscapes, Slope processes, Aerial surveys, Photointerpretation, Mudflows, Permafrost distribution, Glacial hydrology.

36-4035

Mudflow phenomena in the northern hemisphere. (Selevye jaylenija severnogo polusharija).

Khonin, R.V., et al. Sclevye potoki, 1982, Sbornik 6, p.97-126, In Russian. 72 refs.

Glacial lakes, Arctic landscapes, Glacial hydrology, Slope processes, Mudflows, Maps, Bibliographies.

Problems in technological effectiveness of concrete dam structures (from experience gained in the con-struction of the Zeya and Sayano-Shushenskaya hydroelectric power plants). O nekotorykh voprosakh tekhnologichnosti konstruktsil betonnykh plotin (po opytu ikh vozvedenija na Zeiskol i Sajano-Shushenskol GES)₁. Frid, S.A., Energeticheskoe stroitel'stvo, June 1982,

No.6, p.33-34, In Russian

Electric power, Hydraulic structures, Dams, Concrete structures, Frost resistance, Winter concreting. 36-4037

Strengthening weak clay bases of earth dams. [Uprochnenie slabogo glinistogo osnovaniia gruntovo]

Krasil'nikov, N.A., et al, Energeticheskoe stroitel'stvo, June 1982, No.6, p.70-72, In Russian. 1 ref. Ivannikov, V.M.

Swamps, Earth dams, Embankments, Foundations, Clays, Soil compaction.

36-4038

Insulation of overhead lines under icing conditions. [Izoliatsiia VL v usloviiakh obledeneniia], Karpushkin, N.P., Energeticheskoe stroitel'stvo, June

1982, No.6, p.72-73, In Russian.

Power line icing, Thermal insulation, Glaze, Ice accretion, Artificial freezing, Cold chambers, Cold

36-4039

Climatic geomorphology and regional geographic forecasts. (Klimomorfogenez i regional'nyl geograficheskii prognozi, Skryl'nik, G.P., ed, Vladivostok, 1980, 185p., In Rus-

For selected papers see 36-4040 through 36-4043. Refs. passim

Slope processes, Climatic factors, Mudflows, Avalanches, Soliffuction, Permafrost distribution, Taiga, Soil erosion, Glacial erosion, Nivation, Periglacial processes, Shore erosion, Fast icc., Subsea permafrost. 36-4040

Peculiarity of catastrophic and extreme and processes in climatic geomorphology of the southern Far East. (Svoeobrazie katastroficheskikh i ekstremal'nykh iavlenil i protsessov v klimomorfogeneze iuga Dal'nego Vostoka),

Korotki. A.M., et al, Klimomorfogenez i regional'nyi geograficheskij prognoz (Climatic geomorphology and regional geographic forecasts) edited by G.P. Skryl'nik, Vladivostok, 1980, p.10-20, In Russian. 18 refs. Skryl'nik, G.P.

Ploods, Slope processes, Mudflows, Avalanches, Per-mafrost distribution, Records (extremes), Climatic factors

36-4041

Role of winter hydrothermal contrasts in climatic geomorphology (low mountain taigs of the Lower Amur River area). ¡Zimnie gidrotermicheskie kon-trasty i ikh rol' v klimomorfogeneze (na primere taezhnogo nizkogor'ia Nizhnego Priamur'ia),

Kolomyts, E.G., et al, Klimomorfogenez i regional'nyi geograficheskii prognoz (Climatic geomorphology and regional geographic forecasts) Jited by G.P. Skryl'-nik, Vladivostok, 1980, p.21-46, In Russian. 18 refs.

Skryl'nik, G.P., Surova, N.A.
Mountains, Taiga, Weathering, Water erosion, Giacial erosion, Nivatior, Periglacial processes, Soil freezing, Prost penetration, Hydrothermal processes. 36-4042

Trends in sea shore development in Far Eastern seas. [Tendentsii razvitiia beregov dal'nevostochnykh

Archikov, E.I., Klimomorfogenez i regional'nyi geograficheskil prognoz (Climatic geomorphology and re-gional geographic forecasts) edited by G.P. Skryl'nik, Vladivostok, 1980, p.111-118, In Russian. 12 refs. Sea ice distribution, Shoreline modification, Sea level, Ice loads, Shore erosion, Fast ice, Ground ice, Permafrost distribution, Subsea permafrost.

36-4043

Asymmetry of small mountain stream valleys in subpolar areas and problems in searching for placers. (Asimmetriia dolin malykh gornykh vodotokov v uslovijakh subpoljarnogo klimata i nekotorye voprosy poiskov rossypely, Lebedev, S.A., Klimomorfogenez i regional'nyi geo-

graficheskii prognoz (Climatic geomorphology and regional geographic forecasts) edited by G.P. Skryl'nik, Vladivostok, 1980, p.140-145, In Russian.

Subpolar regions, Placer mining, Mountains, River basins, Valleys, Continuous permafrost, Active layer,

36-4044

Water flow pipes beneath embankments. [Vodopropusknye truby pod nasypiamij, Artamonov, E.A., et al, Moscow, Transport, 1982.

232p., In Russian with abridged English table of contents enclosed. 153 refs.

Embankments, Roads, Hydraulic structures, Water pipes. Culverts. Permafrost beneath structures. Permafrost hydrology, Naleds, Thermokarst, Concrete structures. Foundations, Steel structures, Reinforced concretes, Winter concreting.

36-4045

Construction of offshore pipelines. [Stroitel'stvo morskikh truboprovodovj, Kapustin, K.IA., et al. Moscow, Nedra, 1982, 207p.

(Pertinent p.67-108), In Russian with abridged English table of contents enclosed. Kamvshev, M.A.

ore structures, Pipelines, Bibliographies, Ice conditions, Sea ice, Ice loads, Construction equip-ment, Underwater welding, Underwater excavation.

Roads and environmental protection. [Avtomobil'nye

dorogi i okhrana prirodyj, Ornatskii, N.P., Moscow, Transport, 1982, 176p. (Pertinent p.95-127), In Russian with abridged English ta-ble of contents enclosed. 23 refs.

Roads, Protective vegetation, Road icing, Chemical ice prevention, Soil pollution.

Erosion process with intervention of freezing on test slopes in interior Basse-Provence, France. Processus d'érosion avec intervention du gel sur des versanttémoins en Basse-Provence intérieure (France) Gabert, P., et al, Méditerranée, 1981, No.1, p.13-20, In

French with English summary. 9 refs. Marre, A., Riser, J.

Slope processes, Soil erosion, Freeze thaw cycles, Frost shattering, Snowmelt.

36-4048

Reflectance of ground snow at millimeter wavelengths.

Anderson, R.C., et al, Optical engineering, May-June 1982, 21(3), p.496-505, 13 refs. MacFeely, K.I.

Snow optics, Reflection, Radar echoes, Snow water content, Grain size, Albedo, Analysis (mathematics).

36-4049

Continuity equation model of the predicted drastic retreat of Columbia Glacier, Alaska.

Rasmussen, L.A., et al, U.S. Geological Survey. Professional paper, 1982, No.1258-A, 23p., 12 refs.

Meier, M.F.

Glacier oscillation, Glacier flow, Radio echo sound-ings, Glacier mass balance, Models, Velocity, Glacier surfaces, Glacier thickness, United States—Alaska— Columbia Glacier.

36-4050

General climatological guide to daily freezing conditions: frost days, ice days, and freeze-thaw days. Wexler, R.L., U.S. Engineer Topographic Laborato-ries. Report, Apr. 1982, ETL-0287, 49p., Refs. p.38-

40

Frost forecasting, Freeze thaw cycles, Climatology, Diurnal variations, Air temperature, USSR, Europe.

36-4051

Environmental and societal consequences of a possibie CO2-induced climate change: Volume 2, Part 3-Influence of short-term climate fluctuations on per-

Brown, J., et al, U.S. Office of Energy Research. [Report]. May 1982, Vol.2, MP 1546, 30p., Refs. p.25-28 Andrews, J.T.

Permafrost depth, Vegetation, Carbon dioxide, Climatic changes, Ground thawing, Soil temperature.

Norway drives for low cost road tunnels Martin, D., ed, Tunnels and tunneling, Oct. 1981, 5p. Tunneling (excavation), Rock excavation, Roads, Site selection, Frost protection, Thermal insulation, Heat

transfer. Norway

36-4053

Canadian Coast Guard ACV evaluation and development unit report on winter and icebreaking evaluation of CCG Voyageur CH-CGA.

Robertson, B.W., Canadian Coast Guard. [Reports, Spring 1975, TP 297, 20p. + figs. + appends., 12 refs. Ice breaking, Air cushion vehicles, Icebreakers, Cold weather operation. Winter.

36-4054

Winter and icebreaking evaluation of CCG Voyageur CH-CGA, Montreal, Spring 1976.

Robertson, B.W., Canadian Coast Guard. [Report], 1976, TP 358, 19p. + appends. + figs., 14 refs. Ice breaking, Icebreakers, Air cushion vehicles, Cold weather operation, Ice cover thickness, Ice jams, Countermeasures, Frazil ice.

River icebreaking for flood control conducted by CCG oyageur CH-CGA (Quebec Region), March 26 to April 3, 1976.

Rempel, C.J., Canadian Coast Guard. [Report], Apr.

1976, TP 406, 11p. + 5 appends., 3 refs. River ice, Ice breaking, Flood control, Air cushion vehicles, Icebreakers, Ice jams, Canada-Saint Lawrence River.

36-4056

Improvement of visual detection during "whiteout". Luria, S.M., U.S. Naval Submarine Medical Research Laboratory. Report. June 8, 1982, No.984, 8p., 22

Snow optics, Whiteout, Protection, Optical filters, Visibility, Eveglasses,

36-4057

Railway snow removal equipment: Phase 1.

Ewenson, G.J., et al. Transport Canada report No.TP 2180, Montreal, Quebec, Sep. 1979, 44p., With French

Field, R.C., Railway Association of Canada. Snow removal, Railroads, Equipment, Japan, Swe-

36-4058

Differential icing on bridge decks.

Jagla, R.S., et al. Transport Canada report No.TP

2845, Toronto, Ontario, Nov. 1980, 81p. + 3 appends., With French summary. 45 refs Upjohn, I.K., FENCO Consultants Ltd. 45 refs.

Bridges, Road icing, Ice control, Ice removal, Ice detection, Ice forecasting, Countermeasures, Road maintenance, Meteorological data, Canada.

36-4059

Modeling in forest fire prevention. [Modelirovanie v

okhrane lesov ot pozharovj. Sofronov, M.A., ed. Krasnoyarsk, 1979, 156p., In Russian. For selected papers see 36-4060 through 36-4066. Refs. passim.

Taiga, Paludification, Swamps, Forest fires, Ground water, Water level, Remote sensing, Litter, Mosses, Lichens, Models, Forecasting.

Modeling the edge of surface fire on forest proving grounds. Poligonnoe modelirovanie kromki lesnogo nizovogo pozhara₁.

Kurbatskii, N.P., et al. Modelirovanie v okhrane lesov ot pozharov (Modeling in forest fire prevention) edited M.A. Sofronov, Krasnoyarsk, 1979, p.9-16, In Russian. 10 refs. Ivanova, G.A

Forest fires, Litter, Water content, Models, Measuring instruments, Wind factors, Meteorological factors, Mountains, Slope orientation.

Complex statistical model of the edge of surface forest (Statisticheskaia mnogofaktornaia model) kromki nizovogo lesnogo pozharaj. Kurbatskii, N.P., et al. Modelirovanje v okhrane lesov

ot pozharov (Modeling in forest fire prevention) edited M.A. Sofronov, Krasnoyarsk, 1979, p.17-32, In 8 refs. Russian.

Ivanova, G.A

Taiga, Forest fires.

36,4062

Evaluating fire danger in paluded forests and swamps according to radiothermoemissions, [Otsenka pozhar-noi zrelost, abolochennykh lesov i bolot po radioteplovomu ici acniiuj.

Valendik, E.N., et al. Modelirovanie v okhrane lesov ot pozharov (Modeling in forest Fre prevention) edited by M.A. Sofronov, Krasnoyarsk, 1979, p.33-44, In Russian. 5 refs

Kisiliakhov, E.K., Sukhinin, A.I.

Taiga, Paludification, Swamps, Forest fires, Ground water, Water level, Remote sensing, Radio waves, Brightness.

Humidification, water content and burning intensity of forest litter. [Uvlazhnenie, vłagosoderzhanie i intensivnost' goreniia napochvennogo pokrova v lesu], Volokitina, A.V., et al, Modelirovanie v okhrane lesov ot pozharov (Modeling in forest fire prevention) edited by M.A. Sofronov, Krasnoyarsk, 1979, p.45-85, In Russian. 42 refs.

Bibliographies, Taiga, Litter, Water content, Forest fires, Mosses, Lichens.

36-4064

Influence of seasonal development of grasses on fire hazard in forests of the Khamar-Daban mountains. (Vliianie sezonnogo razvitiia travostoia na pozharnoe sozrevanie lesnykh uchastkov v gorakh Khamar-Dabana₁.

Baranov, N.M., Modelirovanie v okhrane lesov ot pozharov (Modeling in forest fire prevention) edited by M.A. Sofronov, Krasnoyarsk, 1979, p.86-98, In Russian. 14 refs.

Taiga, Cryogenic soils, Grasses, Forest fires.

Areal distribution of mosses, fall-off and litter. [Raspredelenie po ploshchadi zapasov mkha, opada i pod-

Sofronov, M.A., et al. Modelirovanie v okhrane lesov ot pozharov (Modeling in forest fire prevention) edited by M.A. Sofronov, Krasnoyarsk, 1979, p.99-107, In Russian. 4 refs.

Baranov, N.M.

Taiga, Mosses, Litter, Forest fires, Forecasting.

Modeling the liquidation of forest fires by spreading fire extinguishing powders from helicopters.
[Modelirovanie tushenija lesnogo pozhara s vertoleta ognegasiashchim poroshkom, Valendik, E.N., Modelirovanie v okhrane lesov ot poz-

harov (Modeling in forest fire prevention) edited by M.A. Sofronov, Krasnoyarsk, 1979, p.108-117, In Russian. 4 refs.

Taiga, Forest fires, Models, Countermeasures.

Predicting forest fires, rPrognozirovanie lesnykh poz-

Sofronov, M.A., ed. Krasnoyarsk, 1978, 172p., In Rus-

Solronov, M.A., ed. Krasnoyarsk, 1978, 172p., in Russian. For selected papers see 36-4068 through 36-4077. Refs. passim.

Taiga, Forest fires, Mapping, Soil erosion, Revegetation, Forest canopy, Litter, Water content, Moisture detection, Remote sensing, Measuring instruments, Design, Classifications, Forecasting, Mathematical models

36-4068

Basic concepts, classifications and requirements for mathematical modeling of forest fires. [Matematicheskie modeli lesnykh pozharov; osnovnye poniatiia, klassifikatsiia, trebovaniiaj,

Dorrer, G.A., et al, Prognozirovanie lesnykh pozharov (Predicting forest fires) edited by M.A. Sofronov, Krasnoyarsk, 1978, p.5-26. In Russian. 32 refs. Kurbatskii, N.P.

Forest fires, Computerized simulation, Mathematical models. Systems analysis. Accuracy.

Remote sensing of moisture content in forest litter from its SHF emission. Distantsionnaia otsenka vlagosoderzhaniia rastitel'nogo napochvennogo pok-

Valendik, E.N., et al, Prognozirovanie lesnykh pozharov (Predicting forest fires) edited by M.A. Sofronov, Krasnoyarsk, 1978, p.26-40, In Russian. 30

Bogomolov, A.A.

Forest soils, Litter, Moisture detection, Remote sensing, Forest fires, Forecasting, Measuring instruments, Design.

36.4070

Intensity of forest fires. (Ob intensivnosti lesnogo pozharaj. Valendik, E.N., et al. Prognozirovanie lesnykh poz-

harov (Predicting forest fires) edited by M.A. So-fronov, Krasnoyarsk, 1978, p.40-55, In Russian. 25

Isakov, R.V Forest soils, Taiga, Litter, Mosses, Lichens, Forest fires, Analysis (mathematics).

36-4071

Influence of the grass-stratum on fire danger in cranberry forests containing different herbs. ¡Vliianie travianogo iarusa na pozharoopasnost' raznotravnobrusnichnykh sosniakov₃, Kurbatskii, N.P., et al, Prognozirovanie lesnykh poz-

harov (Predicting forest fires) edited by M.A. So-fronov, Krasnoyarsk, 1978, p.55-68, In Russian. 13

Ivanova, G.A.

Taiga, Forest soils, Litter, Forest fires, Grasses.

Burning intensity of forest litter depending on its layer-by-layer water content. (Intensivnost' goreniia na-pochvennogo pokrova v zavisimosti ot ego posloinogo

Volokitina, A.V., Prognozirovanie lesnykh pozharov (Predicting forest fires) edited by M.A. Sofronov, Krasnoyarsk, 1978, p.68-86, In Russian. 25 refs. Taiga, Litter, Water content.

Conditions for the origin of crown fires in forests. [Ob usloviiakh vozniknoveniia verkhovnogo lesnogo poz-

Isakov, R.V., Prognozirovanie lesnykh pozharov (Predicting forest fires) edited by M.A. Sofronov, Krasnoyarsk, 1978, p.100-108. In Russian. 17 refs. Taiga, Forest canopy, Forest fires.

Principles of forest fire mapping. [Printsipy lesopozharnogo raĭonirovaniia₁,

Sofronov, M.A., Prognozirovanie lesnykh pozharov (Predicting forest fires) edited by M.A. Sofronov, Krasnoyarsk, 1978, p.108-122, In Russian. 4 refs. Taiga, Mapping, Forest fires, Classifications.

Methods of increasing fire resistance of forests. Poz-Aroustoichivost lesov i metody ee povysheniia, Fuziaev. V.V.. Prognozirovanie lesnykh pozharov (Predicting forest fires) edited by M.A. Softonov. Krasnoyarsk, 1978, p.123-146, in Russian. 74 refs. Taiga, Forest fires, Bibliographies, Countermeasures.

36-4076

Soil erosion in pine forests of the Bol'shoy Khamar-Daban range after fires. [Poslepozharnaia eroziia pochv v sosniakakh bol'shogo Khamar-Dabana], pochv v sosniakakh bol snogo knamar-paparia, Baranov, N.M., et al, Prognozirovanie lesnykh poz-harov (Predicting forest fires) edited by M.A. So-harov (Predicting forest fires) edited by M.A. So-lary 146-153. In Russian. 9 fronov, Krasnoyarsk, 1978, p.146-153, In Russian. Stefin, V.V

Mountains, Taiga, Forest soils, Forest fires, Soil erosion, Revegetation.

36-4077

Spacing of fire-preventing barriers. [O gustote

protivopozharnykh bar'erovy,
Sofronov, M.A., Prognozirovanie lesnykh pozharov
(Predicting forest fires) edited by M.A. Sofronov,
Krasnoyarsk, 1978, p.154-167, In Russian. 7 refs.
Taiga, Forest fires, Countermeasures.

36-4078

Studying the nature in Siberia. [Issledovanie prirody

Nekrasov, I.A., ed, Yakutsk, Institut mer-zlottovedeniia, 1979, 48p., In Russian. For selected papers see 36-4079 through 36-4085. Refs. passim. Taiga, Landscape types, Forest canopy, Litter, Albedo, Radiation balance, Soil temperature, Cryogenic soils, Petroleum industry, Natural gas, Continuous permafrost, Exploration, Drilling.

36-4079

Radiation balance and the microclimate of different landscapes in northern Buryatiya along the BAM route. Nekotorye dannye o radiatsionnom balanse i mikroklimate v razlichnykh landshaftakh Severnoi

Buriatii po trasse BAMa₁.
Cherdonova, V.S., Issledovanie prirody Sibiri (Studying the nature in Siberia) edited by I.A. Nekrasov, Yakutsk, Izd-e Instituta Merzlotovedeniia SO AN SSSR, 1979, p.3-5, In Russian.

Taiga, Landscape types, Soil temperature, Radiation balance, Forest canopy, Litter, Albedo, Cryogenic soils, Microclimatology, Baykal Amur railroad.

36-4080

Meteorological regime of the Vilyuy water reservoir. Nekotorye osobennosti meteorologicheskogo rez-

hima Viliulskogo vodokhranilishchaj.
Tsareva, S.P., Issledovanie prirody Sibiri (Studying the nature in Siberia) edited by I.A. Nekrasov, Yakutsk. Izd-e Instituta Merzlotovedenia SO AN SSSR, 1979. p.5-7. In Russian

Electric power, Hydraulic structures, Dams, Permafrost beneath structures, Continuous permafrost. Lake ice, Permafrost beneath lakes, Climatic

36-4081

Development of natural gas reserves in the central

Lena River area. (Resursy prirodnogo gaza Srednego Prilen'ia i perspektivy ikh osvoeniia).

Gubkin, M.P., Issledovanie priroddy Sibiri (Studying the nature in Siberia) edited by I.A. Nekrasov, Yakutsk, Izd-e Instituta Merzlotovedeniia SO AN SSSR. 1979, p.18-27, In Russian. 7 refs.

Natural gas, Petroleum industry, Continuous permafrost, Exploration.

Dynamics of glaciers of the Kyungey-Ala-Too and the Kirgizskiy range according to lichens. Dinamika lednikov Kiungeī-Ala-Too i Kirgizskogo khrebtov po lik-

henometricheskim dannymj, Pomortsev, O.A., Issledovanie prirody Sibiri (Studying the nature in Siberia) edited by I.A. Nekrasov. Yakutsk, Izd-e Instituta Merzlotovedeniia SO AN SSSR, 1979, p.27-34. In Russian. 22 refs. Mountain glaciers, Glacial deposits, Moraines, Gla-

cier surges, Age determination, Lichens.

Nonparametric interpretation of curves of continuous frequency sounding in permafrost regions. (Be-sparametricheskaia interpretatsiia krivykh nepreryv-

nogo chastotnogo zondirovaniia v oblasti mnogoletnemerzlykh gornykh porod₃, Themetalykin gorinykin porocaj, Zhandalinov, V.M., Issledovanie prirody Sibiri (Studying the nature in Siberia) edited by I.A. Nekrasov, Yakutsk, Izd-e Instituta Merzlotovedeniia SO AN SSSR, 1979, p. 34-40. In Russian. 2 refs.

Permafrost physics, Electrical properties, Electromagnetic prospecting.

Ancient ice wedges in the Muysk trough. (Drev. povtorno-zhil'nye l'dy v Muiskof vpadine). Gotovtsev, S.P., Issledovanie prirody Sibiri (Studyink the nature in Siberia) edited by I.A. Nekrasov, Yakutsk, Izd-e Instituta Merziotovedeniia SO AN SSSR. 1979, p.40-43, In Russian. 3 refs. Permafrost structure, Ice wedges, Permafrost distri-

bution, Ground ice, Ice composition, Impurities, USSR-Transbaikal.

Temperature of the cryolithozone in the central Angara River area. [Temperatura kriolitozony v srednem

gara River area. [Temperatura Khohozony v Sickhellechenii r. Angary].
Goncharov, V.K., Issledovanic prirody Sibiri (Studying the nature in Siberia) edited by I.A. Nekrasov, Yakutsk, Izd-e Instituta Merzlotovedeniia SO AN SSSR, 1979, p.43-48. In Russian. 4 refs.
Permafrost distribution, Permafrost structure, Ground ice, Ice temperature, Permafrost thermal

36-4086

Rational use and protection of land resources in the Far East. [Ratsional noc ispol zovanie i okhrana ze-mel nykh resursov Dal nego Vostoka]. Polarkov, B.V., ed. Vladivostok, 1980, 187p., In Rus-

sian. For selected papers see 36-4087 through 36-

4090. Refs. passim.
Alpine landscapes, Taiga, Cryogenic soils, Environmental protection, Slope processes, Soil erosion, Forest fires, Revegetation.

Terminology, classification and diagnostics of soils in dark conifer taiga of Sikhote-Alin' within the Primor'e area. [Nomenklatura, klassifikatsiia i diagnostika pochy temnokhyoinoi taigi Sikhote-Alinia y

tika pochy temnosiismus.

predelakh Primor'iaj.

Pshenichnikov. B.F., Ratsional'noe ispol'zovanie i
okhrana zemel'nykh resursov Dal'nego Vostoka (Rational use and protection of land resources in the Far
East) edited by B.V. Poiarkov, Vladivostok, 1980,
p.12-24, In Russian. 34 refs.

Pyrogenic transformations of the forest-growing properties of brown taiga soils in Primor'e. [Pirogentransformatsiia lesorastitel'nykh svoistv burotaezhnykh pochv Primor'iaj,

Pshenichnikova, N.F., Ratsional'noe ispol'zovanie i okhrana zemel'nykh resursov Dal'nego Vostoka (Raoktrana zemer nykr resursov Dai nego vostoka (ka-tional use and protection of land resources in the Far East) edited by B.V. Poiarkov, Vladivostok, 1980, p.25-30, in Russian. 12 refs. Alpine landscapes, Forest fires, Taiga, Cryogenic soils, Soil composition, Transformations.

36-4089

Forest-growing properties of brown taiga soils in felled areas of the Central Sikhote-Alin'. (Lesorastitel'nye svoistva buro-taezhnykh pochv pod vyrubkami v Srednem Sikhote-Alinej,

Pshenichnikova, N.F., et al, Ratsional'noe ispol'zovanie i okhrana zemel'nykh resursov Dal'nego Vostoka (Rational use and protection of land resources in the Far East) edited by B.V. Poiarkov, Vladivostok, 1980,

p. 39-46, In Russian. Pshenichnikov, B.F. Alpine landscapes, Taiga, Cryogenic soils, Soil ero-sion, Soil composition, Forest fires.

36-4090

Soil erosion on the mountain slopes of southern Kan chatks Peninsula and revegetation of eroded landscapes. [Pochvennaia eroziia sklonov gor iuga Kamchatki i problema rekul'tivatsii erodirovannykh landshaftov sredstvami fitomelioratsii (na primere gory Mishennol), Smirnova, O.A., et al, Ratsional'noe ispol'zovanie i

okhrana zemel'nykh resursov Dal'nego Vostoka (Rational use and protection of land resources in the Far East) edited by B.V. Poiarkov, Vladivostok, 1980, p.173-180, In Russian. 7 refs.

Kratasiuk, S.D., Voltenko, L.M.

Alpine landscapes, Slope processes, Soil erosion, Slope protection, Soil composition, Revegetation, Environmental protection.

36-4091

Recent changes in surface water temperature, ice conditions and level of the World Ocean. [Sovremennye izmeneniia temperatury poverkhnostnykh vod, ledovykh uslovil i urovnia Mirovogo okeana,

Dziuba, A.V., et al, Akademiia nauk SSSR. duvedomstvennyí geofizicheskií komitet. Rezul'taty issledovanií po mezhdunarodnym geofizicheskim proektam. Kolebaniia urovnia moria (Academy of Sciences of the USSR. Soviet Geophysical Committee. Results of researches on the international geophysical projects. Sea level variations) edited by S.V. Pobedonostsev and M.I. Zotin, Moscow, Radio i sviaz', 1982, p.102-107, In Russian. 38 refs.

mographic surveys, Water temperature, Sea water freezing, Ice conditions, Sea level, Brines, Chemical composition.

36-4092

Evaluation of a simple model for predicting phophorus removal by soils during land treatment of was-

Ryden, J.C., et al. U.S. Army Cold Regions Research and Engineering Laboratory, June 1982, SR 82-14, 12p., ADA-117 848, 35 refs.

Syers, J.K., Iskandar, I.K.
Waste treatment, Water treatment, Soil chemistry,
Forecasting, Land reclamation, Mathematical models.

els.
This report evaluates a simple P balance model to predict site longevity with respect to P removal during land treatment of wastewater. The model is based on measured inputs and outputs of P at the treatment site and on an estimate of the P storage capacity of the soil profile. Sorption of P by three soils used for land treatment conformed to the P sorption models based on a generalized isotherm. Laboratory sorption tests were used to predict P storage capacity of the soil profiles at a solution P concentration equivalent to that in the effluent applied to the soil. For two soil profiles the P balance model predicted site longevities of approximately 50 and 210 years. The existing depth of P enrichment in these profiles predicted from the model agreed closely with measurements of P enrichment based on amounts of NaOH-extractable P and on measured soil solution P concentrations. solution P concentrations

Objective method for measuring surface ice accretion. Tattelman, P., Journal of applied meteorology, Apr. 1982, 21(4), p.599-612, 13 refs.

Ice detection, Ice accretion, Laboratory techniques, Measuring instruments.

36-4094

Aircraft measurements of icing in supercooled and water droplet/ice crystal clouds.

Bain, M., et al, Journal of applied meteorology. May 1982, 21(5), p.631-641, 19 refs.

Cloud physics, Ice crystals, Supercooled clouds, Aircraft icing.

36-4095

Hydrologic studies in research stations of the southern Far East. [Statsionarnye gidrologicheskic is-sledovaniia na iuge Dal'nego Vostoka], Mandych, A.F., ed, Vladivostok, 1979, 180p., In Rus-

For selected papers see 36-4096 and 36-4097. Refs. passim

Karavanov, K.P., ed.

River basins, Drainage, Snow surveys, Snowfall, Snow water equivalent, Naleds, Ice (water storage).

36-4006

Peculiarities of winter regime of small mountain

drainage basins. (Osobennosti zimnego rezhima ma-lykh gornykh vodosborov). Siniakov, S.A., Statsionarnye gidrologicheskie is-sledovaniia na iuge Dal'nego Vostoka (Hydrologic studies in research stations of the southern Far East) edited by A.F. Mandych and K.P. Karavanov, Vladivostok, 1979, p.23-39, In Russian. 9 refs.

River basins, Drainage, Snow surveys, Snowfall, Naleds, Snow water equivalent, Ice (water storage).

36-4007

Space distribution of snow cover as indication of difrences in mountain taiga 'andscapes of the Myao-Chan Range, eProstranstvennoe raspredelenie snezhnogo pokrova kak indikator differentsiatsii gornotaezhnykh landshaftov khrebta Miao-Chanj,

Martynova, A.M., Statsionarnye gidrologicheskie issledovaniia na iuge Dal'nego Vostoka (Hydrologic studies in research stations of the southern Far East) edited by A.F. Mandych and K.P. Karavanov, Vladi-

vostok, 1979, p.140-154, In Russian. 22 refs.
Alpine landscapess, Taiga, Landscape types, Snow cover distribution, Snow surveys, Snow stratigraphy, Snow depth, Snow cover structure.

36-4098

Construction complex of Siberia: problems and development prospects. (Stroitel'nyl kompleks Sibiri: problemy i perspektivy razvitiia).
Shemetov, P.V., ed, Novosibirsk, 1980, 1/7p., 'n Russian. For selected papers see 36-4099 through 36-

4104. Refs. passim.
Subpolar regions, Construction materials, Earth-

work, Construction equipment, Transportation, Permafrost beneath structures, Permafrost hydrology, Buildings, Roads, Hydraulic structures, Concrete structures, Steel structures, Reinforced concretes, Cost analysis.

36-4099

Present state and prospects for future development of construction industry in Siberia. (Sostoianie i perspektivy razvitiia stroitel'nogo proizvodstva Sibirij. Rezchikov, A.I., et al. Stroitel'nyl kompleks Sibiri: problemy i perspektivy razvitiia (Construction complex of Siberia: problems and development prospects) edited by P.V. Shemetov, Novosibirsk, 1980, p.3-11. In Russian

Subpolar regions, Construction materials, Construction equipment, Permafrost beneath structures, Concrete structures, Reinforced concretes, Cost analysis.

Rational distribution of construction industry and the transportation of structural elements in Siberia. (Problemy ratsional'nogo razmeshcheniia proizvodstva i perevozok stroiteľ nykh konstruktsií v ratonakh Sibirij. Krinitskaia, M.E., Stroiteľ nyi kompleks Sibiri: problemy i perspektivy razvitija (Construction complex of Siberia: problems and development prospects) edited by P.V. Shemetov, Novosibirsk, 1980, p.21-27, In Rus-

Transportation, Construction materials, Construction equipment, Concrete structures, Reinforced concretes, Permafrost beneath structures, Subpolar re-

Increasing production effectiveness and the use of prefabricated reinforced concrete in Siberia. Povyshenie effektivnosti proizvodstva i primenenija

sbornogo zhelezobetona v Sibirij, Mikhailov, K.V., Stroitel'nyi kompleks Sibiri, problemy i perspektivy razvitiia (Construction complex of Siberia: problems and development prospects) edited by P.V. Shemetov, Novosibirsk, 1980, p.28-35, In Rus-

Prefabrication, Reinforced concretes, Lightweight concretes, Thermal insulation, Buildings, Permafrost

Development of the Tyumen' construction complex. [Razvitie stroitel nogo kompleksa Tiumenskoi oblastij. Byzov, S.V., et al. Stroitel'nyi kompleks Sibiri: problemy i perspektivy razvitiia (Construction complex of problems and development prospects) edited by P.V. Shemetov, Novosibirsk, 1980, p.36-65, In Rus-3 refs.

Petroleum industry, Transportation, Construction materials, Construction equipment, Residential buildings, Industrial buildings, Pipelines, Permafrost beneath structures. Earthwork.

Development of the Bratsk-Ust'-Ilim construction complex. [Razvitic stroitel nogo kompleksa Bratsko-Ust'-Ilimskogo TPK]. Gukov, V.P., et al. Stroitel nyi kompleks Sibiri: pro-

blemy i perspektivy razvitiia (Construction complex of Siberia: problems and development prospects) edited by P.V. Shemetov, Novosibirsk, 1980, p.79-95, In Rus-Beliaev, A.A.

Electric power, Industrial buildings, Hydraulic structures, Dams, Concrete structures, Permafrost beneath structures, Transportation.

Using industrial wastes in the production of construction materials in the Krasnoyarsk region. [Perspektivy ispol zovaniia otkhodov promyshlennosti Krasnoiarskogo kraja v proizvodstve stroiteľnykh materia-

Kvint, V.L., et al. Stroitel'nyi kompleks Sibire problemy i perspektivy razvitila (Construction complex of Siberia: problems and development prospects) edited by P.V. Shemetov, Novosibirsk, 1980, p.104-109, In Russian

Nenadyshin, V.A., Petrov, I.M.

Subpolar regions, Construction materials, Concrete aggregates, Cements, Wastes, Mining.

Frost penetration effect on the processes of vertical migration of fluids in sedimentary rocks. [O vliianii promerzaniia osadochnykh porod na protsessy vertikal'noi migratsii fliuidov_i.

Grausman, A.A., Nauchno-prakticheskaja konferentsiia po problemam sovershenstvovaniia metodiki i povyshenija effektivnosti poiskov i razvedki mes-torozhdeni nefti i gaza v lakutskoi ASSR, lakutsko December 17-18, 1979. Trudy. Metodika poiskov i razvedki mestorozhdeni nefti i gaza v lakutii (Scientific-practical conference on problems of improving the technique and increasing the effectiveness of oil and gas exploration in the Yakut ASSR, Yakutsk, December 17-18, 1979. Proceedings. Methods of oil and gas exploration in Yakutia) edited by II. P Terent'ex, Yakutsk, IAKutskoe knizhnoe izd-vo. 1981, p.119-121, In Russian - 7 rets

Frost penetration, Permafrost physics, Permafrost hydrology, Soil water migration, Aquifers, Rock pres-

Ice drift model for the Baltic sea. [Model] diesta l'da dlia Baltuskogo moriaj. Leppäranta, M. Konferentsua baltuskikh okearo-

grafov, 12th, Leningrad, April 14-17, 1980 i sovesh-chanic ekspertov po vodnomu balansu Baltiiskogo moria, Leningrad, April 17-19, 1980. Trudy (Conference of Baltic occanographers, Leningrad, April 14-17 1980 and the meeting of experts on water balance of the Baltic Sea, Leningrad, April 17-19, 1980 Pro-ceedings) edited by F.S. Terzies, Leningrad (in-drometeor/dat, 1981 | 167-183, In Russian 31 rets Sea ice, Drift, Models | ce navigation, Ice conditions, Ice edge.

Severity criteria for Baltic Sea winters. (Kriterii suro-

vosti zim v Baltifskom morej, Gordienko, P.A., et al, Konferentsija baltifskikh okeanografov, 12th, Leningrad, April 14-17, 1980 i soveshchanie ekspertov po vodnomu balansu Baltiïskogo moria, Leningrad, April 17-19, 1980. (Conference of Baltic occanographers, Leningrad, April 14-17, 1980 and the meeting of experts on water balance of the Baltic Sea, Leningrad, April 17-19, 1980. Proceedings) edited by F.S. Terziev, Leningrad, Gidrometeoizdat, 1981, p.184-186, In Russian. Sergeev, G.N

Ice navigation, Ice conditions, Ice surveys, Ice reporting, Ice forecasting, Ice cover thickness, Ice edge,

36-4108

Content of some microelements in aerosols and in the surface water films of the Baltic Sea and one of the Antarctic areas. ¡Soderzhanic nekotorykh mikro-elementov v aerozoliakh i poverkhnostnoi plenke v Baltiiskom more i odnom iz antarkticheskikh raionovj. Felkier, L., et al, Konferentsiia baltiiskikh okeanografov, 12th, Leningrad, April 14-17, 1980 i soveshchanic ekspertov po vodnomu balansu Baltijskogo moria, Leningrad, April 17-19, 1980. Trudy (Conf. ence of Baltic oceanographers, Leningrad, April 14-17, 1980 and the meeting of experts on water balance of the Baltic Sea. Leningrad, April 17-19, 1980. Pro-ceedings) edited by F.S. Terziev, Leningrad, Gi-drometeoizdat, 1981, p.371-379, In Russian. 11 refs. Garbalevskii, Ch.

Garbaicvskii, Ch.
Air pollution, Aerosols, Air water interactions, Polar regions, Baltic Sea, Antarctica—Admiralty Bay.
Mercury contents in atmospheric aerosols and in the surface water film of the Baltic Sea were compared to the results of similar investigations obtained in the Admiralty Bay, Antarctica. Antarctic data were regarded as the natural background.
Accords militar his way into the atmosphere varied from 0.70 tica. Antarctic data were regarded as the natural background. Aerosols emitted by sea into the atmosphere varied from 0.70 to 1.25 microns, while the reverse transfer particles were in the 0.05 to 0.35 micron range. In Antarctica, the sizes of mercury-carrying particles were smaller and the general mercury concentration in the air about twice lower compared to the Baltic Sea. It is concluded, that water films at sea surfaces act as accumulators and effective diffusers of mercury into the atmosphere.

36-4109

Interrelations between forest vegetation and natural environments in the Urals. (Vzaimosviazi sredy i lesnor rastitel'nosti na Uralej.

Zubareva, R.S., ed. Sverdlovsk, 1981, 128p., In Russian. For selected papers see 36-4110 through 36-4114. Refs. passim. Kirsanov, V.A., ed.

Alpine landscapes, Taiga, Paludification, Snow cover distribution, Snow surveys, Microclimatology, Cryo-genic soils, Soil temperature, Plant ecology, Plant physiology, Biomass, Organic soils, Peat.

36-4110

Ecologic evaluation of the microclimate in southern taiga forests in the Zaural'e foothills. [Ekologicheskuia otsenka mikroklimata v tipakh lesa iuzhnof tafgi predgornogo Zaural'ia),

Zubareva, R.S., Vzaimosviazi sredy i lesnoi rastitel'nosti na Urale (Interrelations between forest vegetation and natural environments in the Urals) edited by R.S. Zubareva and V.A. Kirsanov, Sverdlovsk, 1981, p.58-81, In Russian. 19 refs.

Mountains, Taiga, Cryogenic soils, Snow cover distribution, Microclimatology, Plant ecology, Landscape types, Soil temperature, Air temperature, Snow cover

36-4111

Influence of dark-conifer forests of Central Ural nountains on the regime of horizontal precipitation. (Vliianie temnokhvoinykh lesov Srednego Urala na rezhim gorizontal'nykh osadkovy,

Sheveley, N.N., Vzaimosviazi sredy i lesnoi rastitel'nosti na Lrale (Interrelations between forest vegetation and natural environments in the Urals) edited by R.S. Zubareva and V.A. Kirsanov, Sverdlovsk, 1981, p.82-95. In Russian. 20 refs. Taiga, Microelimatology, Cryogenic soils, Snow cover distribution, Evaporation, Hoarfrost, Dew.

36-4112

Soils, ecology, peat composition and productivity of swamp forests. (Pochvenno-ekologicheskie usloviia, porodnył sostav i produktivnost' bolotnykh lesov).

Makovskii, V.I., et al. Vzaimosviazi sredy i lesnoi ras titel'nosti na Urale (Interrelations between forest vegetation and natural environments in the Urals) edited R.S. Zubareva and V.A. Kirsanov, Sverdlovsk, 1981, P.96-109. In Russian. 9 refs.
Chindiaev, A.S., Mukhina, N.S.
Taiga, Paludification, Organic soils, Peat, Soil com-

position, Biomass, Cryogenic soils, Plant ecology. Swamps.

Peculiarities of pine growth in different forest types in the southern Urals, depending on hydrothermal regime, rOsobennosti rosta sosny v raznykh tipakh lesa IUzhnogo Urala v zavisimosti ot gidrotermiches-

kogo rezhimaj. Mironov, B.A., Vzaimosviazi sredy i lesnol rastitel'nosti na Urale (Interrelations between forest vegetation and natural environments in the Urals) edited by R.S. Zubareva and V.A. Kirsanov, Sverdlovsk, 1981, p.110-116, In Russian. 9 refs.

Forest land, Mountains, Plant ecology, Biomass,

Roots, Forest soils, Plant physiology, Hydrothermal

36-4114

Environmental effect on pigmentation of young growth of pine. [Vliianie sredy na pigmentnyi apparat molodykh rastenii sosnyj, Zav'ialova, N.S., et al. Vzaimosviazi sredy i lesnoi ras-

titel'nosti na Urale (Interrelations between forest vegetation and natural environments in the Urals) edited by R.S. Zubareva and V.A. Kirsanov, Sverdlovsk, 1981, p.117-125, In Russian. 15 refs. Lil'bok, E.E.

Taiga, Plant ecology, Plant physiology, Environmental impact.

36-4115

Mechanism of friction of ice.

Oksanen, P., et al, Wear, 1982, Vol.78, p.315-324, 6 refs.

Ice friction, Ice loads, Ice melting, Water films, Temperature effects. Velocity, Loads (forces), Mathematical models.

Snowfall rates obtained from radar reflectivity within 50 km range.

Boucher, R.J., U.S. Air Force Geophysics Laboratory: Technical report, Sep. 15, 1981, AFGL-TR-81-0265, 25p., ADA-109 805, For another short version see 36-3258. 10 refs.

Snowfall, Snow accumulation, Radar echoes, Reflectivity, Snow optics, Measuring instruments.

36-4117

Annual report, June 1, 1980-May 31, 1981. [Rapport annuel ler juin 1980-31 mai 1981₃. Ladanyi, B., Montréal. Université. Ecole polytech-

rique. Centre d'ingénierie nordique. Publication. 1981, No.1/81, 37p., In French. Ecology, Engineering, Research projects, Economic

development, Polar regions, Canada.

36-4118

Surface and upper-air observations in the eastern Bering Sea, February and March 1981.

Lindsay, R.W., et al, U.S. National Oceanic and Atmospheric Administration. Technical memorandum, July 1982, ERL PMEL-35, 90p., 10 refs. Comiskey, A.L.

Sea ice distribution, Ice conditions, Ice forecasting, Ice air interface, Radiometry, Boundary layer, Meteorological data, Ships, Bering Sea.

36-4119

Experiments with supercooling and ice formation in flowing water. Carstens, T., Geophysica Norwegica.

Geofysiske publikasjoner, 1966, 26(9), p.1-18, 14 refs. Ice formation, Supercooling, Water flow, Ice cover effect, Experimentation, Flow rate.

36-4120

Model for thermal ice-piling and its application to the Puck Bay.

Zakrzewska, M., Acta geophysica Polonica, 1981, 29(2), p. 123-138, With Polish summary. 16 refs. Pressure ridges, Ice salinity, Ice pileup, Ice thermal properties. Thermal stresses. Temperature effects, Mathematical models.

36-4121

Onset of convection in a melted ice layer between

Onset of convection in a metred fee layer between vertical plates.

Hassab, M.A. et al. International journal of heat and mass transfer. July 1982, 25(7), p.909-916. With French, German and Russian summaries. 20 refs.

Sorour, M.M.

Ice melting, Convection, Conduction, Heat transfer, Plates, Temperature effects.

36-4122

Quasisteady approach for thermal analysis of insulated structures.

Sechadri, R., et al, International journal of heat and mass transfer. Jan. 1980, 23(1), p.111-121, With French, German and Russian summaries. 13 refs. Krishnayya, A.V.G.

Heat transfer, Thermal analysis, Soil freezing, Ground thawing, Phase transformations, Subsurface structures, Thaw depth, Permafrost depth, Soil water, Analysis (mathematics).

36-4123

Influence of human activities on the ecology and physiology of Alpine plants. Vliianie deiatel'nosti cheloveka na ekologo-fiziologicheskie osobennosti

vysokogornykh rasteniij. Nakhutsrishvili, G.Sh., et al, Akademiia nauk Gruzinskoi SSR. Soobshcheniia, Jan. 1982, 105(1), p.121-

State Syst. Sociosic Central Jan. 1962, 103(1), p.121-123. In Russian with Georgian summary. Khetsuriani, L.D., Tulashvili, N.I. Alpine landscapes, Meadows, Plant ecology, Plant physiology, Human factors.

36.4124

Interdepartmental meeting on geocryological forecasting in the economically developing Far North areas. [Mezhduvedomstvennoe soveshchanie "Geokriologicheskii prognoz v osvaivaemykh raionakh Krainego Severa"1.

Vasil'ev, A.A., Russia. Ministerstvo vysshego i srednego spetsial nogo obrazovaniia. Izvestiia vysshikh uchebnykh zavedenii. Geologiia i razvedka, June 1982, No.6. p.137-140. In Russian.

Meetings, Economic development, Geocryology, Cryogenic soils, Permafrost distribution, Permafrost forecasting, Permafrost hydrology, Permafrost control, Environmental protection, Polar regions.

36-4125

Age of humus in the Bh zone of podsols in the north-Age of numus in the Bri zone of pousois in the north-western USSR. (Vozrast gumusa gorizonta Bh pod-zolov Severo-Zapada RSFSR). Tolchel'nikov. IU.O., et al. Akedemiia nauk SSSR. Doklady. 1982. 264(5), p.1236-1238. In Russian. 9

Kostarev, A.S.

Cryogenic soils, Radioactive age determination, Soil formation, Podsol, Soil composition, Soil dating,

36-4126

Use of SHF radiometry in determining snow depth. [Ispol'zovanie S.V.Ch. radiometrii dlia opredeleniia

vysoty snezhnogo pokrovaj. Gershenzon, V.E., et al. Akademiia nauk SSSR. Doklady, 1982, 264(3), p.601-603, In Russian. 8 refs. Irisov, V.G., Khapin, IU.B., Etkin, V.S.

Aerial surveys, Spacecraft, Radiometry, Microwaves, Snow cover distribution, Snow depth.

36.4127

Third hydroelectric station of the Vilyuy Cascade Ziskovich, V.E. Hydrotechnical construction. Oct.

1981 (Publ. Apr. 82), 15(10), p.586-589, Translated from Gidrotekhnicheskoe stroitel'stvo-

Hydraulic structures, Rock fills, Permafrost beneath structures, Artificial thawing, Earth dams, Perma-frost control.

36-4128

Effectiveness of on-site observations of an earth dam with a steel diaphragm under conditions of the Far North.

Petrenko, V.K. Hydrotechnical construction, Oct 1981 (Publ. Apr. 82), 15(10), p.589-591, Translated from Gidrotekhnicheskoe stroitel stvo. 2 refs. Earth dams, Waterproofing, Steel structures, Concrete structures. Permafrost beneath structures.

Characteristics of gas silication of soils.

Isaev, B.N., et al. Soil mechanics and foundation engineering, Nov.-Dec. 1981 (Publ. May 82), 18(6), p.221-224, Translated from Osnovannia, fundamenty i mckhanika gruntos Zelenskii, V-II

Soil stabilization, Loess, Cements, Settlement (structural).

New shape for a pile driven in predrilled holes in frozen soils.

Mirenburg, IU.S., et al, Soil mechanics and foundation engineering, Nov.-Dec. 1981 (Publ. May 82), 18(6), p.250-252, Translated from Osnovaniia, fundamenty i mekhanika gruntov. 3 refs. Sorokin, V.A., Fedoscev, IU.G.

Earthwork, Frozen fines, Pile structures, Drilling, Pile driving.

36-4131

Low temperature attachment to x-ray diffractome-

Prokhvatilov, A.I., et al, Instruments and experimental techniques. July-Aug. 1981 (Publ. Feb. 82), 24(4), Pt.2, p.1085-1086, Translated from Pribory i tekhnika cksperimenta. 1 ref.

X ray diffraction, Low temperature research, Diffrac-

36-4132

Indium-film resistance thermometers for low temperatures.

Kostyshin, M.T., et al, Instruments and experimental techniques, July-Aug. 1981 (Publ. Feb. 82), 24(4), Pt.2, p.1095, Translated from Pribory i tekhnika eksperimenta. 3 refs. Kostko, V.S.

Temperature measurement, Films, Low temperature research, Resistance thermometers.

36-4133

TVO carbon resistors for temperature measurements in the range 4.2-450 K. Datskov, V.I., Instruments and experimental tech-

niques, July-Aug. 1981 (Publ. Feb. 82), 24(4), Pt.2, p.1096-1097, Translated from Pribory i tekhnika eksperimenta. 3 refs.

Temperature measurement, Equipment, Low temperature tests.

36-4134

Determining service life of cutting teeth of diggingwheel excavators. [Metodika opredeleniia dolgovech-nosti zub'ev po iznosu rotornykh transheekopatele"], Gaidar, A.I., Gornye, stroitel nye i dorozhnye ma-shiny, 1977, Vol.24, p.34-38, In Russian. 7 refs. Earthwork, Frozen ground, Equipment, Trenching.

36-4135

Rapid method of determining categories of ground according to excavation difficulties during its cutting and freezing. (Ekspress-metod opredeleniia kategorii grunta po trudocmkosti ekskavatsii pri ego razrykhlenii i promerzaniij.

Beliakov. IU.I., et al, Gornye, stroitel'nye i dorozhnye mashiny, 1980, Vol.29, p.13-17, In Russian. 4 refs. Rezunik, A.V. Earthwork, Excavation, Blasting, Frozen rocks, Frost

penetration, Mechanical properties.

New impact-centrifugal cutting tool for hard rock excavation. (Novyi udarno-tsentrobezhnyi rabochii or-

gan dia razusheniia prochnykh gruntovj. Sakovich, V.L., et al. Gornyc, stroitel nye i dorozhnye mashiny, 1978, Vol.25, p.18-24, In Russian. Zhil'tsova, T.A.

Earthwork, Frozen rocks, Excavation, Equipment, Design.

Deterioration of walking excavator buckets. rO kharaktere razrushenija kovshej shagajushchikh ek-

skavatorov₃, Kutenets, A.V., et al, Gornye, stroitel'nye i dorozhnye mashiny, 1972, Vol.14, p.49-53, In Russian. 2 refs. Shumelda, Z.E.

Earthwork, Frozen rocks, Excavation, Equipment.

Determining the power of combined-cutting trench excavators, rOpredelenie moshchnosti transheinvkh ekskavatorov obespechivaiushchikh kombinirovannoe

rezaniej.
Pashin, V.P., Gurnye, struitel'nye i dorozhnye ma-shiny, 1976, Vol.21, p.10-15, in Russian. 5 refs.
Mining, Excavation, Frozen rocks.

Ground pressure in the area of cutting edge of a tooth. (Davlenie grunta v zone rezhushchet kromki zuba). Utkin, A.L. et al. Gornye, stroitel nye i dorozhnye mashiny, 1974, Vol.18, p.16-21, In Russian. 5 refs. Cold weather construction. Earthwork, Excavation.

36-4140

Growth of snow in winter storms: an airborne observational study.

Lo, K.K., et al, Journal of the atmospheric sciences. Apr. 1982, 39(4), p.697-706, 14 refs. Passarelli, R.E., Jr

Snowfall, Snow physics, Airborne equipment, Flight

36-4141

Approach to modeling climate based on feedback relationships.

Wright, P.B., Climatic change, 1980, 2(3), p.283-298.

Climatic changes, Ice conditions, Carbon dioxide, Mathematical models, Meteorology, Air tempera ture.

Polar gas proposes new marine construction method. Gas world, Apr. 1980, 185(4736), p.186-187 Offshore structures, Ice islands, Ice conditions, Gas pipelines. Polar regions.

On the infrared properties of CO2 ice clouds: application to Mars.

Hunt, G.E., Geophysical research letters, July 1980, 7(7), p.481-484, 12 refs. Extraterrestrial ice, Supercooled clouds, Carbon di-

oxide, Microwaves, Infrared radiation, Particles.

Genetic characteristics of soils on Zvonets clays Gagarina, E.I., et al, Soviet soil science, Mar. Apr. 1981, No.2, p.1-9, Translated from Pochvovedenie. 15 refs.

Khantulev, A.A., Chikhikova, N.P., Dokuchaev, V.V. Clay soils, Cryogenic soils, Perigiacial processes, Soil formation, Glacial deposits, Lacustrine deposits, Soil composition.

36-4145

Formation of hydromorphic soils in the taiga zone. Tolchel'nikov, IU.S., Soviet soil science, Mar.-Apr. 1981, No.2, p.29-38, Translated from Pochvovedenie. 27 refs.

Taiga, Cryogenic soils, Soil profiles, Soil formation. Soil composition.

Humus of the major soil groups of the Barguzin basin and adjacent mountain ridges.

Kuz'min, V.A., et al, Soviet soil science, Mar.-Apr. 1981, No.2, p.67-77, Translated from Pochvovedenie.

Chernegova, L.G.

Alpine landscapes, Alpine tundra, Taigs, Cryogenic soils, Soil formation, Soil composition.

Use of polyelectrolytes for regulating evaporation and heat and mass transfer in peat soils. Abramets, A.M., et al, Soviet soil science, Mar.-Apr.

1981, No.2, p.120-124, Translated from Pochvovedenie. 6 refs. Lishtvan, I.I., Terent'ev, A.A.

Organic soils, Peat, Heat transfer, Mass transfer.

Effect of winter freezing on the nitrogen regime of forest soils in the Transurals. Aref'eva, Z.N., et al, *Ecology*, Mar.-Apr. 1970, No.2.

p.163-170, Translated from Ekologiia. For Russian original see 26-1057. 53 refs. Kolesnikov, B.P.

Seasonal freeze thaw, Soil moisture migration, Frost penetration, Cryogenic soils, Chemical composition.

Forest communities in the tundra, possible mechanisms of their development and growth dynamics. Kriuchkov, V.V., Ecology, Mar.-Apr. 1970, No.2, p.474-481, Translated from Ekologiia. For Russian original see 26-1049. 21 refs.

Forest soils, Tundra, Plant ecology, Forest tundra.

Content of gross and labile forms of NPK in the soil plant covering, litter and in the soil of northern taiga orests of the Urals

Firsova, V.P., et al, Soviet journal of ecology, Jan.-Feb. 1971, 2(1), p.6-12, Translated from Ekologiia. For Russian original see 26-1050. 18 refs. Pavlova T.S.

Taiga, Cryogenic soils, Soil chemistry, Plant ecology. Plant physiology, Landscape types.

36-4151

Phytoindication of s are cover and snow avalanches in the high mountains.

Gorchakovskii, P.L., et al, Soviet journal of ecology. Jan.-Feb. 1971, 2(1), p.13-22, Translated from Ekologiia. For Russian original see 26-1051. 14 refs. Shiintov, S.G.

Alpine landscapes, Snow cover distribution, Snow depth, Avalanche formation, Avalanche triggering.

36-4152

Method for the determination of photosynthetic power of bearberry and arctic birch leaves in forest tundra conditions.

Nifontova, M.G., Soviet journal of ecology, Jan. Feb. 1971, 2(1), p.88-89, Translated from Ekologiia. For Russian original see 26-1052. 3 refs.

Forest tundra, Subarctic landscapes, Cryogenic soils, Plant ecology, Plant physiology, Photosynthesis.

Change in properties of surface-gley soils of the Priobsk forest tundra as related to processes of spot for-

Dedkov, V.S., Soviet journal of ecology, Mar.-Apr. 1971, 2(2), p.116-123, Translated from Ekologiia. For Russian original see 26-1053. 17 refs. Forest tundra, Cryogenic soils, Plant ecology, Plant

physiology, Hydrothermal processes, Frost penetration. Soil moisture migration.

Method of determining the above-ground mass of shrubs and bushes in the forest tundra.

Andreiashkina, N.I., Soviet journal of ecology, Mar. Apr. 1971, 2(2), p.153-155, Translated from Ekologiia. For Russian original see 26-1054. 4 refs.

Forest tundra, Cryogenic soils, Mosses, Plant

ecology.

36-4155

Ecomorphological features of the Hepaticae under the conditions of the high altitude Arctic.

Labyzhenskaia, K.I., et al, Soviet journal of ecology. May-June 1971, 2(3), p.208-211, Translated from 7 refs. Ekologija. Zhukova, A.L

Mosses, Mountains, Deserts, Plant ecology, Plant physiology, Arctic landscapes, USSR—Franz Josef Land.

36-4156

Soils and total phytomass reserves in dwarf birchwhite dryas and willow tundras of the East European Northlands.

Ignatenko, I.V., et al, Soviet journal of ecology, July-Aug. 1971, 2(4), p.300-305, Translated from Ekologiia. For Russian original see 26-1797. 10 refs. Khakimzianova, F.I.

Tundra, Cryogenic soils. Biomass, Landscape types.

36-4157

Phytomass reserves in certain types of the tundra along the Ob' River.

Trotsenko, G.V., Soviet journal of ecology, Sep.-Oct. 1972, 3(5), p.462-464, Translated from Ekologiia. For Russian original see 27-2353. 3 refs. Tundra, Plant ecology, Biomass, Cryogenic soils,

Landscape types.

Reduction of Sr-90 content of soil-plant cover of tun-

Kulikov, N.V., et al, Soviet journal of ecology, Mar. Apr. 1974, 5(2), p.150-151, Translated from Ekologiia. For Russian original sec 29-152, 2 refs. Molchanova, I.V.

Tundra, Plant ecology, Cryogenic soils, Plant physiology, Soil chemistry, Landscape types.

Winter hardiness of endemic and introduced trees in the southern Far East.

Taleisnik, E.D., Soviet journal of ecology, Jan.-Feb. 1975, 6(1), p. 49-54, Translated from Ekologiia. For Russian original see 30-151 26 refs. Introduced plants, Frost resistance, Taiga, Plant

ecology. 36-4160

Frost heaving of soil as an ecological factor in Yeddo

sprace forests.

Kalinichenko, E.P., et al. Soviet journal of ecology.

Mar.-Apr. 1975, 6(2), p.111-117, Translated from Ekologiia For Russian original see 30-910. 16 refs Moskacy A.P.

Forest soils, Frost penetration, Soil water migration, Frost heave, Plant ecology, Roots.

Ash composition of plants in the northern taiga forest

of the Urals.
Firsova, V.P., et al., Soviet journal of ecology, May-June 1975, 6(3), p.211-215, Translated from Ekologiia. For Russian original see 30-1264. 14 refs. Pavlova, T.S.

Taiga, Cryogenic soils, Plant ecology, Lichens, Mosses, Ecosystems.

36-4162

Migration of Sr-90 in soil-plant cover of subarctic tundra

Kulikov, N.V., et al, Soviet journal of ecology. May-June 1975, 6(3), p.264-266, Translated from Ekolo-For Russian original sec 30-1265. 6 refs.

Molchanova, I.V., Piskunov, L.I. Tundra, Cryogenic soils, Soil chemistry, Plant ecology, Plant physiology, Subpolar regions.

Phytomass reserves in the alpine tundra of the northern Urals and their variation during succession. Bulatova, I.K., et al, Soviet journal of ecology, Nov.-Dcc. 1974, 5(6), p.527-532, Translated from Ekolo-

giia. For Russian original see 29-3121. 4 refs. Gorchakovskii, P.L. Alpine landscapes, Cryogenic soils, Plant ecology, For Russian original see 29-3121. 4 refs.

Mosses, Lichens, Ecosystems.

36-4164

Glaciological data collected by the Japanese Antarctic Research Expedition in 1980.

Kobayashi, S., et al, Japanese Antarctic Research Fx-pedition. JARE data reports, Mar. 1982, No.71, 45ρ. Snow accumulation, Antarctica—Mizuho Station, Antarctica—Showa Station.

Antarctica—Snowa Statton.

The glaciological and meteorological research of JARE-21 was carried out near Syowa Station and Mizuho Station and along the traverse route between the two stations and from Syowa Station to the Yamato Mountains by the station personnel and traverse parties from January 1980 to January 1981. A map shows the observation region and the traverse routes. The present report contains the following data: net accumulation of sent report commissions for thorough data. The accumulation of snow along the routes; surface synoptic observations during oversnow traverses; meteorological data obtained at unmanned stations 516 and FO; thickness of sea ice Syowa Station; and blowing snow observation at Mizuho Station. (Auth. mod.)

POLEX-South data, Part 3: radiation data at Mizuho Station, Antarctica in 1980.

Ishikawa, N., et al. Japanese Antarctic Research Expedition. JARE data reports, Mar. 1982, No.73, 195p., 3 refs

3 rcfs.
Kobayashi, S., Ohata, T., Kawaguchi, S.
Solar radiation, Antarctica—Mizuho Station.
POLEX-South has been carried out from 1979 to 1982 to investigate the heat budget in the polar region. The measurements of radiation components were done at Mizuho Station for 1980 by the wintering party of the 21st Japanese Antarctic Research Expedition as a part of the program. Mizuho is in the typical katabatic wind zone of East Antarctica, where the annual mean ir temperature was -33.2 C and wind speed 11.2 m/s in 1980. Surface meteorological conditions at Mizuho Station in 1980 are already reported by Ohata et al. (1981). This volume contains the radiative components obtained at Mizuho Station from January 1 to December 31, 1980. (Auth.)

Radio echo sounding of annual snow layers in Antarctica. [Izmereniia tolshchiny godovykh sloev snega v radiolokatsionnogo Antarktide metodom

Bogorodskii, V.V., Akademiia nauk SSSR. Doklady. 1982, 264(4), p.909-910, In Russian.

Pozniak, V.I., Trepov, G.V., Sheremet'ev, A.N. Snow accumulation, Radio echo soundings.

Instruments and methodology for measuring annual accumula-tion of snow are described and shown to have a 5% error. Pro-files for snow layers from 1978-1980 from the coastal area. Mirnyy to Pionerskaya are given.

36-4167

Cloud physics and cloud modification. (Fizika oblakov

i aktivnykh vozdelstvili, Shishkin, N.S. ed, *Leningrad. Glavnaia geofiziches-kaia observatoriia. Trudy.* 1982, Vol.457, 156p., In Russian. For selected articles see 36-4168 through 36-4180. Refs. passim.

Dovgaliuk, IU.A., ed. Weather modification, Cloud physics, Cloud seeding, Aerosols, Nucleating agents, Ice nuclei, Ice crystal growth, Cold chambers, Laboratory techniques.

36-4168

Numerical simulation of ice-forming aerosol distribution in large cumulus clouds during its injection into the subcloud layer. (Chislennoe modelirovanie ras-prostraneniia l'doobrazuiushehego aerozolia v moshchnom kuchevom oblake pri vvedenii ego v podoblachnyi sloij.

Klingo, V.V., et al, Leningrad. Glavnaia geofiziches-kaia observatoriia. Trudy, 1982, Vol.457, p.3-12, In Russian 14 refs.

Kudashkin, G.D., Faĭzullin, B.Sh.

Cloud physics, Weather modification, Cloud seeding, Aerosols, Ice nuclei, Nucleating agents.

36-4169

Calculating diffusion of aerosols in clouds when they come from linear sources. [K raschetu diffuzionnogo rasprostraneniia aerozol'nykh reagentov v oblachnoi

srede ot lineinykh istochnikov₁, Klingo, V.V., et al. *Leningrad. Glavnaia geofiziches-*kaia observatoriia. *Trudy*, 1982, Vol.457, p.13-21, In Russian. 10 refs.

Kudashkin, G.D., Falzullin, B.Sh.

Weather modification, Aerosols, Cloud seeding, Ice nuclei, Nucleating agents, Mathematical models.

36-4170

Theoretical evaluation of space-time fields of oversaturated water vapor near a freezing drop. [K teoreticheskol otsenke prostranstvenno-vremennogo polia peresyshchniia vodianogo para v okrestnosti zamerzai-

ushchel kapli, Klingo, V.V., et al. Leningrad. Glavnaia geofiziches-kaia observatoriia. Trudy, 1982, Vol. 457, p. 22-29, In Russian. 13 refs. Sergeev, V.V.

Supercooled clouds, Cloud droplets, Water vapor, Phase transformations, Freezing nuclei, Ice crystal growth, Mathematical models.

Formation of artificial hailstone nuclei. [K voprosu ob obrazovanii iskusstvennykh zarodyshei gradaj, Stalevich, D.D., et al, Leningrad. Glavnaia geofizi-cheskaia observatoriia. Trudy, 1982, Vol.457, p.30-

42, In Russian. 19 refs.
Uchevatkina, T.S.
Hailstones, Ice nuclei, Supercooled water, Ice crystal

growth, Aerosols.

36-4172

Competitive growth of precipitation particles during hail cloud modification with ice forming nucleating agents. [Konkurentny] rost chastits osadkov pri voz-delstvii l'doobrazuiushchimi reagentami na gradovye

oblakaj, Stalevich, D.D., et al, Leningrad. Glavnaia geofizi-cheskaia observatoriia. Trudy. 1982, Vol.457, p.43-11. In Russian. 6 1613. Uchevatkina, T.S. Hail clouds, Weg.her modification, Nucleating

agents, Ice nuclei, Hailstone growth.

36-4173

Dispersion effect on ice forming ability of zinc oxide aerosols. (Vliianie dispersnosti na l'doobrazuiushchuiu

aktivnost' aerozolei okisi tsinkaj, Baklanov, A.M., et al, Leningrad. cheskaia observatoriia. Trudy. 1982, Vol.457, p.59-65, In Russian. 14 refs.

Weather modification, Cloud seeding, Aerosols, Ice nuclei, Nucleating agents.

Studying conditions favorable for extinguishing forest fires by artificial precipitation in western Siberia. [K issledovaniju uslovii blagoprijatnykh dlja tushenija les nykh pozharov iskusstvenno vyzyvaemymi osadkami na territorii Zapadnoi Sibirij, Orenburgskaia, E.V., et al. Leningrad.

Trudy, 1982, Vol.457, geofizicheskaia observatoriia. p.84-89, In Russian. 1 ref. Zamiralova, V.F.

Taiga, Forest fires, Artificial precipitation, Cloud seeding, Artificial nucleation.

Influence of stationary electric fields on statistical characteristics of freezing temperature of supercooled water droplets. O vliianii postoiannogo elektriches kogo polja na statisticheskie kharakteristiki temperakury zamerzaniia pereokhiazhdennykh kapel' vodyj. Klingo, V.V., et al. Leningrad. Glavnaia geofiziches-kaia observatoriia. Trudy. 1982, Vol.457, p.90-98, In Russian. 12 refs. Sergeev, V.V., Shlykov, V.V.

nd droplets, Freezing points, Electric fields, Ice crystal growth.

36-4176

Electric field effect on freezing of water solution droplets of some substances. [O vhianii elektricheskogo polia na zamerzanie kapel vodnykh rastvorov nekotorykh veshchestvi.

Shlykov, V.V., Leningrad Glavnaia geofizicheskuia observatoriia Trudy, 1982, Vol.457, p.99-104, In

Russian. 6 rcfs.

Water pollution, Solutions, Silver iodide, Supercooling, Cloud droplets, Freezing points, Electric fields, Ice crystal growth, Laboratory techniques.

Studying freezing temperatures of droplets during the introduction of ice forming particles into the droplet and on its surface. [Issledovanic temperatury kristallizatsii kapel' pri vvedenii l'doobrazuiushchikh chastits

vnutr' i na poverkhnost' kaplij. Bashkirova, G.M., et al, Leningrad. Glavnaia geofizi-Bashirova, G. M., et al. Leinigrad. Granua geom. cheskaia observatoriia. Trudy. 1982, Vol.457, p.112-121, In Russian. 15 refs.
Molotkova, I.A., Nikandrov, V.IA.
Cold chambers, Laboratory techniques, Drops (liq-

uids), Distilled water, Freezing points.

Deactivating effect of water on ice forming ability of some powders. [O dezaktiviruiushchem vliianii vody na l'doobrazuiushchuiu aktivnost' chastits nekotorykh

Experimentation, Drops (liquids), Supercooling, Aerosols, Freezing points.

Experimental studies of the role of cloud element freezing and disintegration in the electrification of convective clouds. [Eksperimental'nye issledovanija roli zamerzanija i razrushenija oblachnykh elementov

v elektrizatsii konvektivnogo oblaka). Burchuladze, N.N., et al. Leningrad. Glavnaia geofizicheskaia observatoriia. Trudy. 1982, Vol.457, p.141-148. In Russian. 5 refs. Cold chambers, Laboratory techniques, Cloud drop-

lets, Freezing points, Evaporation, Electric charge.

36-4180

Using piezoresonant quartz scales in studying water vapor adsorption on ice forming substances. ¿K is-sledovaniiu adsorbtsii parov vody na l'doobrazuiushchikh veshchestvakh metodom p'ezorezonansnykh evartsevykh vesovy.

Vlasov, S.A., Leningrad. Glavnaia geofizicheskaia observatoriia. Trudy, 1982. Vol.457, p.149-154. In 9 refs.

Aerosols, Water vapor, Adsorption, Ice formation, Ice crystal growth.

Snow transfer in high mountain areas of the Ukrainian Carpathians. (O perenose snega v vysokogornom raione Ukrainskikh Karpat₁, Grishchenko, V.F., et al. Kiev. U

Ukrainskii regional'nyi nauchno-issledovateľ skli institut. Trudy. 1982. Vol.190, p.120-125, In Russian. 6 refs. Tkhorik, A.P.

Snow cover distribution, Snowdrifts, Snowstorms, Snow water equivalent, Alpine landscapes.

36-4182

Analyzing the state of snow cover pollution for the design of air pollution control stations. (Analiz sos toianiia zagriazneniia snegovogo pokrova dlia prock-tirovaniia seti stantsii ANKOS-A₁. Artemov, V.M., et al. Moscow — Institut prikladnor geoffizik — Teach 1982, Ved 18 p. 1111-119. In Pari

Trudy, 1982, Vol.48, p.144-149, In Russian. 8 refs

Snow composition, Air pollution, Municipal engineer-

36-4183

Using mathematical models of melt- and rainwater runoff in studying water balance components. [Ispol] zovanie modeli formirovanija talo-dozhdevogo stoka dlia analiza sostavljajushchikh vodnogo balansaj. Koren', V.I., et al. Leningrad Gidrometeorologi-cheskii nauchno-issledovatel'skii tsenti SSSR Trudy, 1982, Vol. 240, p. 39-49, In Russian - 3 refs Bel'chikov, V.A.

Meltwater, Runoff, Water balance, Mathematical

Water vaper effect on hydrothermal regimes of frozen sells and ground. Otsenka vlijanija vodianogo para na idrotermicheskii rezhim merzlykh pochvogruntovy, gidrotermicheskii rezhim merzlykh pochvogruntovy, Motovilov, IU.G., Leningrad. Gidrometeorologi-cheski nauchno-issledovatel'skii tsentr SSSR. Trudy, 1982, Vol.240, p.82-93, in Russian. 13 refs. Frozen ground physics, Hydrothermal processes, Wa-ter vapor, Sell water migration, Frozen ground tem-perature, Heat transfer, Mathematical models.

34.4185

Factorial analysis of snow cover pollution by metals r a mining and metallurgical combine. [Faktorny] analiz izmenchivosti zagriazneniia snezhnogo pokrova vblizi gorno-metallurgicheskogo binata_j,

Vasilenko, V.N., et al, Moscow. Institut prikladnoi geofiziki. 5 refs. Trudy, 1982, Vol.41, p.30-35, In Russian.

Pegoev, A.N., Fridman, Sh.D.

Mining, Air poliution, Snow composition, Metals, Snow samplers, Water pollution.

36-4186

Structure of vegetational cover in polar deserts of Cape Chelyaskia. Struktura rastitel nogo pokrova poliarnykh pustyn mysa Cheliuskin, Mazing, V.V., Struktura rastitel nosti poliarnykh pustyn bolot. Tartusskii universitet. Uchenye zapiski. Trudy po bozanika. Vun 500 Geografica.

Trudy po botanike. Vyp.590 (Structure of vegetation in polar deserts and swamps. Tartu State University.
Papers on botany. Vol.590) edited by E.G. Kukk,
Tartu, 1982, p.3-21, In Russian. 18 refs. ndra, Deserts, Plant scology, Ecosystems, Vegeta

36-4187

Ground lichens and their habitat on the Cape Chelyuskin (Taymyr), pNapochvennye lishamiki i ikh mestoobitaniia na myse Cheliuskin (Talmyr),

Piīn, T.Kh., Struktura rastitel'nosti poliarnykh pustyn' i bolot. Tartusskii universitet. Uchenye zapiski. rively po botaniki. Vyp.590 (Structure of vegetation on polar deserts and swamps. Tartu State University Papers on botany. Vol.590) edited by E.G. Kukk, Tartu, 1982, p.22-38, in Russian. 5 refs. Tandra, Deserts, Lichens, Plant ecology, Vegetation potterns, Ecosystems.

36-4188

Snew cover depth in the Ukraine. [O vysote snezh-Saew cover cepta in nogo pokrova na Ukraine, nogo pokrova na Ukraine, Ukrainskii regional'nyi Toudy, 198

nogo postova na Ukrainej.
Shcherban', I.M., Kiev. Ukrainskii regional'nyi
nauchno-issledovatel'skii inst. it. Trudy, 1982,
Vol.188, p.31-34, In Russian. refs.
Snow cover distribution, Snow depth, Snow water
equivalent, Meteorological cha 's, Meteorological
data.

36-4189

Relations between damages of power and communica-tion lines and quantities of wet snow deposits. ¿Zavisi-most' povrezhdenii linii sviazi i elektroperedachi ot velichiny otlozheniĭ mokrogo snegaj, Koshenko, A.M., et al, Kiev. Ukrainskħ regional'nyħ

nauchno-issledovatel'skii institut. Vol.189, p.15-19, in Russian 6 refs. Trudy, 1982, Bashkirova, L.E.

Power line icing, Transmission lines, Ice accretion, Snow accumulation, Wet snow, Loads (forces).

36-4190

Physico-chemical ch racteristics of m northeastern shore of Lake Khubsugul. (Fiziko-khimicheskaia kharakteristika naledel severo-vostochnogo

poberezhia oz. Khubsugulj, Shpetzer, G.M., et al, *Gidrokhimicheskie materialy*, 1982, Vol.79, p.13-19, In Russian. 4 refs.

Verkhozina, V.M. Glacial lakes, Naleds, Ice composition, Ion density (concentration), Ice formation, Lake water, Water chemistry, Mongolia.

ign techniques to minimize low-temperature as-

phalt pavement transverse cracking.
Asphalt Institute. Ad Hoc Committee on Low-Temperature Asphalt Pavement Stiffness, Asphalt Institute: Research report, Dec. 1981, RR-81-1, 75p., Reft. and bibliography p.64-75. Bituminous concretes, Cracking (fracturing), Low

erature tests, Pavements, Design criteria.

36-4192

Earth's pre-Pleistocene glacial record. Hambrey, M.J., ed, Cambridge England, University Press, 1981, 1004p., For selected papers see 1E-258, 4E-7231, 5E-8787, and E-26923 through E-26934. Harland, W.B., ed.

Glacial geology, Paleoclimatology, Glaciology, An-

tarctica.

The volume is a compilation of data through early 1980 on tillites and tillite-like rocks undertaken for the Pre-Pleistocene Tillite Project of International Geological Correlation Program. The range is global including a series of papers about Antarctics. Some 212 papers and abstracts comprise the volume along with a section on terminology and classification of deposits and one containing a glossary of glacigenic and related terms. An index map precedes each part identifying the area and relating geologic period data to a specific region of the map. Each chapter is organized to the same presentation plan: 1-Name given to tillite; 2-Geographical distribution; 3-Structural framework of tillite; 4-Stratigraphic setting of tillite; 5-Lithostratigraphy; 6-Boundary relations; 7-Beeding and sedimentary structures; 8-Description of stones; 9-Other characteristics, 10-Age; 11-Paleolatitude; 12-Interpretation of origin and of paleocytromment; 13-Interpretation of paleoclimate; 14-Interpretation of paleocletonic position; 15-Acknowledgements; 17-References.

Eastern Bering Sea shelf: oceanography and resources, Vol.2.

Hood, D.W., ed, Washington, D.C., National Oceanic and Atmospheric Administration, 1981, 1339p., Numerous refs. For selected articles see 36-4194 through 36-4199. Calder, J.A., ed.

Marine biology, Ecology, Cryobiology, Bering Sea.

36.4194

Ice-biota interactions: an overview.

Alexander, V., Eastern Bering Sea shelf: oceanography and resources, Vol.2, edited by D.W. Hood and J.A. Calder, Washington, D.C., National Oceanic and Atmospheric Administration, 1981, p.757-761, 19 refs. Sea ice, Ecology, Marine biology, Cryobiology, Ber-

36-4195

Primary production at the eastern Bering Sea ice edge: the physical and biological regimes. Niebauer, H.J., et al, Eastern Bering Sea shelf: oceanography and resources, Vol.2, edited by D.W. Hood and J.A. Calder, Washington, D.C., National Oceanic and Atmospheric Administration, 1981, p.763-772, 18

Alexander, V., Cooney, R.T.

Biomass, Sea ice, Ice edge, Hydrography.

36-4196

Role of epontic algal communities in Bering Sea ice. Alexander, V., et al, Eastern Bering Sea shelf: oceanography and resources, Vol.2, edited by D.W. Hood and J.A. Calder, Washington, D.C., National Oceanic and Atmospheric Administration, 1981, p.773-780, 14 refs.

Chapman, T.

Sea ice, Algae, Plankton, Cryobiology, Bering Sea.

Ice as marine m mmal habitat in the Bering Sea. Burns, J.J., et al, Eastern Bering Sea shelf: oceanogra phy and resources, Vol.2, edited by D.W. Hood and J.A. Calder, Washington, D.C., National Oceanic and Atmospheric Administration, 1981, p.781-797, 49

Shapiro, L.H., Fay, F.H. Sea ice, Marine biology, Animals.

Birds in the ice-edge ecosystem in the Bering Sea. Divoky, G.J., Eastern Bering Sea shelf: oceanography and resources, Vol.2, edited by D.W. Hood and J.A. Calder, Washington, D.C., National Oceanic and Atmospheric Administration, 1981, p.799-804, 13 refs. Sea ice, Ice edge, Ecosystems, Animals, Bering Sea.

Disturbance and diversity in a boreal marine commity: the role of intertidal scouring by sea ice. O'Clair, C.E., Eastern Bering Sea shelf: oceanography and resources, Vol.2, edited by D.W. Hood and J.A. Calder, Washington, D.C., National Oceanic and Atmospheric Administration, 1981, p.1105-1130, Refs.

Marine biology, Ecosystems, Sea ice, Ice scoring.

36-4200

Changes in geologic media caused by human activities. rlzmenenie geologicheskoi sredy pod vlijaniem deiatel'nosti chelovekaj,

Ziangirov, R.S., ed. Moscow, Nauka, 1982, 186p., In ian. For selected papers see 36-4201 through 36-4206 Refs. passim

Frozen fines, Freeze thaw cycles, Soil water migration, Vibration, Thixotropy, Permafrost hydrology, Soil strength, Clay soils, Solifluction, Permafrost beneath structures, Human factors engineering.

36-4201

Changes in construction qualities of grounds due to flooding (alluvial and lacustrine deposits of the central Ob' Region area). [Izmenenie stroitel'nykh svolstv gruntov pri obvodnenii (na primere alliuvial'nykh i ozerno-alliuvial'nykh otlozhenil Srednego Pri-

Bocharova, I.S., et al, Izmenenie geologicheskoï sredy pod vlijaniem dejateľ nosti cheloveka (Changes in geologic media caused by human activities) edited by R.S. Ziangirov, Moscow, Nauka, 1982, p.70-77, In Russian. Zakharov, IU.F., Voronov, IU.N., Zenzina, V.M.

Permafrost beneath structures, Ground water, Water table, Sands, Clays, Permafrost hydrology, Roads, Embankments, Foundations, Flooding, Engineering geology, Seasonal freeze thaw.

Activation of solifluction processes induced by human activities. [Aktivizatsija protsessov solifliuktsij pod vliianiem antropogennykh faktorov₎,

Platov, N.A., et al, Izmenenie geologicheskoi sredy pod vliianiem deiatel'nosti cheloveka (Changes in geologic media caused by human activities) edited by R.S. Ziangirov, Moscow, Nauka, 1982, p.89-96, In Russian.

Trofimov, B.T., Korobanova, I.G.
Petroleum industry, Cryogenic soils, Frozen fines, Soil erosion, Solifluction, Permafrost beneath structures. Continuous permafrost. Human factors engi-

36-4203

Changes in the strength of clayey ground due to vibration. [Izmenenie prochnosti glinistogo grunta pri vibratsiij, Kutergin, V.N., Izmenenie geologicheskoi sredy pod

vliianiem deiatel'nosti cheloveka (Changes in geologic media caused by human activities) edited by R.S. Ziangirov, Moscow, Nauka, 1982, p.96-104, In Russian. 6 refs.

Cryogenic soils, Clay soils, Thixotropy, Paludification, Vibration, Soil strength, Permafrost beneath structures, Petroleum industry, Construction equip-

36-4204

Influence of the state of teh ground on its loss of strength under vibration loads. ¡Vliianie sostoianiia grunta na ego razuprochnenie pri deïstvii vibratsion-

grunta na ego razuprocinienie pri deisvir violationinykh nagruzoky, Averochkina, M.V., Izmenenie geologicheskof sredy pod vlitaniem deiatel'nosti cheloveka (Changes in geo-logic media caused by human activities) edited by R.S. Ziangirov, Moscow, Nauka, 1982, p.104-107, In Rus-

Frozen fines, Clays, Loams, Freeze thaw cycles, Vibration, Soil strength, Thixotropy.

36-4205

Influence of the state of the ground on its loss of strength under vibration loads. (Zakonomernosti razvitiia vo vremeni deformatsii nabukhaniia po vysote

vittia vo vremeni detormatsii nabuanamia po vysote sloia uplotnennogo glinistogo gruntaj, Pavilonskii, V.M., Izmenenie geologicheskoi sredy pod vliianiem deiatel'nosti cheloveka (Changes in geologic media caused by human activities) edited by R.S. Ziangirov, Moscow, Nauka, 1982, p.107-111, In Rus-

Frozen fines, Clays, Loams, Freeze thaw cycles, Laboratory techniques, Soil strength, Thixotropy.

36-4206

Selection of materials for construction of earth structures in freezing weather. Podbor materialov dlia zemlianykh sooruzhenil v usloviiakh stroitel'stva pri otritsatel'nykh temperaturakh₁, Rabaev, G.S., et al. Izmenenie geologicheskoi sredy

pod vliianiem deiatel nosti cheloveka (Changes in geo-logic media caused by human activities) edited by R.S. Ziangirov, Moscow, Nauka, 1982, p.158-161, In Russian. 3 refs.

Timofeev, E.M., Lev, E.A.

Hydraulic structures, Earth dams, Hydrothermal processes, Freeze thaw cycles, Cold weather construction. Construction materials.

Urgal-Komsomol'sk-na-Amure section of the Baykal Amur railroad. (Uchastok BAMa ot Urgala do Kom-

somol'ska-na-Amure, Vizhaikin, V.A., et al, Transportnoe stroitel'stvo, July 1982, No.7, p.5-7, In Russian. Astafev, IU.A.

Bridges, Buildings, Foundations, Permafrost beneath structures, Taiga, Continuous permafrost, Sporadic permafrost, Roadbeds, Embankments, Baykai Amur railroad. Surveying.

36-4208

Environmental protection in road construction. (Okhrana prirodnoi sredy pri dorozhnom stroitel'stve₁.

Druzhinin, M.K., *Transportnoe stroitel'stve*₂, July 1982, No.7, p.7-8, In Russian.

Roads, Roadbeds, Snow roads, Ice roads, Soll erosion,

Thermokarst, Solifluction, Environmental protec-

36-4209

Structural evaluation of morainal deposits beneath bridge foundations. [Stroitel'naia otsenka morennykh otlozhenii v osnovanii fundamentov mostaj Bevziuk, V.M., et al. Transportnoe stroitel'stvo, July

1982, No.7, p.8-9, In Russian. 4 refs. Nesmelov, N.S.

Bridges, Piers, Foundations, Moraines, Clays, Bearing strength.

36-4210

Construction of underground crossings in frost-heaving grounds. [Opyt stroitel'stva podzemnykh perekhodov na puchinistykh gruntakh-osnovaniiakh], Abzhalimov, R.Sh., Transportnoe stroitel'stvo, July 1982, No.7, p.13-14, In Russian. 5 refs. Underground facilities, Ground ice, Tunnels, Linings,

36-4211

Thermal and technical properties of three-layer asbestos-cement panels for residential buildings of the series 122. (Teplotekhnicheskie kachestva trekhsloinykh asbestotsementnykh panelei dlia zhilykh zda-

nii serii 122, Itskovich, A.A., et al, *Transportnoe stroitel'stvo*, July 1982, No.7, p.17-18, In Russian. Krotov, A.P.

Large panel buildings, Prefabrication, Walls, Panels, Residential buildings, Permafrost beneath structures, Thermal insulation.

36-4212

Transfer processes in disperse media subject to defor-mation. (Protsessy perenosa v deformiruemykh disper-

snykh sredakhi, Bondarev, E.A., ed. Yakutsk, SO AN SSSR, 1980, 176p., In Russian. For selected papers see 36-4213 through 36-4230. Refs. passim.

DLC QC320.16.P77

Models, Frozen ground, Soll freezing, Hydrothermal processes, Ice formation, Phase transformations, Buildings, Wells, Walls, Pipelines, Thermal insula-tion, Heat transfer, Mass transfer.

Multiphase model of frozen ground. [Mnogofaznaia model merziogo gruntaj. Kolmogorov, A.V., Protsessy perenosa v defor-

miruemykh dispersnykh sredakh (Transfer processes in disperse media subject to deformation) edited by E.A. Bondarev and L.M. Nikitina, Yakutsk, SO AN SSSR, 1980, p.6-12, In Russian. 9 refs. DLC QC320.16.P77

Models, Prozen ground, Hydrothermal processes, Soil freezing, Phase transformations, Ice formation, Heat transfer

Method of model calculation of heat transfer coefficients of moist loose cargo. [Metodika model'nogo rascheta koeffitsienta teploprovodnosti vlazhnykh

nasypnykh gruzovj, Stepanov, A.V., Protsessy perenosa v deformiruemykh Stepanov, A.V., Protsessy perenosa v deformiruemykh dispersnykh sredakh (Transfer processes in disperse media subject to deformation) edited by E.A. Bondarev and L.M. Nikitina, Yakutsk, SO AN SSSR, 1980, p. 13-20, in Russian. 4 refs. DLC QC320.16.P7 Models, Cargo, Water content, Frost penetration, Water vapor, Unfrozen water content, Heat transfer,

36-4215

Effects of freeze-thaw cycles on the filtration and diffusion coefficients of the sand-clay component of the Kuranakhskaia coarse clastic deposits. [Vliianie tsiklicheskogo zamorazhivaniia-ottaivaniia na koeffitsienty fil'tratsii i diffuzii peschano-glinistoi sostavliajushchei

Kuranakhskoi krupnooblomochnoi porodyj, Kravtsova, O.N., et al, Protsessy perenosa v defor-miruemykh dispersnykh sredakh (Transfer processes in disperse media subject to deformation) edited by E.A. Bondarev and L.M. Nikitina, Yakutsk, SO AN SSSR, 1980, p.21-26, In Russian. 4 refs.

Kurilko, A.S., Romanova, E.S. DLC QC320.16.P77

Frozen fines, Ground ice, Cryogenic structures, Clays, Sands, Sampling, Freeze thaw cycles, Laboratory

Possibility of forecasting unfrozen water content of fine grained materials from sorption properties. [O vozmozhnosti prognozirovaniia kolichestva nezamerzshei vody po sorbtsionnym svoistvam disper-

snykh materialov₁. Efimov, S.S., et al, Protsessy perenosa v deformiruemykh dispersnykh sredakh (Transfer processes in disperse media subject to deformation) edited by E.A. Bondarev and L.M. Nikitina, Yakutsk, SO AN SSSR, 1980, p.27-32, in Russian. 12 refs.

DLC QC320.16.P77

Frozen fines, Clays, Sands, Unfrozen water content, Soil colloids, Capillarity, Hygroscopic water, Adsorption, Frost penetration.

Studying sorption properties and unfrozen water content in clay-sand mixtures during freeze-thaw cycles. rlssledovanie sorbtsjonnykh svojstv i kolichestva nezamerzshei vody pri tsiklicheskom zamorazhivanii-

ottaivanii glinisto-peschanykh smeseĭj, Efimov, S.S., et al, Protsessy perenosa v defor-miruemykh dispersnykh sredakh (Transfer processes E.A. Bondarev and L.M. Nikitina, Yakutsk, SO AN SSSR, 1980, p.33-39, In Russian. 4 refs. Gavrillev, V.N.

DLC QC320.16.P77

Clays, Sands, Sorption, Preeze thaw cycles, Unfrozen water content.

Evaluation of equiponderant sizes of mineral particles. (Otsenka ravnovesnogo razmera mineral'nykh

chastits,
Popov, V.I., Protsessy perenosa v deformiruemykh
dispersnykh sredakh (Transfer processes in disperse
media subject to deformation) edited by E.A. BonMarket SO AN SSSR. darev and L.M. Nikitina, Yakutsk, SO AN SSSR, 1980, p.40-43, In Russian. 14 refs. DLC QC320.16.P77

Frozen fines, Phase transformations, Freeze thaw cycles, Grain size, Interstitial ice.

Studying the dependence of mass transfer intensity on freeze thaw cycles. [Issledovanie intensivnosti massoperenosa v zavisimosti ot tsiklov zamorazhivanija-

ottaivaniia, Popov, V.I., Protsessy perenosa v deformiruemykh dispersnykh sredakh (Transfer processes in disperse media subject to deformation) edited by E.A. darev and L.M. Nikitina, Yakutsk, SO AN SSSR, 1980, p.44-46, In Russian. 3 refs.

Soil freezing, Freeze thaw cycles, Heat transfer, Sands, Clays, Frost penetration, Soil water migration, Ion density (concentration).

Water migration in univariate samples of sand-clay mixtures. [Migratsiia vlagi v odnomernykh obraztsakh peschano-glinistykh smeselj. Kozhevnikov, N.N., et al. Protsessy perenosa v defor-

miruemykh dispersnykh sredakh (Transfer processes in disperse media subject to deformation) edited by E.A. Bondarev and L.M. Nikitina, Yakutsk, SO AN SSSR, 1980, p.47-53, In Russian. 9 refs. Gerasimov, L.A.

DLC QC320.16.P77

Fines, Clays, Sands, Soil water migration, Frost penetration, Freeze thaw cycles, Microscope slides, Laboratory techniques.

36-4221

Growth of a hydrate in a limited volume. [Rost gidrata

v ogranichennom ob emej, Biliushov, V.M., et al. Protsessy perenosa v defor-miruemykh dispersnykh sredakh (Transfer processes in disperse media subject to deformation) edited by E.A. Bondarev and L.M. Nikitina, Yakutsk, SO AN SSSR, 1980, p.61-66, In Russian. 2 refs. Kanibolotskii, M.A.

DLC QC320.16.P77

Natural gas, Phase transformations, Water vapor, Va-por diffusion, Cooling, Hydrates, Moisture transfer, Heat transfer.

36-4222

Heat of hydrate formation. [O teplote gidratoo-

Heat of hydrate formation. (O tepiote gidratoo-brazovaniia).

Biliushov, V.M., et al. Protsessy perenosa v defor-miruemykh dispersnykh sredakh (Transfer processes in disperse media subject to deformation) edited by E.A. Bondarev and L.M. Nikitina, Yakutsk, SO AN SSSR, 1980, p.67-74, In Russian. 14 refs. Grotsman, A.G.

DLC QC320.16.P77

Natural gas, Cooling, Water vapor, Phase transformations, Hydrates, Heat transfer, Moisture transfer 045

Mathematical modeling of liquid freezing in pipe-lines. (Matematicheskoe modelirovanie zamerzanija zhidkosti v truboprovodakhj.

Bondarev, E.A., et al. Protsessy perenosa v defor-miruemykh dispersnykh sredakh (Transfer processes in disperse media subject to deformation) edited by E.A. Bondarev and L.M. Nikitina, Yakutsk, SO AN SSSR, 1980, p.78-83, In Russian. 8 refs. Kapitonova, T.A., Popov, F.S.

DLC QC320.16.P77

Water pipelines, Pipeline freezing, Water flow, Flow rate, Cooling rate, Phase transformations, Mathematical models.

36-4224

Plane, lineraly-viscoelastic problem of axially symmetric secondary freezing. [Ploskaia lineino-viazkouzadacha osesimmetrichnogo vtorichnogo

Smerzanijaj,
Dubina, M.M., Protsessy perenosa v deformiruemykh
dispersnykh sredakh (Transfer processes in dispers media subject to deformation) edited by E.A. Bondarev and L.M. Nikitina, Yakutsk, SO AN SSSR, 1980, p.84-88, In Russian. 7 refs. DLC QC320.16.P77

Pipelines, Permafrost beneath structures, Ground thawing, Freeze thaw cycles, Well casings, Soil pressure, Mathematical models.

Ultimate state of balance of thawing walls of a well in permafrost. (Predel'noe ravnovesie ottaivaiushchikh stenok skvazhiny v merzlykh porodakh). Dubina, M.M.. Protsessy perenosa v deformiruemykh

dispersnykh sredakh (Transfer processes in disperse media subject to deformation) edited by E.A. Bondarev and L.M. Nikitina, Yakutsk, SO AN SSSR, 1980, p.89-95. In Russian. 6 refs.

DLC QC320.16.P77

Wells, Drilling, Ground thawing, Walls, Heat transfer, Stability.

Differential method of solving the problem of freezing with phase transformations in a spectrum of temperatures. (Raznostnyi metod resheniia zadachi promerzaniia pri fazovykh perekhodakh v spektre temperatur_j.

Pavlov, A.R., et al. Protsessy perenosa v defor-miruemykh dispersnykh sredakh (Transfer processes disperse media subject to deformation) edited by A. Bondarev and L.M. Nikitina, Yakutsk, SO AN SSSR, 1980, p.111-119, In Russian. Permiakov, P.P., Baranci, T.V.

DLC QC320.16 P77

Soil freezing, Soil moisture migration, Freeze thaw cycles, Phase transformations, Stefan problem, Ice formation, Unfrozen water content. Heat transfer.

Restoration of boundary conditions at freeze-thaw of fine grained soils. ¿Vosstanovlenie granichnykh uslovií pri promerzanii-protaivanii dispersnykh gruntov₁,

Permiakov, P.P., et al, Protsessy perenosa v defor-miruemykh dispersnykh sredakh (Transfer processes in disperse media subject to deformation) edited by E.A. Bondarev and L.M. Nikitina, Yakutsk, SO AN SSSR, 1980, p.120-128, In Russian. 5 refs. Platonov, S.S., Starostin, N.P.

DLC QC320.16.P77

Freeze thaw cycles, Phase transformations, Frozen fines, Boundary value problems.

36-4228

Thermal regime of ridged soils. [Teplovol rezhim greb-

nistof pochvy, Romanov, P.G., Protsessy perenosa v defor-miruemykh dispersnykh sredakh (Transfer processes in disperse media subject to deformation) edited by E.A. Bondarev and L.M. Nikitina, Yakutsk, SO AN SSSR, 1980, p.135-144, In Russian. 10 refs. DLC QC320.16.P77
Cryogenic soils, Soil freezing, Soil temperature, Microrelief, Freeze thaw cycles, Thermal regime, Hy-

drothermal processes.

36-4229

Allowing for the temperature and heat transfer coefficients of thermal insulations when designing light weight enclosures. (Uchet koeffitsientov teplo- i temperaturoprovodnosti uteplitelei pri proektirovanii legkikh ograzhdajushchikh konstruktsiij,

Nikitina, L.M., et al., Protessey perenosa v deformiruemykh dispersnykh sredakh (Transfer processes in disperse media subject to deformation) edited by E.A. Bondarev and L.M. Nikitina, Yakutsk, SO AN SSSR, 1980, p.145-154, In Russian. 10 refs.

Popov, G.G., Timoshenko, A.T. DLC OC320.16.P77

Walls, Thermal insulation, Heat tramsfer.

Selecting the optimal heat transfer resistance of light weight enclosures for Central Yakutia. (Vybor optimal'nogo soprotivlenija teploperedache legkikh ograzhdajushchikh konstruktsii zdanii v rajonakh

Tsentral not I Akutiij,
Timoshenko, A.T., Protsessy perenosa v deformiruemykh dispersnykh sredakh (Transfer processes in disperse media subject to deformation) edited by E.A. Bondarev and L.M. Nikitina, Yakutsk, SO AN SSSR, 1980, p.155-165, In Russian. DLC OC320 16 P77

Residential buildings, Walls, Thermal insulation, Design, Subpolar regions.

36-4231

Quantitative evaluation of joint performance of spread-footing piles with bearing ground. (Kolichestvennaja otsenka sovmestnoj raboty kozlovykh svaj s

Golubkov, V.N., et al, Russia. Ministerstvo vysshego i srednego spetsial'nogo obrazovaniia. Izvestiia vysshikh uchebnykh zavedeníl. Stroitel'stvo i arkhitektura, 1982, No.6, p.24-27, In Russian.

Demchuk, S.E., Mitinskii, V.M., Lipei, V.IU.
Foundations, Piles, Clay soils, Viscous flow, Pile driving, Bearing strength.

Design of supporting pile structures. [Raschet uderzhivaiushchikh svalnykh sooruzhenil],
Borodianskil, M.I.A., et al, Russia. Ministerstvo vys-

shego i srednego spetsial nogo obrazovanija. Izvestija vysshikh uchebnykh zavedenii. Stroitel'stvo i ark-hitektura, 1982, No.6, p.27-30, In Russian. 4 refs.

Slope stability, Supports, Landslides, Concrete piles, Reinforced concretes.

Introduction of waterproof plastic-film screens for sing and seh tailings. ¡Opyt vnedreniis polimernykh plenochnykh protivofil'tratsionnykh ekranov

shlakozolootvalovj, Kirikova, G.P., Russia. Ministerstvo vysshego i srednego spetsial'nogo obrazovaniia. Izvestiia vysshikh uchebnykh zavedenii. Stroitel'stvo i arkhitektura,

1982, No.6, p.89-91, in Russian. 6 refs.

Waste disposal, Tailings, Permafrost beneath structures, Waterproofing, Plastics, Pilms, Electric power.

Construction of stable embankments on sagging perennially frozen grounds. (Voprosy vozvedenija sta-bil'nykh nasypel na prosadochnykh vechnomerzlykh

gruntakh₁, Ivanov, M.I., Russia. Ministerstvo vysshego i srednego spetsial'nogo obrazovaniia. Izvestiia vysshikh uchebnykh zavedenii. Stroitel'stvo i arkhitektura, 1982, No.6, p.113-117, In Russian. 4 refs. Roadbeds, Embankments, Permafrost beneath structures, Thermokarst, Settlement (structural).

36-4235

Hydrothermal regime of slurry ponds in the Yakutian ASSR. (Gidrotermicheskii rezhim basseinov gidrootvalov v IAkutskof ASSR₃, Kuznetsov, G.I., et al. Russia. Ministerstvo vysshego

i srednego spetsial'nogo obrazovaniia. Izvestiia vys-shikh uchebnykh zavedenii. Stroitel'stvo i arkhitektura, 1982, No.5, p.99-102, In Russian. 5 refs Skvortsov, V.A.

Dredging, Tailings, Ponds, Permafrost beneath structures, Subarctic regions, Hydrothermal processes.

36-4236

Rheology of soils and engineering geocryology. [Reologia gruntov i inzhenernoe merzlotovedenie], aretskii, IU.K., ed, Moscow, Nauka, 1982, 224p., In Russian. For individual papers see 36-4237 through 36-4268. Refs. passim.

Soil mechanics, Rheology, Geocryology, Engineering geology, Foundations, Permafrost beneath structures, Piles, Deformation, Models.

Rheologic basis of soil mechanics. [Reologicheskie osnovy mekhaniki gruntovj, Vialov, S.S., Reologiia gruntov i inzhenernoe mer-

zlotovedenie (Rheology of soils and engineering geo-cryology) edited by IU.K. Zaretskii, Moscow, Nauka, 1982, p.5-21, In Russian. 65 refs.
Bibliographies, Soil mechanics, Rheology, Cryogenic

soils, Theories, Mathematical models.

36-4238

Rheologic phenomena at the base of structures not susceptible to sliding forces. [Reologicheskie iavleniia osnovanii sooruzhenii, ne vosprinimaiushchikh sdvigaiushchikh usilij,
Maslov, N.N., et al, Reologiia gruntov i inzhenernoe

merzlotowedenie (Rheology of soils and engineering geocryology) edited by IU.K. Zaretskii, Moscow, Nauka, 1982, p.21-30, In Russian. 3 refs. Karaulova, Z.M

Foundations, Clay soils, Rheology, Basal sliding,

36-4239

Equation of the creep curve of sliding grounds. (Uravnenie krivo) polzuchesti gruntov pri sdvigej, Ter-Stepanian, G.I., et al, Reologija gruntov i inzhenernoe merzlotovedenie (Rheology of soils and engineering geocryology) edited by IU.K. Zaretskii, Moscow, Nauka, 1982, p.31-40, In Russian. 5 refs. Simonian, S.S.

Cryogenic soils, Soil mechanics, Soil creep, Mathematical models.

36-4240

Law of creep for simple displacements of clay soils. (O zakone polzuchesti prostogo sdviga glinistykh grun-

Meschian, S.R., Reologiía gruntov i inzhenernoe merzotovedenie (Rheology of soils and engineering geo-cryology) edited by IU. K. Zaretskii, Moscow, Nauka, 1982, p.40-48. In Russian. 11 refs.

Clay soils, Rheology, Soil creep, Sliding, Analysis (mathematics).

Studying the growth of cracks in ice and frozen ground under static loads. ¿Issledovanie rosta treshchin vo l'du i merzlykh gruntakh pri staticheskikh na-

gruzkakh_i, Grechishchev, S.E., Reologiia gruntov i inzhenernoe merziotovedenie (Rheology of soils and engineering geocryology) edited by IU.K. Zaretskii, Moscow, Nauka, 1982, p.48-54, in Russian. 8 refs. Ice physics, Ground ice. Static loads, Ice cracks,

Crack propagation, Permafrost structure.

Regularities governing the deformation of ground systems under creep conditions. [Zakonomernosti deformirovanija gruntovykh sistem v uslovijakh polzu-

Pekarskaia, N.K., Reologiia gruntov i inzhenernoe merzlotovedenie (Rheology of soils and engineering geocryology) edited by IU.K. Zaretskii, Moscow, Nauka, 1982, p.54-61, In Russian. 9 refs. Soil creep, Cryogenic soils, Deformation, Rheology.

Rheology of multiphase grounds. [Problemy reologii

mnogofaznykh gruntovj.
Ter-Martirosian, Z.G., Reologiia gruntov i inzhenernoe merzlotovedenie (Rheology of soils and engineering geocryology) edited by IU.K. Zaretskii, Mos-

cow, Nauka, 1982, p.61-68, in Russian. 11 refs. Slope processes, Permafrost physics, Ground water, Phase transformations, Clay soils, Frozen fines, Compaction, Foundations, Settlement (structural).

Using different devices in studying strength and creep of frozen ground during displacement. [Issledovanie na razlichnykh priborakh prochnosti i polzuchesti

merzlykh gruntov pri sdvigej, Dokuchaev, V.V., et al, Reologiia gruntov i inzhen-ernoe merzlotovedenie (Rheology of soils and engi-neering geocryology) edited by IU.K. Zaretskii, Moscow, Nauka, 1982, p.68-76, In Russian. Gerasimov, A.S.

Permafrost physics, Ground ice, Permafrost struc-ture, Foundations, Deformation, Bearing strength, Стеер.

Strength of freezing bonds between sandy and clayey grounds during breakoff. [Prochnost' smerzaniia peschanykh i glinistykh gruntov pri otryve],

Shusherina, E.P., et al, Reologiia gruntov i inzhen-ernoe merzlotovedenie (Rheology of soils and engi-neering geocryology) edited by IU.K. Zaretskii, Moscow, Nauka, 1982, p.76-85, In Russian. 8 refs. Frozen fines, Sands, Clays, Sliding, Frost heave.

Forecasting landslides caused by rheologic properties of grounds. [O prognozirovagu opolznej, vyzvannykh projavleniem reologicheskikh svojstv gruntov], Budin, A.I.A., Reologiia gruntov i inzhenernoe merzlotovedenie (Rheology of soils and engineering geocryology) edited by IU.K. Zaretskii, Moscow, Nauka, 1932, p.85-93, In Russian. 9 refs. Slope processes, Cryogenic soils, Clays, Rheology, Landslides

Determining the viscosity coefficient of high ice-content grounds under uniaxial compression, (Opredelenie koeffitsienta viazkosti sil'nol'distykh gruntov pri odnoosnom szhatiij, Artemov, Z.P., et al, Reologiia gruntov i inzhenernoe

merziotovedenie (Rheology of soils and engineering geocryology) edited by IU.K. Zaretskii, Moscow, Nauka, 1982, p.94-100, In Russian. 2 refs. Sheinkman, D.R.

Permafrost structure, Ground ice, Compressive properties. Viscosity.

Sustained stability of horizontal underground shafts. Sustained stability of horizontal underground shafts. (Dlitel'naia ustolchivost' gorizontal'noi vyrabotkij. Shafarenko, E.M., Reologiia gruntov i inzhenernoe merzlotovedenie (Rheology of soils and engineering geocryology) edited by IU.K. Zaretskii, Moscow. Nauka, 1982, p. 100-104. In Russian. 4 refs. Mining, Shafts (excavations), Permafrost structure,

Ground ice, Permafrost physics, Compressive proper-

Using the temperature-time analogy method in forecasting the creep of frozen peat. [Prognoz polzuchesti merzlogo torfa metodom temperaturno-vremennoi

analogii).
Roman, L.T., Reologiia gruntov i inzhenernoe mer-Totali, C.T., Renigna gruntov interference mer-zilotovedenie (Rheology of soils and engineering geo-cryology) edited by IU. K. Zaretskif, Moscow, Nauka, 1982, p.104-112. In Russian. 7 refs.

Organic soils, Peat, Soil freezing, Ground ice, Unfrozen water content. Frozen ground mechanics, Creep.

Moisture effect on rheological processes in clay soils. (Vliianie vlazhnosti na reologicheskie protsessy v gli-

nistykh gruntakh, Maksimiak, R.V., Reologiia gruntov i inzhenernoe merzlotovedenie (Rheology of soils and engineering geocryology) edited by IU.K. Zaretskii, Moscow, Nauka, 1982, p.112-117, In Russian. 4 refs. Clays, Water content, Rheology, Soil strength, Com-

pressive properties, Deformation

36-4251

Problems of engineering geocryology. [Problemy inz-

henernogo merzlotovedeniiaj, Vialov, S.S., Reologiia gruntov i inzhenernoe merzlotovedenie (Rheology of soils and engineering geo-cryology) edited by IU.K. Zaretskii, Moscow, Nauka, 1982, p.118-126, In Russian. 14 refs. Engineering geology, Geocryology, Foundations, Per-

mafrost beneath structures, Research projects, Subsea permafrost. Permafrost control. Ground thawing.

36-4252

Applying the reliability theory to analyzing the ex-perience gained in the construction of buildings in the southern zone of permafrost distribution. [Prilozhenie teorii nadezhnosti k analizu opyta stroitel'stva zdanii v juzhnot zone rasprostranenija vechnomerzlykh grun-

tovj.

Khrustalev, L.N., Reologiia gruntov i inzhenernoe merzlotovedenie (Rheology of soils and engineering geocryology) edited by IU.K. Zaretskii, Moscow, Nauka, 1982, p. 126-134, In Russian. 6 refs.

Residential buildings, Industrial buildings, Founda-

tions, Permafrost bases, Permafrost hydrology, Permafrost thermal properties.

Foundation design for thawing permafrost. Konstruktsii fundamentov na ottaivaiushchikh vechnomerziykh gruntakhj.

Kolcsov, A.A., Reologiia gruntov i inzhenernoe merzlotovedenie (Rheology of soils and engineering geo-cryology) edited by IU.K. Zaretskii, Moscow, Nauka, , p.135-138, In Russian.

Buildings, Foundations, Permafrost beneath struc-tures, Ground thawing, Settlement (structural).

36-4254

Gas-component effect on thermal deformations of permafrost. [Vliianie gazoobraznoi sostavliaiushchei temperaturnye deformatsii vechnomerziogo

grunta₃.
Ponomarev, V.D., Reologiia gruntov i inzhenernoe merzlotovedenie (Rheology of soils and engineering generyology) edited by IU.K. Zaretskii, Moscow, Nauka, 1982, p.139-143, In Russian. 8 refs.

Permafrost physics, Permafrost thermal properties, Deformation, Frozen fines, Permafrost samplers.

36-4255

Regularities governing the development of tangential frost beave forces and field methods of their evaluation. [Zakonomernosti razvitiia i polevye metody otsenki kasatel'nykh sil moroznogo puchenija gruntovj, Orlov, V.O., Reologija gruntov i inzhenernoe merzlotovedenie (Rheology of soils and engineering geo-cryology) edited by IU.K. Zaretskii, Moscow, Nauka,

1982, p.144-148, In Russian. 9 refs.
Buildings, Roads, Pipelines, Permafrost beneath structures, Frost heave, Frozen ground strength,

36-4256

Studying shear strength and moisture content of seasonally thawing ground on slopes and declivities. [Issledovanie soprotivlenija sdvigu i vlazhnosti sezon-

noottaivaiushchikh gruntov otkosov i sklonov₁, Bondarenko, G.I., Reologiia gruntov i inzhenernoe merrlotovedenic (Rheology of soils and engineering generyology) edited by IU.K. Zaretskii, Moscow. Nauka, 1982, p.148-153, In Russian. 4 refs. Slope processes, Permafrost thermal properties, Ac-

tive layer, Soil creep.

36-4257

Settlement and the stress-strain state of plastic frozen ground beneath centrally loaded piles. Osadki i napriazhenno-deformirovannoe sostojanje plastichno-merzlogo grunta v osnovanii tsentral'no-nagruz-

hennof svaij, Slepak, M.E., Reologiia gruntov i inzhenernoe mer-zlottovedenie (Rheology of soils and engineering geo-cryology) edited by IU.K. Zaretskii, Moscow, Nauka, 1982, p.154-158, In Russian. 5 refs.

tions. Piles. Permafrost beneath structures. Plastic properties, Deformation.

36-4258

Forecasting the settlement of pile foundations in plastic frozen ground. (Prognoz osadki svainykh fundamentov v plastichno-merzlykh gruntakh₁. Mirenburg, IU.S., et al, Reologiia gruntov i inzhen-

ernoe merziotovedenie (Rheology of soils and engineering geocryology) edited by IU.K. Zaretskii, Moscow, Nauka, 1982, p.159-161, In Russian. 2 refs. Fedoseev, IU.G.

Piles, Foundations, Permafrost beneath structures, Settlement (structural).

Stability of excavation slopes in perennially frozen fines. Ob ustoichivosti otkosov vyemok v vechnomerzlykh dispersnykh gruntakh,

Novikov, F.I.A., Reologiia gruntov i inzhenernoe merzlotovedenie (Rheology of soils and engineering geocryology) edited by IU.K. Zaretskii, Moscow, Nauka, 1982, p.161-169, In Russian. 6 refs.

Frozen fines, Permafrost thermal properties, Slope processes, Slope stability.

Service life of bored reinforced concrete piles in permafrost, rObespechenie dolgovechnosti zhelezobetonnykh buroopusknykh sval v uslovijakh vechnomer-

zlykh gruntovj. Poluektov, V.E., et al. Reologiia gruntov i inzhenernoe merzlotovedenie (Rheology of soils and engineering geocryology) edited by IU.K. Zaretskii, Moscow, Nauka, 1982, p.169-177, In Russian.
Mezhenskii, V.I.

Foundations, Concrete piles, Reinforced concretes, Permafrost beneath structures.

Allowing for cryogenic structures in engineering design. [Inzhenerny] uchet kriogennoj tekstury],

Zhukov, V.F., Reologiia gruntov i inzhenernoe merzlotovedenie (Rheology of soils and engineering geo-cryology) edited by IU.K. Zaretskii, Moscow, Nauka, 1982, p.177-180, In Russian. 11 refs.

Permafrost structure, Buildings, Foundations, Permafrost beneath structures, Active layer.

Construction of building foundations with preliminary cooling of the permafrost surface. [Ustroistvo fundamentov zdanii s predvaritel'nym poverkhnostnym okhlazhdeniem vechnomerzlykh gruntov₁,

Fedorovich, D.I., et al, Reologiia gruntov i inzhen-ernoe merzlotovedenie (Rheology of soils and engi-neering geocryology) edited by IU.K. Zaretskii, Mos-cow, Nauka, 1982, p.180-184, In Russian. 3 refs. Buildings, Foundations, Permafrost beneath structures, Permafrost control.

Experimental construction of industrial buildings on ventilated fills. [Eksperimental'noe stroitel'stvo promyshlennykh zdaniš na podsypkakh s ventiliruemymi kanalami₁,

Kutvitskaia, N.B., Reologiia gruntov i inzhenernoe merziotovedenie (Rheology of soils and engineering geocryology) edited by IU.K. Zaretskii. Moscow. Nauka, 1982, p.184-188, In Russian. 3 refs. Industrial buildings, Foundations, Earth fills, Ventilation, Ducts, Permafrost control.

36-4264

Joint problem of thermal interaction of water tanks with permafrost. [Sopriazhennaia zadacha teplovogo vzaimodeĭstvija rezervuarov dlja vody s vechnomer-

vzaimodeistvina fezervugrov dna vody s vechnomer-zlymi gruntamij, Gokhman, M.R., Reologiia gruntov i inzhenernoc merzlotovedenie (Rheology of soils and engineering geocryology) edited by IU.K. Zaretskii, Moscow, Nauka, 1982, p.188-192, In Russian, 5 refs. Water storage, Tanks (containers), Walls, Permafrost

beneath structures, Floors, Heat transfer.

Functional relationship between ground freezing temperature and the composition of water-soluble salts in ore fluids. (O funktsional'noi zavisimosti temperatury zamerzanija gruntov ot sostava vodorastvorimykh porovom rastvorej.

Velli, IU.IA., et al. Reologiia gruntov i inzhenernoe merzlotovedenie (Rheology of soils and engineering geocryology) edited by IU.K. Zaretskii, Moscow, Nauka, 1982, p.193-196, In Russian.

Grishin, P.A. Soil freezing, Porosity, Soil water, Water chemistry, Freezing points.

36-4266

Stochastic calculation of foundation deformations of structures built in water-saturated clay soils. [Veroiatnostnyi raschet deformatsii osnovanji sooruzhenii na vodonasyshchennykh glinistykh gruntakh₁,

Pshenichkin, A.P., Reologija gruntov i inzhenernoe merzlotovedenie (Rheology of soils and engineering geocryology) edited by IU.K. Zaretskii, Moscow, geocryology) edited by IU.K. Zaro Nauka, 1982, p.196-199, In Russian.

Foundations, Clay soils, Soil water, Soil creep, Deformation.

36-4267 Thermomechanical models of frozen grounds and

cryogenic processes. [Termomekhanicheskie modeli merzlykh gruntov i kriogennykh protsessov], Kronik, IA.A., Reologiia gruntov i inzhenernoe mer-

zlotovedenie (Rheology of soils and engineering geo-cryology) edited by IU.K. Zaretskii, Moscow, Nauka, 1982, p.200-212, In Russian, 22 refs.

Models, Frozen ground, Soil freezing, Frost penetration, Ground thawing. Geocryology, Hydrothermal processes.

. 36-4268

Moisture transfer and ice separation in freezing, thawing and frozen rocks. (Vlagoperenos i l'dovydelenie v promerzaiushchikh, ottaivaiushchikh i merzlykh porodakh₁

Ershov, E.D., et al, Reologiia gruntov i inzhenernoe merzlotovedenie (Rheology of soils and engineering geocryology) edited by IU.K. Zaretskii, Moscow, Nauka, 1982, p.212-217, In Russian. 4 refs. Lebedenko, IU.P., Ershov, V.D.

Soil freezing, Frost penetration, Freeze thaw cycles, Ground thawing, Soil water migration, Ice formation.

#